





Project ▾

ai age predictor D:\java\ai age predictor

> .idea

> out

> src

Main

.gitignore

ai age predictor.iml

> External Libraries

> Scratches and Consoles

Main.java ×

```
1 import java.util.Scanner;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         System.out.print("Enter your current age: ");
6         int age = sc.nextInt();
7         System.out.println("\n--- AI Age Predictor ---");
8         System.out.println("Your age after 10 years: " + (age + 10));
9         System.out.println("Your age after 25 years: " + (age + 25));
10        System.out.println("Your age after 50 years: " + (age + 50));
11        // Bonus: Predict year when user turns 100
12        int currentYear = 2026;
13        int yearTurn100 = currentYear + (100 - age);
14        System.out.println("You will turn 100 in the year: " + yearTurn100);
15        sc.close();
16    }
17 }
```

Run Main ×

Enter your current age: 10

--- AI Age Predictor ---

Your age after 10 years: 20

Your age after 25 years: 35

Your age after 50 years: 60

You will turn 100 in the year: 2116

Performance

Show Results 00:00

CPU

Heap Memory

Project ▾

Logical Operators Check D:\java\Logical Operators Chec

> .idea

> out

> src

Main

.gitignore

Logical Operators Check.iml

> External Libraries

> Scratches and Consoles

Main.java ×

```
1 import java.util.Scanner;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         System.out.print("Enter first number: ");
6         int num1 = sc.nextInt();
7         System.out.print("Enter second number: ");
8         int num2 = sc.nextInt();
9         System.out.print("Enter third number: ");
10        int num3 = sc.nextInt();
11        boolean result = (num1 + num2 == num3);
12        if (result) {
13            System.out.println("The third number is the sum of the first two numbers.");
14        } else {
15            System.out.println("The third number is NOT the sum of the first two numbers.");
16        }
17        sc.close();
18    }
```

Run Main ×

Enter first number: 4

Enter second number: 2

Enter third number: 1

The third number is NOT the sum of the first two numbers.

Process finished with exit code 0

Performance

Show Results 00:00

CPU

Heap Memory

Project ▾

- ▼ Multiplication Table D:\java\Multiplication Table
 - > .idea
 - > out
 - ▼ src
 - Main
 - .gitignore
 - Multiplication Table.iml
 - > External Libraries
 - > Scratches and Consoles

Main.java ×

```
1 import java.util.Scanner;
2 public class Main{
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         System.out.print("Enter a number: ");
6         int num = sc.nextInt();
7         System.out.println("\nMultiplication Table of " + num);
8         for (int i = 1; i <= 10; i++) {
9             System.out.println(num + " x " + i + " = " + (num * i));
10        }
11        sc.close();
12    }
13 }
```

Run Main.java Shift+F10

Run Main ×

↑ Multiplication Table of 1

```
1 x 1 = 1
1 x 2 = 2
1 x 3 = 3
1 x 4 = 4
1 x 5 = 5
1 x 6 = 6
1 x 7 = 7
1 x 8 = 8
1 x 9 = 9
1 x 10 = 10
```

Performance

Show Results 00:00

CPU

Heap Memory

Project ▾

- ▼ Right-Angled Triangle Pattern D:\java\Right-Angled Triangle Pattern
 - > .idea
 - > out
 - ▼ src
 - Main
 - .gitignore
 - Right-Angled Triangle Pattern.iml
 - > External Libraries
 - > Scratches and Consoles

Main.java ×

```
1 import java.util.Scanner;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         System.out.print("Enter the number of rows: ");
6         int rows = sc.nextInt();
7         for (int i = 1; i <= rows; i++) {
8             for (int j = 1; j <= i; j++) {
9                 System.out.print("*");
10            }
11            System.out.println();
12        }
13        sc.close();
14    }
15 }
```

Enter the number of rows: 5

```
*
**
***
****
*****
```

Process finished with exit code 0

Candidates for method call System.out.print ("**") are:

- void print(boolean)
- void print(char)
- void print(int)
- void print(long)
- void print(float)
- void print(double)
- void print(char[])
- void print(String)
- void print(Object)

Right-Angled Triangle Pattern

CPU

Heap Memory

Project ▾

Pyramid Pattern D:\java\Pyramid Pattern

> .idea

> out

> src

Main

.gitignore

Pyramid Pattern.iml

> External Libraries

> Scratches and Consoles

Main.java x

```
1 import java.util.Scanner;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         System.out.print("Enter the number of rows: ");
6         int rows = sc.nextInt();
7         for (int i = 1; i <= rows; i++) {
8             for (int j = 1; j <= rows - i; j++) {
9                 System.out.print(" ");
10            }
11            for (int k = 1; k <= (2 * i - 1); k++) {
12                System.out.print("*");
13            }
14            System.out.println();
15        }
16        sc.close();
17    }
18 }
```

Run Main x

Enter the number of rows: 5

*

Performance

Show Results 00:00

CPU

Heap Memory

Project ▾

Palindrome Number D:\java\Palindrome Number

> .idea

> out

> src

Main

.gitignore

Palindrome Number.iml

> External Libraries

> Scratches and Consoles

Main.java x

```
1 import java.util.Scanner;
2 public class Main {
3     public static boolean isPalindrome(int x) { 1 usage
4         int original = x;
5         int reversed = 0;
6         while (x > 0) {
7             int digit = x % 10;
8             reversed = reversed * 10 + digit;
9             x = x / 10;
10        }
11        return original == reversed;
12    }
13    public static void main(String[] args) {
14        Scanner sc = new Scanner(System.in);
15        System.out.print("Enter a number: ");
16        int num = sc.nextInt();
17        if (isPalindrome(num)) {
18            System.out.println(num + " is a Palindrome Number.");
19        } else {
20            System.out.println(num + " is Not a Palindrome Number.");
21        }
22        sc.close();
23    }
24 }
```

Run Main x

Enter a number: 12

12 is Not a Palindrome Number.

Performance

Project ▾

- Basic Calculator D:\java\Basic Calculator
 - .idea
 - out
 - src
 - Main
 - .gitignore
 - Basic Calculator.iml
 - External Libraries
 - Scratches and Consoles

Main.java x

```
1 import java.util.Scanner;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         System.out.print("Enter first number: ");
6         double num1 = sc.nextDouble();
7         System.out.print("Enter second number: ");
8         double num2 = sc.nextDouble();
9         System.out.print("Enter operator (+, -, *, /): ");
10        char operator = sc.next().charAt(0);
11        double result;
12        switch (operator) { ... }
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38    }
```

Run Main x

"C:\Program Files\Java\jdk-26.0.1\bin\java.exe" "-javaagent:C:\Users\LENOVO\AppData\Local\Pro...

Enter first number: 10
Enter second number: 10000
Enter operator (+, -, *, /): +
Result = 10010.0

Process finished with exit code 0

Performance

Show Results 00:00

CPU

Heap Memory

Project ▾

- Grade Calculator D:\java\Grade Calculator
 - .idea
 - out
 - src
 - Main
 - .gitignore
 - Grade Calculator.iml
 - External Libraries
 - Scratches and Consoles





Main.java x

```
1 import java.util.Scanner;
2 public class Main {
3     public static void main(String[] args) {
4         Scanner sc = new Scanner(System.in);
5         System.out.print("Enter marks: ");
6         int marks = sc.nextInt();
7         String grade =
8             (marks >= 90) ? "A+" :
9             (marks >= 85) ? "A" :
10            (marks >= 80) ? "A-" :
11            (marks >= 75) ? "B+" :
12            (marks >= 70) ? "B" :
13            (marks >= 65) ? "B-" :
14            (marks >= 60) ? "C+" :
15            (marks >= 55) ? "C" :
16            (marks >= 50) ? "C-" :
17            (marks >= 45) ? "D+" :
18            (marks >= 40) ? "D" :
19            "F";
20        System.out.println("Grade: " + grade);
21        sc.close();
22    }
23 }
```

Run Main x

Enter marks: 89
Grade: A

Performance



1 Smart Attendance checker

```
import java.util.Scanner;
public class Main {
    public static void main (String [] args) {
        Scanner sc = new Scanner (System.in);
        System.out.print ("Enter total classes conducted: ");
        int total classes = sc.nextInt();
        System.out.print ("Enter classes attended: ");
        int attended classes = sc.nextInt();
        double attendance percentage = ((double) attended class / total
        classes) * 100;
        System.out.println ("Attendance Percentage: " + attenda
        nce percentage + "%");
        if (attendance percentage >= 75) {
            System.out.println ("Eligible for Exam");
        } else {
            System.out.println ("Not Eligible");
        }
        sc.close();
    }
}
```

Output

```
Enter total class conducted: 1
Enter classes attended: 1
Attendance percentage: 100.0%
Eligible for Exam
```

3. Fitness Challenge tracker

```
import java.util.Scanner;
public class Main {
    public static void main (String [] args) {
        Scanner sc = new Scanner (System.in);
        int totalSteps = 0;
        int highestSteps = 0;
        for (int day = 1; day <= 7; day++) {
            System.out.print ("Enter Steps walked on Day " + day + ": ");
            int steps = sc.nextInt();
            totalSteps += steps;
            if (steps > highestSteps) {
                highestSteps = steps;
            }
        }
        double averageSteps = totalSteps / 7.0;
        System.out.println ("\n --- Fitness Challenge Report ---");
        System.out.println ("Total Steps: " + totalSteps);
        System.out.println ("Average Steps: " + averageSteps);
        System.out.println ("Highest Steps in a Day: " + highestSteps);
        sc.close();
    }
}
```

4 Fibonacci Series

```
import java.util.Scanner;
public class Main {
    public static void main (String []) {
        Scanner SC = new Scanner (System.in);
        System.out.print("Enter the value of n: ");
        int n = SC.nextInt();
        int first = 0, second = 1;
        System.out.println("Fibonacci Series:");
        for (int i = 1; i <= n; i++) {
            System.out.print(first + " ");
            int next = first + second;
            first = second;
            second = next;
        }
        SC.close();
    }
}
```

Output

Enter the value of n: 4
Fibonacci Series:
0 1 1 2

2. AI age predictor

```
import java.util.Scanner;
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter your current age: ");
        int age = sc.nextInt();
        System.out.println("\n--- AI Age predictor ---");
        System.out.println("Your age after 10 years: " +
            (age + 10));
        System.out.println("Your age after 25 years: " + (age + 25));
        System.out.println("Your age after 50 years: " + (age + 50));
        int currentYear = 2026;
        int yearTurn100 = currentYear + (100 - age);
        System.out.println("You will turn 100 in the year: " +
            yearTurn100);
        sc.close();
    }
}
```

3

Output

```
Enter your current age: 10
--- AI Age predictor ---
Your age after 10 years: 20
Your age after 25 years: 35
Your age after 50 years: 60
You will turn 100 in the year: 2116
```

6 logical operators check

```
import java.util.Scanner;
public class Main {
    public static void main (String []) {
        Scanner sc = new Scanner (System.in);
        int num1 = sc.nextInt();
        System.out.print("Enter Second number: ");
        int num2 = sc.nextInt();
        System.out.print("Enter third number: ");
        int num3 = sc.nextInt();
        boolean result = (num1 + num2 == num3);
        if (result) {
            System.out.println("The third number is the sum of the first
            two numbers.");
        } else {
            System.out.println("The third number is not the sum of the
            first two number: ");
        }
        sc.close();
    }
}
```

Output

```
Enter first number: 4
Enter Second number: 2
Enter third number: 1
The third number is not the sum
of the first two numbers.
```

7. Multiplication Table

```
import java.util.Scanner;
public class main {
    public static void main (String [] args) {
        Scanner sc = new Scanner (System.in);
        System.out.print("Enter a number:");
        int num = sc.nextInt();
        System.out.println("\n Multiplication Table of " + num);
        for (int i = 1; i <= 10; i++) {
            System.out.println(num + " x " + i + " = " + (num * i));
        }
        sc.close();
    }
}
```

Output:

Enter total the Multiplication Table of 1

$$1 \times 1 = 1$$

$$1 \times 2 = 2$$

$$1 \times 3 = 3$$

$$1 \times 4 = 4$$

$$1 \times 5 = 5$$

$$1 \times 6 = 6$$

$$1 \times 7 = 7$$

$$1 \times 8 = 8$$

$$1 \times 9 = 9$$

$$1 \times 10 = 10$$

5 Prime number check

```
import java.util. Scanner;
public class Main {
    public Static void main (String [-]) {
        Scanner SC = new Scanner (System.in);
        System.out. print ("Enter a number:");
        int num = SC. next Int ();
        boolean isprime = true;
        if (num <= 1) {
            isprime = false;
        } else {
            for (int i = 2; i <= num / 2; i++) {
                if (num % i == 0) {
                    isprime = false;
                    break;
                }
            }
        }
        if (is prime) {
            System.out. println (num + " is a prime number.");
        } else {
            System out. println (num + " is not a prime number.");
        }
        SC. close ();
    }
}
```

3

Output

Enter a number: 2

2 is a prime number.

5. Pyramid Pattern

```
import java.util.Scanner;
public class Main {
    public static void main (String [] args) {
        Scanner sc = new Scanner (System.in);
        System.out.print ("Enter the number of rows: ");
        int rows = sc.nextInt();
        for (int i = 1; i <= rows; i++) {
            for (int j = 1; j <= rows - i; j++) {
                System.out.print (" ");
            }
            for (int k = 1; k <= (2 * i - 1); k++) {
                System.out.print ("*");
            }
            System.out.println();
        }
        sc.close();
    }
}
```

Output

Enter the number of rows: 5

```
      *
     * * *
    * * * * *
   * * * * * *
  * * * * * * *
 * * * * * * * *
```

10. Palindrome Number

```
import java.util.Scanner;
public class Main {
    public static boolean isPalindrome(int x) {
        int original = x;
        int reversed = 0;
        while (x > 0) {
            int digit = x % 10;
            reversed = reversed * 10 + digit;
            x = x / 10;
        }
        return original == reversed;
    }
    public static void main (String []) {
        Scanner sc = new Scanner (System.in);
        int num = sc.nextInt();
        if (isPalindrome(num)) {
            System.out.println(num + " is a palindrome Number.");
        } else {
            System.out.println(num + " is Not a palindrome Number.");
        }
        sc.close();
    }
}
```

output

Enter a number: 12

12 is Not a Palindrome Number.

8. Right - Angle Triangle Pattern

```
import java.util.Scanner;
public class main {
    public static void main (String [] args) {
        Scanner SC = new Scanner (System.in);
        System.out.print ("Enter the number of rows: ");
        int rows = SC.nextInt();
        for (int i = 1; i <= rows; i++) {
            for (int j = 1; j <= i; j++) {
                System.out.print ("* ");
            }
            System.out.print ("\n");
        }
        SC.close();
    }
}
```

output

Enter the number of rows: 5

*

**

```
System.out.println("Result = " + result);  
} else {  
    System.out.println("Error! Division by zero is not  
allowed.");  
}  
break;  
default:  
    System.out.println("Invalid operator!");  
}  
sc.close();  
}  
}  
output
```

Enter first number : 10

Enter second number: 10000

Enter operator (+, -, *, /): +

Result = 10010.0

12. Grade Calculator

```
import java.util.Scanner;
public class Main {
    public static void main (String [] args) {
        Scanner sc = new Scanner (System.in);
        System.out.print ("Enter marks: ");
        int marks = sc.nextInt ();
        String grade =
            (marks >= 90) ? "A+" :
            (marks >= 85) ? "A" :
            (marks >= 80) ? "A-" :
            (marks >= 75) ? "B+" :
            (marks >= 70) ? "B" :
            (marks >= 65) ? "B-" :
            (marks >= 60) ? "C+" :
            (marks >= 55) ? "C" :
            (marks >= 50) ? "C-" :
            (marks >= 45) ? "D+" :
            (marks >= 40) ? "D" :
            "F";
        System.out.println ("Grade : " + grade);
        sc.close ();
    }
}
```

Output

Enter marks: 85

Grade: A

11. Basic Calculator

```
import java.util.Scanner;
public class Main {
    public static void main (String [] ) {
        Scanner sc = new Scanner (System.in);
        System.out.print ("Enter first number: ");
        double num1 = sc.nextDouble();
        System.out.print ("Enter second number: ");
        double num2 = sc.nextDouble();
        System.out.print ("Enter operator (+, -, *, /): ");
        char operator = sc.next().charAt(0);
        double result;
        switch (operator) {
            case '+':
                result = num1 + num2;
                System.out.println ("Result = " + result);
                break;
            case '-':
                result = num1 - num2;
                System.out.println ("Result = " + result);
                break;
            case '*':
                result = num1 * num2;
                System.out.println ("Result = " + result);
                break;
            case '/':
                if (num2 != 0) {
                    result = num1 / num2;
                }
            }
    }
}
```