

1) smart Attendance checker

```
</java>
```

```
import java.util.Scanner;
```

```
public class smart Attendance checker { main {
```

```
public static void main (String[] args) {
```

```
Scanner sc = new Scanner (System.in);
```

```
System.out.print ("Enter total classes conducted:");
```

```
int total classes = sc.nextInt();
```

```
System.out.print ("Enter classes attended:");
```

```
int attended classes = sc.nextInt();
```

```
double attendance percentage = ((double) attended classes /  
total classes) * 100;
```

```
System.out.println ("Attendance percentage: " + attendance Percentage + "%");
```

```
if (attendance percentage >= 75) {
```

```
System.out.println ("Eligible for Exam");
```


```
} else {
```

```
System.out.println ("Not Eligible");
```

```
}
```

```
sc.close();
```

```
}
```



2) AI Age predictor

```
</> java
```

```
import java.util.scanner;  
import java.time.year;
```

```
public class AI Age predictor {  
    public static void main (String [] args) {  
        scanner sc = new scanner (system.in);
```

```
        system.out.print ("Enter your current age:");  
        int age = sc.nextInt();
```

```
        system.out.println ("Age after 10 years: " + (age + 10));
```

```
        system.out.println ("Age after 25 years: " + (age + 25));
```

```
        system.out.println ("Age after 50 years: " + (age + 50));
```

```
        int current year = year.now().getValue();
```


```
        int year turn 100 = (current year + (100 - age));
```

```
        system.out.println ("You will turn 100 in the year: " + year -  
                                turn 100);
```

```
        sc.close();
```

```
    }
```

```
}
```



3) Fitness challenge Tracker

</> java

import java.util.Scanner;

public class Fitnesschallenge Tracker {

public static void main(String[] args) {

Scanner sc = new Scanner(System.in);

int totalSteps = 0;

int highestSteps = 0;

for (int i = 1; i <= 7; i++) {

System.out.print("Enter steps for day " + i + ": ");

int steps = sc.nextInt();

totalSteps += steps;

if (steps > highestSteps) {

highestSteps = steps;

}

}

double averageSteps = totalSteps / 7.0;

System.out.println("\nTotal steps: " + totalSteps);

System.out.println("Average steps: " + averageSteps);

System.out.println("Highest steps: " + highestSteps);

sc.close();

}

}

4.) Fibonacci series

// java

import java.util.Scanner;

public class Fibonacci series {

public static void main (String [] args) {

Scanner sc = new Scanner (System.in);

System.out.print ("Enter value of n:");

int n = sc.nextInt();

int first = 0, second = 1;

System.out.print ("Fibonacci series:");

for (int i = 1; i <= n; i++) {

System.out.print (first + " ");

int next = first + second;

first = second;

second = next;

}

sc.close();

}

}

main master

Current File

Start Free Trial

Project

main C:\Users\User\IdeaProjects\main

.idea

out

src

Main

.gitignore

main.iml

External Libraries

Scratches and Consoles

Main.java

```
1 import java.util.Scanner;
2
3 public class Main { new *
4     public static void main(String[] args) { new *
5
6         Scanner input = new Scanner(System.in);
7
8         System.out.print("How many terms? ");
9         int n = input.nextInt();
10
11         int first = 0;
12         int second = 1;
13     }
```

Run Main

"C:\Program Files\Java\bin\java.exe" "-javaagent:C:\Users\User\OneDrive\Desktop\IntelliJ IDEA 2026.1.1\lib\idea_rt.jar=54397" -Dfile.encoding=UTF-8 -Dsun.

How many terms? 3

0 1 1

Process finished with exit code 0

main > src > Main

23:2 LF UTF-8 4 spaces

78°F Partly cloudy

8:58 PM

6/5/2026

5.) prime number check

</java

import java.util.Scanner;

public class prime number check {

public static void main (String[] args) {

Scanner sc = new Scanner (System.in);

system.out.print ("Enter a number:");

int num = sc.nextInt();

boolean is prime = true;

if (num <= 1) {

is prime = false;

} else {

for (int i = 2; i <= num / 2; i++) {

if (num % i == 0) {

is prime = false;

break;

}

}

}

if (is prime) {

system.out.println (num + "is a prime number.");

} else {

system.out.println (num + "is not a prime number.");

}

sc.close();

}

}

6.)

6.) logical operators check

// Java

import java.util.Scanner;

public class logicaloperatorscheck {

public static void main (String[] args) {

Scanner sc = new Scanner (System.in);

System.out.println("Enter first number:");

int num1 = sc.nextInt();

System.out.println("Enter second number:");

int num2 = sc.nextInt();

System.out.println("Enter third number:");

int num3 = sc.nextInt();

if ((num1 + num2) == num3) {

System.out.println("True: Third number is the sum of first two numbers.");

} else {

System.out.println("False: Third number is not the sum of first two numbers.");

}

sc.close();

}

}

7.) Multiplication Table

// java

import java.util.Scanner;

public class multiplicationTable {

public static void main(String[] args) {

Scanner sc = new Scanner(System.in);

System.out.print("Enter a number:");

int num = sc.nextInt();

System.out.println("multiplication Table of " + num + " is");

for (int i = 1; i <= 10; i++) {


System.out.print(num + " x " + i + " = " + (num * i));

}

sc.close();

}

}



8) Right-Angled Triangle pattern.

{/java}

import java.util.Scanner;

public class RightAngledTriangle {

public static void main(String[] args) {

Scanner sc = new Scanner(System.in);

System.out.print("Enter number of rows:");

int rows = sc.nextInt();

for (int i = 1; i <= rows; i++) {

for (int j = 1; j <= i; j++) {

System.out.print("*");

}

System.out.println();

}

sc.close();

}

}

9.) pyramid pattern

</> java

```
import java.util.scanner;
```

```
public class pyramid/pattern {
```

```
public static void main (String [] args) {
```

```
scanner sc = new scanner (system.in);
```

```
system.out.print ("Enter number of rows:");
```

```
int rows = sc.next Int ();
```

```
for (int i = 1; i <= rows; i++) {
```

```
for (int j = 1; j <= rows - i; j++) {
```

```
system.out.print (" ");
```

```
}
```

```
for (int k = 1; k <= (2 * i - 1); k++) {
```

```
system.out.print ("x");
```

```
}
```

```
system.out.println();
```

```
}
```

```
sc.close();
```

```
}
```

```
}
```

main master

Current File

Start Free Trial

Project

main C:\Users\User\IdeaProjects\main

.idea

out

src

Main

.gitignore

main.iml

External Libraries

Scratches and Consoles

Main.java

```
3 public class Main { new *
4     public static void main(String[] args) { new *
11         for (int i = 1; i <= rows; i++) {
12
13             for (int j = 1; j <= rows - i; j++)
14                 System.out.print(" ");
15
16             for (int k = 1; k <= 2 * i - 1; k++)
17                 System.out.print("*");
18
19             System.out.println();
20
21         }
22     }
```

Run Main

"C:\Program Files\Java\bin\java.exe" "-javaagent:C:\Users\User\OneDrive\Desktop\IntelliJ IDEA 2026.1.1\lib\idea_rt.jar=63954" -Dfile.encoding=UTF-8 -Dsun.

Rows: 2

*

Process finished with exit code 0

main > src > Main

22:2 LF UTF-8 4 spaces

78°F Partly cloudy

9:02 PM

6/5/2026

10.) palindrome number

</> java

import java.util.~~scanner~~ scanner;

public class palindromeNumber {

public static boolean ispalindrome(int x) {

int original = x;

int reversed = 0;

while (x != 0) {

int digit = x % 10;

reversed = reversed * 10 + digit;

x /= 10;

}

return original == reversed;

}

public static void main(String[] args) {

scanner sc = new scanner(System.in);

System.out.println("Enter a number:");

int num = sc.nextInt();

if (ispalindrome(num)) {

System.out.println(num + " is a palindrome.");

} else {

System.out.println(num + " is not a palindrome.");

}

sc.close();

}

}

main master

Current File

Start Free Trial

Project

main C:\Users\User\IdeaProjects\main

.idea

out

src

Main

.gitignore

main.iml

External Libraries

Scratches and Consoles

Main.java

```
3 public class Main { new *
4     public static void main(String[] args) { new *
14         while (num > 0) {
15             int digit = num % 10;
16             reverse = reverse * 10 + digit;
17             num = num / 10;
18         }
19
20         if (original == reverse)
21             System.out.println("Palindrome");
22         else
23             System.out.println("Not Palindrome");
24         }
25     }
```

Run Main

↑ ↓ ↺ ↻

"C:\Program Files\Java\bin\java.exe" "-javaagent:C:\Users\User\OneDrive\Desktop\IntelliJ IDEA 2026.1.1\lib\idea_rt.jar=62869" -Dfile.encoding=UTF-8 -Dsun.
Enter Number: 6
Palindrome
Process finished with exit code 0

main > src > Main

25:2 LF UTF-8 4 spaces

78°F Partly cloudy

9:04 PM

6/5/2026

11.) Basic calculator

// java

```
import java.util.Scanner;
```

```
public class main {
```

```
    public static void main(String[] args) {
```

```
        Scanner input = new Scanner(System.in);
```

```
        System.out.print("Enter first number:");
```

```
        double a = input.nextDouble();
```

```
        System.out.print("Enter second number:");
```

```
        double b = input.nextDouble();
```

```
        System.out.print("Enter operator (+, -, *, /):");
```

```
        char op = input.next().charAt(0);
```

```
        switch(op) {
```

```
            case '+':
```

```
                System.out.println("Answer = " + (a+b));
```

```
                break;
```

```
            case '-':
```

```
                System.out.println("Answer = " + (a-b));
```

```
                break;
```

```
            case '*':
```

```
                System.out.println("Answer = " + (a*b));
```


break;

case ' / ':

system.out.println("Answer = " + (a/b));

break;

default:

system.out.println("Invalid operator");

}

}

}

main master

Current File

Start Free Trial

Project

main C:\Users\User\IdeaProjects\main

.idea

out

src

Main

.gitignore

main.iml

External Libraries

Scratches and Consoles

Main.java

```
3 public class Main { new *
4     public static void main(String[] args) { new *
28         System.out.println("Answer = " + (a * b));
29         break;
30
31         case '/':
32             System.out.println("Answer = " + (a / b));
33             break;
34
35         default:
36             System.out.println("Invalid Operator");
37     }
38 }
39 }
```

Run Main

"C:\Program Files\Java\bin\java.exe" "-javaagent:C:\Users\User\OneDrive\Desktop\IntelliJ IDEA 2026.1.1\lib\idea_rt.jar=59162" -Dfile.encoding=UTF-8 -Dsun.

Enter First Number: 4

Enter Second Number: 2

Enter Operator (+,-,*,/): *

Answer = 8.0

Process finished with exit code 0

main > src > Main

39:2 LF UTF-8 4 spaces

78°F Partly cloudy

9:05 PM

6/5/2026

12.) Grade calculator (using Ternary operator)

<?java

import java.util.Scanner;

public class GradeCalculator {

public static void main (String[] args) {

Scanner sc = new Scanner (System.in);

System.out.print ("Enter marks (0-100): ");

double marks = sc.nextDouble();

String grade =

(marks >= 80) ? "A+" :

(marks >= 80) ? "A+" :

(marks >= 70) ? "B+" :

(marks >= 60) ? "B" :

(marks >= 50) ? "C+" :

(marks >= 40) ? "C" :

(marks >= 35) ? "D" : "F" ;

System.out.println ("Grade : " + grade);

sc.close();

}

}

main master

Current File

Start Free Trial

Project

main C:\Users\User\IdeaProjects\main

.idea

out

src

Main

.gitignore

main.iml

External Libraries

Scratches and Consoles

Main.java

```
1 import java.util.Scanner;
2
3 public class Main { new *
4     public static void main(String[] args) { new *
5
6         Scanner input = new Scanner(System.in);
7
8         System.out.print("Enter Marks: ");
9         int marks = input.nextInt();
10
11         String grade =
12             (marks >= 90) ? "A+" :
13             (marks >= 80) ? "A" :
14             (marks >= 70) ? "B+" :
15             (marks >= 60) ? "B" :
```

Run Main

"C:\Program Files\Java\bin\java.exe" "-javaagent:C:\Users\User\OneDrive\Desktop\IntelliJ IDEA 2026.1.1\lib\idea_rt.jar=59174" -Dfile.encoding=UTF-8 -Dsun.

Enter Marks: 68

Grade = B

Process finished with exit code 0

main > src > Main

23:1 LF UTF-8 4 spaces

78°F Partly cloudy

9:06 PM

6/5/2026