```
vered and total Serious cases
CREATE TABLE covidInfo (
cName VARCHAR2(50),
4. totalCases NUMBER(10),
totalDeaths NUMBER(10),
6. totalRecovered NUMBER(10),
7. totalSerious NUMBER(10)
8.
9.);
10. ----
   - Table that stores information of new cases and newdeaths of each country
11.CREATE TABLE newcovidInfo(
12.cName VARCHAR2(50),
13.newCases NUMBER(10),
14.newDeaths NUMBER(10)
15.);
```

```
----- VIEWS ------
----- VIEW TO GENEREATE BOTTOM 20 ------
create or replace view vw bot20 as
select 0 ids, 'Bottom 20' cName, null totalCases from dual
union
select ids, cName,totalCases from(
select row_number() over (order by totalCases asc) ids, cName, totalCases
from covidInfo)
where ids <21;
----- VIEW TO GENEREATE TOP 20 ------
create or replace view vw top20 as
select 0 ids, 'Top 20' cName, null totalCases from dual
union
select ids,cName,totalCases from (select row_number() over (order by totalCases d
esc) ids, cName, totalCases
from covidInfo)
where ids<21;
```

```
CREATE OR REPLACE VIEW vw_newdata as select 'NEPAL Position:'|| ''||covidManagement.rankFinder('NEPAL') || '- total: '||ci.totalcases ||'; today:'|| nc.newCases || '- deaths:'||ci.totaldeaths ||'; today:'|| nc.newDeaths nepal from newcovidInfo nc inner join covidInfo ci on nc.cName = ci.cName where upper(nc.cName)='NEPAL';
```

DML (Insert/Updates)

```
---- Insert query to insert data in covidInfo table
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('USA',30922914,562069,23348808,8592);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Brazil',12490362,310694,10879627,8318);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('India',11987860,161715,11330279,8944);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Russia',4519832,97740,4139128,2300);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('France',4508575,94465,289350,4791);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('UK',4333042,126592,3805416,615);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Italy',3532057,107933,2850889,3679);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Spain',3255324,75010,3016247,1830);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Turkey',3179115,30923,2939929,1886);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Germany',2776004,76419,2484600,3209);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Colombia',2375591,62790,2261373,1982);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Argentina',2301389,55368,2072228,3506);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Poland',2250991,51884,1798922,2894);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Mexico',2224767,201429,1759123,4798);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Iran',1855674,62397,1593219,3920);
```

```
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Ukraine',1644063,31954,1300625,177);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('South Africa',1544466,52648,1471164,546);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Peru',1520973,51238,1432450,2301);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Czechia',1515029,25874,1315571,1800);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Indonesia',1496085,40449,1331400,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Netherlands',1252437,16465,0,646);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Chile',977243,22754,912058,2539);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Canada',964448,22873,898444,661);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Romania',936618,23114,837060,1386);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Belgium',866063,22870,56371,667);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Iraq',832428,14212,745935,492);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Israel',831897,6180,815721,458);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Portugal',820407,16837,775391,142);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Sweden',780018,13402,0,284);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Philippines',721892,13170,603154,785);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Pakistan',654591,14215,595929,3043);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Hungary',633861,19972,395790,1527);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Bangladesh',595714,8904,535641,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Switzerland',592217,10299,542535,159);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Serbia',585506,5190,488992,269);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Jordan',582133,6472,476090,729);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Austria',536465,9256,491619,519);
```

```
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Morocco',494358,8798,482084,262);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Japan',466849,9031,441237,341);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Lebanon',458338,6058,360244,978);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('UAE',455197,1481,438706,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Saudi Arabia',388325,6650,376947,638);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Slovakia',357910,9496,255300,662);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Panama',353497,6090,342379,105);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Malaysia',341944,1255,326309,169);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Bulgaria',327770,12650,248904,769);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Ecuador',322699,16679,271847,534);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Belarus',318681,2219,309535,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Georgia',280301,3751,272219,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Nepal',276839,3027,272530,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Bolivia',269302,12165,217921,71);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Croatia',267222,5893,251237,121);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Azerbaijan',256201,3491,236151,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Greece',254031,7880,214527,728);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Dominican Republic',251983,3304,211044,151);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Tunisia',249703,8705,215195,281);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Kazakhstan',240381,2994,216380,221);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Palestine',236462,2581,210340,197);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Ireland',233937,4653,23364,65);
```

```
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Denmark',228013,2414,216590,43);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Kuwait',227178,1279,211360,250);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Moldova',226521,4827,201769,339);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Costa Rica',215178,2931,191707,155);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Lithuania',213941,3551,197618,128);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Slovenia',212678,4018,196319,106);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Paraguay',206597,4003,169197,423);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Egypt',199364,11845,152642,90);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Ethiopia',198794,2784,153236,769);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Guatemala',193050,6794,174980,5);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Armenia',190317,3464,171506,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Honduras',187015,4557,71384,464);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Qatar',177774,284,162910,279);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Nigeria',162489,2041,150205,10);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Bosnia and Herzegovina',162032,6220,128241,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Libya',156849,2618,144964,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Oman',156087,1661,142420,145);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Venezuela',155663,1555,144229,162);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Myanmar',142385,3206,131789,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Bahrain',140818,513,132455,54);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Kenya',130214,2117,91754,121);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('North Macedonia',126230,3642,104345,124);
```

```
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Albania',123641,2204,88899,46);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Algeria',116750,3077,81242,20);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Estonia',103630,868,77270,69);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('S. Korea',101757,1722,93855,104);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Latvia',101040,1878,92014,69);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Uruguay',95278,901,76030,273);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Norway',92858,656,74332,46);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Sri Lanka',92007,559,88623,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Ghana',90287,740,87137,40);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('China',90167,4636,85364,1);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Montenegro',90083,1245,81936,69);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Kyrgyzstan',88092,1495,84600,16);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Zambia',87872,1200,84347,90);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Uzbekistan',82340,626,80523,23);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Finland',76003,817,46000,59);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Cuba',72503,415,68499,65);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Mozambique',67011,762,55167,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('El Salvador',63766,1998,61009,35);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Luxembourg',60755,738,56318,21);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Singapore',60300,30,60113,1);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Afghanistan',56322,2472,50013,1108);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Cameroon',47669,721,35261,53);
```

```
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Cyprus',44305,250,2057,51);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Namibia',43499,508,41292,37);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Ivory Coast',42861,232,38590,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Uganda',40767,335,40379,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Senegal',38520,1037,36753,33);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Botswana',38466,506,33903,1);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Jamaica',38227,570,17197,44);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Zimbabwe',36818,1519,34575,13);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Malawi',33458,1113,29585,33);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Sudan',29661,2028,23990,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Australia',29255,909,26269,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Malta',28875,387,27086,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Thailand',28734,94,27239,1);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('DRC',27930,739,25398,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Madagascar',23585,387,21636,26);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Maldives',23403,66,20618,103);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Angola',22031,533,20269,15);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Rwanda',21370,301,19741,7);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Guinea',19670,120,16425,24);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Mayotte',19306,154,2964,16);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Gabon',18777,111,16074,27);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('French Polynesia',18607,141,4842,2);
```

```
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Syria',18356,1227,12257,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Mauritania',17756,448,16989,14);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Eswatini',17318,666,16389,6);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Cabo Verde',17018,165,16050,23);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('French Guiana',16922,89,9995,6);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Rounion',15561,102,14064,57);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Tajikistan',13308,90,13218,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Haiti',12736,251,10754,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Burkina Faso',12673,145,12330,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Belize',12415,317,12061,1);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Andorra',11850,115,11204,12);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Hong Kong',11447,205,11040,10);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Guadeloupe',11298,165,2242,8);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Somalia',10838,488,4678,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Lesotho',10686,315,4438,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('South Sudan',10098,108,9454,1);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Guyana',10072,225,8842,13);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Togo',9827,107,7699,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Mali',9773,376,6763,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Congo',9681,135,8208,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Aruba',9214,82,8455,8);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Suriname',9095,177,8577,5);
```

```
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Bahamas',8935,188,7757,3);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Trinidad and Tobago',7954,142,7590,13);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Martinique',7710,49,98,5);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Cura�ao',7335,30,5071,38);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Djibouti',7249,66,6250,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Benin',7100,90,6452,35);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Mongolia',7014,6,4341,34);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Equatorial Guinea',6902,102,6486,10);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Nicaragua',6629,177,4225,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Iceland',6163,29,6039,1);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Gambia',5401,163,5030,3);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Papua New Guinea',5184,45,846,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('CAR',5088,64,4957,2);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Niger',4987,185,4586,1);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('San Marino',4603,84,4000,9);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Chad',4501,160,4099,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Gibraltar',4273,94,4167,1);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Saint Lucia',4191,58,4099,1);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Seychelles',4084,20,3548,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Channel Islands',4046,86,3960,1);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Yemen',4033,851,1606,23);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Sierra Leone',3962,79,2800,0);
```

```
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Comoros',3690,146,3510,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Guinea-Bissau',3630,61,2930,16);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Barbados', 3609, 41, 3422, 0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Eritrea',3208,9,2970,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Liechtenstein',2658,56,2553,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Burundi',2657,6,773,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Vietnam',2591,35,2308,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('New Zealand',2482,26,2381,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Turks and Caicos',2326,17,2201,4);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Monaco',2254,28,2057,9);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Cambodia',2233,10,1166,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Sao Tome and Principe',2212,34,2058,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Sint Maarten',2130,27,2073,1);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Liberia',2042,85,1899,2);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('St. Vincent Grenadines',1738,10,1587,2);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Saint Martin',1619,12,1399,7);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Isle of Man',1555,27,977,12);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Caribbean Netherlands',1300,10,885,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Antigua and Barbuda',1128,28,784,45);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Bermuda',1028,12,722,1);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Taiwan',1022,10,979,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Mauritius',920,10,629,0);
```

```
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Bhutan',872,1,867,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('St. Barth',775,1,462,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Diamond Princess',712,13,699,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Faeroe Islands',661,1,660,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Tanzania',509,21,183,7);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Timor-Leste',491,0,169,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Cayman Islands',487,2,462,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Wallis and Futuna',374,4,44,4);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Brunei',206,3,188,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Dominica',161,0,153,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Grenada',155,1,152,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('British Virgin Islands',153,1,131,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('New Caledonia',121,0,58,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Fiji',67,2,64,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Falkland Islands',54,0,54,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Laos',49,0,45,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Macao',48,0,48,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Saint Kitts and Nevis',44,0,42,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Greenland',31,0,31,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Vatican City',27,0,15,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Saint Pierre Miquelon',24,0,24,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Anguilla',22,0,20,0);
```

```
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Montserrat',20,1,19,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Solomon Islands',18,0,16,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Western Sahara',10,1,8,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('MS Zaandam',9,2,7,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Marshall Islands',4,0,4,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Samoa',3,0,2,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Vanuatu',3,0,1,0);
insert into covidInfo(cName, totalCases, totalDeaths, totalRecovered, totalSeriou
s) values('Micronesia',1,0,1,0);
---- Insert query to insert data in newcovidInfo table
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('USA', 5772, 56);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Brazil', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('India', 16856, 129);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Russia', 9088, 336);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('France', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('UK', 3862, 19);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Italy', 19611, 297);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Spain', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Turkey', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Germany', 3310, 15);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Colombia', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Argentina', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Poland', 29253, 131);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Mexico', 4922, 567);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Iran', 8751, 89);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Ukraine', 11932, 203)
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('South Africa', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Peru', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Czechia', 3955, 38);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Indonesia', 4083, 85)
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Netherlands', 7430, 1
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Chile', 7330, 101);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Canada', 3365, 21);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Romania', 4439, 117);
```

```
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Belgium', 5332, 18);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Irag', 5271, 35);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Israel', 514, 15);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Portugal', 365, 10);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Sweden', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Philippines', 9475, 1
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Pakistan', 4767, 57);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Hungary', 9082, 220);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Bangladesh', 3908, 35
);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Switzerland', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Serbia', 3889, 39);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Jordan', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Austria', 2679, 25);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Morocco', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Japan', 1983, 33);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Lebanon', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('UAE', 2128, 4);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Saudi Arabia', 531, 7
);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Slovakia', 925, 70);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Panama', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Malaysia', 1302, 4);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Bulgaria', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Ecuador', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Belarus', 1050, 8);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Georgia', 365, 5);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Nepal', 89, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Bolivia', 591, 22);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Croatia', 1321, 21);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Azerbaijan', 1831, 27
);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Greece', 1441, 54);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Dominican Republic',
401, 2);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Tunisia', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Kazakhstan', 1596, 14
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Palestine', 1714, 24)
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Ireland', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Denmark', 964, 1);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Kuwait', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Moldova', 861, 42);
```

```
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Costa Rica', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Lithuania', 412, 12);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Slovenia', 640, 7);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Paraguay', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Egypt', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Ethiopia', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Guatemala', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Armenia', 777, 14);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Honduras', 678, 21);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Qatar', 639, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Nigeria', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Bosnia and Herzegovin
a', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Libya', 733, 16);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Oman', 2249, 11);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Venezuela', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Myanmar', 8, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Bahrain', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Kenya', 884, 13);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('North Macedonia', 0,
0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Albania', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Algeria', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Estonia', 892, 8);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('S. Korea', 482, 1);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Latvia', 324, 6);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Uruguay', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Norway', 462, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Sri Lanka', 168, 1);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Ghana', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('China', 8, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Montenegro', 351, 4);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Kyrgyzstan', 146, 1);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Zambia', 145, 2);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Uzbekistan', 194, 1);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Finland', 458, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Cuba', 919, 1);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Mozambique', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('El Salvador', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Luxembourg', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Singapore', 12, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Afghanistan', 28, 2);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Cameroon', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Cyprus', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Namibia', 0, 0);
```

```
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Ivory Coast', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Uganda', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Senegal', 64, 3);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Botswana', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Jamaica', 480, 4);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Zimbabwe', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Malawi', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Sudan', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Australia', 6, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Malta', 67, 2);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Thailand', 77, 1);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('DRC', 43, 5);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Madagascar', 161, 6);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Maldives', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Angola', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Rwanda', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Guinea', 169, 4);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Mayotte', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Gabon', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('French Polynesia', 0,
0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Syria', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Mauritania', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Eswatini', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Cabo Verde', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('French Guiana', 0, 0)
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Réunion', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Tajikistan', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Haiti', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Burkina Faso', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Belize', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Andorra', 41, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Hong Kong', 1, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Guadeloupe', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Somalia', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Lesotho', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('South Sudan', 19, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Guyana', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Togo', 151, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Mali', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Congo', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Aruba', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Suriname', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Bahamas', 0, 0);
```

```
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Trinidad and Tobago',
0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Martinique', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Curaçao', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Djibouti', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Benin', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Mongolia', 321, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Equatorial Guinea', 0
, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Nicaragua', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Iceland', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Gambia', 36, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Papua New Guinea', 52
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('CAR', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Niger', 15, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('San Marino', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Chad', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Gibraltar', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Saint Lucia', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Seychelles', 88, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Channel Islands', 0,
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Yemen', 64, 19);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Sierra Leone', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Comoros', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Guinea-
Bissau', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Barbados', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Eritrea', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Liechtenstein', 9, 0)
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Burundi', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Vietnam', 5, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('New Zealand', 1, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Turks and Caicos', 1,
0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Monaco', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Cambodia', 86, 2);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Sao Tome and Principe
', 2, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Sint Maarten', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Liberia', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('St. Vincent Grenadine
s', 15, 0);
```

```
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Saint Martin', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Isle of Man', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Caribbean Netherlands
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Antigua and Barbuda',
0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Bermuda', 81, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Taiwan', 2, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Mauritius', 20, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Bhutan', 1, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('St. Barth', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Diamond Princess', 0,
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Faeroe Islands', 0, 0
);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Tanzania', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Timor-Leste', 11, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Cayman Islands', 0, 0
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Wallis and Futuna', 7
, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Brunei', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Dominica', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Grenada', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('British Virgin Island
s', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('New Caledonia', 0, 0)
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Fiji', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Falkland Islands', 0,
0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Laos', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Macao', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Saint Kitts and Nevis
(0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Greenland', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Vatican City', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Saint Pierre Miquelon
, 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Anguilla', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Montserrat', 0, 0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Solomon Islands', 0,
0);
INSERT INTO newcovidInfo(cName, newCases, newDeaths) VALUES('Western Sahara', 0, 0
```

```
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('MS Zaandam', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Marshall Islands', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Samoa', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Vanuatu', 0, 0);
INSERT INTO newcovidInfo(cName,newCases, newDeaths) VALUES('Micronesia', 0, 0);
```

In order to update the data of both tables there is a procedure.

```
----- PROCEDURE TO UPDATE THE DATA IN TABLES------

CREATE OR REPLACE PROCEDURE updatecovidInfo(nCases NUMBER,dCases NUMBER,rCases NUMBER ,sCases NUMBER, country VARCHAR)

AS

BEGIN
-- QUERY TO UPDATE THE MAIN TABLE

UPDATE covidInfo

SET totalCases= totalCases+ nCases , totalDeaths= totalDeaths+dCases, totalRecove
red=rCases, totalSerious=sCases

WHERE UPPER(cName)= country;

-- QUERY TO UPDATE THE TABLE THAT HOLDS NEW DATA

UPDATE newcovidInfo

SET newCases= nCases, newDeaths=dCases

WHERE UPPER(cName)= country;

END updatecovidInfo;
```

Package/Procedures/Functions

Here package name covidmanagement is created where all the functions and procedure is stored.

```
CREATE OR REPLACE PACKAGE covidManagement AS

----- PROCEDURE TO UPDATE THE DATA IN TABLES------
PROCEDURE updatecovidInfo(nCases NUMBER,dCases NUMBER,rCases NUMBER, sCases NUMBER, country VARCHAR);

--- Function to find the rank of the Country based on the total cases ------
FUNCTION rankFinder(countryName VARCHAR2)
RETURN VARCHAR2;

--- Function that returns total number of cases in the world -----
```

```
FUNCTION totalCases
RETURN NUMBER;
----- FUNCTION TO FIND TOTAL DEATHS
FUNCTION totalDeaths
RETURN NUMBER;
-----FUNCTION TO FIND TOTAL RECOVERED CASES ------
FUNCTION totalRecovered
RETURN NUMBER;
-----FUNCTION TO FIND TOTAL SERIOUS CASES------
FUNCTION totalSerious
RETURN NUMBER;
---- FUNCTION TO FIND TOTAL ACTIVE CASES -----
FUNCTION totalactiveCases
RETURN NUMBER;
----FUNCTION TO FIND TOTAL MILD CASES
FUNCTION totalmildCases
RETURN NUMBER;
--- FUNCTION TO FIND TOTAL CLOSED CASES
FUNCTION totalclosedCases
RETURN NUMBER;
END covidManagement;
CREATE OR REPLACE PACKAGE BODY covidManagement AS
---- PROCEDURE TO UPDATE THE DATA IN TABLES-----
PROCEDURE updatecovidInfo(nCases NUMBER,dCases NUMBER,rCases NUMBER ,sCases NUMBE
R, country VARCHAR)
AS
BEGIN
-- QUERY TO UPDATE THE MAIN TABLE
UPDATE covidInfo
SET totalCases= totalCases+ nCases , totalDeaths= totalDeaths+dCases, totalRecove
red=rCases, totalSerious=sCases
WHERE UPPER(cName)= country;
-- QUERY TO UPDATE THE TABLE THAT HOLDS NEW DATA
UPDATE newcovidInfo
```

```
SET newCases= nCases, newDeaths=dCases
WHERE UPPER(cName) = country;
END updatecovidInfo;
----- Functions to find rank of the Country ------
FUNCTION rankFinder(countryName VARCHAR2)
RETURN VARCHAR2
IS
pos NUMBER(5);
BEGIN
SELECT cpos INTO pos FROM (
SELECT ci.*, DENSE RANK() OVER(ORDER BY totalCases DESC) cpos
from covidInfo ci
where UPPER(cName)= countryName;
RETURN pos;
END rankFinder;
----- FUNCTION TO FIND TOTALCASES ------
FUNCTION totalCases
RETURN NUMBER
totalCases NUMBER(20);
BEGIN
SELECT SUM(ci.totalCases) into totalCases
FROM covidInfo ci;
RETURN totalCases ;
END totalCases;
----- FUNCTION TO FIND TOTAL DEATHS------
FUNCTION totalDeaths
RETURN NUMBER
AS
totalDeaths NUMBER(20);
BEGIN
SELECT SUM(ci.totalDeaths) into totalDeaths
FROM covidInfo ci;
RETURN totalDeaths ;
END totalDeaths;
```

```
-----FUNCTION TO FIND TOTAL RECOVERED CASES ------
FUNCTION totalRecovered
RETURN NUMBER
AS
totalRecovered NUMBER(20);
BEGIN
SELECT SUM(ci.totalRecovered) into totalRecovered
FROM covidInfo ci;
RETURN totalRecovered ;
END totalRecovered;
-----FUNCTION TO FIND TOTAL SERIOUS CASES------
FUNCTION totalSerious
RETURN NUMBER
totalSerious NUMBER(20);
results varchar2(255);
BEGIN
SELECT SUM(ci.totalSerious) into totalSerious
FROM covidInfo ci;
results:= totalSerious;
RETURN results;
END totalSerious;
----FUNCTION TO FIND TOTAL ACTIVE CASES
FUNCTION totalactiveCases
RETURN NUMBER
AS
tactiveCases NUMBER(20);
tactiveCases :=totalCases()-totalDeaths()-totalRecovered();
RETURN tactiveCases;
END totalactiveCases;
----FUNCTION TO FIND TOTAL MILD CASES
FUNCTION totalmildCases
RETURN NUMBER
AS
tmildCases NUMBER(20);
```

Final Select Statement

```
SELECT 8 ids,' ' E ,' ' F, ' ' G,' ' H, ' ' d ,' ' M, 'Closed Cases
 N, ' ' O from dual
            SELECT 9 ids, 'Active' E ,' ' F, ' ' G,' ' H, ' ' d ,' ' M, ' ' N, '
 O from dual
            SELECT 10 ids, 'Cases' E ,' ' F, ''||covidManagement.totalactiveCases(
), ' ' H, ' ' d ,' ' M, ''||(covidManagement.totalCases() - covidManagement.total
activeCases()), ' ' O from dual
            SELECT 11 ids,' 'E ,' 'F, 'Currently Infected Patients 'G,' 'H,
' ' d ,' ' M, 'Cases which has an outcome' N, ' ' O from dual
            SELECT 12 ids,' 'E ,' 'F, ' 'G,' 'H, ' 'd ,' 'M, ' 'N, ' 'O
from dual
           SELECT 13 ids,' 'E ,' 'F, ' 'G,' 'H, ' 'd ,' 'M, ' 'N, ' 'O
from dual
            SELECT 14 ids,' ' E ,''||covidManagement.totalmildCases || '('|| ROUN
D((covidManagement.totalmildCases()/covidManagement.totalactiveCases())*100,1) |
'%)' , ' ' G,''||covidManagement.totalSerious ||'('|| Round(covidManagement.total
Serious()/covidManagement.totalactiveCases()*100,1) ||'%)', ' ' d ,
            ''||covidManagement.totalRecovered || '('|| Round(covidManagement.tot
alRecovered()/(covidManagement.totalDeaths()+covidManagement.totalRecovered())*10
0) ||'\%\rangle, ||N\rangle
            ''||covidManagement.totalDeaths ||'('|| Round(covidManagement.totalDe
aths()/(covidManagement.totalCases() - covidManagement.totalactiveCases())*100) |
|'%)' from dual
            SELECT 15 ids,' 'E ,'in Mild Condition' , ' 'G,' Serious or Critica
1 ' , ' ' d , 'Recovered/Discharged ' , ' ' N, 'Deaths ' from dual
           SELECT 19 ids,' ' E , nepal, ' ' G,' ' H, ' ' d ,' ' M, ' ' N, ' ' O
from vw newdata
            select vw_top20.cName "TOP" ,vw_top20.totalCases "20",remres.E " ",re
mres.F " ",remres.G " ",remres.H " ",remres.d " ",remres.M " ",remres.N " ",remre
s.0 " ", vw_bot20.cName "BOTTOM" ,vw_bot20.totalCases " 20"
from vw top20 left join remres
on vw top20.ids=remres.ids
left join vw_bot20
on vw top20.ids = vw bot20.ids
```