

Functional Requirements Document (FRD)

Project: Save for Later Feature Implementation
Document ID: FRD-SFL-001 • **Version:** v1.0 • **Status:** Final
Owner: Aayush Saini • **Date:** 2026-07-21 • **Confidentiality:** Internal

1. Document Control

1.1 Revision History

Version	Date	Author	Changes
1.0	1 st July 2026	Aayush Saini	Initial Functional Requirements Document

2. Overview

2.1 Purpose

This Functional Requirements Document (FRD) defines the functional behaviour and system specifications for the proposed **Save for Later** feature in an Online Grocery Delivery Platform. It translates the approved business requirements documented in the Business Requirements Document (BRD) into detailed functional requirements that guide development, testing, and implementation.

2.2 Background / Business Context

Customers often browse products without making an immediate purchase due to budget constraints, uncertainty, or purchase planning. Without a mechanism to retain these products, customers may forget them, resulting in lost sales opportunities and lower customer retention. The Save for Later feature enables customers to save products for future consideration, improving customer engagement, purchase conversion, and overall shopping experience.

2.3 Scope

In Scope:

- Save products for future purchase.
- View saved products.
- Move saved products to cart.
- Remove saved products.
- Synchronize saved products across user sessions.
- Display updated product information within the saved list.

Out of Scope (Non-Goals):

- AI-based product recommendations.
- Shared Wishlist.
- Price drop notifications.
- Product recommendation engine.
- Social sharing of saved products.

2.4 References

Document	Reference
Business Requirements Document (BRD)	Save for Later BRD v1.0
Wireframes	Save for Later Wireframes
Process Flow Diagrams	As-Is & To-Be Process Flows
SQL Analysis	Save for Later SQL Business Analysis
Power BI Dashboard	Save for Later Analytics Dashboard

2.5 Glossary

Term	Definition
BRD	Business Requirements Document
FRD	Functional Requirements Document
KPI	Key Performance Indicator
UAT	User Acceptance Testing
UI	User Interface
UX	User Experience
QA	Quality Assurance
SQL	Structured Query Language

3. Stakeholders

3.1 Stakeholders

Group	Name(s)	Role/Interest
Business	Product Manager	Defines business objectives and approves requirements.
Product	Business Analyst	Documents and manages functional requirements.
Technology	Development Team	Implements system functionality.
Technology	QA Team	Validates functionality through testing.
Operations	Customer Support Team	Assists customers and provides operational feedback.

4. Assumptions, Dependencies, Constraints

Assumptions:

- Customers are authenticated before accessing the Save for Later feature.
- Product information is maintained in the product catalog.
- Customer and order data are available in the database.

- Users have internet connectivity while using the application.

Dependencies:

- Customer Management Module
- Product Catalog Module
- Shopping Cart Module
- Order Management Module
- Product Database

Constraints:

- Feature must integrate with the existing application without affecting current shopping functionality.
- Only registered customers can use the Save for Later feature.
- Product availability depends on inventory status.
- Development must align with the existing application architecture.

5. Functional Requirements

Use IDs for traceability: FR-###, link each to acceptance criteria and tests.

5.1 Requirement List (Tabular)

(The functional requirements described below define the expected system behaviour for the Save for Later feature. To improve readability and implementation, related requirements have been grouped into functional modules representing key user workflows. Each module contains the functional behaviour, validation rules, user interactions, and acceptance criteria required for successful implementation)

FR ID	Title	Description	Priority (MoSCoW)	User Story	Acceptance Criteria	Notes / Reference
FR-001	Save Product	Allow customers to save for future purchase.	Must	US-001	AC-001	WF-01
FR-002	View Saved Products	Display all saved products in a dedicated list.	Must	US-002	AC-002	WF-02
FR-003	Remove Saved Products	Allow customers to remove products from the list.	Must	US-003	AC-003	WF-02

FR-004	Move Product to Cart	Allow customers to move saved products directly to the shopping cart.	Must	US-004	AC-004	WF-02
FR-005	Display Product Details	Display product image, name, category, price, and availability in the saved list.	Should	US-005	AC-005	WF-02
FR-006	Synchronize Saved Products	Synchronize the saved list across customer sessions.	Must	US-006	AC-006	System
FR-007	Prevent Duplicate Products	Prevent the same product from being saved multiple times.	Must	US-007	AC-007	BR-002
FR-008	Empty Save List	Display an empty-state screen when no products are saved.	Should	US-008	AC-008	WF-03
FR-009	Continue Shopping	Allow customers to continue browsing after saving a product.	Could	US-009	AC-009	WF-01
FR-010	Update Product Information	Display the latest product price and availability.	Should	US-010	AC-010	Product Catalog
FR-011	Success & Error Notifications	Display appropriate success and error messages for user actions.	Should	US-011	AC-011	UI
FR-012	Session Persistence	Retain saved products after logout and subsequent login.	Must	US-012	AC-012	BR-004

5.2 Detailed Requirement Specifications

5.2.1 MODULE 1 – Save Product

ID:

- FR-001 – Save Product
- FR-007 – Prevent Duplicate Products
- FR-011 – Success & Error Notifications

Objective: Enable customers to save products for future purchase while ensuring data integrity, preventing duplicate entries, and providing immediate user feedback.

Description: The Save Product module enables authenticated customers to save products from the Product Listing Page (PLP), Product Detail Page (PDP), or Shopping Cart to a dedicated Save for Later list. The system validates the request, prevents duplicate product entries, stores the product against the customer's account, and provides appropriate success or error notifications.

Actors: Customer

Triggers: The customer clicks the Save for Later icon or button on a product.

Pre-conditions:

- Customer is authenticated.
- Product exists in the product catalog.
- Product is active.
- Product is not already saved by the customer.

Main Flow:

1. Customer browses available products.
2. Customer selects a product.
3. Customer clicks **Save for Later**.
4. System verifies that the customer is logged in.
5. System checks whether the product has already been saved.
6. System stores the product in the customer's Save for Later list.
7. System updates the Save for Later icon to indicate the product has been saved.
8. System displays a success confirmation message.
9. Customer may continue shopping without interruption.

Alternate Flow:

Product Already Saved

1. Customer attempts to save a product that already exists in the Save for Later list.
2. System detects the duplicate entry.
3. Product is not saved again.
4. System displays the message: **"This product is already in your Save for Later list ."**

Customer Not Logged In

1. Customer clicks Save for Later.
2. System detects that the customer is not authenticated.
3. Customer is redirected to the login page.
4. After successful login, the customer is returned to the previous page.

Exception Flows:

Exception	System Response
Database unavailable	Display a generic error message and do not save the product.
Product no longer available	Inform the customer that the product is currently unavailable.
Network interruption	Display a retry message and preserve the current page state.

Data Elements:

Field	Validation
Customer ID	Must exist and be authenticated
Product ID	Must exist in the product catalog
Save Date	Automatically generated by the system

Business Rules:

Rule ID	Description
BR-001	Customer must be authenticated before saving a product.
BR-002	Duplicate saved products are not permitted.
BR-003	Saved products must be linked to the customer's account.

UI/UX:

- Display a **heart icon** on the Product Listing Page and Product Detail Page.
- After saving, the icon changes to indicate the product has been saved.
- Display a confirmation notification after a successful save.
- The Save for Later action should not interrupt the shopping experience.

Wireframe Reference: WF-01

Analytics/Events:

Event	Description
Product Saved	Triggered when a product is successfully saved.
Duplicate Save Attempt	Triggered when a customer attempts to save an already saved product.
Save Failed	Triggered when the save operation fails.

Acceptance Criteria (Gherkin):**Scenario 1 – Successful Save**

Given the customer is logged in and viewing a product,

When the customer clicks **Save for Later**,

Then the product is added to the Save for Later list and a confirmation message is displayed.

Scenario 2 – Duplicate Save

Given the product has already been saved,

When the customer clicks **Save for Later** again,

Then the system displays an "Already Saved" message and does not create a duplicate entry.

Scenario 3 – Guest User

Given the customer is not logged in,

When the customer clicks **Save for Later**,

Then the system redirects the customer to the login page.

Dependencies:

- Customer Management Module
- Product Catalog Module
- Save for Later Database
- User Authentication Service

Notes: This module supports the business objective of improving customer retention by preserving purchase intent. It also ensures data integrity by preventing duplicate saved products and provides immediate feedback to improve the overall user experience.

5.2.2 MODULE 2 – Manage Saved Products**ID:**

- FR-002 – View Saved Products
- FR-003 – Remove Saved Products
- FR-005 – Display Product Details

Objective: Enable customers to efficiently view, manage, and organize products saved for future purchase while providing complete and up-to-date product information.

Description: The Manage Saved Products module enables authenticated customers to access their Save for Later list, view detailed product information, and remove products that are no longer required. The system displays the latest product details to help customers make informed purchasing decisions.

Actors: Customer

Triggers: The customer navigates to the **Save for Later** page.

Pre-conditions:

- Customer is authenticated.
- Customer has access to the Save for Later feature.
- Saved products exist in the customer's account.

Main Flow:

1. Customer opens the Save for Later page.
2. System retrieves all saved products associated with the customer.
3. System displays product image, name, category, price, and availability.
4. Customer reviews saved products.
5. Customer may remove any product from the saved list.
6. System removes the selected product.
7. System refreshes the Save for Later list.
8. System displays a confirmation message.

Alternate Flow:**No Saved Products**

1. Customer opens the Save for Later page.
2. System finds no saved products.
3. Empty Save List screen is displayed.

Exception Flows:

Exception	System Response
Saved product no longer exists	Hide the product and notify the customer.
Product unavailable	Display "Currently Unavailable".
Database unavailable	Display an error message and allow retry.

Data Elements:

Field	Validation
Customer ID	Must exist
Product ID	Must exist
Product Name	Retrieved from Product Catalog
Product Price	Display latest available price
Product Availability	Display current availability

Business Rules:

Rule ID	Description
BR-003	Customers may remove products from their saved list at any time.
BR-004	Product details must always reflect current catalog information.

UI/UX:

- Products displayed as cards.
- Show product image, name, price, category, and availability.
- Remove button visible for every saved product.

- Confirmation message after removal.

Wireframe Reference: WF-02

Analytics/Events:

Event	Description
Save List Viewed	Customer views saved products.
Product Removed	Customer removes a saved product.

Acceptance Criteria (Gherkin):

Scenario 1

Given the customer has saved products,

When the customer opens the Save for Later page,

Then all saved products are displayed.

Scenario 2 – Duplicate Save

Given the customer removes a saved product,

When the remove action is confirmed,

Then the product is removed and the list is updated.

Dependencies:

- Product Catalog Module
- Customer Database
- Save for Later Database

Notes: This module improves customer convenience by allowing customers to easily review and manage products saved for future purchase.

5.2.3 MODULE 3 – Move Product to Cart

ID:

- FR-004 – Move Product to Cart
- FR-010 – Update Product Information

Objective: Allow customers to seamlessly move saved products to the shopping cart while ensuring product information is current and accurate.

Description: The Move Product to Cart module enables customers to transfer products directly from the Save for Later list to the shopping cart. Before adding the product, the system validates product availability and retrieves the latest product information.

Actors: Customer

Triggers: Customer clicks **Move to Cart**.

Pre-conditions:

- Customer is authenticated.
- Product exists in Save for Later.
- Product is available for purchase.

Main Flow:

1. Customer clicks Move to Cart.
2. System validates product availability.
3. System retrieves latest product price.
4. Product is added to the shopping cart.
5. Product is removed from Save for Later.
6. Cart count updates.
7. Success notification displayed

Alternate Flow:**Product Out of Stock**

System informs the customer that the product is unavailable.

Exception Flows:

Exception	System Response
Product discontinued	Inform customer and remove from list.
Cart service unavailable	Display retry message.

Data Elements:

Field	Validation
Product ID	Must exist
Cart ID	Must exist
Inventory Status	Must be available
Product Price	Latest catalog price

Business Rules:

Rule ID	Description
BR-005	Product must be in stock before adding to cart.
BR-006	Product is automatically removed from Save for Later after successful transfer.

UI/UX:

- Display **Move to Cart** button.
- Update cart icon immediately.
- Remove product from Save for Later after successful transfer.

Wireframe Reference: WF-02**Analytics/Events:**

Event	Description
Product Moved to Cart	Customer transfers product to cart.
Cart Transfer Failed	Product could not be moved.

Acceptance Criteria (Gherkin):**Scenario 1**

Given a saved product is available,

When the customer clicks Move to Cart,

Then the product is added to the cart and removed from
Save for Later

Dependencies:

- Shopping Cart Module
- Inventory Module
- Product Catalog

Notes: This module reduces friction during purchasing and encourages faster conversion.

5.2.4 MODULE 4 – Session Management**ID:**

- FR-006 – Synchronize Saved Products
- FR-012 – Session Persistence

Objective: Ensure customers can access their Save for Later list consistently across multiple sessions and devices.

Description: The Session Management module synchronizes saved products with the customer's account and ensures data persists after logout, login, or device changes.

Actors: Customer

Triggers: Customer logs in.

Pre-conditions:

- Customer account exists.
- Saved products are stored in the database.

Main Flow:

1. Customer logs into the application.
2. System retrieves saved products.
3. Save for Later list is synchronized.
4. Customer views updated list

Alternate Flow:

No saved products available

Display Empty Save List screen.

Exception Flows:

Exception	System Response
Database unavailable	Retry synchronization
Session expired	Request user login.

Data Elements:

Field	Validation
Customer ID	Must exist
Session ID	Valid session
Saved Product List	Retrieved successfully

Business Rules:

Rule ID	Description
BR-007	Saved products remain linked to customer account.
BR-008	Synchronization occurs automatically after login.

UI/UX:

- Display synchronized saved list after login.
- Maintain consistent user experience across devices.

Wireframe Reference: WF-02

Analytics/Events:

Event	Description
Save List Synced	Successful synchronization completed

Acceptance Criteria (Gherkin):**Scenario 1**

Given saved products exist,

When the customer logs in,

Then previously saved products are displayed

Dependencies:

- Authentication Module
- Customer Database

Notes: Ensures continuity of the shopping experience across multiple sessions.

5.2.5 MODULE 5 – Empty State & Navigation**ID:**

- FR-008 – Empty Save List
- FR-009 – Continue Shopping

Objective: Provide customers with meaningful guidance when no products are available in the Save for Later list and encourage continued browsing.

Description: The Empty State & Navigation module displays an informative screen when the Save for Later list is empty and provides navigation options to help customers continue shopping.

Actors: Customer

Triggers: Customer opens an empty Save for Later list.

Pre-conditions:

- Customer is authenticated.
- No saved products exist.

Main Flow:

1. Customer opens Save for Later.
2. System finds no saved products.
3. Empty State screen is displayed.
4. Customer clicks Browse Products.
5. System redirects customer to the Home page

Alternate Flow:

Customer closes the page without browsing.

Exception Flows:

Exception	System Response
Home page unavailable	Display retry message.

Data Elements:

Field	Validation
Customer ID	Must exist
Saved Product Count	Equals zero

Business Rules:

Rule ID	Description
BR-009	Empty State is displayed only when no saved products exist.
BR-010	Browse Products button redirects to Home page

UI/UX:

- Display friendly illustration.
- Show "No Saved Products" message.
- Display Browse Products button.

Wireframe Reference: WF-03

Analytics/Events:

Event	Description
Empty Save List Viewed	Customer viewed empty state.
Browse Products Clicked	Customer returned to shopping.

Acceptance Criteria (Gherkin):

Scenario 1

Given the customer has no saved products,
When the Save for Later page is opened,
Then the Empty State screen is displayed

Scenario 2

Given the Empty State screen is displayed,
When the customer clicks Browse Products,
Then the customer is redirected to the Home page

Dependencies:

- Home Page Module
- Product Catalog

Notes: This module encourages customers to continue exploring products instead of leaving the application, helping maintain engagement and increasing the likelihood of future purchases.

6. Process Flows & UX

6.1 BPMN / Flowcharts

Refer to Appendix C for the As-Is and To-Be Process Flow Diagrams.

6.2 Wireframes / Screen Map

This feature consists of three primary wireframes:

- Home Screen
- Save for Later Screen
- Empty State Screen

Detailed wireframes are provided in Appendix B.

6.3 Content & Localization

- Application Language: English
- Currency Format: Indian Rupee (₹)
- Date Format: DD/MM/YYYY
- Product information displayed in a clear and consistent format.

6.4 Accessibility

- Clear and readable fonts.
- High-contrast interface elements.
- Keyboard-accessible controls where applicable.
- Consistent navigation across screens.
- Responsive design for desktop and mobile devices.

7. Business Rules

Codify decision logic distinct from UI.

Rule ID	Rule	Logic	Trigger	Exception
BR-001	Customer must be logged in.	Save action requires authentication.	Save Product	Guest users cannot save products.
BR-002	Duplicate products cannot be saved.	One saved entry per product.	Save Product	Display "Already Saved".
BR-003	Moving a product to the cart removes it from the saved list.	Product transfers between lists.	Move to Cart	None
BR-004	Saved products remain associated with the customer's account.	Data persists across sessions.	Login	None

8. Non-Functional Requirements (NFRs)

Area	Requirement
Performance	Save and remove actions should complete within 2 seconds under normal operating conditions.
Availability	Feature should be available whenever the application is operational.
Scalability	System should support increasing numbers of users without degrading functionality.
Security	Only authenticated users can access their own Save for Later list.
Reliability	Saved products should persist across user sessions without data loss.
Usability	Feature should be intuitive and require minimal user effort.
Accessibility	Interface should support readable text, sufficient colour contrast, and keyboard navigation where applicable.
Maintainability	Functional logic should support future enhancements with minimal impact on existing functionality.

9. Reporting & Analytics

KPIs / OKRs:

- Save-to-Purchase Conversion Rate
- Total Saved Products
- Total Purchased Saved Products
- Average Days to Purchase
- Category Conversion Rate

Dashboards:

- Executive Dashboard
- Customer Analysis Dashboard
- Product Analysis Dashboard

Event Tracking Spec:

- Product Saved
- Product Removed
- Product Moved to Cart
- Save List Viewed

Data Quality Checks:

- No duplicate saved products.
- Customer IDs must exist.
- Product IDs must exist.
- Saved products must reference active products.

10. UAT Plan & Sign-Off

10.1 Entry Criteria

- Development completed.
- Test environment available.
- Test data prepared.
- Functional testing completed.

10.2 UAT Scenarios

- Save a product successfully.
- Remove a saved product.
- Move a saved product to the cart.
- View saved products.
- Prevent duplicate product saves.
- Verify data persistence after login.

10.3 Defect Management

Severity	Description
Critical	Feature unavailable or causes system failure.
High	Major functionality not working.

Medium	Minor functional issue with workaround available.
Low	Cosmetic or usability issue.

10.4 Exit Criteria

- All High-Priority functional requirements pass UAT.
- No Critical defects remain open.
- Product Owner approves the feature.

10.5 Sign-Off

Role	Name	Date	Signature
Product Manager			
QA Lead			

11. Traceability Matrix

Link BRD → FRD → Design → Test Cases → Defects → Releases.

BRD ID	FRD ID	Design Reference	Test Case ID	Defect ID	Release
BR-001	FR-001	WF-01	TC-001		v1.0
BR-002	FR-002	WF-02	TC-002		v1.0
BR-003	FR-003	WF-02	TC-003		v1.0
BR-004	FR-004	WF-02	TC-004		v1.0

12. Appendices

Appendix A – Glossary


Project terminology and abbreviations.

Appendix B – Wireframes

Home Screen, Save for Later Screen, Empty State Screen.

Appendix C – Process Flow Diagrams

AS-IS Process Flow & To-Be Flow



Appendix D – Power BI Dashboard

Executive, Customer, and Product dashboards.

Appendix E – SQL Analysis

Business questions, SQL queries, and analytical insights.