


DHCP

Physical | Config | Services | Desktop | Programming | Attributes

IP Configuration X

IP Configuration

DHCP	Static
IPv4 Address	10.0.0.1
Subnet Mask	255.0.0.0
Default Gateway	10.0.0.1
DNS Server	10.0.0.2

IPv6 Configuration


Automatic	Static
IPv6 Address	/
Link Local Address	FE80::250:FFF:FE44:2784
Default Gateway	
DNS Server	


802.1X


Use 802.1X Security


Authentication	MD5
Username	
Password	


Top



DHCP
Physical
Config
Services
Desktop
Programming
Attributes
SERVICES
HTTP
DHCP
DHCPv6
TFTP
DNS
SYSLOG
AAA
NTP
EMAIL
FTP
IoT
VM Management
Radius EAP
PRP
DHCP
Interface
FastEthernet0
Service
On
Off
Pool Name
serverPool
Default Gateway
0.0.0.0
DNS Server
0.0.0.0
Start IP Address :
10
0
0
0
Subnet Mask:
255
0
0
0
Maximum Number of Users :
512
TFTP Server:
0.0.0.0
WLC Address:
0.0.0.0
Add
Save
Remove
Pool Name
Default Gateway
DNS Server
Start IP Address
Subnet Mask
Max User
TFTP Server
WLC Address
serverPool
0.0.0.0
0.0.0.0
10.0.0.0
255.0.0.0
512
0.0.0.0
0.0.0.0
Top



PC2
Physical
Config
Desktop
Programming
Attributes
IP Configuration
X
Interface
FastEthernet0
IP Configuration
DHCP
Static
IPv4 Address
10.0.0.4
Subnet Mask
255.0.0.0
Default Gateway
0.0.0.0
DNS Server
10.0.0.2
IPv6 Configuration
Automatic
Static
IPv6 Address
/
Link Local Address
FE80::200:CFF:FE89:1956
Default Gateway
DNS Server
802.1X
Use 802.1X Security
Authentication
MD5
Username
Password
Top



PC3
Physical
Config
Desktop
Programming
Attributes
IP Configuration
X
Interface
FastEthernet0
IP Configuration
DHCP
Static
DHCP request successful.
IPv4 Address
10.0.0.5
Subnet Mask
255.0.0.0
Default Gateway
0.0.0.0
DNS Server
10.0.0.2
IPv6 Configuration
Automatic
Static
IPv6 Address
/
Link Local Address
FE80::201:64FF:FE95:DE08
Default Gateway
DNS Server
802.1X
Use 802.1X Security
Authentication
MD5
Username
Password
Top



Web/DNS
Physical
Config
Services
Desktop
Programming
Attributes
IP Configuration
X
IP Configuration
DHCP
Static
This address is already used in the network.
IPv4 Address
10.0.0.2
Subnet Mask
255.0.0.0
Default Gateway
0.0.0.0
DNS Server
10.0.0.2
IPv6 Configuration
Automatic
Static
IPv6 Address
/
Link Local Address
FE80::210:11FF:FEA2:CC58
Default Gateway
DNS Server
802.1X
Use 802.1X Security
Authentication
MD5
Username
Password
Top



Web/DNS
Physical
Config
Services
Desktop
Programming
Attributes
SERVICES
HTTP
DHCP
DHCPv6
TFTP
DNS
SYSLOG
AAA
NTP
EMAIL
FTP
IoT
VM Management
Radius EAP
PRP
HTTP
HTTP
On
Off
HTTPS
On
Off
File Manager
File Name
Edit
Delete
1 copyrights.html (edit) (delete)
2 cscoptlogo177x111.jpg (delete)
3 helloworld.html (edit) (delete)
4 image.html (edit) (delete)
5 index.html (edit) (delete)
New File
Import
Top



Web/DNS
Physical
Config
Services
Desktop
Programming
Attributes
SERVICES
HTTP
DHCP
DHCPv6
TFTP
DNS
SYSLOG
AAA
NTP
EMAIL
FTP
IoT
VM Management
Radius EAP
PRP
File Name: index.html
<html>
<head>
<title>CN Assignment 7</title>
</head>
<body>
<h1>Welcome to CN Assignment 7</h1>
<h2>Computer Networks Laboratory</h2>
College name : MIT-WPU (TY BTech CSE Panel J - J1)
This is a simple web server demonstration using Cisco Packet Tracer.
</body>
</html>
File Manager
Save
Top



Web/DNS
Physical
Config
Services
Desktop
Programming
Attributes
SERVICES
HTTP
DHCP
DHCPv6
TFTP
DNS
SYSLOG
AAA
NTP
EMAIL
FTP
IoT
VM Management
Radius EAP
PRP
DNS
DNS Service
On
Off
Resource Records
Name
Type
A Record
Address
Add
Save
Remove
No.
Name
Type
Detail
0
google.com
A Record
10.0.0.2
DNS Cache
Top



PC2
Physical
Config
Desktop
Programming
Attributes
Command Prompt
X
Cisco Packet Tracer PC Command Line 1.0
C:\>ping google.com
Ping request could not find host google.com. Please check the name and try again.
C:\>ping google.com
Pinging 10.0.0.2 with 32 bytes of data:
Reply from 10.0.0.2: bytes=32 time<1ms TTL=128
Reply from 10.0.0.2: bytes=32 time<1ms TTL=128
Reply from 10.0.0.2: bytes=32 time<1ms TTL=128
Reply from 10.0.0.2: bytes=32 time<1ms TTL=128
Ping statistics for 10.0.0.2:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>
Top


PC2
Physical
Config
Desktop
Programming
Attributes
Web Browser
X
<
>
URL
http://google.com
Go
Stop
Welcome to CN Assignment 7
Computer Networks Laboratory
College name : MIT-WPU (TY BTech CSE Panel J - J1)
This is a simple web server demonstration using Cisco Packet Tracer.
Top


Email
Physical
Config
Services
Desktop
Programming
Attributes
IP Configuration
X
IP Configuration
DHCP
Static
This address is already used in the network.
IPv4 Address
10.0.0.3
Subnet Mask
255.0.0.0
Default Gateway
0.0.0.0
DNS Server
10.0.0.2
IPv6 Configuration
Automatic
Static
IPv6 Address
/
Link Local Address
FE80::290:21FF:FEE6:69B1
Default Gateway
DNS Server
802.1X
Use 802.1X Security
Authentication
MD5
Username
Password
Top


Email
Physical
Config
Services
Desktop
Programming
Attributes
SERVICES
HTTP
DHCP
DHCPv6
TFTP
DNS
SYSLOG
AAA
NTP
EMAIL
FTP
IoT
VM Management
Radius EAP
PRP
EMAIL
SMTP Service
ON
OFF
POP3 Service
ON
OFF
Domain Name:
Assignment7.com
Set
User Setup
User
Password
Admin
student
+
-
Change
Password
Top


PC2
Physical
Config
Desktop
Programming
Attributes
Compose Mail
X
Send
To:
student@Assignment7.com
Subject:
CN lab
Hello
Welcome to MIT-WPU
This is a test Email
Top


PC3
Physical
Config
Desktop
Programming
Attributes
MAIL BROWSER
X
Mails
Compose
Reply
Receive
Delete
Configure Mail
From
Subject
Received
1
Admin@Assignment7.com
test email
Thu Oct 1 2026 09:25:33
Receiving mail from POP3 Server 10.0.0.3
Receive Mail Success.
Cancel
Send/Receive
Top