

1. FINDING YOUR WAY AROUND

`pwd`

Where am I? Shows the exact folder path you are looking at right now.

`ls`

What's in here? Lists all visible files and folders in this spot.

`ls -la`

Show everything: Lists all items, including secret hidden folders (like `.git`).

`cd [folder]`

Go inside: Moves you into that folder (e.g., `cd desktop`).

`cd ..`

Go back: Moves you out one level to the parent folder.

2. MAKING & DELETING THINGS

`mkdir [name]`

New Folder: Creates a brand new empty folder.

`touch [file]`

New File: Creates a blank file (e.g., `touch index.html`).

`mv [old]
[new]`

Rename or Move: Changes an item's name or changes its folder.

`rm [file]`

Delete file: Deletes a file forever. *(It skips the Recycle Bin!)*

`rm -rf
[folder]`

Force delete folder: Instantly wipes out a folder and everything inside it.

3. GIT: SAVING YOUR WORK

`git init`

Start Git: Turns your current ordinary folder into a Git repository.

`git status`

Check status: Shows what files you changed or forgot to save.

`git add .`

Pack everything: Prepares *all* your new changes to be saved.

`git commit -m
""`

Save snapshot: Permanently saves packed changes with a short note inside the quotes.

4. GIT: SENDING TO GITHUB

`git clone
[url]`

Download: Grabs a copy of a project from GitHub down to your machine.

`git push
origin main`

Upload changes: Sends your saved local updates up to your GitHub repository.

`git pull`

Get updates: Downloads and merges the newest changes from online into your files.

5. THE SIMPLE 4-STEP ROUTINE

When you finish editing your code and want it on GitHub, run these in order:

EVERYDAY LOOP:

1. `git status` (See what changed)
2. `git add .` (Select all changes)
3. `git commit -m "fixed bugs"` (Save it)
4. `git push origin main` (Send to GitHub)

Tip: Press the **Tab** key on your keyboard while typing a folder name to let the terminal autocomplete it for you.