FIRM CONFIGURATION INSTRUCTIONS

NBIN ONBOARDING

Version : 1.2

Date : October 27, 2021

VERSION HISTORY

Version	Date	Section	Description	Author
V.0.1	2019-09-26	All	Initial Version	Caroline Hare
V.0.2	2019-10-21	5	DocuSign configuration	Miyuki Ikuse
V.0.3	2019-10-25	All	Edits throughout	Caroline Hare
V.0.4	2020-01-17	2.4	Broadridge firm configuration updates	Caroline Hare
V.0.5	2020-06-29	2.7	Broadridge custom URL configuration instructions added	Caroline Hare
V.0.6	2020-10-14	5.5, 5.6	DocuSign multi-lingual resource file instructions	Caroline Hare
V1.0	2020-10-29	N/A	Published version	N/A
V1.1	2021-02-02	4.0	Macro firm configuration instructions	Caroline Hare
V1.2	2021-10-27	4.0	Macro firm configuration instructions updated to use Firm 360	Caroline Hare

VERSIONS LEGEND

Version	Description
V.0.X	Initial version with revision
V.X.0	Approved version without revision
V.X.X	Approved version with revision

ID	Title of document	Version	Date
REF.1			
REF.2			

TABLE OF CONTENTS

1. Onboarding Overview 4
2. Broadridge Inform 5
   - 2.1. Data Translations 5
   - 2.2. Transition RR Code Configuration 6
   - 2.3. E-sign Configuration 6
   - 2.4. Firm Configuration 7
   - 2.5. ESign Signature Request Configuration 9
   - 2.6. Form Bundle Configuration 10
   - 2.7. Custom E-Sign Url Configuration 13
3. Compass Setup 20
   - 3.1. Firm Access 20
   - 3.2. User Access 22
     - 3.2.1. Manual setup 22
     - 3.2.2. Bulk setup 23
4. Macro Configuration 24
   - 4.1. Firm 360 24
5. DocuSign Configuration 27
   - 5.1. DocuSign Environment 27
   - 5.2. Firm Configuration for DocuSign 27
     - 5.2.1. DocuSign Brand 27
     - 5.2.2. INFORM Firm Configuration - ESign Signature Request Configuration 27
   - 5.3. Firm Set up 27
     - 5.3.1. PM Firm 27
     - 5.3.2. IB Firm 27
   - 5.4. Create DocuSign Brand 28
     - 5.4.1. Prepare materials 28
     - 5.4.2. Create a brand 28
     - 5.4.3. Logo / Colour Scheme setup 28
     - 5.4.4. Destination URLs 30
     - 5.4.5. Uploading Custom Resource Files 31
     - 5.4.6. Export / Import Brand 32
   - 5.5. Create Custom Email Resource Files 34
   - 5.6. Create Custom Signing Resource Files 34
6. My Portfolio+ Bulk User setup configuration 36

1. ONBOARDING OVERVIEW

The NBIN Onboarding solution includes the following systems:

1. Compass – client portal. NBIN Onboarding must be accessed through Compass.
2. NBIN Onboarding – account opening solution. Also known as Broadridge Inform
3. PostEdge – document repository
4. OSS – book of record. Information will be updated on book of record when workflow approval process is complete.
5. NBIN data services interface - layer between Inform and OSS. Contains the data translation logic and macro to ingest a JSON file produced in Inform into OSS. Client ID reservation and NAN information also resides here.
6. DocuSign – electronic signature system
7. Virtual NAN – UI to display NAN information for manual OSS opening
8. Firm 360 – tool used to configure firm NAN information for use by the Macro.

New firm setups will include the following configuration activities:

1. Broadridge Inform Firm Configuration
2. Compass Firm setup and User access
3. Macro configuration through Firm 360
4. DocuSign Brand setup
5. MyPortfolio+ bulk user config setup

The following sections provide detailed firm setup instructions

2. BROADRIDGE INFORM

An administrator user can access the Inform System Configuration UI by navigating to *NBIN Onboarding > user menu > System Configuration*




FIGURE 1 - INFORM USER MENU

The initial firm setup must be completed by Broadridge. A future enhancement is expected to allow NBIN to create new organizations.

2.1. DATA TRANSLATIONS

1. Navigate to *System Configuration*
2. Click 'Edit' icon



FIGURE 2 - READ VS EDIT MODE

3. In Data Translation section select 'Browse'
4. Select the data translation template (Data_translation_template_v.*********.csv) and click 'Open'
5. Click 'Load'
6. Click 'Save'



Figure 3 - Data Translation Upload

Data key values can also be updated through the UI. User must click 'Save' button in the top right corner to store changes.

Any Data Key value changes should also be applied to the data translation template found here:

HTTPS://CBNCNBCCS.SHAREPOINT.COM/:F:/S/NBCNSIG/EPCB9LAMSNNIKB6HG9HT-ESB2MWNE4MFCCAHV3P1HRMC-G?E=TULCMS




FIGURE 4 - DATA TRANSLATION KEY

2.2. TRANSITION RR CODE CONFIGURATION

Note: This feature is not in use – there is no transfer workflow

1. Navigate to *System Configuration > Workflow Business Configurations* and select *transition_team_ia_codes*
2. Click the edit icon
3. Update the comma delimited list of RR codes. Any RR code in this list will route transfers to the Transition Team queue for the **paper upload workflow**
4. Click 'Save'




FIGURE 5 - TRANSITION TEAM EXCEPTION RR CODE CONFIGURATION

2.3. E-SIGN CONFIGURATION

Navigate to *System Configuration > E-sign Configuration*
E-sign configuration at the NBIN account level should not change.




FIGURE 6 - E-SIGN CONFIGURATION

2.4. FIRM CONFIGURATION

Firm configuration information can be found here:
https://cbncnbccs.sharepoint.com/:x:/s/NBCNSIG/EQHSjg9lgMFAuyAvmmH_wHkBGpFcFg9PR7cW9vlZjPlhAQ?e=uVzzn7

1. Navigate to *System Configuration > Organizations[' NBIN']*
   Firms will be classified as one of:
   a. **IB_2** – Type 2 Introducing Broker firm
   b. **IB_3** – Type 3 Introducing Broker Firm
   c. **PM** – Portfolio Manager
   d. Custom organization – certain firms may have a custom implementation such as IPC
2. Select the organization type from the Organizations panel




FIGURE 7 - ORGANIZATION TYPE PANEL

3. To update an existing firm, select the firm from the Organizations panel.




FIGURE 8 - ORGANIZATIONS PANEL

To add a new firm, select the add button (+) on the organization type panel




FIGURE 9 - ADD ORGANIZATION

4. Firm configuration page
    a. Click the edit icon (for update)




FIGURE 10 - FIRM CONFIGURATION

b. Name – This is the division name. It should be a maximum of 6 characters and the value must match the Compass Firm access division code.
c. Description – Full firm name. This value will be displayed on the NCAF
d. Type - CRSPDNT
e. Agent Pool Designator - false
f. Firm identifier – Compass <broker code> or <broker code>.<client code> if shared broker code. Note that this is used by the EFT bulk user setup to identify the sitecode. The broker code or client code must match the AS400 internal branch code.
g. Firm type – leave blank (add only)
h. Styles– leave blank (add only)
i. Form Formatting – leave blank (add only)
j. Application Rules – leave blank (add only)
k. Click 'Save' when updates are complete

5. If firm is IB_2, IB_3 the custom URL s

2.5. ESIGN SIGNATURE REQUEST CONFIGURATION

The *ESign Signature Request Configuration* section of the Firm Configuration is where DocuSign related configuration values are set within INFORM. INFORM will use these values when making API calls to DocuSign. When customization is required, ESign Signature Request Configuration will be set up either at the FIRM (DIVISION) level.

- When no value set, it will be **inherited** from the levels above.
- When there is no specified value and no inherited value, DocuSign will automatically use the "Default" value set within DocuSign
- **leave values blank unless the customization is required**

For a PM firm, *ESign Signature Request Configuration* should not be set. PM firms will inherit the default NBIN Brand

For an IB firm

1. Navigate to system configuration for firm
2. Select *Esign Signature Request Configuration*
3. Click the Edit icon to enter "EDIT" mode
4. Populate "Brand ID" with the DocuSign Brand ID for the firm / division
5. Set Email blurb = " " (3 blank spaces)
6. Set Email Subject = "Your Account Application Documents - {formBundleReference}" [TODO] update this after multilingual solution is finalized
7. Set "Expire After Days" = 30
8. Set "Expire Warn After Days" = 20
9. Set "Reminder Delay Days" = 7
10. Set "Reminder Frequency Days" = 7
11. Click 'Save'




FIGURE 11 - ESIGN SIGNATURE REQUEST CONFIGURATION

2.6. FORM BUNDLE CONFIGURATION




FIGURE 12 - FORM BUNDLE CONFIGURATION

Firm > *Organization Form Bundle Type* panel > select add (+) to create new form bundle or select existing to modify existing form bundle

Form bundles must be created at the firm/division level.

1. Form bundle type – select from drop down
   a. entity
   b. formRepository
   c. individual
   d. joint
   e. paperUpload
2. Order Number – must be unique number. Determines form order in Jump list. Field is now obsolete and has been removed.
   a. Entity = 3
   b. formRepository =101
   c. individual = 1
   d. joint = 2
   e. paperUpload = 100
3. Select a Workflow Name from the drop down

Generic IB Process




FIGURE 13 – IB GENERIC WORKFLOW CONFIGURATION

i) Account opening type – NBIB or SOIB
   (1) NBIB – NBIN to open accounts. NBIN account opening team responsible for OSS coding for any applications which route to Account Opening – Manual Data Entry
   (2) SOIB – Self opening IB. The firm's account opening team is responsible for OSS coding for any application which routes to Account Opening – Manual Data Entry

ii) Initial Review - YES or NO
   (1) Yes – firm operations must review application before Branch Manager
   (2) No – submitted application will route directly to Branch Manager

iii) Final Review – YES or NO
   (1) Yes – firm operations must review application after Branch Manager
   (2) No – No review by firm operations after branch manager review and prior to account opening

iv) Special Handling – YES or NO .
   (1) Yes – escalation stops at firm operations/ reviewer before routing back to advisor
   (2) No – escalation routes directly to advisor

b. Portfolio Manager Process

c. **Paper upload new account** – obsolete, do not use.

d. Paper upload new account v2

Select a firm type:
   (1) **PM** - PM firm
   (2) **IB** - NBIN opening IB firm
   (3) **SOIB** - self-opening IB

4. Root form name – identifies the starting form
   a. IB T2
      i) Individual: nbin_409_t2g_e
      ii) Joint: nbin_410_t2g_e
      iii) Entity: nbin_411_t2g_e
   b. IB T3
      i) Individual : nbin_409_t3g_e

ii) Joint : nbin_410_t3g_e
iii) Entity : nbin_411_t3g_e

c. PM
i) Individual: nbin_402_pm_e
ii) Joint: nbin_403_pm_e
iii) Entity: nbin_404_pm_e

d. Paper upload: coversheet_paperupload

e. formRepository: form_library_repository




FIGURE 14 - ROOT FORM NAME SELECTION

5. Workflow groups – determines which *br_wf_group* can create form bundle type. The form bundle will be made available on the jump list for selected workflow groups.
If Firm is an IB firm: Advisor, Assistant
If Firm is a PM firm: Portfolio Manager, Assistant
* Black Pearl user group is not currently being used.



6. Forms – select all forms and click '+' to add. Remove any firm specific forms (optional step)
7. Default Form Content – used to set Service Agreement URL for IB firms * **reminder: values must also be set on Form Library if enabled for firm**
Note, form content can also be used to override the dealer code on the registered and non-registered transfer forms.
a. Content type = URL
b. Form = root form name
c. pdfFieldName = *service_agreement_url* (Note- this is case sensitive)
d. underlying value = content to be displayed on form = service agreement URL – must include https://
e. Content text = service agreement URL
f. Form language - set English and French values
g. Click add button ('+')





FIGURE 15 – SERVICE AGREEMENT URL CONFIGURATION


8. Click 'Save' when bundle updates are complete. Note, there is no reminder message to save changes. If user navigates away from page without saving changes then changes will be lost.



2.7. CUSTOM E-SIGN URL CONFIGURATION

To add a DocuSign URL tab:


1. Navigate to system configuration NBIN> Custom URLS and add firm ASA URL. Click 'Save'



2. Navigate to firm's configuration path
3. Select 'Custom Esign URL by organization'
4. Click edit icon
5. Specify
    a. Form name

b. URL
c. Anchor – must match text on pdf, can include the custom service agreement URL label
d. Custom text – should be left blank. Will overlay original URL on DocuSign.pdf document.
e. X offset
f. Y offset

Custom Esign URL values should also be added to the firm configuration spreadsheet tab 'Custom Esign URLs'
https://cbncnbccs.sharepoint.com/:x:/s/NBCNSIG/EQHSjg9lgMFAuyAvmmH_wHkBGpFcFg9PR7cW9vlZjPlhAQ?e=uVzzn7



2.8 USER ROLE CONFIGURATION

1. BACKGROUND INFORMATION

Before the enhancement, users could add a comment on the Workflow screen only if an application was in a Workflow stage a user had authority to approve or reject. Which meant that a comment could not be added by front-office personnel on an application already in Workflow beyond their approval stages.
The enhancement now allows users to add comments when applications are in ANY Workflow status even if the current Workflow stage does not allow the user to approve or reject an application (with the exception of Cancelled, Draft, Completed).

FUNCTIONALITY STATUS


Change to existing functionality

2. CONFIGURATION REQUIREMENTS

- ☐ Mandatory for clients who use the affected products
- ☒ Optional for clients who use the affected products
- ☐ Customized setup
- ☐ Firm distinct
- ☐ Not required


To enable the new feature, the Admin ING user needs to add this new Privilege “COMMENT_ALL_WF” to each User Role that would allow comments at any stage.

LOG IN TO ING AS ADMIN USER.
IN SYSTEM CONFIGURATION, SELECT ROLE = ROLE_PROCESSOR AND CHECK PRIVILEDGE “COMMENT_ALL_WF”. SAVE THE CHANGE.




ACTION1: LOG IN TO ING AS ADVISOR UNDER WORKFLOW ROLE “ROLE_PROCESSOR”.
CREATE A NEW APPLICATION, SAVE IT AND LEAVE IT IN DRAFT MODE.

RESULT1: OPEN WORKFLOW SCREEN ON THE APPLICATION
THE WORKFLOW SCREEN DOES NOT ALLOW ENTERING ANY COMMENTS SINCE THIS WORKFLOW STAGE IS AN EXEMPT FROM THE SCOPE



ACTION2: LOG IN TO ING AS ADVISOR UNDER WORKFLOW ROLE “ROLE_PROCESSOR”.
SUBMIT AN APPLICATION FOR E-SIGNATURE.
OPEN WORKFLOW SCREEN ON THE APPLICATION

RESULT2: THE WORKFLOW SCREEN ALLOWS ENTERING COMMENTS. THIS BEHAVIOUR WAS PRE-EXISTING FOR THIS USER GROUP




ACTION3: LOG IN TO ING AS A BACK-OFFICE USER UNDER “ROLE_FIRM_APPROVER” AND ACCESS TO NEW ACCOUNT WORKFLOW STAGE ONLY.
FOR AN APPLICATION IN E-SIGNATURE STATUS, OPEN THE WORKFLOW SCREEN

RESULT3: THE WORKFLOW SCREEN DOES NOT ALLOW ADDING NEW COMMENTS




ACTION 4: LOG IN TO ING AS ADVISOR UNDER WORKFLOW ROLE “ROLE_PROCESSOR”.
FOR AN APPLICATION IN NEW ACCOUNTS INITIAL REVIEW STATUS, OPEN THE WORKFLOW SCREEN

RESULT4: THE WORKFLOW SCREEN ALLOWS ENTERING COMMENTS. THE ENTERED COMMENT IS SAVED AND THEN DISPLAYED CORRECTLY.
THE SCREEN DOES NOT ALLOW APPROVING OR REJECTING THE APPLICATION.



ACTION 5: LOG IN TO ING AS A NEW ACCOUNTS USER UNDER "ROLE_FIRM_APPROVER" AND ACCESS TO NEW ACCOUNT WORKFLOW STAGE ONLY. FOR AN APPLICATION IN NEW ACCOUNTS INITIAL REVIEW STATUS, OPEN THE WORKFLOW SCREEN.


RESULT 5: THE WORKFLOW SCREEN ALLOWS ENTERING COMMENTS. THE USER CAN ALSO APPROVE OR REJECT THE APPLICATION. THIS BEHAVIOUR WAS PRE-EXISTING FOR THIS USER GROUP.



3. COMPASS SETUP

3.1. FIRM ACCESS

1. As a portal super steward user, navigate to *NBIN Internal > Portal Super Steward* page.
2. Select a firm from the drop down



3. Select *Firm Access* tab.
4. Scroll to the Onboarding section and select *Broadridge Inform* as the onboarding system




FIGURE 16 - PORTAL SUPER STEWARD FIRM ACCESS TAB

5. Click 'Add new' on the division grid.



6. Type in the division name (this value must match the Firm name on Broadridge inform)
7. Select workflow – IB or PM
8. Click 'Save' on the *Add Division* window
9. Click 'Update' -> Onboarding Profile section will be updated with the list of available onboarding profiles based on the division workflow type
10. Select applicable Onboarding Profiles and click 'Update'.
    Not all profiles should be enabled for IB firms:
    a. If firm is NBIN opening, Firm Account Opening profile should not be selected
    b. If all Branch Managers can complete DROP approval, Branch Manager profile should not be selected. DROP Approval should be selected
    c. Firm operation activities can be segregated across user groups. One of the following sets of users should be enabled where applicable. These onboarding profiles are not required for an NBIN opening firm with no pre or post review.
        i) FirmOperations (single user group performs review and account opening)
        ii) Reviewer and FirmAccountOpening (2 different groups perform review and account opening activities)
        iii) ReviewerPreBM, ReviewerPostBM, FirmAccountOpening (separate groups for pre and post review, separate account opening user group)

    Descriptions of the onboarding profiles can be found in the tables below.

IB Onboarding Profiles

Onboarding Profile	Description	Data Access
Firm Account Opening	Can action stage *Account Opening – Manual Data Entry* if firm is configured as a self-opening IB	Firm or Sub-branch
Advisor	Can create and submit new applications for assigned RR codes	RR code
Assistant	Can create and submit new applications for assigned RR codes	RR code
Branch Manager	Can approve *Branch Manager Review* workflow stage for any application in firm and sub-branch (where applicable)	Firm or Sub-branch
Drop Approver	Can approve *Branch Manager Review* and *Options Review* stages for any application in firm and sub-branch (where applicable)	Firm or Sub-branch
Firm Operations	Can action workflow stages: *Initial Review*, *Final Review*, *Account Opening – Manual Data Entry*, *Escalation – Missing Info Required*, *Escalation – Application Declined*	Firm or Sub-branch
Firm Submitter	Can create and submit new applications for any RR code at firm	Firm or Sub-branch
Reviewer	Can complete *Initial Review*, *Final Review*, *Escalation – Missing Info Required*, *Escalation – Application Declined* workflow stages. Profile to be used when firm operations activities are performed by different user groups.	Firm or Sub-branch
ReviewerPostBM	Can complete *Final Review*, Escalation – *Application Declined*, *Escalation – More Info Required* workflow stages	Firm or Sub-branch
ReviewerPreBM	Can complete *Initial Review* workflow stage	Firm or Sub-branch

PM Onboarding Profiles

Onboarding Profile	Description	Data Access
Assistant	Can create and submit new applications for assigned RR	RR code
Firm Operations	Can view all applications for firm and sub-branch	Firm or Sub-branch
Portfolio Manager	Can create and submit new applications for assigned RR	RR code
Firm Submitter	Can create and submit new applications for any RR code at the firm	Firm or Sub-branch

NBIN Onboarding Profiles

Onboarding Profile	Description	Data Access
Account Opening	CPMC user. Can action stage *Account Opening – Manual Data Entry* if firm is configured as a PM firm or NBIN opening IB firm.	All
Administrator	Can view and update system configuration	All
Black Pearl	Can create and submit new applications **– not used**	All
DROP Approval	NBIN risk user who can action Branch Manager Review and Options Review stages for applications in PM workflow.	All
Estates	Can action applications in Escalation – Estate Review stage	All
NBIN Risk	Can action Branch Manager Review stage in PM workflow for any firm.	All
Registered Plan Admin	Can action Special Handling – RDSP and Special Handling – RIF workflow stages.	All
Service Coordinator	Read only access	All
Transfer Team	Can action paper upload transfer stage. Applications with exception RR codes will not route to this team. **– not used**	All
Transition Team	Transfer user with access limited to exception RR codes for paper upload transfer stage. **– not used**	All


3.2. User Access

User access can be set manually through the Compass user interface (user must have role Portal Super Steward or Security Steward) or through bulk setup.

3.2.1. Manual setup

1. For a Portal Super Steward, navigate to *NBIN Internal > Portal Super Steward*
   For a Security steward user, navigate to *Tools & Apps > Manage Firm Users*
2. Select firm from drop down
   Note: NBIN internal users must be setup under firm *NBIN (CorrNet) COR* and not *NBIN (Operations) NBCCS*
3. Search for existing user or add new
4. Select the Division(s) that the user should have access to.

5. Select the Onboarding Profile



6. Select the Sub-Branch(es) (optional)

   Sub- Branches may not be configured for a firm. If configured, a user should be assigned a sub-branch. The following rules apply:

   a. An Advisor or Assistant can be assigned a maximum of one sub-branch
   b. A firm level user can be assigned one, some or all sub-branches.

7. Click 'Update Profile' to save changes.

3.2.2. Bulk setup

Bulk user setup is currently not available. This is a future enhancement which would allow for bulk user Onboarding profile and division code assignment for a firm at time of Onboarding rollout.

4. MACRO CONFIGURATION

4.1. FIRM 360

This section provides instructions for the macro firm configuration. This configuration is used for the account opening macro, client number generator and virtual NAN.

Macro firm configuration is managed through Firm 360 (https://wsdapnbintool01.cloud.res.bngf.local/Firm360).

The required information is located on 2 different sections of Firm 360:

- Firm profile -Internal setup – this includes firm RR codes, client ranges, interest codes and default fees
- NAN administration – NAN records are created and managed here




FIGURE 17 - FIRM 360 FIRM PROFILE - INTERNAL SETUP

Firm level settings are to be configured on the internal setup section of the firm profile.
This includes

- RR ranges (shared Broker codes only)
- Client ranges (shared Broker codes only)
- Interest codes
- Fee codes (this can be overwritten at NAN level if required)

The remaining configuration is done on the NAN Administration page




FIGURE 18 - FIRM 360 NAN ADMINISTRATION SCREEN

Each NAN record contains the following fields:

1. **Business Entity –** This field will be used to identify the firm and corresponds to the division code in Broadridge Inform. This is usually the internal branch code for generic broker codes or broker code for non-generic broker codes
2. **NAN ID** – integer value starting at 0. Must be unique for each business entity, RR range combination. NAN ID 0 will be used as default. Note that for firms using the Account opening STP solution the NAN ID must be set to 0 for all records.
3. **From RR –** RR range lower bound – validated against RR codes in internal setup
4. **To RR –** RR range upper bound – validated against RR codes in internal setup
5. **From Account** – client range lower bound – validated against client range in internal setup
6. **To Account** – client range upper bound – validated against client range in internal setup
7. **Regulatory Document Delivery** – Drop down with options *Do not suppress*, *Suppress.* Determines if confirms are suppressed or not.
8. **Custody Fee Eligible –** drop down with options *Yes* or *No*. Yes is not applicable for IB firms. If *Yes* then ASC 10 must contain 2 or 3. If *No* then ASC 10 must contain 0 or 1
9. **Receive enhanced statements -** Drop down with options *No* or *Yes*. Determines if regular or enhanced statements will be sent.
10. **Commission Program** – Drop down with options *Standard Commission Program* or *No commission applied*. Default value is *Standard Commission Program*
11. **NBIN Managed Account Solutions** – Drop down with options *Managed* or *Not Managed*. Default value is *Not Managed*
12. **ASC Codes (Account Service Codes) -** 12 text fields which correspond to ASC codes 1-12. These fields determine specialized coding for various reasons such as type of product/program, account management, cash/positions management, reconciliation and pricing. ASC 10 is mandatory and validated against the custody fee eligible setting

Custom fees can be added at the NAN level for firms with non-generic broker codes.




FIGURE 19 – NAN ADMINISTRATION - CUSTOM FEE SAMPLE

Note: Modification to existing NAN setups can impact macro openings. Any changes are effective immediately. Complex updates to existing NAN records (where NAN record may be incorrect or missing during the update process) should be done outside of the macro run window (Monday- Friday 8:15am to 17:45pm, Saturday 8:15am to 15:30PM)

Request Types:

1. New Firm – net new firm configuration record. Requires Compass and Broadridge configuration in addition to Macro Configuration.

2. Client range expansion
    a. continuous range – update the *To Account* of existing NAN record
    b. New range
        i. update *NAN ID* for previous default range
        ii. create new range with *NAN ID* 0
3. RR expansion
    a. Continuous range – update *To RR* with upper range of expansion. This assumes the new RR codes will use same coding as exist RR codes. If different coding is required, a separate NAN record is required.
    b. New range – create new NAN record with NAN ID 0. May require multiple records if firm has multiple client ranges.

For firms with non-generic broker codes, the new RR codes or client range are loaded as part of the overnight data load from AS400. These will be available in firm 360 the day after setup on AS400.

For further details on Firm 360 NAN setup, refer to the firm 360 solution overview which can be found on the Product knowledge base

5. DocuSign Configuration

DocuSign is a tool for electronic signatures which provides following functionalities:

1. Email signers to request their signatures
2. Provide the user interfaces for a signer to view the application and electronically sign the application where his/her signatures are required

5.1. DocuSign Environment

UAT: https://account-d.docusign.com/#/username
Account: ao-uat@nbc.ca

PROD: https://account.docusign.com/logout#/username
Account: ao@nbc.ca

**** Only one person can login at a time. The second person may receive "Password incorrect" error message*

5.2. Firm Configuration for DocuSign

There are 2 areas involved to configure a firm for DocuSign; DocuSign brand and INFORM firm configuration.

5.2.1. DocuSign Brand

A brand can be created in DocuSign to customize the emails sent by DocuSign and DocuSign user interfaces. **NBIN brand** has been set up as "**Default**" brand. When there is no custom brand ID for the firm, DocuSign will apply the default NBIN brand to emails / user interfaces.

5.2.2. INFORM Firm Configuration - ESign Signature Request Configuration

See section 2.5 for details on Inform firm configuration

5.3. Firm Set up

5.3.1. PM Firm

All PM Firms will use **NBIN DocuSign brand**. No custom brand will be supported for PM firms.

1. DocuSign Brand

No Action Required - NBIN DocuSign Brand is a default brand already set up. No need to create a brand for a PM firm

2. INFORM Firm Configuration – ESign Signature Request Configuration

No Action Required – To use all DocuSgin default values, just leave all values blank

5.3.2. IB Firm

Each IB firm will have its own **custom DocuSign brand** to support its name / logo to be appeared on emails and screens.

12. DocuSign Brand

Create a DocuSign Brand (please see section 5.4) for a firm or a division. Following are required before creating a new brand:

- Logo (English & French Logos combined into one file).
  - Maximum file size: 300 KB
  - Recommended dimensions: 296 x 76 pixels (larger images will be resized)
  - Supported formats: JPG, GIF, PNG
- Firm Website URL
- Custom Email Resource File
- Custom Signer Resource File

Best practice is:

1. create a brand in DocuSign UAT
2. Update the Brand ID of test firm in INFORM UAT
3. Test the brand experience using INFORM UAT
4. Once the brand setting is good, export Brand from DocuSign UAT and import into DocuSign PROD. This will keep the same Brand ID between UAT/PROD.

5.4. CREATE DOCUSIGN BRAND

5.4.1. Prepare materials

- Firm Logo (English & French Logos combined into one file).
  - Maximum file size: 300 KB
  - Recommended dimensions: 296 x 76 pixels (larger images will be resized)
  - Supported formats: JPG, GIF, PNG
- Firm Website URL
- Custom Email Resource File
- Custom Signer Resource File

5.4.2. Create a brand

1. Login to DocuSign
2. Click a person icon at the top right corner then select “Go to Admin”
3. Select “Brands” from the menu on the left
4. Click “Add Brand” button
5. Provide “Brand Name” (Firm short name) and click “Save”
6. A brand just created appears on the Brands screen

5.4.3. Logo / Colour Scheme setup

1. Mouse over a Brand just created and click “Edit” to open “Branding” screen
2. Click “EDIT YOUR THEME” button to open “Customizes Signing & Email” screen




FIGURE 20 - DOCUSIGN BRAND SETUP

3. Click “UPLOAD SIGNING LOGO” to upload the firm logo - This will be used on the DocuSign screens when a signer is going to e-sign the application
4. Click “UPLOAD EMAIL LOGO” to upload the firm logo

5. Click the square colour patch beside “Header Background” under “Colors” to specify the Header colour on Email / Screen. By clicking the “pen” icon, you can choose a colour from the uploaded logo. Once you choose the colour, check it on Preview screens (Signing / Email) on the right.




FIGURE 21 - DOCUSIGN BRAND SETUP

6. Click “Save” to apply changes

5.4.4. Destination URLs

1. Click “Destination URLs” link at the bottom of the “Branding” screen

2. On “Configure Destinations” screen, specify the Firm website homepage URL as all destination URLs




FIGURE 22 - DOCUSIGN DESTINATION URLS

3. Click “Save” to apply changes

5.4.5. Uploading Custom Resource Files

1. Click “Resource Files” link at the bottom of the “Branding” screen
2. In “Upload Custom resource Files” section of “Resource Files” screen, click “Upload” button of **“Email Resource Files”**
4. Click “Select File”, choose the custom email resource file created and click “Open”
5. Click “Upload”




FIGURE 23 - DOCUSIGN EMAIL RESOURCE FILE UPLOAD

6. In "Upload Custom resource Files" section of "Resource Files" screen, click "Upload" button of **"Signing Resource Files**"
7. Click "Select File", choose the custom signing resource file created and click "Open"
8. Click "Upload"

5.4.6. Export / Import Brand

As a best practice, we recommend to create a brand in DocuSign UAT, test it with INFORM UAT first, then migrate the brand to DocuSign PROD. In order to migrate the brand from UAT to PROD, we use "Export/Import brand" feature.

1. On "Brands" screen on **DocuSign UAT,** click 3-dot icon of the brand you want to export.
2. Choose "Export" from the menu list. This will download a brand xml file (most likely, the file will be saved to your "Downloads" folder)




FIGURE 24 - DOCUSIGN BRAND EXPORT

3. On “Brands” screen on **DocuSign PROD,** click "UPLOAD BRAND” button




FIGURE 25 - DOCUSIGN BRAND UPLOAD

4. Select the brand file exported from the UAT and click “Submit”
5. This will keep the same Brand ID from UAT




FIGURE 26 - DOCUSIGN BRAND UPLOAD PART 2

5.5. CREATE CUSTOM EMAIL RESOURCE FILES

Search and replace the following data tags:

1. Replace [[Data:SenderName]] with Firm Name ~415 fields when updated
2. Replace [[Data:SenderEmail]] with noreply@<firm email domain> ~39 fields when updated
3. For FR and FR-CA replace
    a. [[Data:Subject]] with "Votre demande d'ouverture de compte" ~66 fields when updated
    b. [[Data:SubjectInput]] with "Votre demande d'ouverture de compte" ~49 fields when updated
4. Combine languages EN, FR and FR-CA into a single file with EN ordered first (first language is used as default)





FIGURE 27 - EMAIL RESOURCE FILE

5. Save and upload file
6. A copy of the file should be saved on SharePoint (SharePoint Phoenix\Documents\DocuSign\Resource Files\<Brand Name>) with the brand name and upload date included in the file name

5.6. CREATE CUSTOM SIGNING RESOURCE FILES

Make the following changes to the signing resource file:

1. Replace [[SenderName]] with Firm Name ~25
2. Replace [[SenderEmail]] with noreply@<firm email domain> ~12
3. Set data name="DocuSign_HideIntroductionSenderProfileImage" attribute = true
4. Set data name="DocuSign_HideIntroductionSender" attribute = true
5. Set data name="ActivationSec_DontKnowCodeShow" attribute = false
6. Combine EN, FR and FR-CA email resource files into a single file



7. Save and upload resource file
8. A copy of the file should be saved on SharePoint (SharePoint Phoenix\Documents\DocuSign\Resource Files\<Brand Name>) with the brand name and upload date included in the file name

6. My Portfolio+ Bulk User setup configuration

[TODO]

Elec
MFT box setup
Routing table configuration