

KREVUS

WEBSITE PRD & VIBE CODING PROMPT

Full product requirements document + complete vibe coding prompt for Cursor / Windsurf

Stack: Next.js 14 · GSAP · Neon · Drizzle · Resend · Calendly · Tailwind

[KREVUS INTERNAL DOCUMENT](#)

Read the PRD fully before starting. Paste the prompt as your very first message.

PART 1 — PRODUCT REQUIREMENTS DOCUMENT

This PRD defines every page, component, animation, database schema, and API route for krevus.com. Follow it exactly. Do not improvise on architecture.

1. Tech Stack

Layer	Technology	Notes
Framework	Next.js 14 App Router	SSG for static pages, ISR for case studies
Styling	Tailwind CSS v3	No component library — full design control
Animations	GSAP + @gsap/react	ONLY animation library. No Framer Motion ever.
Database	Neon (Serverless PostgreSQL)	neon.tech — pooled connection string
ORM	Drizzle ORM + drizzle-kit	No Prisma. Drizzle only.
Email	Resend	Form submission notifications
Calendar	Calendly inline embed	On /contact — not popup, inline widget
Chat	Tidio free tier	On /briqly page only — not main site
Analytics	Vercel Analytics + Hotjar	Hotjar on all pages for heatmaps
Deployment	Vercel	krevus.com custom domain

2. Pages & Routes

Route	Page	Type	Priority
/	Homepage	SSG	P0
/services	Services	SSG	P0
/industries	Industries Overview	SSG	P0

/industries/tax-firms	Tax & CPA Firms	SSG	P0
/industries/fintech	Fintech	SSG	P0
/industries/real-estate	Real Estate	SSG	P0
/case-studies	Case Studies Index	SSG	P0
/case-studies/[slug]	Case Study Detail	ISR	P0
/about	About Krevus	SSG	P1
/contact	Contact / Book a Call	SSG+API	P0
/briqly	Briqly SMB Section	SSG+API	P0

■ Build P0 pages first. /briqly is P0 because it is the SMB conversion page — it must be live from day one.

3. Page Specifications

3.1 Homepage — /

Hero Section:

- Background: #080C14. NO hero image — typography is the hero.
- H1 (problem-first): "Your firm is losing clients to slow processes. We fix that."
- Sub: "Krevus builds secure portals, AI automation, and digital infrastructure for tax firms, fintech companies, and real estate businesses."
- CTA Primary: 'Book a Discovery Call' → Calendly link
- CTA Secondary: 'See Our Work' → /case-studies
- GSAP: useGsapHeroReveal — words reveal one by one on mount. Sub and CTAs stagger after.

Services Strip (3 cards):

- Card 1: Secure Portals — tax firms, document upload, encrypted
- Card 2: AI Automation — calling agents, intake bots, 24/7 front desk
- Card 3: Software & Dashboards — fintech, real estate portals, custom builds
- GSAP: useGsapFadeIn stagger on scroll. useGsapCardHover on each card (y:-6 lift).

Industries Block:

- 3 tiles: Tax & CPA Firms / Fintech / Real Estate — each links to /industries/[slug]
- GSAP: useGsapLineReveal on section heading underline

Featured Case Study:

- One card: client type, problem headline, metric result, CTA to full study
- Demo work: label as 'Concept Project' — never imply real client

SMB Banner (Briqly CTA):

- Separate visual section at bottom of homepage — amber accent, completely different tone
- Headline: 'Need a website for your local business? We deliver in 7 days from \$400.'
- CTA: 'See Packages' → /briqly
- This is the ONLY place on the main site that references SMB/Briqly

■ *The SMB banner must be visually distinct from the premium sections above it. Use amber (#F0A500) accent, lighter background (#F8F9FA or white section). A fintech CTO must be able to visually skip past it without it affecting their perception of Krevus premium.*

3.2 /briqly — The SMB Section

This page is a complete standalone experience. A visitor from Instagram or Google Maps who lands here must feel like they're on a dedicated SMB website — not a section of a premium agency. The only shared element is the Krevus logo with 'SMB Services' subtitle.

Hero:

- Background: WHITE (#FFFFFF)
- H1: 'A website that brings you customers. Delivered in 7 days.'
- Sub: 'Fixed pricing. No surprises. Starting at \$400.'
- CTAs: 'See Packages' (scroll) + 'See Our Work' (/briqly#work)
- GSAP: useGsapHeroReveal on this section

Pricing Section (VISIBLE ON PAGE — NO SCROLL NEEDED ON DESKTOP):

- 3 PricingCards: Starter (\$400–600 / 7 days), Growth (\$800–1,200 / 14 days), Pro (\$1,500–2,500 / 21 days)
- 'Most Popular' amber badge on Growth card
- Full deliverables list on each card
- Full-width amber CTA per card: 'Get Started' → /briqly#contact
- GSAP: useGsapFadeIn stagger on cards

Before/After Portfolio:

- 3 before/after pairs — tap/hover reveals after image via CSS clip-path
- 'Concept Project' badge on demo work
- GSAP: useGsapImageParallax on images (desktop only)

How It Works (3 steps):

- Step 1: Tell us about your business. Step 2: We build in 7 days. Step 3: You get customers.

Contact form (anchor: #contact):

- Fields: Name, Business Name, Business Type, Phone, Email, Service (dropdown), Message (optional)
- Below form: Calendly inline widget
- Below Calendly: WhatsApp CTA button

WhatsApp Button:

- Fixed bottom-right on /briqly page only — NOT on main site pages
- Pre-filled message: 'Hi Krevus, I'm interested in a website for my business'

3.3 /contact — Premium Contact

- Top: Calendly inline widget — 'Book a 15-Minute Discovery Call'

- Divider: 'Or send us a message'
- Fields: Full Name, Company, Email, Industry (Tax/CPA / Fintech / Real Estate / Other), Service Interest (Secure Portal / AI Automation / Software & Dashboard / SEO / Not Sure), Message (min 30 chars), How did you find us (optional)
- Success: inline — 'We'll reply within 4 hours during US business hours'
- GSAP: form fields stagger in sequentially on mount

3.4 Industry Pages — /industries/[slug]

Industry	Hero Headline	Lead Service
tax-firms	"Your clients are still emailing sensitive documents. That stops today."	Secure document portal
fintech	"Build compliant, fast, and connected — without a 12-month roadmap."	Finance & data dashboards
real-estate	"Your leads deserve better than a missed call and a delayed email."	Real-time client portals + AI

- Each industry page: Hero → The Problem → Our Solution → Relevant Services → Case Study → CTA
- GSAP: useGsapHeroReveal on industry hero, useGsapFadeIn stagger on sections

3.5 Case Studies

- Index: filterable grid by industry tag
- Detail: Challenge → Solution → Tech used → Result → CTA
- Content: MDX files in /content/case-studies/
- Launch with 2 demo case studies: (1) Secure portal for CPA firm, (2) Real estate client portal
- Label all demo work 'Concept Project' — never imply real client

4. Design System

4.1 Colors

Token	Hex	Usage
--bg-primary	#080C14	Main site background
--bg-card	#0D1420	Cards and sections
--bg-elevated	#141C2E	Hover states
--text-primary	#FFFFFF	Headings
--text-body	#C8CFDD	Body text

--text-muted	#8A8F9E	Labels, captions
--accent	#3D5AFE	Buttons, links, highlights
--accent-hover	#2A47EB	Button hover
--accent-amber	#F0A500	Briqly section ONLY
--border	#1E2A3D	Card borders
--success	#00C896	Form success
--error	#FF4D6A	Form errors

4.2 Typography

Element	Font	Size	Weight
Hero H1	Space Grotesk	60px desktop / 38px mobile	700
Page H1	Space Grotesk	44px	700
H2	Space Grotesk	32px	600
H3	Space Grotesk	22px	600
Body Large	Inter	18px	400
Body	Inter	16px	400
Label/Tag	Inter	12px	700
Button	Inter	15px	600

5. GSAP Animation System — Build All Hooks First

■ GSAP is the only animation library. Never install Framer Motion. Register plugins once in `lib/gsap.ts` before building any component.

lib/gsap.ts — Register once at app level

```
import { gsap } from 'gsap'
import { ScrollTrigger } from 'gsap/ScrollTrigger'
import { ScrollToPlugin } from 'gsap/ScrollToPlugin'
import { TextPlugin } from 'gsap/TextPlugin'
```

```
import { SplitText } from 'gsap/SplitText'

gsap.registerPlugin(ScrollTrigger, ScrollToPlugin, TextPlugin, SplitText)
```

useGsapHeroReveal — Homepage and industry page hero text

- Trigger: on mount (no ScrollTrigger)
- Effect: Split headline into words using SplitText. Each word animates from y:80 opacity:0 → y:0 opacity:1
- Duration: 0.7s per word, stagger: 0.06s, ease: 'power4.out'
- Sub-headline follows 400ms after last word. Fade in opacity:0→1, y:30→0, duration:0.6s
- CTAs follow 200ms after sub. Stagger 0.1s between them.
- Always use useGSAP() with scope — never raw useEffect

useGsapFadeIn — Section entrance on scroll

- Trigger: ScrollTrigger, start: 'top 82%'
- Effect: opacity:0 y:50 → opacity:1 y:0, duration:0.65s, ease:'power3.out'
- Stagger: 0.12s between direct children of the ref element
- Use on: service cards, industry tiles, case study cards, stats sections

useGsapCardHover — Premium card hover

- mouseenter: gsap.to(card, { y:-8, duration:0.3, ease:'power2.out' })
- mouseenter: gsap.to(borderEl, { opacity:1, duration:0.2 })
- mouseleave: gsap.to(card, { y:0, duration:0.3, ease:'power2.out' })
- Do NOT use CSS :hover transforms on cards — GSAP only

useGsapCounter — Animated stat numbers

- ScrollTrigger: count from 0 to target when scrolled into view
- Duration: 2s, ease: 'power1.out'
- Use on: stats sections, result numbers in case studies

useGsapNavScroll — Sticky header

- Scroll past 80px: gsap.to header { backgroundColor: rgba(8,12,20,0.96), backdropFilter: blur(16px), duration:0.35 }
- Reverse smoothly when scrolled back to top

useGsapLineReveal — Heading accent underlines

- Width: 0 → 100% on ScrollTrigger, duration:0.7s, ease:'power2.inOut'
- Apply to decorative lines beneath section headings

useGsapPageTransition — Route change animation

- On route change: current page opacity 1→0, y:0→-20, 200ms
- New page: opacity 0→1, y:30→0, 450ms, ease:'power3.out'
- Implement in root layout via usePathname

useGsapParallax — /briqly before/after images only

- ScrollTrigger scrub:1.5, y: -40px to +40px over scroll range
- Disable under 768px breakpoint
- Check prefers-reduced-motion and skip if set

useGsapMagneticButton — Premium CTA buttons

- On mousemove near button: `gsap.to(btn, { x: deltaX*0.35, y: deltaY*0.35, duration:0.3 })`
- On mouseleave: `gsap.to(btn, { x:0, y:0, duration:0.5, ease:'elastic.out(1,0.3)' })`
- Apply to primary CTA buttons on homepage hero and CTA banner only
- NOT on form submit buttons — too distracting

useGsapSectionReveal — Full section cinematic entrance

- For major sections: heading + sub + content all animate as a choreographed sequence
- Heading: `x:-60 opacity:0 → x:0 opacity:1, 0.6s`
- Sub (200ms delay): `y:30 opacity:0 → y:0 opacity:1, 0.5s`
- Content (400ms delay): stagger children with `useGsapFadeIn`
- Use on: Services section, Industries section, About section

■ 10 GSAP hooks = stunning, production-grade motion. Every hook uses `useGSAP()` from `@gsap/react` for automatic cleanup. All durations 0.2s–0.8s. Always check `prefers-reduced-motion`.

6. Database — Neon + Drizzle

npm install commands

```
npm install drizzle-orm @neondatabase/serverless @paralleldrive/cuid2
npm install -D drizzle-kit
```

lib/db/index.ts

```
import { neon } from '@neondatabase/serverless'
import { drizzle } from 'drizzle-orm/neon-http'
import * as schema from './schema'

const sql = neon(process.env.DATABASE_URL!)
export const db = drizzle(sql, { schema })
```

lib/db/schema.ts — Both tables

```
import { pgTable, text, timestamp, real } from 'drizzle-orm/pg-core'
import { createId } from '@paralleldrive/cuid2'

// Premium enquiries (main site contact form)
export const krevusEnquiries = pgTable('krevus_enquiries', {
  id: text('id').primaryKey().$defaultFn(() => createId()),
  name: text('name').notNull(),
  company: text('company').notNull(),
  email: text('email').notNull(),
  industry: text('industry').notNull(),
  serviceInterest: text('service_interest').notNull(),
  message: text('message').notNull(),
  howFound: text('how_found'),
  createdAt: timestamp('created_at').defaultNow().notNull(),
  status: text('status').default('new').notNull(),
})
```

```

    notes: text('notes'),
  })

// SMB enquiries (/briqly contact form)
export const briqlyEnquiries = pgTable('briqly_enquiries', {
  id: text('id').primaryKey().$defaultFn(() => createId()),
  name: text('name').notNull(),
  businessName: text('business_name').notNull(),
  businessType: text('business_type').notNull(),
  phone: text('phone').notNull(),
  email: text('email').notNull(),
  service: text('service').notNull(),
  message: text('message'),
  createdAt: timestamp('created_at').defaultNow().notNull(),
  status: text('status').default('new').notNull(),
  packageSold: text('package_sold'),
  dealValue: real('deal_value'),
})

```

Run migration

```
npx drizzle-kit push
```

7. Folder Structure

```

krevus/
  app/
    page.tsx # Homepage
    services/page.tsx
    industries/page.tsx
    industries/tax-firms/page.tsx
    industries/fintech/page.tsx
    industries/real-estate/page.tsx
    case-studies/page.tsx
    case-studies/[slug]/page.tsx
    about/page.tsx
    contact/page.tsx
    briqly/page.tsx # Full SMB section
    layout.tsx # Root — fonts, GSAP init, WhatsApp btn
    globals.css # CSS variables
    app/api/
    contact/route.ts # Premium form
    briqly-contact/route.ts # SMB form
    components/

```

```

ui/ Button.tsx | ServiceCard.tsx | IndustryCard.tsx
CaseStudyCard.tsx | PricingCard.tsx | BeforeAfterCard.tsx
IndustryTag.tsx | WhatsAppButton.tsx
sections/ Hero.tsx | ServicesStrip.tsx | IndustriesSection.tsx
CTABanner.tsx | BriqlyCTA.tsx | StatsSection.tsx
forms/ ContactForm.tsx | BriqlyContactForm.tsx
layout/ Header.tsx | Footer.tsx
lib/
db/index.ts | db/schema.ts | db/migrations/
email.ts | validations.ts | gsap.ts
hooks/
useGsapHeroReveal.ts | useGsapFadeIn.ts | useGsapCardHover.ts
useGsapCounter.ts | useGsapNavScroll.ts | useGsapLineReveal.ts
useGsapPageTransition.ts | useGsapParallax.ts
useGsapMagneticButton.ts | useGsapSectionReveal.ts
content/case-studies/ # MDX files
drizzle.config.ts

```

8. Environment Variables

```

DATABASE_URL= # Neon pooled connection string
RESEND_API_KEY= # resend.com
NOTIFICATION_EMAIL= # Abdullah email
NEXT_PUBLIC_SITE_URL= # https://krevus.com
NEXT_PUBLIC_CALENDLY_URL= # Calendly link
NEXT_PUBLIC_WHATSAPP_NUMBER= # +[code][number]

```

9. Build Order — Follow Exactly

Step	Task
1	<code>npx create-next-app@latest krevus --typescript --tailwind --app</code>
2	<code>npm install gsap @gsap/react drizzle-orm @neondatabase/serverless @paralleldrive/cuid2 resend zod next-mdx-remote</code>
3	<code>npm install -D drizzle-kit</code>
4	Create Neon project, copy pooled DATABASE_URL to <code>.env.local</code>
5	<code>lib/db/schema.ts</code> (both tables) + <code>drizzle.config.ts</code> + <code>npx drizzle-kit push</code>

6	lib/gsap.ts — register all plugins including SplitText
7	Build all 10 GSAP hooks in /hooks — do not skip any
8	globals.css — all 12 CSS variables + import Space Grotesk + Inter via next/font
9	Build all UI components: Button, ServiceCard, IndustryCard, CaseStudyCard, PricingCard, BeforeAfterCard, WhatsAppButton
10	Build Header (nav: Services, Industries, Case Studies, Book a Call) + Footer
11	Build Hero section with useGsapHeroReveal + useGsapMagneticButton on CTAs
12	Build Homepage — assemble all sections. Test GSAP on each.
13	Build /services page
14	Build /industries + 3 industry sub-pages
15	Write 2 MDX demo case studies. Build /case-studies index + /case-studies/[slug]
16	Build /contact with Calendly inline embed + premium ContactForm + API route
17	Build /briqly page — full SMB experience with PricingCards, portfolio, form
18	Build /briqly-contact API route
19	Build /about page
20	SEO: metadata per page, OG tags, schema markup, next-sitemap
21	Install Hotjar + Vercel Analytics
22	Lighthouse audit — 90+ on desktop, 85+ on mobile
23	Deploy to Vercel on krevus.com

PART 2 — VIBE CODING PROMPT

Paste this as your very first message in Cursor, Windsurf, or any AI coding tool. Do not write any code or create any files before pasting this. The prompt tells the AI exactly what to build, how, and in what order.

■ After pasting, your first instruction should be: 'Start with Step 1 — initialise the project and install all dependencies. Confirm before moving to Step 2.' Follow each step sequentially.

ROLE AND OBJECTIVE

You are a senior Next.js developer building krevus.com — a production-grade website for Krevus, a digital agency serving US tax firms, fintech companies, real estate businesses, and small businesses. The site has two distinct tiers:

- (1) Premium: dark, authoritative, conversion-focused for high-ticket clients
 - (2) SMB: a dedicated /briqly page with light theme and fixed pricing for small businesses
- These two tiers must NEVER visually bleed into each other.

STACK — NO DEVIATIONS ALLOWED

- Framework: Next.js 14 App Router
- Styling: Tailwind CSS v3 (no component library)
- Animations: GSAP + @gsap/react — ONLY animation library. NEVER install Framer Motion.
- Database: Neon (serverless PostgreSQL) via @neondatabase/serverless
- ORM: Drizzle ORM + drizzle-kit — NEVER use Prisma
- Email notifications: Resend
- Validation: Zod
- IDs: @paralleldrive/cuid2
- Case studies: next-mdx-remote
- Deployment: Vercel

INSTALL COMMANDS (run in order)

```
npx create-next-app@latest krevus --typescript --tailwind --app
npm install gsap @gsap/react drizzle-orm @neondatabase/serverless @paralleldrive/cuid2
npm install resend zod next-mdx-remote
npm install -D drizzle-kit
```

PREMIUM DESIGN SYSTEM (main site — dark)

CSS variables in globals.css:

```
--bg-primary: #080C14 | --bg-card: #0D1420 | --bg-elevated: #141C2E
--text-primary: #FFFFFF | --text-body: #C8CFDD | --text-muted: #8A8F9E
--accent: #3D5AFE | --accent-hover: #2A47EB | --border: #1E2A3D
--success: #00C896 | --error: #FF4D6A
```

Headings: Space Grotesk (next/font) — Hero H1: 60px/700, Page H1: 44px/700, H2: 32px/600

Body: Inter (next/font) — Body: 16px/400, Body Large: 18px/400

SMB DESIGN SYSTEM (/briqly page only — light)

```
--smb-bg: #FFFFFF | --smb-section: #F8F9FA | --smb-text: #111827
--smb-body: #374151 | --smb-accent: #F0A500 | --smb-accent-hover: #D99200
--smb-accent-light: #FFF4D6 | --smb-border: #E5E7EB
```

Same fonts (Space Grotesk + Inter) but amber accent instead of blue.

GSAP SETUP — DO THIS BEFORE ANY COMPONENT

Create lib/gsap.ts and register:

```
import { gsap } from 'gsap'
import { ScrollTrigger } from 'gsap/ScrollTrigger'
import { ScrollToPlugin } from 'gsap/ScrollToPlugin'
import { TextPlugin } from 'gsap/TextPlugin'
import { SplitText } from 'gsap/SplitText'

gsap.registerPlugin(ScrollTrigger, ScrollToPlugin, TextPlugin, SplitText)
```

BUILD ALL 10 GSAP HOOKS IN /hooks BEFORE ANY PAGE:

useGsapHeroReveal():

Split headline with SplitText into words. Animate each word: y:80 opacity:0 → y:0 opacity:1, duration:0.7, stagger:0.06, ease:'power4.out'. Sub-headline follows 400ms after last word (y:30→0, opacity:0→1, 0.6s). CTAs stagger 200ms after sub.

ALWAYS use useGSAP() with scope — never raw useEffect.

useGsapFadeIn(ref, stagger=0.12):

```
gsap.fromTo(ref.current.children, { opacity:0, y:50 }, { opacity:1, y:0,
duration:0.65, ease:'power3.out', stagger,
scrollTrigger:{ trigger:ref.current, start:'top 82%' } })
```

useGsapCardHover(cardRef, borderRef):

```
mouseenter: gsap.to(card, { y:-8, duration:0.3, ease:'power2.out' })
+ gsap.to(border, { opacity:1, duration:0.2 })
mouseleave: gsap.to(card, { y:0, duration:0.3, ease:'power2.out' })
```

DO NOT use CSS :hover transforms — GSAP only

useGsapCounter(ref, target, suffix="):

ScrollTrigger: count 0 → target, duration:2s, ease:'power1.out'

useGsapNavScroll(headerRef):

Scroll > 80px: gsap.to(header, { backgroundColor:'rgba(8,12,20,0.96)', backdropFilter:'blur(16px)', duration:0.35 }). Reverse on scroll back.

useGsapLineReveal(ref):

Width 0→100% on ScrollTrigger, duration:0.7, ease:'power2.inOut'

useGsapPageTransition():

usePathname: on change → fade out (opacity→0, y→-20, 200ms) then fade in (opacity→1, y:30→0, 450ms, ease:'power3.out') on new page

useGsapParallax(ref):

ScrollTrigger scrub:1.5, y: -40px to +40px. DISABLE under 768px.

Only for /briqly before/after images.

useGsapMagneticButton(btnRef):

Track mouse position near button. On proximity:

```
gsap.to(btn, { x:deltaX*0.35, y:deltaY*0.35, duration:0.3 })
```

On leave: gsap.to(btn, { x:0, y:0, duration:0.5, ease:'elastic.out(1,0.3)' })

Apply to homepage hero CTAs only.

useGsapSectionReveal(ref):

Orchestrated entrance: heading x:-60→0 opacity:0→1 (0.6s), sub y:30→0 (delay 200ms), content children stagger (delay 400ms). Use on Services, Industries, About sections.

GSAP RULES:

- Always useGSAP() from @gsap/react. Never useEffect for GSAP.

- Never animate layout properties (margin, padding, width, height).
- All durations 0.2s–0.8s. Nothing longer.
- Always check prefers-reduced-motion and skip animations if set.
- Disable parallax under 768px.

DATABASE — NEON + DRIZZLE

lib/db/index.ts:

```
import { neon } from '@neondatabase/serverless'
import { drizzle } from 'drizzle-orm/neon-http'
import * as schema from './schema'

export const db = drizzle(neon(process.env.DATABASE_URL!), { schema })
```

Two tables in lib/db/schema.ts:

```
krevusEnquiries: id(cuid), name, company, email, industry, serviceInterest,
message, howFound(optional), createdAt, status(default:'new'), notes
briqlyEnquiries: id(cuid), name, businessName, businessType, phone, email,
service, message(optional), createdAt, status(default:'new'),
packageSold(optional), dealValue(optional real)

Run: npx drizzle-kit push
```

PAGES (build in this exact order — see Build Order below)

1. / — Homepage
2. /services — Three services: Secure Portals, AI Automation, Software & Dashboards
3. /industries — Overview page
4. /industries/tax-firms — Secure document portal focus
5. /industries/fintech — Finance dashboard + AI automation focus
6. /industries/real-estate — Real-time portal + lead automation focus
7. /case-studies — Grid (MDX-powered, ISR)
8. /case-studies/[slug] — Detail: Challenge→Solution→Result→Tech→CTA
9. /about — About Krevus, Abdullah founder block
10. /contact — Calendly inline + premium contact form
11. /briqly — Full SMB section (LIGHT THEME — see SMB design system above)

HOME PAGE SPEC

Hero H1: 'Your firm is losing clients to slow processes. We fix that.'

Hero sub: 'Krevus builds secure portals, AI automation, and digital infrastructure for tax firms, fintech companies, and real estate businesses.'

CTA 1 (primary, magnetic): 'Book a Discovery Call' → NEXT_PUBLIC_CALENDLY_URL

CTA 2 (outline): 'See Our Work' → /case-studies

Background: var(--bg-primary). No hero image. Typography IS the hero.

Apply useGsapHeroReveal + useGsapMagneticButton.

At bottom of homepage: SMB CTA banner (amber theme):

'Need a website for your local business? Delivered in 7 days from \$400.'

CTA: 'See Packages' → /briqly

This must be visually distinct from premium sections above it.

/briqly PAGE SPEC (LIGHT THEME)

Hero: white background, H1: 'A website that brings you customers. Delivered in 7 days.'

Sub: 'Fixed pricing. No surprises. Starting at \$400.'

Pricing section ABOVE THE FOLD on desktop:

Starter (\$400–600 / 7 days), Growth (\$800–1200 / 14 days), Pro (\$1500–2500 / 21 days)

'Most Popular' amber badge on Growth. Full deliverables list. Amber CTA buttons.
Before/after portfolio section with useGsapParallax on images.
How it works: 3 steps with amber numbered circles.
Contact form (#contact anchor): Name, Business Name, Business Type, Phone, Email,
Service dropdown, Message (optional).
Calendly inline widget below form.
WhatsApp fixed button (bottom-right, this page ONLY):
href: https://wa.me/{NEXT_PUBLIC_WHATSAPP_NUMBER}?text=Hi%20Krevus...
Tidio chat widget on this page only.

API ROUTES

POST /api/contact (premium form):
Zod validate, insert krevusEnquiries, send Resend notification, return 200/400/429/500
POST /api/briqly-contact (SMB form):
Zod validate, insert briqlyEnquiries, send Resend notification, return 200/400/429/500

INDUSTRY PAGE HEADLINES

tax-firms: 'Your clients are still emailing sensitive documents. That stops today.'
fintech: 'Build compliant, fast, and connected — without a 12-month roadmap.'
real-estate: 'Your leads deserve better than a missed call and a delayed email.'

DEMO CASE STUDIES — CREATE BEFORE LAUNCH

File 1: /content/case-studies/cpa-firm-portal.mdx
client: 'Harlow & Associates (Concept Project)', industry: tax-firms
challenge: Client documents sent via email, compliance risk, slow onboarding
solution: Encrypted upload portal, admin dashboard, email notifications
result: Onboarding from 3 days to 20 minutes, zero email document sharing
File 2: /content/case-studies/real-estate-portal.mdx
client: 'Summit Realty Group (Concept Project)', industry: real-estate
challenge: No centralised client portal, leads lost after hours
solution: Real-time property portal with AI lead qualification
result: 40% reduction in missed leads, client satisfaction improved
CRITICAL: Label all demo work 'Concept Project' — never imply real clients.

ENVIRONMENT VARIABLES

DATABASE_URL | RESEND_API_KEY | NOTIFICATION_EMAIL
NEXT_PUBLIC_SITE_URL=<https://krevus.com>
NEXT_PUBLIC_CALENDLY_URL | NEXT_PUBLIC_WHATSAPP_NUMBER

BUILD ORDER — FOLLOW STRICTLY

Step 1: Init project, install all dependencies
Step 2: Neon project setup — copy pooled DATABASE_URL to .env.local
Step 3: lib/db/schema.ts (both tables) + drizzle.config.ts + npx drizzle-kit push
Step 4: lib/gsap.ts — register all 5 plugins including SplitText
Step 5: Build ALL 10 GSAP hooks — confirm each works before moving on
Step 6: globals.css — all CSS variables (dark + SMB light tokens) + next/font setup
Step 7: Build all UI components (Button, ServiceCard, IndustryCard, CaseStudyCard,
PricingCard, BeforeAfterCard, IndustryTag, WhatsAppButton)
Step 8: Build Header (logo + nav: Services, Industries, Case Studies, Book a Call) + Footer
Step 9: Build Hero section with useGsapHeroReveal + useGsapMagneticButton
Step 10: Build full Homepage — all sections including SMB CTA banner

Step 11: Build /services page

Step 12: Build /industries overview + all 3 industry sub-pages

Step 13: Write 2 MDX demo case studies, build /case-studies + /case-studies/[slug]

Step 14: Build /contact — Calendly inline + ContactForm + POST /api/contact

Step 15: Build /briqly — full light-theme SMB page + POST /api/briqly-contact

Step 16: Build /about page

Step 17: SEO — metadata, OG tags, schema markup, next-sitemap

Step 18: Install Hotjar + Vercel Analytics

Step 19: Lighthouse audit — 90+ desktop, 85+ mobile before any deploy

Step 20: Deploy to Vercel on krevus.com

IMPORTANT REMINDERS

- GSAP is the only animation library. Never suggest Framer Motion.
- Drizzle is the only ORM. Never suggest Prisma.
- Neon is the only database. Never suggest Supabase.
- The /briqly page is LIGHT THEME — do not make it dark like the main site.
- WhatsApp button appears on /briqly ONLY — not on main site pages.
- Tidio chat widget on /briqly ONLY.
- All demo case studies labeled 'Concept Project' always.

Start with Step 1. Confirm completion of each step before proceeding to the next.