### Dallas SQA Metric Items From FPA Spreadsheet - June 2021

#### Nick Lauerman

#### Abstract

Presentation of First Pass Acceptance of SLC documentation. This is derived from the Excel workbook that Software Quality Assurance collected called "First Pass Acceptance\_Dallas.xlsx". <sup>1</sup> This is for the month

#### Contents

1	First Pass Acceptance Results	1
2	Trending Graphs	2
3	Methods	.0
$\mathbf{L}$	ist of Figures	
	1 Projects Started and Completed	3
	2 Reviews Completed	4
	3 Reviews Completed with Control Lines	5
	4 First Pass Acceptance	6
	5 First Pass Acceptance with Control Lines	7
	6 Rejection Rate	8
	7 Rejection Rate with Control Lines	9

#### First Pass Acceptance Results

For the month of June 2021the follow are the First Pass Acceptance Metrics results.

 $<sup>^1{\</sup>rm data}$  is stored on the dept 09HD share drive  $^2{\rm Date}$  Ran: Wednesday 7th July, 2021 at 16:23

Projects Started	4
Projects Completed	2
Items Reviewed	122
Items Rejected	43
First Pass Acceptance Rate	25.4 %
Rejection Rate	35.2 %

Table 1: First Pass Acceptance Results for June 2021

#### 2 Trending Graphs

Trend graphs reflect the past 18 months of data.

### **Projects Started and Completed**




Figure 1: Projects Started and Completed

# **Reviews Completed**




Figure 2: Reviews Completed

### **Reviews Completed**




Figure 3: Reviews Completed with Control Lines

# First Pass Acceptance (FPA)




Figure 4: First Pass Acceptance

### First Pass Acceptance (FPA)




Figure 5: First Pass Acceptance with Control Lines

# **Rejection Rate**




Figure 6: Rejection Rate

### **Rejection Rate**




Figure 7: Rejection Rate with Control Lines

#### 3 Methods

#### **Data Processing**

The data is processed using  $\mathbb{R}^3$ , version 3.6.2 named "Dark and Stormy Night". The only extension (package or library) utilized is lubridate (version 1.7.10) to provide key functionality in the processing of dates.

The data is read into R from a comma seperated value (csv) file which is derived (saved) from the spreadsheet without modification. Additional values that are needed are are computed in R as needed.

#### Report Generation

This report is prepared in the R environment using a collection of packages know as Sweave that included knitr which in turn feeds the package into LATEX  $2_{\varepsilon}$  a typeseting program to produce a PDF file. LATEX  $2_{\varepsilon}$  in implented in MiTeX. LATEX  $2_{\varepsilon}$  is utilizing the following packages to control style and formating:

- amsfonts
- amsmath
- amssymb
- array
- booktable
- datetime
- float
- graphicx
- hyperref
- tocloft
- utf8
- xcolor

 $<sup>^3\</sup>mathrm{RStudio}$  is utilized as an IDE