

Explore ACR

Nick Lauerman

December 5, 2018

Contents

Libraries	1
Data	1
Read Data In	1
Format the Data	2
Convert to Factor	2
Convert to Dates	2
Structure of The Data	2
Metrics	3
Select Data	3
Counts	3
Data Changes (CR) Request Approved	3
Data Change Request Disapproved	3
Implementation and Effectivity (IE) Approved	3
IE Disapproved	3
First pass acceptance	4
CR	4
IE	4
Total Process	4
Number by Application	4
Opened	4
Completed	4
Total	5
Time to Complete A Data Change	5
Number of Days That Currently Open CR Have Been Pending	9

Libraries

```
library(lubridate)

##
## Attaching package: 'lubridate'
##
## The following object is masked from 'package:base':
##
##     date
```

Data

Read Data In

The data is a CSV file that is created by saving the ACR tab of the FPA Excel Workbook.

```

ACR.raw <- read.csv(file = "../data/ACR.csv",
                    stringsAsFactors = FALSE)
name <- c("SQA",
          "Application",
          "CRNumber",
          "CRDate",
          "CRApproved",
          "IENumber",
          "IEDate",
          "IEApproved",
          "Reason",
          "Comments")
names(ACR.raw) <- name
rm(name)
ACR <- ACR.raw

```

Format the Data

Convert to Factor

```

ACR$SQA <- as.factor(ACR$SQA)
ACR$Application <- as.factor(ACR$Application)
ACR$CRApproved <- as.factor(ACR$CRApproved)
ACR$IEApproved <- as.factor(ACR$IEApproved)
levels(ACR$IEApproved)[1] <- NA
ACR$Reason <- as.factor(ACR$Reason)
levels(ACR$Reason)[1] <- NA

```

Convert to Dates

```

ACR$CRDate <- as.Date(ACR$CRDate, format = "%d-%b-%y")
ACR$IEDate <- as.Date(ACR$IEDate, format = "%d-%b-%y")
ACR$CRmonth <- lubridate::month(ACR$CRDate, label = TRUE)
ACR$CRyear <- lubridate::year(ACR$CRDate)
ACR$IEMonth <- lubridate::month(ACR$IEDate, label = TRUE)
ACR$IEyear <- lubridate::year(ACR$IEDate)

```

Structure of The Data

```
str(ACR)
```

```

## 'data.frame':    118 obs. of  14 variables:
##  $ SQA          : Factor w/  4 levels "Beilah","Liz",...: 1 1 1 1 2 2 2 2 4 4 ...
##  $ Application: Factor w/ 11 levels "AFMS","ALMS",...: 9 11 11 9 5 5 5 7 2 2 ...
##  $ CRNumber    : chr  "18-33882" "18-34518" "18-36023" "18-38261" ...
##  $ CRDate      : Date, format: "2018-10-12" "2018-10-17" ...
##  $ CRApproved  : Factor w/  4 levels "", "A", "A-FP",...: 3 3 3 3 3 3 3 3 1 1 ...
##  $ IENumber    : chr  "18-33882" "" "" "" ...
##  $ IEDate      : Date, format: "2018-11-07" NA ...
##  $ IEApproved  : Factor w/  3 levels "A", "A-FP", "D": 2 NA NA NA NA NA NA NA 2 3 ...
##  $ Reason      : Factor w/  3 levels "Inaccurate information",...: NA NA NA NA NA NA NA NA 1 ...
##  $ Comments    : chr  "" "" "" "" ...
##  $ CRmonth     : Ord.factor w/ 12 levels "Jan"<"Feb"<"Mar"<...: 10 10 10 11 11 11 11 11 10 10 ...

```

```
## $ CYear      : num  2018 2018 2018 2018 2018 ...
## $ IEmonth     : Ord.factor w/ 12 levels "Jan"<"Feb"<"Mar"<...: 11 NA NA NA NA NA NA 10 10 ...
## $ IYear       : num  2018 NA NA NA NA ...
```

Metrics

Select Data

Data is selected first for the Month and Year of interest. The selection is based on both the CR and I&E dates. This selection is used as a master dataframe. Two additional dataframes are produced the first of the approval of the CR in the month and the second for the approval of the I&E in the month.

```
#create master dataframe
work <- subset(ACR,
               subset = (CRmonth == "Nov" & CYear == 2018) |
               (subset = IEmonth == "Nov" & IYear == 2018))
# Create the CR data frame
workCR <- subset(ACR,
                 subset = CRmonth == "Nov" & CYear == 2018)
# create the IE data frame.
workIE <- subset(ACR,
                 subset = IEmonth == "Nov" & IYear == 2018)
```

Counts

Data Changes (CR) Request Approved

```
nrow(subset(workCR,
             subset = (CRAproved == "A" | CRAproved == "A-FP")))
```

```
## [1] 50
```

Data Change Request Disapproved

```
nrow(subset(workCR,
             subset = (CRAproved == "D")))
```

```
## [1] 2
```

Implementation and Effectivity (IE) Approved

```
nrow(subset(workIE,
             subset = (IEAproved == "A" | IEAproved == "A-FP")))
```

```
## [1] 20
```

IE Disapproved

```
nrow(subset(workIE,
             subset = (CRAproved == "D")))
```

```
## [1] 0
```

First pass acceptance

CR

```
nrow(subset(workCR,
             subset = CRApproved == "A-FP")) /
nrow(workCR) * 100
```

```
## [1] 84.61538
```

IE

```
nrow(subset(workIE,
             subset = IEApproved == "A-FP")) /
nrow(workIE) * 100
```

```
## [1] 85.71429
```

Total Process

This is the number of data changes that had both the CR and IE approved on first pass.

```
nrow(subset(work,
             subset = (CRApproved == "A-FP" & IEApproved == "A-FP"))) /
nrow(work) * 100
```

```
## [1] 40.67797
```

Number by Application

Opened

```
table(subset(workCR,
             subset = CRApproved != "D")$Application)
```

```
##
##           AFMS           ALMS           CMSNext           DaVinci
##           1           11           28           0
##      eNovator      GDSN/GS1           iQ Metrics Library
##           5           0           1           3
##           PEAR           QPI           RSLMS
##           1           0           0
```

```
table(subset(workCR,
             subset = CRApproved != "D")$SQA)
```

```
##
## Beilah    Liz    Nick Suresh
##      1      4      34      11
```

Completed

```
table(subset(workIE,
             subset = IEApproved != "D")$Application)
```

```
##
##           AFMS           ALMS           CMSNext           DaVinci
```

```
##           0           11           5           0
##      eNovator      GDSN/GS1      iQ Metrics Library
##           0           0           0           3
##      PEAR      QPI      RSLMS
##           1           0           0
```

```
table(subset(workIE,
  subset = IEApproved != "D")$SQA)
```

```
##
## Beilah    Liz    Nick Suresh
##      1      0      8      11
```

Total

```
table(subset(workCR,
  subset = CRApproved != "D")$Application) +
  table(subset(workIE,
    subset = IEApproved != "D")$Application)
```

```
##
##      AFMS      ALMS      CMSNext      DaVinci
##      1      22      33      0
##      eNovator      GDSN/GS1      iQ Metrics Library
##      5      0      1      6
##      PEAR      QPI      RSLMS
##      2      0      0
```

```
table(subset(workCR,
  subset = CRApproved != "D")$SQA) +
  table(subset(workIE,
    subset = CRApproved != "D")$SQA)
```

```
##
## Beilah    Liz    Nick Suresh
##      2      4      43      22
```

Time to Complete A Data Change

This is the interval between CR approval and IE approval

```
# select records that have been approved (both CR and IE)
work.all <- subset(ACR,
  subset = ((CRApproved == "A" | CRApproved == "A-FP") &
    (IEApproved == "A" | IEApproved == "A-FP")))
# now further select records from above that were completed in the correct month
work.all <- subset(work.all,
  subset = (IEmonth == "Nov" & IEyear == 2018))
# compute interval
work.all$Interval <- as.numeric(work.all$IEDate - work.all$CRDate)
# results
nrow(work.all)
```

```
## [1] 20
```

```
summary(work.all$Interval)
```

```
##      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
##      1.00   3.75   11.00   13.85   15.25   78.00

sd(work.all$Interval)

## [1] 16.77804

table(work.all$Interval)


##
##  1  3  4 11 12 13 15 16 21 22 26 78
##  3  2  2  4  1  2  1  1  1  1  1  1

quantile(work.all$Interval)

##      0%   25%   50%   75%  100%
##      1.00  3.75 11.00 15.25 78.00


hist(work.all$Interval,
      breaks = 20,
      main = "Histogram of Days to Complete A Change Request",
      xlab = "Day to Complete")
```

Histogram of Days to Complete A Change Request




```
boxplot(work.all$Interval,  
        main = "Box Plot of Days to Complete")
```

Box Plot of Days to Complete



```
boxplot(work.all$Interval,  
        main = "Box Plot of Days to Complete With Outliers Removed",  
        outline = FALSE)
```


Box Plot of Days to Complete With Outliers Removed



Number of Days That Currently Open CR Have Been Pending

```
# selected records that have approved CR but no IE
work.open <- subset(ACR,
                    subset = (CRApproved == "A-FP" | CRApproved == "A") &
                             is.na(IEApproved))

# compute days open
work.open$daysOpen <- as.numeric(as.Date("1-Dec-18", format = "%d-%b-%y") -
                                work.open$CRDate)

# Results
nrow(work.open)
```

```
## [1] 35
```

```
summary(work.open$daysOpen)
```

```
##      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
##      2.00   4.00   15.00   25.31   29.00   127.00
```

```
sd(work.open$daysOpen)
```


```
## [1] 30.44839
```

```
quantile(work.open$daysOpen)
```

```
##      0%  25%  50%  75% 100%
##       2    4   15   29  127
```


```
hist(work.open$daysOpen,
      breaks = 20,
      main = "Histogram of Days Request Open With No IE",
      xlab = "Day to Complete")
```

Histogram of Days Request Open With No IE



```
boxplot(work.open$daysOpen,  
        main = "Box Plot of Days Request Open With No IE")
```

Box Plot of Days Request Open With No IE



```
boxplot(work.open$daysOpen,  
        main = "Box Plot of Days Request Open With No IE With Outliers Removed",  
        outline = FALSE)
```

Box Plot of Days Request Open With No IE With Outliers Removed

