## LC/Div SQA Metric Items From FPA Spreadsheet - September 2021

#### Nick Lauerman

#### Abstract

Presentation of First Pass Acceptance of SLC documentation. This is derived from the Excel workbook that Software Quality Assurance collected called "First Pass Acceptance.xlsx". This is for the month of September 2021.  $^2$ 

#### Contents

1	First Pass Acceptance Results	1
2	Trending Graphs	2
3	Methods	10
$\mathbf{L}$	ist of Figures	
	1 Projects Started and Completed	3
	2 Reviews Completed	4
	3 Reviews Completed with Control Lines	5
	4 First Pass Acceptance	6
	5 First Pass Acceptance with Control Lines	7
	6 Rejection Rate	8
	7 Rejection Rate with Control Lines	9

#### 1 First Pass Acceptance Results

For the month of September 2021 the follow are the First Pass Acceptance Metrics results.

 $<sup>^1\</sup>mathrm{data}$  is stored on the dept 09HD share drive

 $<sup>^2 \</sup>mathrm{Date}$ Ran: Wednesday  $6^{\mathrm{th}}$  October, 2021 at 11:37

Projects Started	11
Projects Completed	9
Items Reviewed	617
Items Rejected	90
First Pass Acceptance Rate	72 %
Rejection Rate	14.6 %

Table 1: First Pass Acceptance Results for September 2021

#### 2 Trending Graphs

Trend graphs reflect the past 18 months of data.

# **Projects Started and Completed**




Figure 1: Projects Started and Completed

## **Reviews Completed**




Figure 2: Reviews Completed

### **Reviews Completed**




Figure 3: Reviews Completed with Control Lines

## First Pass Acceptance (FPA)




Figure 4: First Pass Acceptance

### First Pass Acceptance (FPA)




Figure 5: First Pass Acceptance with Control Lines

# **Rejection Rate**




Figure 6: Rejection Rate

### **Rejection Rate**




Figure 7: Rejection Rate with Control Lines

#### 3 Methods

#### **Data Processing**

The data is processed using  $\mathbb{R}^3$ , version 3.6.2 named "Dark and Stormy Night". The only extension (package or library) utilized is lubridate (version 1.7.10) to provide key functionality in the processing of dates.

The data is read into R from a comma seperated value (csv) file which is derived (saved) from the spreadsheet without modification. Additional values that are needed are are computed in R as needed.

#### Report Generation

This report is prepared in the R environment using a collection of packages know as Sweave that included knitr which in turn feeds the package into LATEX  $2_{\varepsilon}$  a typeseting program to produce a PDF file. LATEX  $2_{\varepsilon}$  in implented in MiTeX. LATEX  $2_{\varepsilon}$  is utilizing the following packages to control style and formating:

- amsfonts
- amsmath
- amssymb
- array
- booktable
- datetime
- float
- graphicx
- hyperref
- tocloft
- utf8
- xcolor

 $<sup>^3\</sup>mathrm{RStudio}$  is utilized as an IDE