

May 2019 ACR

Nick Lauerman

1 May 2019

Contents

Libraries	1
Data	2
Variables used	2
Read Data In	2
Format the Data	2
Convert to Factor	2
Convert to Dates	2
Structure of The Data	2
Metrics	3
Select Data	3
Counts	3
Data Changes (CR) Request Approved	3
Data Change Request Disapproved	3
Implementation and Effectivity (IE) Approved	3
IE Disapproved	4
First pass acceptance	4
CR	4
IE	4
Total Process	4
Number by Application	4
Opened	4
Completed	4
Total	4
Time to Complete A Data Change	5
Number of Days That Currently Open CR Have Been Pending	7

Libraries

```
library(lubridate)
```

```
##
## Attaching package: 'lubridate'
##
## The following object is masked from 'package:base':
##
##     date
```

Data

Variables used

```
month <- "May"
year <- 2019
```

Read Data In

The data is a CSV file that is created by saving the ACR tab of the FPA Excel Workbook.

```
ACR <- read.csv(file = "../data/ACR.csv",
                stringsAsFactors = FALSE)
name <- c("SQA",
          "Application",
          "CRNumber",
          "CRDate",
          "CRApproved",
          "IENumber",
          "IEDate",
          "IEApproved",
          "Reason",
          "Comments")
names(ACR) <- name
rm(name)
```

Format the Data

Convert to Factor

```
ACR$SQA <- as.factor(ACR$SQA)
ACR$Application <- as.factor(ACR$Application)
ACR$CRApproved <- as.factor(ACR$CRApproved)
ACR$IEApproved <- as.factor(ACR$IEApproved)
levels(ACR$IEApproved)[1] <- NA
ACR$Reason <- as.factor(ACR$Reason)
levels(ACR$Reason)[1] <- NA
```

Convert to Dates

```
ACR$CRDate <- as.Date(ACR$CRDate, format = "%d-%b-%y")
ACR$IEDate <- as.Date(ACR$IEDate, format = "%d-%b-%y")
ACR$CRmonth <- lubridate::month(ACR$CRDate, label = TRUE)
ACR$CRyear <- lubridate::year(ACR$CRDate)
ACR$IEMonth <- lubridate::month(ACR$IEDate, label = TRUE)
ACR$IEyear <- lubridate::year(ACR$IEDate)
```

Structure of The Data

```
str(ACR)
```

```
## 'data.frame':    596 obs. of  14 variables:
##  $ SQA           : Factor w/ 6 levels "Beilah","Liz",...: 3 3 3 6 6 2 2 3 3 6 ...
##  $ Application: Factor w/ 23 levels "ADDCOM","AFMS",...: 5 5 5 11 11 11 11 5 2 11 ...
```

```
## $ CRNumber : chr "CSIT0824" "CSIT07991" "CSIT08209" "17-23207" ...
## $ CRDate : Date, format: "2016-08-15" "2016-11-30" ...
## $ CRApproved : Factor w/ 4 levels "", "A", "A-FP", ...: 2 2 2 3 3 3 2 2 3 ...
## $ IENumber : chr "CSIT0824" "CSIT07991" "CSIT08209" "17-29297" ...
## $ IEDate : Date, format: "2018-10-08" "2018-10-08" ...
## $ IEApproved : Factor w/ 3 levels "A", "A-FP", "D": 1 1 1 2 2 2 1 2 2 ...
## $ Reason : Factor w/ 9 levels "Inaccurate information", ...: NA NA NA NA NA NA NA NA NA ...
## $ Comments : chr "" "Cancellation" "" "I&E by Nick" ...
## $ CRmonth : Ord.factor w/ 12 levels "Jan"<"Feb"<"Mar"<...: 8 11 3 8 8 8 8 10 12 4 ...
## $ CRyear : num 2016 2016 2017 2017 2017 ...
## $ IEmonth : Ord.factor w/ 12 levels "Jan"<"Feb"<"Mar"<...: 10 10 10 1 1 1 1 10 1 1 ...
## $ IEyear : num 2018 2018 2018 2019 2019 ...
```

Metrics

Select Data

Data is selected first for the Month and Year of interest. The selection is based on both the CR and I&E dates. This selection is used as a master dataframe. Two additional dataframes are produced: the first of the approval of the CR in the month and the second for the approval of the I&E in the month.

```
#create master dataframe
work <- subset(ACR,
               subset = (CRmonth == month & CRyear == year) |
                       (subset = IEmonth == month & IEyear == year))
# Create the CR data frame
workCR <- subset(ACR,
                 subset = CRmonth == month & CRyear == year)
# create the IE data frame.
workIE <- subset(ACR,
                 subset = IEmonth == month & IEyear == year)
```

Counts

Data Changes (CR) Request Approved

```
nrow(subset(workCR,
             subset = (CRApproved == "A" | CRApproved == "A-FP"))) -
nrow(subset(workCR,
             subset = (IEApproved == "D")))
```

```
## [1] 76
```

Data Change Request Disapproved

```
nrow(subset(workCR,
             subset = (CRApproved == "D")))
```

```
## [1] 8
```

Implementation and Effectivity (IE) Approved

```
nrow(subset(workIE,
             subset = (IEApproved == "A" | IEApproved == "A-FP")))
```

```
## [1] 56
```

IE Disapproved

```
nrow(subset(workIE,  
            subset = (CRApproved == "D")))
```

```
## [1] 0
```

First pass acceptance

CR

```
nrow(subset(workCR,  
            subset = CRApproved == "A-FP")) /  
nrow(workCR) * 100
```

```
## [1] 82.35294
```

IE

```
nrow(subset(workIE,  
            subset = IEApproved == "A-FP")) /  
nrow(workIE) * 100
```

```
## [1] 84.375
```

Total Process

This is the number of data changes that had both the CR and IE approved on first pass.

```
nrow(subset(work,  
            subset = (CRApproved == "A-FP" & IEApproved == "A-FP")) /  
nrow(work) * 100
```

```
## [1] 44.0678
```

Number by Application

Opened

```
table(subset(workCR,  
            subset = CRApproved != "D")$Application)
```

Completed

```
table(subset(workIE,  
            subset = IEApproved != "D")$Application)
```

Total

```
table(subset(workCR,  
            subset = CRApproved != "D")$Application) +  
table(subset(workIE,  
            subset = IEApproved != "D")$Application)
```

Time to Complete A Data Change

This is the interval between CR approval and IE approval

```
# select from work all that had approved IE for the month
work.all <- subset(work,
  subset = (IEApproved == "A" | IEApproved == "A-FP"))
# need to figure out a way to make this unique and selected the correct record

# compute interval
work.all$Interval <- as.numeric(work.all$IEDate - work.all$CRDate)
# results
nrow(work.all)

## [1] 56

summary(work.all$Interval)

##      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
##      0.00   8.00   13.50   25.89   28.00  152.00

sd(work.all$Interval)

## [1] 29.81804

table(work.all$Interval)


##
##  0  1  3  4  5  6  7  8  9 10 11 13 14 15 16 18 21 25
##  1  2  1  1  2  3  2  5  1  4  2  4  1  3  1  2  4  1
## 26 28 35 39 48 61 63 65 73 75 76 106 152
##  1  2  1  1  1  1  1  2  1  1  2  1  1

quantile(work.all$Interval)

##      0%      25%      50%      75%     100%
##      0.0      8.0     13.5     28.0    152.0


hist(work.all$Interval,
  breaks = 20,
  main = "Histogram of Days to Complete A Change Request",
  xlab = "Day to Complete")
```

istogram of Days to Complete A Change Re



```
boxplot(work.all$Interval,  
        main = "Box Plot of Days to Complete")
```


Box Plot of Days to Complete



```
boxplot(work.all$Interval,  
        main = "Box Plot of Days to Complete With Outliers Removed",
```

```
outline = FALSE)
```

Box Plot of Days to Complete With Outliers Re



Number of Days That Currently Open CR Have Been Pending

```
# selected records that have approved CR but no IE
work.open <- subset(ACR,
                    subset = (CRApproved == "A-FP" | CRApproved == "A") &
                           is.na(IEApproved))

# compute days open
work.open$daysOpen <- as.numeric(as.Date("31-Mar-19", format = "%d-%b-%y") -
                                work.open$CRDate)

# Results
nrow(work.open)
```

```
## [1] 146
```

```
summary(work.open$daysOpen)
```

```
##      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
## -61.00  -39.50    3.50   10.39   51.00   165.00
```

```
sd(work.open$daysOpen)
```


```
## [1] 53.70126
```

```
quantile(work.open$daysOpen)
```

```
##      0%    25%    50%    75%   100%
## -61.0 -39.5    3.5   51.0  165.0
```


```
hist(work.open$daysOpen,  
     breaks = 20,  
     main = "Histogram of Days Request Open With No IE",  
     xlab = "Day to Complete")
```

Histogram of Days Request Open With No



```
boxplot(work.open$daysOpen,  
        main = "Box Plot of Days Request Open With No IE")
```


Box Plot of Days Request Open With No I



```
boxplot(work.open$daysOpen,  
  main = "Box Plot of Days Request Open With No IE With Outliers Removed",  
  outline = FALSE)
```

of Days Request Open With No IE With Outl

