Functions

Nick Lauerman

Contents

ata Input
Test
count
eaning Data
Factors and Date
Test
rocessing
Test
Month Selector

Last Run 23 Jan 2018 @ 10:17

This is to document the development of functins derived from various other activities to support the FPA proejct. It is important to note tha functions developed or documente here will have to be included in an R file so they may be easily brought into the R environment in the future.

Data Input

this function will read the csv file in and will make required conversions to factors or date

Test

count

First the fuctin is run creating the FPA data frame. The the number of rows in the data frame is checked again the source data (66 at this time) as well as the number of columns (10)

```
FPA <- get.FPA()
nrow(FPA)</pre>
```

```
## [1] 269
ncol(FPA)
## [1] 10
dim(FPA)
## [1] 269 10
str(FPA)
## 'data.frame':
                   269 obs. of 10 variables:
               : chr
                       "Wayne" "Wayne" "Wayne" ...
## $ sqa
                       "LC-S 01073.000" "LC-S 01104.000" "LC-S 01104.000" "LC-S 00986.005" ...
## $ project
                : chr
                       "Groninger" "Assay File Database" "Assay File Database" "PCN/SCN" ...
## $ application: chr
                       "Traceability" "Software Change Request" "Software Change Request" "Software Con
## $ deliverable: chr
## $ version
                : int
                      1 1 1 NA 1 1 1 1 1 1 ...
                       "Protrace-01" "SCR-01" "SCR-01" "SCA-01" ...
## $ docID
                : chr
                      "A-FP" "D" "A" "D" ...
## $ status
              : chr
## $ date
                : chr
                       "16-Jan-2018" "17-Jan-2018" "17-Jan-2018" "18-Jan-2018" ...
## $ reason
                       "" "Not compliant with procedure" "" "Incorrect scope" ...
                : chr
                      "" "" "Project name includes SMF, but Assessment links only PCN SCN" ...
## $ comments : chr
```

cleaning Data

Factors and Date

```
clean.FPA <- function(FPA){
    #require(lubridate)
    FPA$sqa <- as.factor(FPA$sqa)
    FPA$application <- as.factor(FPA$application)
    FPA$deliverable <- as.factor(FPA$deliverable)
    FPA$status <- as.factor(FPA$status)
    FPA$reason <- as.factor(FPA$reason)
    levels(FPA$reason)[1] <- NA
    FPA$date <- as.Date(FPA$date, format = "%d-%B-%Y")
    return(FPA)
}</pre>
```

Test

Now a count of each factor will be tabulated to verify against the know data and look at data frame structure

```
FPA <- clean.FPA(FPA = FPA)
str(FPA)

## 'data.frame': 269 obs. of 10 variables:
## $ sqa : Factor w/ 6 levels "Beilah","Liz",..: 6 6 6 6 1 1 1 1 1 1 1 ...
## $ project : chr "LC-S 01073.000" "LC-S 01104.000" "LC-S 01104.000" "LC-S 00986.005" ...</pre>
```

\$ application: Factor w/ 20 levels "Abbott Transfusion Medicine",..: 10 5 5 15 20 20 20 20 16 16 .. ## \$ deliverable: Factor w/ 21 levels "CII", "Design Documentation",..: 17 12 12 13 15 15 15 7 15 ..

\$ version : int 1 1 1 NA 1 1 1 1 1 1 ... ## \$ docID : chr "Protrace-01" "SCR-01" "SCR-01" ...

```
: Factor w/ 4 levels "","A","A-FP",..: 3 4 2 4 2 2 4 2 3 3 ...
    $ status
                  : Date, format: "2018-01-16" "2018-01-17" ...
##
    $ date
                  : Factor w/ 8 levels "Inaccurate information",..: NA 4 NA 2 NA 1 NA NA NA ...
    $ reason
                  : chr "" "" "Project name includes SMF, but Assessment links only PCN SCN" \dots
    $ comments
table(FPA$sqa)
##
## Beilah
                    nick
                           Nick
                                   NIck
             Liz
                                        Wayne
      160
                1
                       1
                             94
                                      1
                                            12
table(FPA$application)
##
## Abbott Transfusion Medicine
                                                         AFMS
                                                           14
##
       Alinity Source Verifier
                                                   Apollo/PHM
##
                                                           11
                                                      CMSNext
##
           Assay File Database
##
                               3
                                                            4
                                                         DFCS
##
                        DaVinci
##
                             49
                                                           15
                            DPW
##
                                                    Groninger
##
                               4
                                                            1
##
                     GS Reports
                                                    ideaPoint
##
                               4
##
                           IRIS
                                             Metrics Library
##
                               1
                                                            8
                        PCN/SCN
##
                                                        Pulse
                              8
##
                                                           13
##
                           QIMS
                                                          SAS
                             43
                                                            5
##
##
                           TODS
                                                       WWLIMS
##
                              1
                                                           81
table(FPA$deliverable)
##
##
                                  CII
                                                   Design Documentation
##
                                   18
                                                                     FRS
                Design Verification
##
##
                                                                       7
                                  IDP
                                                                    IIVP
##
##
                                    3
                                                                       8
                                                                    ISSD
##
                        IIVP results
                                                                       1
##
                  Move to Production
                                                           Project Plan
##
##
                       Release Notes
                                                Software Change Request
##
##
     Software Compliance Assessment
                                          System Certification Summary
##
                       Test Protocol
                                                  Test Protocol Results
##
```

46

6

URS

75

18

Traceability

##

##

##

```
##
           User Acceptance Protocol User Acceptance Protocol results
##
                     Validation Plan
##
##
table(FPA$status)
##
##
           A A-FP
                      D
##
      2
          78 107
                     82
table(FPA$reason)
##
##
                    Inaccurate information
##
##
                           Incorrect scope
##
##
                      Insufficient testing
##
             Not compliant with procedure
##
##
  Not following document version control
##
##
                        Not using template
##
##
                                      Other
##
##
                    Requirement deficiency
##
table(FPA$date)
## 2018-01-03 2018-01-09 2018-01-11 2018-01-15 2018-01-16 2018-01-17
            2
##
                        1
                                   1
                                              14
                                                          17
## 2018-01-18 2018-01-19 2018-01-22 2018-01-23 2018-01-24 2018-01-25
##
                       20
                                   25
                                              11
                                                          24
                                                                      29
## 2018-01-26 2018-01-27 2018-01-29 2018-01-30 2018-01-31 2018-02-01
##
                                   16
                                              14
                                                          23
                                                                      26
## 2018-02-02
##
```

Processing

Create a seperate value for Month and Year for the date value.

Create a UID for each deliverable

```
FPA$version,
                       sep = "-")
     if(!(is.null(Month))){
          # print("Process for not NULL")
          if(Month %in% levels(FPA$month)){
               FPA <- subset(FPA,</pre>
                              subset = month == Month)
          }else{
                #print("Process for invlad month")
                stop(paste("Invalid month. Month must be one of the following: NULL,",
                           "Jan,",
                           "Feb,",
                           "Mar,",
                           "Apr,",
                           "May,",
                           "Jun,",
                           "Jul,",
                           "Aug,",
                           "Sep,",
                           "Oct,",
                           "Nov or",
                           "Dec."))
          }
     return(FPA)
}
```

Test

Month Selector

```
FPA <- process(FPA = FPA)
## Loading required package: lubridate
##
## Attaching package: 'lubridate'
## The following object is masked from 'package:base':
##
##
       date
Junk <- FPA
table(FPA$month)
## Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec
## 241 28
           0 0 0 0 0
FPA <- process(FPA = FPA,Month = "Jan")</pre>
table(FPA$month)
##
## Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec
```

```
## 241 0 0 0 0 0 0 0 0 0 0
FPA <- Junk
FPA <- process(FPA = FPA, Month = "Feb")
table(FPA$month)
##
## Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec
           0 0 0 0 0 0 0
FPA <- Junk
FPA <- process(FPA = FPA, Month = "J")
## Error in process(FPA = FPA, Month = "J"): Invalid month. Month must be one of the following: NULL, J
FPA <- Junk
rm(Junk)
inspect the structor of the data frame
str(FPA)
                  269 obs. of 13 variables:
## 'data.frame':
## $ sqa
                : Factor w/ 6 levels "Beilah", "Liz", ...: 6 6 6 6 1 1 1 1 1 1 ...
                : chr "LC-S 01073.000" "LC-S 01104.000" "LC-S 01104.000" "LC-S 00986.005" ...
## $ project
## $ application: Factor w/ 20 levels "Abbott Transfusion Medicine",..: 10 5 5 15 20 20 20 20 16 16 ..
## $ deliverable: Factor w/ 21 levels "CII", "Design Documentation",..: 17 12 12 13 15 15 15 7 15 ...
## $ version : int 1 1 1 NA 1 1 1 1 1 1 ...
              : chr "Protrace-01" "SCR-01" "SCR-01" "SCA-01" ...
## $ docID
              : Factor w/ 4 levels "","A","A-FP",..: 3 4 2 4 2 2 4 2 3 3 ...
## $ status
                : Date, format: "2018-01-16" "2018-01-17" ...
## $ date
## $ reason
              : Factor w/ 8 levels "Inaccurate information",..: NA 4 NA 2 NA NA 1 NA NA NA ...
## $ comments : chr "" "" "Project name includes SMF, but Assessment links only PCN SCN" ...
               : Ord.factor w/ 12 levels "Jan"<"Feb"<"Mar"<..: 1 1 1 1 1 1 1 1 1 1 ...
## $ month
## $ year
                : num 2018 2018 2018 2018 2018 ...
## $ UID
                : chr "LC-S 01073.000-Traceability-Protrace-01-1" "LC-S 01104.000-Software Change Req
Now look at at the new values
table(FPA$month)
##
## Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec
## 241 28
           0
                0 0 0 0 0
table(FPA$year)
##
## 2018
## 269
table((FPA$UID))
##
                                                                                           00100.00
##
##
##
##
##
                                                                               00303.099-Design Veri
##
```

##	
##	
##	
## ##	
##	
##	00303.099-Test Protocol-Te
##	
##	00303.099-Test Protocol Results-Te
## ##	00303.099-Test Protocol Results-Test Proto
##	00000.033 Test Troubert Results Test Trou
##	
##	
##	00303.099-User Acceptance Protoc
## ##	00303.099-User Acceptance Protoco
##	00000.000 OBET RECEPTANCE TIOUCE
##	00303.099-User
##	
	.099-User Acceptance Protocol results-UAT 01_Postp
## ##	
##	
##	
##	
##	
## ##	010
##	VI.
##	
##	
##	01033.011-IIVP results-Installation Inst
## ##	01033.011-System Cert:
##	orosoveri byboom core.
##	01033.011-Test P:
##	
## ##	01033.011-
## ##	
##	
##	01033.011-Test Protocol l
##	24222 244 5
## ##	01033.011-Test Pro
## ##	01033
##	01000
##	
##	
##	01033.013-Softwa
## ##	01090.000-CII-Configu:
##	01000.000 OII COMIIgu.

##

##	01090.000-CII-Configuration I
##	
## ##	01090.000-CII-Configuration I
##	01090.000-CII-Configuration I
##	,
##	
##	
## ##	
##	01090.000-Design Verification
##	
##	01090.000-Design Verification
## ##	01090.000-Design Veri:
## ##	01030.000-Design Veri
##	01090.000-FRS-
##	
##	0109
## ##	01090.000-IIVP results- WWLIMS WorkStation
##	V100V1000 1111 1354135 WHZZIIS W311854431
##	01090.000-IIVP results- WWLIMS WorkStation
##	
## ##	01090.000-IIVP results-WWLIMS Supplemental
##	01090.000-IIVP results-WWL
##	
##	01090.000-IIVP results-
## ##	01090.000-IIVP results-
## ##	01030.000-11VF lesuits-
##	
##	
##	01090.000-
## ##	01090.000-
##	013001000
##	01090.000
##	24222 222
## ##	01090.000
##	01090.000-Test Pro
##	
##	01090.000-Test
## ##	
##	
##	
##	
##	
##	

##

##	
## ##	
##	
##	
##	
## ##	
## ##	
##	
##	
##	
## ##	
##	01090.000-T
##	
##	01090.000-Test Protocol Results-Pass - Test Protocol DT_Arch
## ##	01090.000-Test Protocol Results-Pass Test Protocol - TC_IPDR_ ADDWWLII
## ##	01090.000-lest Flotocol Results-Fass lest Flotocol - 10_1FDR_ ADDWWLII
##	01090.000-Test Protocol Results-Pass Test Protocol
##	
##	01090.000-Test Protocol Results-Pass Test Protocol TC_IPDR_ ADDW
## ##	01090.000-Test Protocol Results-Pass Test Proto
##	01000,000 1000 1100001 1000 1 000 1 1000
##	01090.000-Test Protocol Results-Pass Test Proto
##	01000 000 Test Destroy Destrict Destruction
## ##	01090.000-Test Protocol Results-Pass Test Proto
##	0109
##	
##	01090.000-Test Protocol Results-Test
## ##	01090.000-Test Protocol Results-Test Proto
##	VIOVO.VVV TOBO TIVOVOTI MODALISE TOBO TIVOVO
##	01090.000-Test Protocol Results-Tes
##	
## ##	01090.000-Test Protocol Results-Test Proto
##	01090.000-Test Protocol Results-Test
##	
##	01090.000-Test Protocol Results-Tes
## ##	01090.000-Test Protocol Results-Translation
##	VIOVO.VVV TEST FIGURE RESULTS FIGUREFIELD
##	
##	
## ##	01090.000-Traceability-FRS Section
## ##	01090.000-Trace
##	=======================================
##	01090.000-Tra
##	

## 01090.000-	-Traceal
01090.000)-Trace:
##	, 114000
##	010
01090.00)\IID_C_I
##)-GAU-U(
##	
## ##	
## ##	
## 01101.000-C	CII-Con:
##	
## 01101.000-C	CII-Con:
## 01101.000-CII-Configuration	on Item
##	
## 01101.000-Design Verif	ication
## 01101.000-Design Verification-Unit	Sesting
##	_
## 01101.000-Design Veri	ficatio
## ## 01101.000-IIVP-Manual Installation	on Inst
##	
## 01101.000-IIVP results-Manual Installation	n Inst
## ## 01101.000-IIVP results-Quality Information Management System (QIMS) Version 2.50 - Manual Inst	callatio
##	
	L.000-Te
## ## 01101.000-Tes	st Prote
##	,0 1100
## 01101.000-Test Protocol- En	ıployees
## ## 0110	01.000-
##	71.000
	101.000
## ## 01101.000-Test I	Protoco
## ##	100000.
01101.000-Test Protocol-Test Protocol ()4 – Er
## ## 01101.000-Test Protocol Results-	-Togt D
## 01101.000-Test Protocol Results-	·iest P.
## 01101.000-Test Protocol Results-	-Test P:
## O1101 000 Took Posts on 1	D 3:
## 01101.000-Test Protocol ##	Kesulti
01101.000-Test Protocol Results-Test Protocol ()4 – Er
4.0	

01101.000-Traceability-FRS Section

##

##

01101.000-Traceability-FRS Section
01114.000-Software Compliance

1114.000 boltware compilance

01

##

##

9

LC-S 00986.00 ## ## LC-S 00986.005 ## ## ## ## ##

LC-S 0

##