Wiesbaden SQA Metric Items From FPA Spreadsheet - August 2021

Nick Lauerman

Abstract

Presentation of First Pass Acceptance of SLC documentation. This is derived from the Excel workbook that Software Quality Assurance collected called "First Pass Acceptance Wiesbaden.xlsx". $^1\,$ This is for the month of August 2021. $^2\,$

Contents

1	First Pass Acceptance Results			. 1
2	Trending Graphs			. 2
3	Methods			. 10
\mathbf{L}	ist of Figures			
	1 Projects Started and Completed			. 3
	2 Reviews Completed			
	3 Reviews Completed with Control Lines			 . 5
	4 First Pass Acceptance			 . 6
	5 First Pass Acceptance with Control Lines			 . 7
	6 Rejection Rate			 . 8
	7 Rejection Rate with Control Lines		•	. 9

1 First Pass Acceptance Results

For the month of August 2021the follow are the First Pass Acceptance Metrics results.

 $^{^{1}\}mathrm{data}$ is stored on the dept 09HD share drive

 $^{^2\}mathrm{Date}$ Ran: Thursday 2^{nd} September, 2021 at 11:26

Projects Started	0
Projects Completed	0
Items Reviewed	97
Items Rejected	36
First Pass Acceptance Rate	33 %
Rejection Rate	37.1 %

Table 1: First Pass Acceptance Results for August 2021

2 Trending Graphs

Trend graphs reflect the past 14 months of data.

Projects Started and Completed




Figure 1: Projects Started and Completed

Reviews Completed




Figure 2: Reviews Completed

Reviews Completed




Figure 3: Reviews Completed with Control Lines

First Pass Acceptance (FPA)




Figure 4: First Pass Acceptance

First Pass Acceptance (FPA)




Figure 5: First Pass Acceptance with Control Lines

Rejection Rate





Figure 6: Rejection Rate

Rejection Rate



•

Figure 7: Rejection Rate with Control Lines

3 Methods

Data Processing

The data is processed using \mathbb{R}^3 , version 3.6.2 named "Dark and Stormy Night". The only extension (package or library) utilized is lubridate (version 1.7.10) to provide key functionality in the processing of dates.

The data is read into R from a comma seperated value (csv) file which is derived (saved) from the spreadsheet without modification. Additional values that are needed are are computed in R as needed.

Report Generation

This report is prepared in the R environment using a collection of packages know as Sweave that included knitr which in turn feeds the package into LATEX 2_{ε} a typeseting program to produce a PDF file. LATEX 2_{ε} in implented in MiTeX. LATEX 2_{ε} is utilizing the following packages to control style and formating:

- amsfonts
- amsmath
- amssymb
- array
- booktable
- datetime
- float
- graphicx
- hyperref
- tocloft
- utf8
- xcolor

 $^{^3\}mathrm{RStudio}$ is utilized as an IDE