Combined SQA Metric Items From FPA Spreadsheets - July 2021

Nick Lauerman

Abstract

Presentation of First Pass Acceptance of SLC documentation. This is derived from the Excel workbooks that Software Quality Assurance collected called "First Pass Acceptance.xlsx", "First Pass Acceptance_Dallas.xlsx" and "First Pass Acceptance_Wiesbaden.xlsx". This is for the month of July 2021.

Contents

1	First Pass Acceptance Results
2	Trending Graphs
3	Methods
$\mathbf{L}^{:}$	ist of Figures
	1 Projects Started and Completed
	2 Reviews Completed
	3 Reviews Completed with Control Lines
	4 First Pass Acceptance
	5 First Pass Acceptance with Control Lines
	6 Rejection Rate
	7 Rejection Rate with Control Lines

1 First Pass Acceptance Results

For the month of July 2021the follow are the First Pass Acceptance Metrics results.

 $^{^1\}mathrm{data}$ is stored on the dept 09HD share drive

²Date Ran: Monday 2nd August, 2021 at 16:09

Projects Started	11
Projects Completed	9
Items Reviewed	635
Items Rejected	147
First Pass Acceptance Rate	57.2 %
Rejection Rate	23.1 %

Table 1: First Pass Acceptance Results for July 2021

2 Trending Graphs

Trend graphs reflect the past 18 months of data.

Note: The charts provided only contain data for the Wiesbaden team starting from January 2020.

Projects Started and Completed




Figure 1: Projects Started and Completed

Reviews Completed




Figure 2: Reviews Completed

Reviews Completed




Figure 3: Reviews Completed with Control Lines

First Pass Acceptance (FPA)




Figure 4: First Pass Acceptance

First Pass Acceptance (FPA)





Figure 5: First Pass Acceptance with Control Lines

Rejection Rate



Since Feburary 2020

Figure 6: Rejection Rate

Rejection Rate




Figure 7: Rejection Rate with Control Lines

3 Methods

Data Processing

The data is processed using \mathbb{R}^3 , version 3.6.2 named "Dark and Stormy Night". The only extension (package or library) utilized is lubridate (version 1.7.10) to provide key functionality in the processing of dates.

The data is read into R from a comma seperated value (csv) file which is derived (saved) from the spreadsheet without modification. Additional values that are needed are are computed in R as needed.

Report Generation

This report is prepared in the R environment using a collection of packages know as Sweave that included knitr which in turn feeds the package into LATEX 2_{ε} a typeseting program to produce a PDF file. LATEX 2_{ε} in implented in MiTeX. LATEX 2_{ε} is utilizing the following packages to control style and formating:

- amsfonts
- amsmath
- amssymb
- array
- booktable
- datetime
- float
- graphicx
- hyperref
- tocloft
- utf8
- xcolor

 $^{^3\}mathrm{RStudio}$ is utilized as an IDE