# LC/Div SQA Metric Items From FPA Spreadsheet - April 2021

#### Nick Lauerman

#### Abstract

Presentation of First Pass Acceptance of SLC documentation. This is derived from the Excel workbook that Software Quality Assurance collected called "First Pass Acceptance.xlsx". This is for the month of April 2021.

## Contents

1	First	Pass Acceptance Results	
2	Tren	ding Graphs	
3	Meth	nods	
List of Figures			
	1	Projects Started and Completed	
	2	Reviews Completed	
	3	Reviews Completed with Control Lines	
	4	First Pass Acceptance	
	5	First Pass Acceptance with Control Lines	
	6	Rejection Rate	
	7	Rejection Rate with Control Lines	

## 1 First Pass Acceptance Results

For the month of April 2021 the follow are the First Pass Acceptance Metrics results.

 $<sup>^{1}</sup>$ data is stored on the dept 09HD share drive

 $<sup>^2\</sup>mathrm{Date}$ Ran: Wednesday $5^{\mathrm{th}}$  May, 2021 at 09:34

Projects Started	8
Projects Completed	5
Items Reviewed	557
Items Rejected	34
First Pass Acceptance Rate	88.3 %
Rejection Rate	6.1 %

Table 1: First Pass Acceptance Results for April 2021

# 2 Trending Graphs

Trend graphs reflect the past 18 months of data.

### **Projects Started and Completed**




Figure 1: Projects Started and Completed

## **Reviews Completed**




Figure 2: Reviews Completed

### **Reviews Completed**




Figure 3: Reviews Completed with Control Lines

## First Pass Acceptance (FPA)




Figure 4: First Pass Acceptance

## First Pass Acceptance (FPA)




Figure 5: First Pass Acceptance with Control Lines

## Rejection Rate




Figure 6: Rejection Rate

#### **Rejection Rate**




Figure 7: Rejection Rate with Control Lines

## 3 Methods

#### **Data Processing**

The data is processed using  $\mathbb{R}^3$ , version 3.6.2 named "Dark and Stormy Night". The only extension (package or library) utilized is lubridate (version 1.7.10) to provide key functionality in the processing of dates.

The data is read into R from a comma seperated value (csv) file which is derived (saved) from the spreadsheet without modification. Additional values that are needed are are computed in R as needed.

#### **Report Generation**

This report is prepared in the R environment using a collection of packages know as Sweave that included knitr which in turn feeds the package into LATEX  $2_{\varepsilon}$  a typeseting program to produce a PDF file. LATEX  $2_{\varepsilon}$  in implented in MiTeX. LATEX  $2_{\varepsilon}$  is utilizing the following packages to control style and formating:

 $<sup>^3\</sup>mathrm{RS}$ tudio is utilized as an IDE

- $\bullet$  amsfonts
- $\bullet$  amsmath
- $\bullet$  amssymb
- array
- booktable
- $\bullet$  datetime
- $\bullet$  float
- $\bullet$  graphicx
- $\bullet$  hyperref
- $\bullet$  tocloft
- utf8
- $\bullet$  xcolor