SC-32-HW • TENT 1/6 | FOUNDATIONAL | 15 Min

PANEL 4: The Postfix Revolution: Zero Parentheses

FACILITATOR SOCRATIC GUIDE • EXTENSIONS • ANSWER KEY

STACKCALC LEARNING LAB

TEACHER & FACILITATOR SOCRATIC GUIDE • FORMATIVE ASSESSMENT

SOCRATIC PROMPTS (Ask Your Table Team):

- Ask: 'Why do ordinary calculators force you to think backwards with parentheses?'
- Ask: 'How does seeing all 4 registers on the screen keep you from losing your place?'
- Ask: 'Why did the Apollo guidance computer use RPN stack architecture?'

⚠️ **COMMON STUDENT MISCONCEPTION TO CATCH (DIAGNOSTIC TIP):**

Watch for students trying to press an operator before typing both numbers. Remind them: 'Stack your blocks first, then e
xecute the tool!'

★ **FORM B EXTENSION RIDDLE (For Fast Finishers & Homework):**

"Evaluate (15 + 5) / (7 − 2) on the SC-32 stack. Write your keystroke sequence."
""

OFFICIAL SOLUTION KEY:

[15] [ENTER] [5] [+] [7] [ENTER] [2] [−] [/] -> Result: 4.

3D VIDEO DEMO & DIGITAL SOLUTION WALKTHROUGH

SCAN FOR 3D SOLUTION

INSTANT CLASSROOM ACCESS

Point any phone, iPad, or Chromebook camera
at the QR code to launch the interactive 3D model,
step-by-step video solution, and printable rubric.

https://stackcalc.io/products/sc32-calculator/#product-videos

INSTITUTIONAL CURRICULUM CERTIFICATION

- National Standards: Common Core State Standards (CCSS-M)
- State Frameworks: Texas Essential Knowledge & Skills (TEKS)
- Florida B.E.S.T. & Singapore Math Institute Calibrated
- CPA Sequence: Concrete -> Pictorial -> Abstract Transfer

CLASSROOM STATION PROTOCOL & PERPETUAL REPRODUCTION RIGHTS

This Table Tent is certified for perpetual photocopying, laminating, and distribution
within the purchasing teacher's classroom or homeschool household.
Replacement Parts & Manipulative Add-Ons: Visit stackcalc.io/parts ($2.49 Dispatch Guarantee).
Hardware Standard: 19.60 mm pitch • Gridfinity 42.0 mm multi-cell chassis.

---- FOLD HERE TO CREATE SELF-STANDING TABLE TENT (STAND ON DESK) ----

SC-32-HW • TENT 1/6 | FOUNDATIONAL | 15 Min

PANEL 1: The Postfix Revolution: Zero Parentheses

STATION SETUP • TEAM ROLES • CURRICULUM SYNCHRONIZATION

STACKCALC LEARNING LAB

STATION CHALLENGE HOOK & LAB TABLE SETUP

THE MISSION:

Why does NASA, Hewlett-Packard, and every serious engineer prefer RPN calculators? Because an RPN stack never requires parentheses and never loses intermediate

STEP-BY-STEP APPARATUS SETUP:

1. Turn on your SC-32 calculator.
2. Look at the 4-line display: notice the four stack registers labeled T (top), Z, Y, and X (bottom).
3. Notice: Register X is where you type new numbers; Register Y holds the number waiting below it.

REQUIRED HARDWARE & CALIBRATION DATUM

PARTS NEEDED: StackCalc SC-32 Hardware Scientific Calculator (4-Line Display)

DATUM TARGET: Postfix Invariant: Operands First, Operator Follows -> Eliminates Parentheses Completely

CALCULATOR KEY: [4] [ENTER] [3] [+] -> 7

COLLABORATIVE TABLE GROUP ROLES (Rotate Roles Each Station):

🛠️ BUILDER: Assembles the physical blocks, docks into trays, and checks level summits.
📏 MEASURER: Verifies Mitutoyo datum height measurements and reads coordinate ticks.
⌨️ CALCULATOR OPERATOR: Keys keystrokes into SC-6/SC-32 and traces register stack flow.
📝 SCRIBE / REPORTER: Records group data, verifies answers, and presents findings to class.

TRI-DIRECTIONAL CURRICULUM & BOOK SYNCHRONIZATION

1. OFFICIAL STATE CURRICULUM SYLLABI ("THE OTHER BOOKS")

SINGAPORE DIMENSIONS MATH:	Singapore Dimensions: Grade 7A, Chapter 2 (Order of Operations & Algorithms)
BRIDGES IN MATHEMATICS:	Bridges in Mathematics: Grade 5, Unit 8 (Computational Algorithms)
BIG IDEAS / CCSS / TEKS:	Big Ideas Math: Algebra 1, Ch. 1 • CCSS.MATH.HSA.SSE.A.1 • TEKS A.10A
GRADE LEVEL BAND:	Grades 7–12+ • Target Time: 15 Min

2. OPTIONAL SUPPLEMENTAL STUDY (OUR REFERENCE BOOKS)

RECOMMENDED COMPANION:	Vol. 2: SC-32 Scientific Handbook, Ch. 2 ('RPN Stack Dynamics'), pp. 32–46
HARDWARE UNBOXING BOOKLET:	SC-32-HW Booklet: Page 2 (RPN Stack Invariant) & Page 5 (Tutorial 1)

Note: Our reference manuals are optional literary and computational enrichment.
They provide historical narratives, proofs, and deep-dive problem banks.

CLASSROOM LAB STATION RULES:

1. Handle with Care: All parts are precision lab instruments calibrated to ±0.05 mm.
2. Check Level Summits: Use a straightedge or eye-level inspection for physical proofs.
3. Self-Auditing Storage: Return all blocks to labeled sockets before rotating stations.
4. Stack First, Operate Second: In RPN, place numbers into the stack before executing.
5. Turn the Tent Over: When your team finishes, flip to the inside for Level 1, 2, and 3 tasks!

SC-32-HW • TENT 1/6 | FOUNDATIONAL | 15 Min

PANEL 2: LAB INVESTIGATION: THE ZERO-PARENTHESES TEST

CONCRETE EXPLORATION • PHYSICAL MEASUREMENTS

STACKCALC LEARNING LAB

LEVEL 1 & LEVEL 2 HANDS-ON INVESTIGATION • THE CONCRETE DISCOVERY

STEP-BY-STEP LABORATORY EXPLORATION:

Step 1: On an ordinary algebraic calculator, to compute (4 + 3) × (8 − 2), you must type 11 keystrokes and 4 parentheses.

Step 2: On SC-32 RPN: Key [4] [ENTER] [3] [+]. Register X displays 7.

Step 3: Now key [8] [ENTER] [2] [−]. Register X displays 6; Register Y displays 7!

Step 4: Now press [*]. Result: 42! Zero parentheses, zero syntax errors, zero lost numbers.

KEY PHYSICAL INVARIANTS TO OBSERVE & RECORD:

✓ Invariant 1: Physical dimensions match mathematical truth. No visual guessing or ruler errors.
✓ Invariant 2: Rotating, swapping, or regrouping blocks preserves total height, area, and sum.
✓ Invariant 3: The whole frame datum acts as a permanent self-checking boundary.
✓ Invariant 4: Reverse the action physically to verify inverse operations (Subtraction & Division).

CALIBRATION & DATUM TARGET

MITUTOYO ±0.05 MM CALIBRATION

Target Datum:
Postfix Invariant: Operands First, Operator Follows -> Eliminates Parentheses Completely

PHYSICAL APPARATUS MANIFEST:

StackCalc SC-32 Hardware Scientific Calculator (4-Line Displ
ay)

💡 **LABORATORY PRO-TIP:**

Always hold blocks strictly perpendicular to the desk.
The snap detents are engineered for a clean 6N tactile
insertion force. If parts wedge or tilt, inspect
the socket floor for stray dust or misalignment.

Level check: Eye-level sighting is accurate to ±0.2 mm.

STUDENT LAB SPREAD • LEVEL 1 & LEVEL 2 • Grades 7–12+

STACKCALC ACCREDITED STEM INSTRUMENT

---- INSIDE LAB SPREAD (STUDENT FACING WHEN TABLE TENT IS OPEN) ----

SC-32-HW • TENT 1/6 | FOUNDATIONAL | 15 Min

PANEL 3: LEVEL 3 CHALLENGE: STACK TOWER DUALITY

NON-ROUTINE INQUIRY • RPN HARDWARE STACK EXECUTION

STACKCALC LEARNING LAB

LEVEL 3 CHALLENGE: THE "AHA!" DISCOVERY MOMENT

THE NON-ROUTINE PUZZLE:

Notice how RPN keystrokes mirror physical block stacking.

FORM A MASTER STATION TASKS (Complete All 3):

1. **Place Block [4] on desk. Stack Block [3] on top.**
   Expected Physical Finding: **Physical tower of two blocks**

2. **Press [+] to combine: What happens?**
   Expected Physical Finding: **The two blocks fuse into Block [7]**

3. **Why can an RPN calculator NEVER give a 'Syntax Error'?**
   Expected Physical Finding: **Because operators only execute on existing numbers in the stack!**

RPN CALCULATOR STACK TRACE (SC-6 & SC-32 HARDWARE)

CANONICAL KEYSTROKES: [4] [ENTER] [3] [+] -> 7

KEY	REGISTER STATE (T, Z, Y, X)	MATHEMATICAL STACK ACTION
4	X: 4	Key bottom block of tower
ENTER	Y: 4 | X: 4	Stack lift pushes 4 into register Y
3	Y: 4 | X: 3	Key top block of tower into register X
+	X: 7	Operator executes immediately, collapsing stack

CONCRETE-TO-ABSTRACT BRIDGING PRINCIPLE:

- The physical manipulative is not separate from the calculator—it is an exact physical mirror.
- Stacking a block corresponds 1:1 to pressing [ENTER] and lifting a number into register Y.
- Pressing an operator key ([+], [×], [−], [/]) corresponds to leveling two blocks together.
- In standard testing, students who mastered the physical blocks recall the register stack spatially, making parentheses syntax errors completely impossible.

Mastery Benchmark: Complete all 3 Form A tasks and execute RPN trace in <15 minutes.

STUDENT LAB SPREAD • LEVEL 3 & RPN BRIDGE • Grades 7–12+

CALIFORNIA LAB DESIGN // COPYRIGHT STACKCALC

SC-32-HW • TENT 2/6 | FOUNDATIONAL | 20 Min

PANEL 4: The 4-Register Lift & Drop

FACILITATOR SOCRATIC GUIDE • EXTENSIONS • ANSWER KEY

STACKCALC LEARNING LAB

TEACHER & FACILITATOR SOCRATIC GUIDE • FORMATIVE ASSESSMENT

SOCRATIC PROMPTS (Ask Your Table Team):

- Ask: 'Why is the stack called Last-In, First-Out (LIFO)?'
- Ask: 'How does seeing intermediate results prevent calculation errors?'
- Ask: 'What happens if you push a 5th number when the stack is full?' (Old T falls off the top).

⚠️ **COMMON STUDENT MISCONCEPTION TO CATCH (DIAGNOSTIC TIP):**

Watch for students pressing ENTER after every single keystroke. In RPN, you only press ENTER to separate numbers that ar
e typed consecutively!

★ **FORM B EXTENSION RIDDLE (For Fast Finishers & Homework):**

"Load 5, 4, 3, 2 into the stack. Press [*] [*] [*]. What is the final result?"
""

OFFICIAL SOLUTION KEY:

2 × 3 = 6; 6 × 4 = 24; 24 × 5 = 120 (4! factorial).

3D VIDEO DEMO & DIGITAL SOLUTION WALKTHROUGH

SCAN FOR 3D SOLUTION

INSTANT CLASSROOM ACCESS

Point any phone, iPad, or Chromebook camera
at the QR code to launch the interactive 3D model,
step-by-step video solution, and printable rubric.

https://stackcalc.io/products/sc32-calculator/#product-videos

INSTITUTIONAL CURRICULUM CERTIFICATION

- National Standards: Common Core State Standards (CCSS-M)
- State Frameworks: Texas Essential Knowledge & Skills (TEKS)
- Florida B.E.S.T. & Singapore Math Institute Calibrated
- CPA Sequence: Concrete -> Pictorial -> Abstract Transfer

CLASSROOM STATION PROTOCOL & PERPETUAL REPRODUCTION RIGHTS

This Table Tent is certified for perpetual photocopying, laminating, and distribution
within the purchasing teacher's classroom or homeschool household.
Replacement Parts & Manipulative Add-Ons: Visit stackcalc.io/parts ($2.49 Dispatch Guarantee).
Hardware Standard: 19.60 mm pitch • Gridfinity 42.0 mm multi-cell chassis.

---- FOLD HERE TO CREATE SELF-STANDING TABLE TENT (STAND ON DESK) ----

SC-32-HW • TENT 2/6 | FOUNDATIONAL | 20 Min

PANEL 1: The 4-Register Lift & Drop

STATION SETUP • TEAM ROLES • CURRICULUM SYNCHRONIZATION

STACKCALC LEARNING LAB

STATION CHALLENGE HOOK & LAB TABLE SETUP

THE MISSION:

How does a 4-level memory stack move when numbers flow through it? In this lab, trace the physical lifters and gravity drops inside the SC-32 engine.

STEP-BY-STEP APPARATUS SETUP:

1. Clear the calculator stack: press [CLEAR STACK].
2. Look at the four lines on the screen: T: 0.0000, Z: 0.0000, Y: 0.0000, X: 0.0000.
3. Prepare to push four numbers onto the stack.

REQUIRED HARDWARE & CALIBRATION DATUM

PARTS NEEDED:	SC-32 Hardware Calculator + 4 Color-Coded Register Cards (X, Y, Z, T)
DATUM TARGET:	Stack Kinematics Invariant: [ENTER] lifts X->Y->Z->T; Binary Operation drops T->Z->Y->X with T-replicate
CALCULATOR KEY:	[1] [ENTER] [2] [ENTER] [3] [ENTER] [4] -> X:4, Y:3, Z:2, T:1

COLLABORATIVE TABLE GROUP ROLES (Rotate Roles Each Station):

🛠️ BUILDER: Assembles the physical blocks, docks into trays, and checks level summits.
📏 MEASURER: Verifies Mitutoyo datum height measurements and reads coordinate ticks.
⌨️ CALCULATOR OPERATOR: Keys keystrokes into SC-6/SC-32 and traces register stack flow.
📝 SCRIBE / REPORTER: Records group data, verifies answers, and presents findings to class.

TRI-DIRECTIONAL CURRICULUM & BOOK SYNCHRONIZATION

1. OFFICIAL STATE CURRICULUM SYLLABI ("THE OTHER BOOKS")

SINGAPORE DIMENSIONS MATH:	Singapore Dimensions: Grade 7A, Chapter 2, Lesson 2.4 (Memory & Stacks)
BRIDGES IN MATHEMATICS:	Bridges in Mathematics: Secondary STEM & Advanced Inquiry Extension
BIG IDEAS / CCSS / TEKS:	Big Ideas Math: Computer Science & STEM, Ch. 3 • CCSS.MATH.HSA.SSE.A.1
GRADE LEVEL BAND:	Grades 7-12+ • Target Time: 20 Min

2. OPTIONAL SUPPLEMENTAL STUDY (OUR REFERENCE BOOKS)

RECOMMENDED COMPANION:	Vol. 2: SC-32 Scientific Handbook, Ch. 2, pp. 46-58
HARDWARE UNBOXING BOOKLET:	SC-32-HW Booklet: Page 5 (Stack Lift & Drop) & Page 6 (Aha! Discovery)

Note: Our reference manuals are optional literary and computational enrichment.
They provide historical narratives, proofs, and deep-dive problem banks.

CLASSROOM LAB STATION RULES:

1. Handle with Care: All parts are precision lab instruments calibrated to ±0.05 mm.
2. Check Level Summits: Use a straightedge or eye-level inspection for physical proofs.
3. Self-Auditing Storage: Return all blocks to labeled sockets before rotating stations.
4. Stack First, Operate Second: In RPN, place numbers into the stack before executing.
5. Turn the Tent Over: When your team finishes, flip to the inside for Level 1, 2, and 3 tasks!

SC-32-HW • TENT 2/6 | FOUNDATIONAL | 20 Min

PANEL 2: LAB INVESTIGATION: THE STACK LIFT CYCLE

CONCRETE EXPLORATION • PHYSICAL MEASUREMENTS

STACKCALC LEARNING LAB

LEVEL 1 & LEVEL 2 HANDS-ON INVESTIGATION • THE CONCRETE DISCOVERY

STEP-BY-STEP LABORATORY EXPLORATION:

Step 1: Key [10] [ENTER]. Notice: 10 moves up into Register Y.

Step 2: Key [20] [ENTER]. Notice: 10 moves up to Z; 20 moves up to Y.

Step 3: Key [30] [ENTER]. Notice: 10 reaches top register T; 20 is in Z; 30 is in Y.

Step 4: Key [40]. Now all 4 registers hold numbers: T=10, Z=20, Y=30, X=40.

Step 5: Press [+]: Y (30) and X (40) add together to make 70! The stack drops: Z (20) drops to Y; T (10) drops to Z!

KEY PHYSICAL INVARIANTS TO OBSERVE & RECORD:

✓ Invariant 1: Physical dimensions match mathematical truth. No visual guessing or ruler errors.
✓ Invariant 2: Rotating, swapping, or regrouping blocks preserves total height, area, and sum.
✓ Invariant 3: The whole frame datum acts as a permanent self-checking boundary.
✓ Invariant 4: Reverse the action physically to verify inverse operations (Subtraction & Division).

CALIBRATION & DATUM TARGET

MITUTOYO ±0.05 MM CALIBRATION

Target Datum:
Stack Kinematics Invariant: [ENTER] lifts X->Y->Z->T; Binary Operation drops T->Z->Y->X with T-replicate

PHYSICAL APPARATUS MANIFEST:

SC-32 Hardware Calculator + 4 Color-Coded Register Cards (X, Y, Z, T)

💡 LABORATORY PRO-TIP:

Always hold blocks strictly perpendicular to the desk. The snap detents are engineered for a clean 6N tactile insertion force. If parts wedge or tilt, inspect the socket floor for stray dust or misalignment.

Level check: Eye-level sighting is accurate to ±0.2 mm.

---- INSIDE LAB SPREAD (STUDENT FACING WHEN TABLE TENT IS OPEN) ----

SC-32-HW • TENT 2/6 | FOUNDATIONAL | 20 Min

PANEL 3: LEVEL 3 CHALLENGE: THE T-REGISTER REPLICATE

NON-ROUTINE INQUIRY • RPN HARDWARE STACK EXECUTION

STACKCALC LEARNING LAB

LEVEL 3 CHALLENGE: THE "AHA!" DISCOVERY MOMENT

THE NON-ROUTINE PUZZLE:

What happens to the top register T when the stack drops?

FORM A MASTER STATION TASKS (Complete All 3):

1 **Press [+] again on your result.**
Expected Physical Finding: **Y (20) and X (70) add to make 90; Z (10) drops to Y**

2 **Press [+] a third time.**
Expected Physical Finding: **Y (10) and X (90) add to make 100; T (10) drops to Y!**

3 **Notice: Register T duplicates itself on stack drop!**
Expected Physical Finding: **T-replicate allows constant-multiplier calculations**

RPN CALCULATOR STACK TRACE (SC-6 & SC-32 HARDWARE)

CANONICAL KEYSTROKES: [1] [ENTER] [2] [ENTER] [3] [ENTER] [4] -> X:4, Y:3, Z:2, T:1

KEY	REGISTER STATE (T, Z, Y, X)	MATHEMATICAL STACK ACTION
1	X: 1	Key 1
ENTER	Y: 1 | X: 1	Lift 1 to Y
2	Y: 1 | X: 2	Key 2
ENTER	Z: 1 | Y: 2 | X: 2	Lift 1 to Z, 2 to Y
3	Z: 1 | Y: 2 | X: 3	Key 3
ENTER	T: 1 | Z: 2 | Y: 3 | X: 3	Fill stack: 1 to T, 2 to Z, 3 to Y

CONCRETE-TO-ABSTRACT BRIDGING PRINCIPLE:

- The physical manipulative is not separate from the calculator—it is an exact physical mirror.
- Stacking a block corresponds 1:1 to pressing [ENTER] and lifting a number into register Y.
- Pressing an operator key ([+], [×], [−], [/]) corresponds to leveling two blocks together.
- In standard testing, students who mastered the physical blocks recall the register stack spatially, making parentheses syntax errors completely impossible.

Mastery Benchmark: Complete all 3 Form A tasks and execute RPN trace in <15 minutes.

CALIFORNIA LAB DESIGN // COPYRIGHT STACKCALC

SC-32-HW • TENT 3/6 | INTERMEDIATE | 20 Min

PANEL 4: Nested Expressions & Chain Calculations

FACILITATOR SOCRATIC GUIDE • EXTENSIONS • ANSWER KEY

STACKCALC LEARNING LAB

TEACHER & FACILITATOR SOCRATIC GUIDE • FORMATIVE ASSESSMENT

SOCRATIC PROMPTS (Ask Your Table Team):

- Ask: 'Why does working from the inside out match human logical reasoning?'
- Ask: 'How does the [1/x] reciprocal key eliminate the need to calculate denominators separately?'
- Ask: 'What happens on an algebraic calculator if you forget one closing parenthesis in a 4-line formula?'

⚠️ **COMMON STUDENT MISCONCEPTION TO CATCH (DIAGNOSTIC TIP):**

Watch for students trying to write down 0.0145 on scrap paper to retype it. Emphasize: 'Never retype a number the calcul
ator already knows!'

★ **FORM B EXTENSION RIDDLE (For Fast Finishers & Homework):**

"Calculate the volume of a sphere V = (4/3) * pi * r³ for r = 3.5 cm on the SC-32."
""

OFFICIAL SOLUTION KEY:

[3.5] [ENTER] [3] [y^x] [pi] [*] [4] [*] [3] [/] -> 179.59 cm³.

3D VIDEO DEMO & DIGITAL SOLUTION WALKTHROUGH

SCAN FOR 3D SOLUTION

INSTANT CLASSROOM ACCESS

Point any phone, iPad, or Chromebook camera
at the QR code to launch the interactive 3D model,
step-by-step video solution, and printable rubric.

https://stackcalc.io/products/sc32-calculator/#product-videos

INSTITUTIONAL CURRICULUM CERTIFICATION

- National Standards: Common Core State Standards (CCSS-M)
- State Frameworks: Texas Essential Knowledge & Skills (TEKS)
- Florida B.E.S.T. & Singapore Math Institute Calibrated
- CPA Sequence: Concrete -> Pictorial -> Abstract Transfer

CLASSROOM STATION PROTOCOL & PERPETUAL REPRODUCTION RIGHTS

This Table Tent is certified for perpetual photocopying, laminating, and distribution
within the purchasing teacher's classroom or homeschool household.
Replacement Parts & Manipulative Add-Ons: Visit stackcalc.io/parts ($2.49 Dispatch Guarantee).
Hardware Standard: 19.60 mm pitch • Gridfinity 42.0 mm multi-cell chassis.

---- FOLD HERE TO CREATE SELF-STANDING TABLE TENT (STAND ON DESK) ----

SC-32-HW • TENT 3/6 | INTERMEDIATE | 20 Min

PANEL 1: Nested Expressions & Chain Calculations

STATION SETUP • TEAM ROLES • CURRICULUM SYNCHRONIZATION

STACKCALC LEARNING LAB

STATION CHALLENGE HOOK & LAB TABLE SETUP

THE MISSION:

In high school physics and chemistry, formulas have fractions inside fractions with square roots. In an RPN stack, you solve from the inside out with zero scrate

STEP-BY-STEP APPARATUS SETUP:

1. Consider the parallel resistance formula: R_total = 1 / (1/R1 + 1/R2).
2. Problem: Resistor 1 is 100 Ohms. Resistor 2 is 220 Ohms.
3. Calculate R_total on your SC-32.

REQUIRED HARDWARE & CALIBRATION DATUM

PARTS NEEDED: SC-32 Hardware Scientific Calculator

DATUM TARGET: Pipeline Invariant: Solve Innermost Parentheses First -> Automatic Register Stash

CALCULATOR KEY: [3] [ENTER] [4] [x^2] [+] [sqrt] -> 5.0000 (Pythagorean 3-4-5)

COLLABORATIVE TABLE GROUP ROLES (Rotate Roles Each Station):

🛠️ BUILDER: Assembles the physical blocks, docks into trays, and checks level summits.
📏 MEASURER: Verifies Mitutoyo datum height measurements and reads coordinate ticks.
⌨️ CALCULATOR OPERATOR: Keys keystrokes into SC-6/SC-32 and traces register stack flow.
📝 SCRIBE / REPORTER: Records group data, verifies answers, and presents findings to class.

TRI-DIRECTIONAL CURRICULUM & BOOK SYNCHRONIZATION

1. OFFICIAL STATE CURRICULUM SYLLABI ("THE OTHER BOOKS")

SINGAPORE DIMENSIONS MATH:	Singapore Dimensions: Grade 8A, Chapter 2 (Complex Order of Operations)
BRIDGES IN MATHEMATICS:	Bridges in Mathematics: Secondary STEM & Advanced Inquiry Extension
BIG IDEAS / CCSS / TEKS:	Big Ideas Math: Algebra 2, Ch. 1 • CCSS.MATH.HSA.SSE.A.1 • TEKS A2.7A
GRADE LEVEL BAND:	Grades 8-12+ • Target Time: 20 Min

2. OPTIONAL SUPPLEMENTAL STUDY (OUR REFERENCE BOOKS)

RECOMMENDED COMPANION:	Vol. 2: SC-32 Scientific Handbook, Ch. 2, pp. 58-68
HARDWARE UNBOXING BOOKLET:	SC-32-HW Booklet: Page 6 (Aha! Discovery: Chain Calculations)

Note: Our reference manuals are optional literary and computational enrichment.
They provide historical narratives, proofs, and deep-dive problem banks.

CLASSROOM LAB STATION RULES:

1. Handle with Care: All parts are precision lab instruments calibrated to ±0.05 mm.
2. Check Level Summits: Use a straightedge or eye-level inspection for physical proofs.
3. Self-Auditing Storage: Return all blocks to labeled sockets before rotating stations.
4. Stack First, Operate Second: In RPN, place numbers into the stack before executing.
5. Turn the Tent Over: When your team finishes, flip to the inside for Level 1, 2, and 3 tasks!

SC-32-HW • TENT 3/6 | INTERMEDIATE | 20 Min

PANEL 2: LAB INVESTIGATION: THE RECIPROCAL PIPELINE

CONCRETE EXPLORATION • PHYSICAL MEASUREMENTS

STACKCALC LEARNING LAB

LEVEL 1 & LEVEL 2 HANDS-ON INVESTIGATION • THE CONCRETE DISCOVERY

STEP-BY-STEP LABORATORY EXPLORATION:

Step 1: Key [100] [1/x]. (Register X reads 0.0100).

Step 2: Key [220] [1/x]. (Register X reads 0.0045; Register Y holds 0.0100).

Step 3: Press [+]: The two conductances add together: 0.0145.

Step 4: Press [1/x] to invert back to resistance: Result = 68.75 Ohms!

Step 5: Total keystrokes: only 10 keystrokes! Zero memory variables, zero parentheses.

KEY PHYSICAL INVARIANTS TO OBSERVE & RECORD:

✓ Invariant 1: Physical dimensions match mathematical truth. No visual guessing or ruler errors.
✓ Invariant 2: Rotating, swapping, or regrouping blocks preserves total height, area, and sum.
✓ Invariant 3: The whole frame datum acts as a permanent self-checking boundary.
✓ Invariant 4: Reverse the action physically to verify inverse operations (Subtraction & Division).

CALIBRATION & DATUM TARGET

MITUTOYO ±0.05 MM CALIBRATION

Target Datum:
Pipeline Invariant: Solve Innermost Parentheses First -> Automatic Register Stash

PHYSICAL APPARATUS MANIFEST:

SC-32 Hardware Scientific Calculator

💡 **LABORATORY PRO-TIP:**

Always hold blocks strictly perpendicular to the desk. The snap detents are engineered for a clean 6N tactile insertion force. If parts wedge or tilt, inspect the socket floor for stray dust or misalignment.

Level check: Eye-level sighting is accurate to ±0.2 mm.

STUDENT LAB SPREAD • LEVEL 1 & LEVEL 2 • Grades 8–12+

STACKCALC ACCREDITED STEM INSTRUMENT

---- INSIDE LAB SPREAD (STUDENT FACING WHEN TABLE TENT IS OPEN) ----

SC-32-HW • TENT 3/6 | INTERMEDIATE | 20 Min

PANEL 3: LEVEL 3 CHALLENGE: THREE PARALLEL RESISTORS

NON-ROUTINE INQUIRY • RPN HARDWARE STACK EXECUTION

STACKCALC LEARNING LAB

LEVEL 3 CHALLENGE: THE "AHA!" DISCOVERY MOMENT

THE NON-ROUTINE PUZZLE:

Add a third resistor of 470 Ohms in parallel: R = 1 / (1/100 + 1/220 + 1/470).

FORM A MASTER STATION TASKS (Complete All 3):

1 **Key [100] [1/x] [220] [1/x] [+] [470] [1/x] [+].**
Expected Physical Finding: **Total conductance = 0.01667 S**

2 **Press [1/x].**
Expected Physical Finding: **Total resistance = 59.97 Ohms**

3 **Notice: The calculation flowed in a single continuous stream!**
Expected Physical Finding: **Zero intermediate numbers written down**

RPN CALCULATOR STACK TRACE (SC-6 & SC-32 HARDWARE)

CANONICAL KEYSTROKES: [3] [ENTER] [4] [x^2] [+] [sqrt] -> 5.0000 (Pythagorean 3-4-5)

KEY	REGISTER STATE (T, Z, Y, X)	MATHEMATICAL STACK ACTION
3	X: 3	Base side a
ENTER	Y: 3 | X: 3	Stack lift
4	Y: 3 | X: 4	Base side b
x²	Y: 3 | X: 16	Square side b: 4² = 16
x<>y	Y: 16 | X: 3	Swap registers to access side a
x²	Y: 16 | X: 9	Square side a: 3² = 9

CONCRETE-TO-ABSTRACT BRIDGING PRINCIPLE:

- The physical manipulative is not separate from the calculator—it is an exact physical mirror.
- Stacking a block corresponds 1:1 to pressing [ENTER] and lifting a number into register Y.
- Pressing an operator key ([+], [x], [−], [/]) corresponds to leveling two blocks together.
- In standard testing, students who mastered the physical blocks recall the register stack spatially, making parentheses syntax errors completely impossible.

Mastery Benchmark: Complete all 3 Form A tasks and execute RPN trace in <15 minutes.

STUDENT LAB SPREAD • LEVEL 3 & RPN BRIDGE • Grades 8–12+

CALIFORNIA LAB DESIGN // COPYRIGHT STACKCALC

SC-32-HW • TENT 4/6 | ADVANCED | 20 Min

PANEL 4: Transcendental Functions: Roots & Powers

FACILITATOR SOCRATIC GUIDE • EXTENSIONS • ANSWER KEY

STACKCALC LEARNING LAB

TEACHER & FACILITATOR SOCRATIC GUIDE • FORMATIVE ASSESSMENT

SOCRATIC PROMPTS (Ask Your Table Team):

- Ask: 'Why do bank savings accounts and compound interest use e^rt?'
- Ask: 'How does the SC-32 handle numbers with 99 zeros using scientific notation (EE)?'
- Ask: 'What is the inverse function of e^x?' (Natural log ln!).

⚠️ **COMMON STUDENT MISCONCEPTION TO CATCH (DIAGNOSTIC TIP):**

Watch for students entering base and exponent in reverse on y^x. In RPN: Y is the base (typed first), X is the exponent (typed second).

★ **FORM B EXTENSION RIDDLE (For Fast Finishers & Homework):**

"Calculate the pH of a solution with hydrogen ion concentration [H+] = 3.2 × 10^-5 M. (pH = -log[H+])."
""

OFFICIAL SOLUTION KEY:

[3.2] [EE] [5] [+/-] [log] [+/-] -> pH = 4.49 (Acidic).

3D VIDEO DEMO & DIGITAL SOLUTION WALKTHROUGH

SCAN FOR 3D SOLUTION

INSTANT CLASSROOM ACCESS

Point any phone, iPad, or Chromebook camera at the QR code to launch the interactive 3D model, step-by-step video solution, and printable rubric.

https://stackcalc.io/products/sc32-calculator/#product-videos

INSTITUTIONAL CURRICULUM CERTIFICATION

- National Standards: Common Core State Standards (CCSS-M)
- State Frameworks: Texas Essential Knowledge & Skills (TEKS)
- Florida B.E.S.T. & Singapore Math Institute Calibrated
- CPA Sequence: Concrete -> Pictorial -> Abstract Transfer

CLASSROOM STATION PROTOCOL & PERPETUAL REPRODUCTION RIGHTS

This Table Tent is certified for perpetual photocopying, laminating, and distribution within the purchasing teacher's classroom or homeschool household.
Replacement Parts & Manipulative Add-Ons: Visit stackcalc.io/parts ($2.49 Dispatch Guarantee).
Hardware Standard: 19.60 mm pitch • Gridfinity 42.0 mm multi-cell chassis.

---- FOLD HERE TO CREATE SELF-STANDING TABLE TENT (STAND ON DESK) ----

SC-32-HW • TENT 4/6 | ADVANCED | 20 Min

PANEL 1: Transcendental Functions: Roots & Powers

STATION SETUP • TEAM ROLES • CURRICULUM SYNCHRONIZATION

STACKCALC LEARNING LAB

STATION CHALLENGE HOOK & LAB TABLE SETUP

THE MISSION:

From earthquake Richter scales to bacterial colony growth, nature works on exponential and logarithmic curves. In this lab, use the SC-32 transcendental engine t

STEP-BY-STEP APPARATUS SETUP:

1. Look at the transcendental key block on the SC-32: [y^x], [sqrt], [e^x], [ln], [10^x], [log].
2. Scenario: A bacterial culture of 500 cells doubles every 3 hours.
3. Formula: N(t) = 500 × 2^(t/3). How many cells exist after 12 hours?

REQUIRED HARDWARE & CALIBRATION DATUM

PARTS NEEDED: SC-32 Hardware Scientific Calculator

DATUM TARGET: Power Invariant: y^x evaluates exponential growth; ln and e^x evaluate continuous natural systems

CALCULATOR KEY: [10] [ENTER] [6] [y^x] -> 1,000,000 (10^6)

COLLABORATIVE TABLE GROUP ROLES (Rotate Roles Each Station):

🛠️ BUILDER: Assembles the physical blocks, docks into trays, and checks level summits.
📏 MEASURER: Verifies Mitutoyo datum height measurements and reads coordinate ticks.
⌨️ CALCULATOR OPERATOR: Keys keystrokes into SC-6/SC-32 and traces register stack flow.
📝 SCRIBE / REPORTER: Records group data, verifies answers, and presents findings to class.

TRI-DIRECTIONAL CURRICULUM & BOOK SYNCHRONIZATION

1. OFFICIAL STATE CURRICULUM SYLLABI ("THE OTHER BOOKS")

SINGAPORE DIMENSIONS MATH:	Singapore Dimensions: Grade 8A, Chapter 1 (Exponents & Scientific Notation)
BRIDGES IN MATHEMATICS:	Bridges in Mathematics: Secondary STEM & Advanced Inquiry Extension
BIG IDEAS / CCSS / TEKS:	Big Ideas Math: Algebra 2, Ch. 6 • CCSS.MATH.HSF.LE.A.4 • TEKS A2.5B
GRADE LEVEL BAND:	Grades 9-12+ • Target Time: 20 Min

2. OPTIONAL SUPPLEMENTAL STUDY (OUR REFERENCE BOOKS)

RECOMMENDED COMPANION:	Vol. 2: SC-32 Scientific Handbook, Ch. 3 ('Algebra & Transcendentals'), pp. 68-78
HARDWARE UNBOXING BOOKLET:	SC-32-HW Booklet: Page 5 (Transcendental Keys) & Page 6 (Aha! Discovery)

Note: Our reference manuals are optional literary and computational enrichment.
They provide historical narratives, proofs, and deep-dive problem banks.

CLASSROOM LAB STATION RULES:

1. Handle with Care: All parts are precision lab instruments calibrated to ±0.05 mm.
2. Check Level Summits: Use a straightedge or eye-level inspection for physical proofs.
3. Self-Auditing Storage: Return all blocks to labeled sockets before rotating stations.
4. Stack First, Operate Second: In RPN, place numbers into the stack before executing.
5. Turn the Tent Over: When your team finishes, flip to the inside for Level 1, 2, and 3 tasks!

SC-32-HW • TENT 4/6 | ADVANCED | 20 Min

PANEL 2: LAB INVESTIGATION: EXPONENTIAL TIME MODELING

CONCRETE EXPLORATION • PHYSICAL MEASUREMENTS

STACKCALC LEARNING LAB

LEVEL 1 & LEVEL 2 HANDS-ON INVESTIGATION • THE CONCRETE DISCOVERY

STEP-BY-STEP LABORATORY EXPLORATION:

Step 1: Calculate the doubling periods: 12 hours / 3 hours = 4 doublings.

Step 2: Key base: [2] [ENTER] [4] [y^x]. (Register X reads 16).

Step 3: Multiply by initial population: [500] [*]. Result = 8,000 cells!

Step 4: Now test non-integer hours: How many cells after 7.5 hours? [7.5] [ENTER] [3] [/] (2.5 periods). Then [2] [x<>y] [y^x] [500] [*] = 2,828 cells.

KEY PHYSICAL INVARIANTS TO OBSERVE & RECORD:

✓ Invariant 1: Physical dimensions match mathematical truth. No visual guessing or ruler errors.
✓ Invariant 2: Rotating, swapping, or regrouping blocks preserves total height, area, and sum.
✓ Invariant 3: The whole frame datum acts as a permanent self-checking boundary.
✓ Invariant 4: Reverse the action physically to verify inverse operations (Subtraction & Division).

CALIBRATION & DATUM TARGET

MITUTOYO ±0.05 MM CALIBRATION

Target Datum:
Power Invariant: y^x evaluates exponential growth; ln and e^x evaluate continuous natural systems

PHYSICAL APPARATUS MANIFEST:

SC-32 Hardware Scientific Calculator

💡 **LABORATORY PRO-TIP:**

Always hold blocks strictly perpendicular to the desk. The snap detents are engineered for a clean 6N tactile insertion force. If parts wedge or tilt, inspect the socket floor for stray dust or misalignment.

Level check: Eye-level sighting is accurate to ±0.2 mm.

---- INSIDE LAB SPREAD (STUDENT FACING WHEN TABLE TENT IS OPEN) ----

SC-32-HW • TENT 4/6 | ADVANCED | 20 Min

PANEL 3: LEVEL 3 CHALLENGE: SOLVING FOR TIME WITH LOGARITHMS

NON-ROUTINE INQUIRY • RPN HARDWARE STACK EXECUTION

STACKCALC LEARNING LAB

LEVEL 3 CHALLENGE: THE "AHA!" DISCOVERY MOMENT

THE NON-ROUTINE PUZZLE:

When will the population reach 50,000 cells? 500 × 2^(t/3) = 50,000.

FORM A MASTER STATION TASKS (Complete All 3):

1 **Divide both sides by 500: 50,000 / 500.**
Expected Physical Finding: **100 (Culture has grown 100-fold)**

2 **Take natural log of 100: [100] [ln].**
Expected Physical Finding: **4.6052**

3 **Divide by ln(2): [2] [ln] [/].**
Expected Physical Finding: **6.6439 doubling periods**

4 **Multiply by 3 hours per period: [3] [*].**
Expected Physical Finding: **t = 19.93 hours (Under 20 hours!)**

RPN CALCULATOR STACK TRACE (SC-6 & SC-32 HARDWARE)

CANONICAL KEYSTROKES: [10] [ENTER] [6] [y^x] -> 1,000,000 (10^6)

KEY	REGISTER STATE (T, Z, Y, X)	MATHEMATICAL STACK ACTION
10	X: 10	Base
ENTER	Y: 10 | X: 10	Stack lift
6	Y: 10 | X: 6	Power
y^x	X: 1,000,000	Evaluate power

CONCRETE-TO-ABSTRACT BRIDGING PRINCIPLE:

- The physical manipulative is not separate from the calculator—it is an exact physical mirror.
- Stacking a block corresponds 1:1 to pressing [ENTER] and lifting a number into register Y.
- Pressing an operator key ([+], [×], [−], [/]) corresponds to leveling two blocks together.
- In standard testing, students who mastered the physical blocks recall the register stack spatially, making parentheses syntax errors completely impossible.

Mastery Benchmark: Complete all 3 Form A tasks and execute RPN trace in <15 minutes.

CALIFORNIA LAB DESIGN // COPYRIGHT STACKCALC

SC-32-HW • TENT 5/6 | ADVANCED | 25 Min

PANEL 4: The Rectangular–Polar Engine

FACILITATOR SOCRATIC GUIDE • EXTENSIONS • ANSWER KEY

STACKCALC LEARNING LAB

TEACHER & FACILITATOR SOCRATIC GUIDE • FORMATIVE ASSESSMENT

SOCRATIC PROMPTS (Ask Your Table Team):

- Ask: 'Why is ->POL faster than doing sqrt(x² + y²) and arctan(y/x) by hand?'
- Ask: 'How does ->POL handle negative coordinates like (−30, −40) without quadrant confusion?'
- Ask: 'How does the SC-32 connect the physical Volvelle tool to digital electronic engineering?'

⚠️ **COMMON STUDENT MISCONCEPTION TO CATCH (DIAGNOSTIC TIP):**

Watch for students in RAD mode expecting degree answers. Always check the top status annunciator: [DEG] for degrees, [RAD] for radians!

★ **FORM B EXTENSION RIDDLE (For Fast Finishers & Homework):**

"A drone flies at 120 km/h at heading 135°. What are its North and East velocity components?"
""

OFFICIAL SOLUTION KEY:

[120] [ENTER] [135] [->REC] -> East = −84.85 km/h (West), North = +84.85 km/h.

3D VIDEO DEMO & DIGITAL SOLUTION WALKTHROUGH

SCAN FOR 3D SOLUTION

INSTANT CLASSROOM ACCESS

Point any phone, iPad, or Chromebook camera
at the QR code to launch the interactive 3D model,
step-by-step video solution, and printable rubric.

https://stackcalc.io/products/sc32-calculator/#product-videos

INSTITUTIONAL CURRICULUM CERTIFICATION

- National Standards: Common Core State Standards (CCSS-M)
- State Frameworks: Texas Essential Knowledge & Skills (TEKS)
- Florida B.E.S.T. & Singapore Math Institute Calibrated
- CPA Sequence: Concrete -> Pictorial -> Abstract Transfer

CLASSROOM STATION PROTOCOL & PERPETUAL REPRODUCTION RIGHTS

This Table Tent is certified for perpetual photocopying, laminating, and distribution
within the purchasing teacher's classroom or homeschool household.
Replacement Parts & Manipulative Add-Ons: Visit stackcalc.io/parts ($2.49 Dispatch Guarantee).
Hardware Standard: 19.60 mm pitch • Gridfinity 42.0 mm multi-cell chassis.

---- FOLD HERE TO CREATE SELF-STANDING TABLE TENT (STAND ON DESK) ----

SC-32-HW • TENT 5/6 | ADVANCED | 25 Min

PANEL 1: The Rectangular–Polar Engine

STATION SETUP • TEAM ROLES • CURRICULUM SYNCHRONIZATION

STACKCALC LEARNING LAB

STATION CHALLENGE HOOK & LAB TABLE SETUP

THE MISSION:

Whether designing antennas, analyzing AC circuits, or steering an aircraft in crosswinds, engineers constantly convert between (X, Y) and (r, theta). The SC-32 (

STEP-BY-STEP APPARATUS SETUP:

1. Set the SC-32 angle mode to [DEG] (Degrees).
2. Problem: An offshore wind turbine is located 60 km East and 80 km North of the harbor.
3. Find the direct distance (r) and compass bearing (theta) to the turbine.

REQUIRED HARDWARE & CALIBRATION DATUM

PARTS NEEDED:	SC-32 Hardware Scientific Calculator + Unit Circle Volvelle
DATUM TARGET:	Coordinate Invariant: (x, y) <-> (r, theta) via r = sqrt(x²+y²), theta = atan2(y, x)
CALCULATOR KEY:	[3] [ENTER] [4] [->POL] -> r: 5.0000, theta: 53.13°

COLLABORATIVE TABLE GROUP ROLES (Rotate Roles Each Station):

🛠️ BUILDER: Assembles the physical blocks, docks into trays, and checks level summits.
📏 MEASURER: Verifies Mitutoyo datum height measurements and reads coordinate ticks.
⌨️ CALCULATOR OPERATOR: Keys keystrokes into SC-6/SC-32 and traces register stack flow.
📝 SCRIBE / REPORTER: Records group data, verifies answers, and presents findings to class.

TRI-DIRECTIONAL CURRICULUM & BOOK SYNCHRONIZATION

1. OFFICIAL STATE CURRICULUM SYLLABI ("THE OTHER BOOKS")

SINGAPORE DIMENSIONS MATH:	Singapore Dimensions: Additional Math, Ch. 10 (Polar Coordinates)
BRIDGES IN MATHEMATICS:	Bridges in Mathematics: Secondary STEM & Advanced Inquiry Extension
BIG IDEAS / CCSS / TEKS:	Big Ideas Math: Precalculus, Ch. 6, Sec. 6.4 • CCSS.MATH.HSN.VM.A.3 • TEKS P.4H
GRADE LEVEL BAND:	Grades 10–12+ • Target Time: 25 Min

2. OPTIONAL SUPPLEMENTAL STUDY (OUR REFERENCE BOOKS)

RECOMMENDED COMPANION:	Vol. 2: SC-32 Scientific Handbook, Ch. 4 ('Vectors & Polar'), pp. 118–130
HARDWARE UNBOXING BOOKLET:	SC-32-HW Booklet: Page 6 (Vector Conversions) & Page 7 (Ecosystem Connection)

Note: Our reference manuals are optional literary and computational enrichment.
They provide historical narratives, proofs, and deep-dive problem banks.

CLASSROOM LAB STATION RULES:

1. Handle with Care: All parts are precision lab instruments calibrated to ±0.05 mm.
2. Check Level Summits: Use a straightedge or eye-level inspection for physical proofs.
3. Self-Auditing Storage: Return all blocks to labeled sockets before rotating stations.
4. Stack First, Operate Second: In RPN, place numbers into the stack before executing.
5. Turn the Tent Over: When your team finishes, flip to the inside for Level 1, 2, and 3 tasks!

SC-32-HW • TENT 5/6 | ADVANCED | 25 Min

PANEL 2: LAB INVESTIGATION: THE ONE-TOUCH POLAR CONVERSION

CONCRETE EXPLORATION • PHYSICAL MEASUREMENTS

STACKCALC LEARNING LAB

LEVEL 1 & LEVEL 2 HANDS-ON INVESTIGATION • THE CONCRETE DISCOVERY

STEP-BY-STEP LABORATORY EXPLORATION:

Step 1: Key horizontal X: [60] [ENTER].

Step 2: Key vertical Y: [80]. (Notice: Y holds 60, X holds 80).

Step 3: Press [->POL]: Instantly, Register X displays the straight-line distance: 100.00 km!

Step 4: Press [x<>y] to view Register Y: Compass angle = 53.13° North of East!

Step 5: Verify on the Volvelle: Align rotor to 53.1°: Notice X ≈ 0.60 and Y ≈ 0.80 (multiplied by 100 = 60 and 80!).

KEY PHYSICAL INVARIANTS TO OBSERVE & RECORD:

✓ Invariant 1: Physical dimensions match mathematical truth. No visual guessing or ruler errors.
✓ Invariant 2: Rotating, swapping, or regrouping blocks preserves total height, area, and sum.
✓ Invariant 3: The whole frame datum acts as a permanent self-checking boundary.
✓ Invariant 4: Reverse the action physically to verify inverse operations (Subtraction & Division).

CALIBRATION & DATUM TARGET

MITUTOYO ±0.05 MM CALIBRATION

Target Datum:
Coordinate Invariant: (x, y) <-> (r, theta) via r = sqrt(x²+y²), theta = atan2(y, x)

PHYSICAL APPARATUS MANIFEST:

SC-32 Hardware Scientific Calculator + Unit Circle Volvelle

💡 **LABORATORY PRO-TIP:**

Always hold blocks strictly perpendicular to the desk. The snap detents are engineered for a clean 6N tactile insertion force. If parts wedge or tilt, inspect the socket floor for stray dust or misalignment.

Level check: Eye-level sighting is accurate to ±0.2 mm.

---- INSIDE LAB SPREAD (STUDENT FACING WHEN TABLE TENT IS OPEN) ----

SC-32-HW • TENT 5/6 | ADVANCED | 25 Min

PANEL 3: LEVEL 3 CHALLENGE: COMPLEX IMPEDANCE IN AC CIRCUITS

NON-ROUTINE INQUIRY • RPN HARDWARE STACK EXECUTION

STACKCALC LEARNING LAB

LEVEL 3 CHALLENGE: THE "AHA!" DISCOVERY MOMENT

THE NON-ROUTINE PUZZLE:

An electrical circuit has resistance R = 50 Ohms and inductive reactance X_L = 35 Ohms (Z = 50 + j35).

FORM A MASTER STATION TASKS (Complete All 3):

1 **Key [50] [ENTER] [35] [->POL].**
Expected Physical Finding: **Register X: Impedance |Z| = 61.03 Ohms**

2 **Check phase angle in Register Y: [x<>y].**
Expected Physical Finding: **Phase angle theta = 34.99°**

3 **Convert back to rectangular: [->REC].**
Expected Physical Finding: **Returns exactly to X: 50.00, Y: 35.00**

RPN CALCULATOR STACK TRACE (SC-6 & SC-32 HARDWARE)

CANONICAL KEYSTROKES: [3] [ENTER] [4] [->POL] -> r: 5.0000, theta: 53.13°

KEY	REGISTER STATE (T, Z, Y, X)	MATHEMATICAL STACK ACTION
3	X: 3	Horizontal X component
ENTER	Y: 3 | X: 3	Stack lift
4	Y: 3 | X: 4	Vertical Y component
->POL	Y: 53.13 | X: 5.0000	Convert Rectangular (3,4) to Polar (r=5, theta=53.13°)

CONCRETE-TO-ABSTRACT BRIDGING PRINCIPLE:

- The physical manipulative is not separate from the calculator—it is an exact physical mirror.
- Stacking a block corresponds 1:1 to pressing [ENTER] and lifting a number into register Y.
- Pressing an operator key ([+], [x], [−], [/]) corresponds to leveling two blocks together.
- In standard testing, students who mastered the physical blocks recall the register stack spatially, making parentheses syntax errors completely impossible.

Mastery Benchmark: Complete all 3 Form A tasks and execute RPN trace in <15 minutes.

CALIFORNIA LAB DESIGN // COPYRIGHT STACKCALC

SC-32-HW • TENT 6/6 | ADVANCED | 25 Min

PANEL 4: Algorithmic Efficiency & Speed Mastery

FACILITATOR SOCRATIC GUIDE • EXTENSIONS • ANSWER KEY

STACKCALC LEARNING LAB

TEACHER & FACILITATOR SOCRATIC GUIDE • FORMATIVE ASSESSMENT

SOCRATIC PROMPTS (Ask Your Table Team):

- Ask: 'Why does reducing keystrokes by 30% dramatically reduce typo errors?'
- Ask: 'How does tactile dome feedback (400g snap) ensure your finger knows a key registered?'
- Ask: 'How does the SC-32 hardware calculator complete the entire 9-kit StackCalc Learning Lab?'

⚠️ **COMMON STUDENT MISCONCEPTION TO CATCH (DIAGNOSTIC TIP):**

Congratulations! You have mastered the entire StackCalc connected math ecosystem from K-2 tactile Ten-Frames to professi
onal RPN scientific calculation!

★ **FORM B EXTENSION RIDDLE (For Fast Finishers & Homework):**

"Solve the UIL contest sprint problem: [sqrt(2.54² + 8.12²) − 3.45] / 1.78 on SC-32."
""

OFFICIAL SOLUTION KEY:

[2.54] [x²] [8.12] [x²] [+] [sqrt] [3.45] [−] [1.78] [/] -> 2.8427.

3D VIDEO DEMO & DIGITAL SOLUTION WALKTHROUGH

SCAN FOR 3D SOLUTION

INSTANT CLASSROOM ACCESS

Point any phone, iPad, or Chromebook camera
at the QR code to launch the interactive 3D model,
step-by-step video solution, and printable rubric.

https://stackcalc.io/products/sc32-calculator/#product-videos

INSTITUTIONAL CURRICULUM CERTIFICATION

- National Standards: Common Core State Standards (CCSS-M)
- State Frameworks: Texas Essential Knowledge & Skills (TEKS)
- Florida B.E.S.T. & Singapore Math Institute Calibrated
- CPA Sequence: Concrete -> Pictorial -> Abstract Transfer

CLASSROOM STATION PROTOCOL & PERPETUAL REPRODUCTION RIGHTS

This Table Tent is certified for perpetual photocopying, laminating, and distribution
within the purchasing teacher's classroom or homeschool household.
Replacement Parts & Manipulative Add-Ons: Visit stackcalc.io/parts ($2.49 Dispatch Guarantee).
Hardware Standard: 19.60 mm pitch • Gridfinity 42.0 mm multi-cell chassis.

---- FOLD HERE TO CREATE SELF-STANDING TABLE TENT (STAND ON DESK) ----

SC-32-HW • TENT 6/6 | ADVANCED | 25 Min

PANEL 1: Algorithmic Efficiency & Speed Mastery

STATION SETUP • TEAM ROLES • CURRICULUM SYNCHRONIZATION

STACKCALC LEARNING LAB

STATION CHALLENGE HOOK & LAB TABLE SETUP

THE MISSION:

In high-stakes math competitions (UIL, Math Olympiad, AMC) and engineering exams, every second counts. In this capstone lab, race the SC-32 RPN against any stand

STEP-BY-STEP APPARATUS SETUP:

1. Team up with a partner using an algebraic calculator (TI-30, TI-84, or Casio).
2. Both partners will solve the exact same 5 competition math problems.
3. Partner A uses SC-32 RPN; Partner B uses the algebraic calculator. Count every keystroke!

REQUIRED HARDWARE & CALIBRATION DATUM

PARTS NEEDED:	SC-32 Hardware Calculator + Benchmark Stopwatch + Contest Problem Sheet
DATUM TARGET:	Keystroke Efficiency Invariant: RPN Requires 20-35% Fewer Keystrokes with ZERO Parenthesis Overhead
CALCULATOR KEY:	[5] [ENTER] [3] [+] [8] [ENTER] [2] [−] [*] -> 48 (10 Keystrokes vs 14 on TI)

COLLABORATIVE TABLE GROUP ROLES (Rotate Roles Each Station):

🛠️ BUILDER: Assembles the physical blocks, docks into trays, and checks level summits.
📏 MEASURER: Verifies Mitutoyo datum height measurements and reads coordinate ticks.
⌨️ CALCULATOR OPERATOR: Keys keystrokes into SC-6/SC-32 and traces register stack flow.
📝 SCRIBE / REPORTER: Records group data, verifies answers, and presents findings to class.

TRI-DIRECTIONAL CURRICULUM & BOOK SYNCHRONIZATION

1. OFFICIAL STATE CURRICULUM SYLLABI ("THE OTHER BOOKS")

SINGAPORE DIMENSIONS MATH:	Singapore Dimensions: Grade 8B, Chapter 14 (Computational Algorithms)
BRIDGES IN MATHEMATICS:	Bridges in Mathematics: Secondary STEM & Advanced Inquiry Extension
BIG IDEAS / CCSS / TEKS:	Big Ideas Math: Secondary STEM, Ch. 12 • UIL & Contest Mathematics Standards
GRADE LEVEL BAND:	Grades 9-12+ • Target Time: 25 Min

2. OPTIONAL SUPPLEMENTAL STUDY (OUR REFERENCE BOOKS)

RECOMMENDED COMPANION:	Vol. 2: SC-32 Scientific Handbook, Ch. 14 ('UIL Contest Playbook & Speed Drills'), pp. 240-256
HARDWARE UNBOXING BOOKLET:	SC-32-HW Booklet: Page 7 (RPN Postfix Advantage) & Page 8 (Exercises)

Note: Our reference manuals are optional literary and computational enrichment.
They provide historical narratives, proofs, and deep-dive problem banks.

CLASSROOM LAB STATION RULES:

1. Handle with Care: All parts are precision lab instruments calibrated to ±0.05 mm.
2. Check Level Summits: Use a straightedge or eye-level inspection for physical proofs.
3. Self-Auditing Storage: Return all blocks to labeled sockets before rotating stations.
4. Stack First, Operate Second: In RPN, place numbers into the stack before executing.
5. Turn the Tent Over: When your team finishes, flip to the inside for Level 1, 2, and 3 tasks!

SC-32-HW • TENT 6/6 | ADVANCED | 25 Min

PANEL 2: LAB INVESTIGATION: THE 5-PROBLEM SPEED BENCHMARK

CONCRETE EXPLORATION • PHYSICAL MEASUREMENTS

STACKCALC LEARNING LAB

LEVEL 1 & LEVEL 2 HANDS-ON INVESTIGATION • THE CONCRETE DISCOVERY

STEP-BY-STEP LABORATORY EXPLORATION:

Step 1: Problem 1: (14 × 23) + (18 × 9). SC-32: [14] [ENTER] [23] [*] [18] [ENTER] [9] [*] [+] (11 keys). TI: [(] 14 [*] 23 [)] [+] [(] 18 [*] 9 [)] [=] (15 keys).

Step 2: Problem 2: sqrt(12² + 35²). SC-32: [12] [x²] [35] [x²] [+] [sqrt] (6 keys). TI requires opening brackets and equals (9 keys).

Step 3: Problem 3: 1 / (1/24 + 1/36). SC-32: [24] [1/x] [36] [1/x] [+] [1/x] (6 keys).

Step 4: Tally the scores: SC-32 uses 28% fewer keystrokes and completes the benchmark in half the time!

KEY PHYSICAL INVARIANTS TO OBSERVE & RECORD:

✓ Invariant 1: Physical dimensions match mathematical truth. No visual guessing or ruler errors.
✓ Invariant 2: Rotating, swapping, or regrouping blocks preserves total height, area, and sum.
✓ Invariant 3: The whole frame datum acts as a permanent self-checking boundary.
✓ Invariant 4: Reverse the action physically to verify inverse operations (Subtraction & Division).

CALIBRATION & DATUM TARGET

MITUTOYO ±0.05 MM CALIBRATION

Target Datum:
Keystroke Efficiency Invariant: RPN Requires 20–35% Fewer Keystrokes with ZERO Parenthesis Overhead

PHYSICAL APPARATUS MANIFEST:

SC-32 Hardware Calculator + Benchmark Stopwatch + Contest Problem Sheet

💡 **LABORATORY PRO-TIP:**

Always hold blocks strictly perpendicular to the desk. The snap detents are engineered for a clean 6N tactile insertion force. If parts wedge or tilt, inspect the socket floor for stray dust or misalignment.

Level check: Eye-level sighting is accurate to ±0.2 mm.

---- INSIDE LAB SPREAD (STUDENT FACING WHEN TABLE TENT IS OPEN) ----

SC-32-HW • TENT 6/6 | ADVANCED | 25 Min

PANEL 3: LEVEL 3 CHALLENGE: ERROR RECOVERY AUDIT

NON-ROUTINE INQUIRY • RPN HARDWARE STACK EXECUTION

STACKCALC LEARNING LAB

LEVEL 3 CHALLENGE: THE "AHA!" DISCOVERY MOMENT

THE NON-ROUTINE PUZZLE:

What happens when you mistype a single number in a 20-step calculation?

FORM A MASTER STATION TASKS (Complete All 3):

1. **On an algebraic calculator with a long line of text:**
   Expected Physical Finding: **Must scroll cursor back through line or re-enter entire equation**

2. **On SC-32 RPN:**
   Expected Physical Finding: **Simply press [DROP] or [x<>y] to fix the top register and continue immediately!**

3. **Why do competitive UIL math champions use RPN?**
   Expected Physical Finding: **Fewer keystrokes, instant error correction, zero parentheses.**

RPN CALCULATOR STACK TRACE (SC-6 & SC-32 HARDWARE)

CANONICAL KEYSTROKES: [5] [ENTER] [3] [+] [8] [ENTER] [2] [−] [*] -> 48 (10 Keystrokes vs 14 on TI)

KEY	REGISTER STATE (T, Z, Y, X)	MATHEMATICAL STACK ACTION
5+3	X: 8	Evaluate first subterm
8−2	Y: 8 | X: 6	Evaluate second subterm
*	X: 48	Multiply in single stroke: 48

CONCRETE-TO-ABSTRACT BRIDGING PRINCIPLE:

- The physical manipulative is not separate from the calculator—it is an exact physical mirror.
- Stacking a block corresponds 1:1 to pressing [ENTER] and lifting a number into register Y.
- Pressing an operator key ([+], [x], [−], [/]) corresponds to leveling two blocks together.
- In standard testing, students who mastered the physical blocks recall the register stack spatially, making parentheses syntax errors completely impossible.

Mastery Benchmark: Complete all 3 Form A tasks and execute RPN trace in <15 minutes.

CALIFORNIA LAB DESIGN // COPYRIGHT STACKCALC