VELOSALESAI

MASTER PRODUCT PLAYBOOK

AI sales assistant • Features • Catalogue intelligence • Pricing • UI/UX • Integrations • Roadmap

A consolidated working blueprint for building a reliable, mobile-first sales assistant for small businesses.

Prepared from the project context and discussions available to the assistant. Use it as a practical plan, not as a claim that every feature already exists.

Important: pricing figures are draft hypotheses. Provider limits, competitor claims and platform rules can change. Verify them before publishing or making purchasing decisions.

How to use this playbook

- Build the reliable core first. One fully working channel is better than several incomplete integrations.
- Separate the two AI roles. The owner-facing Business Assistant and customer-facing AI Salesperson have different permissions.
- Ground answers in structured data. Prices, stock, policies and order status must come from trusted records, not model guesses.
- Measure before pricing. Calculate real AI and infrastructure costs before locking plan limits.
- Ship in small milestones. Ask coding agents to audit first, then implement one bounded task and test it.
- Protect secrets and customer data. Keep keys server-side, isolate workspaces, and log safely.

Contents

1. Product vision and positioning
2. Customers and problems
3. Product architecture and AI roles
4. Feature roadmap
5. Business information and catalogue
6. AI behaviour and safety
7. Messaging integrations
8. Pricing strategy and pricing-card UI
9. UI/UX design system
10. Competitor strategy
11. API providers and debugging
12. Security, reliability and analytics
13. Pilot and launch metrics
14. Implementation roadmap
15. Copy-ready coding prompts
16. Final checklist

1. Product vision and positioning

VeloSalesAI is an AI sales assistant for small businesses. It helps answer customer questions, explain products, recommend suitable items, guide customers toward ordering, and keep conversations organised. The longer-term vision adds an owner-facing assistant that helps maintain business information and understand sales activity.

Recommended positioning to test

> **“VeloSalesAI helps small businesses turn customer conversations into better sales—with an AI salesperson that knows their products and a business assistant that helps keep information organised.”**

Do not promise that it will increase sales by a fixed percentage or that it is better than every competitor. Prove value with pilot businesses and measured outcomes.

Product principles

- Truth over confidence: unknown price, stock, delivery or policy facts trigger a clarification or handoff.
- One source of truth: catalogue and policy data are stored in the workspace and updated through controlled actions.
- Human control: owner approval for price changes, refunds, mass messaging, policy edits and other consequential actions.
- Mobile-first: core flows should be comfortable on Android phones and slow connections.
- Observable: owners can see what the AI answered, what it could not answer and why it handed off.
- Useful before impressive: solve a repeated business problem end-to-end before adding advanced features.

2. Customers and problems

Start with a small group of Nigerian businesses that receive repeated enquiries on messaging apps and sell products/services that can be described in structured fields. Candidate segments to research include fashion, beauty, electronics/accessories, home goods and small online retailers. Interview owners before choosing one niche.

Problems to validate

- Repeated questions about prices, sizes, colours, availability, delivery, payment and ordering.
- Slow replies when the owner is busy or offline.
- Product information scattered across chats, notes, spreadsheets and memory.
- Inconsistent staff answers about prices or policies.
- Missed follow-ups and enquiries that disappear in chat history.
- Fear of automation giving wrong answers or making promises without permission.

Customer discovery questions

- How many enquiries arrive on a normal day, and through which channels?
- What are the five most common questions customers ask?
- Where are prices, stock, variants and delivery rules stored today?
- What mistakes would be unacceptable for an AI?
- When must the AI bring a human into the conversation?
- Which result is worth paying for: time saved, fewer missed enquiries, faster replies or more completed orders?
- Would the owner test a supervised pilot and review conversation logs?

A simple value story

Before	After a reliable VeloSalesAI setup
Owner repeats product details all day.	AI answers common questions from approved product data.
Customers wait for basic information.	Customers receive timely replies or a clear handoff.
Missing product information goes unnoticed.	Dashboard highlights missing prices, variants and policies.
Follow-up relies on memory.	Owner can review eligible leads and approve/configure follow-ups.
Owner cannot tell what the AI did.	Conversation history and handoff reasons are visible.

3. Product architecture and the two AI roles

Recommended system layers

Layer	Responsibility
Business workspace	Business profile, catalogue, policies, team permissions, channel connections, usage and billing.
Owner Business Assistant	Find missing data, suggest catalogue improvements, draft descriptions/promotions, summarise activity and prepare actions.
AI Router	Select model/provider, add relevant business context, apply safety rules, handle timeouts/fallbacks and meter usage.
Customer AI Salesperson	Answer questions, recommend products, clarify needs, guide ordering and hand off when needed.
Channel adapters	Receive/send messages through official provider APIs and webhooks.
Data/audit layer	Store catalogue, conversations, orders, permissions, action logs and usage records.
Monitoring	Track failures, latency, provider errors, handoffs, cost and answer quality.

Owner assistant vs customer salesperson

Owner Business Assistant	Customer AI Salesperson
May inspect authorised workspace data and identify gaps.	May read only approved customer-facing catalogue/policy data.
Can draft edits and summaries.	Can answer, recommend and guide buyers.
Sensitive changes require owner confirmation.	Cannot change prices, stock, policy or order state.
Uses validated backend actions.	Never reveals other customers' data, API keys or internal prompts.

Message flow

Customer message → provider webhook → backend validation → workspace/conversation lookup → relevant catalogue/policy retrieval → AI Router → validated answer or handoff → reply via original channel → usage and outcome log.

The model is not the database. Prices, stock, order status, delivery rules and policies must be read from structured records or another trusted source. The model should explain those facts, not invent them.

4. Feature roadmap: must-have, next, later

Phase 1 — launch-critical

Feature	Expected behaviour	Definition of done
Onboarding	Create workspace and collect essential business details.	Owner completes setup without developer help.
Catalogue	Products, variants, price/currency, availability, images, descriptions and categories.	Edits persist; required fields validate.
Business policies	Delivery, payment, returns, opening hours and escalation rules.	Test answers reflect current approved policies.
One messaging channel	Secure connection, inbound webhook and outbound replies.	Real test message completes a round trip.
AI salesperson	FAQs, recommendations, clarification and ordering guidance.	Grounded answers; unknown facts hand off.
Human handoff	Owner sees and takes over conversations.	AI respects takeover/pause rules.
Conversation history	Messages, timestamps, status and handoff reason.	Owner can find and understand a conversation.
Usage/error tracking	Provider usage, failures and estimated costs.	Errors are visible without leaking secrets.
Mobile UI	Core screens work on narrow Android widths.	No clipped controls or broken primary flows.

Phase 2 — once the core is stable

- Owner Business Assistant for catalogue cleanup, summaries and content drafts.
- Missing-data checker and product completeness score.
- Lead labels, conversation search and filters.
- Owner-approved follow-up suggestions with opt-out controls.
- Product recommendations showing correct image, price and availability.
- Basic order capture with owner confirmation before fulfilment.
- Analytics for enquiries, response time, handoffs, orders and AI cost.

Phase 3 — later, only when validated

- More messaging channels and website chat.
- Inventory, e-commerce, CRM and payment integrations.
- Voice-note transcription and customer-image understanding after quality/privacy/cost testing.
- Team roles, advanced automation, reporting and multilingual options.

Do not advertise a feature until it is tested end-to-end. A roadmap idea is not a shipped feature.

5. How to gather business information and build a strong catalogue

Information gathering is part of the product. A well-designed onboarding process should make it easy for a business to teach the AI what it sells and how it operates.

Onboarding sequence

- 1. Business profile: business name, category, timezone, preferred tone/language, opening hours and human contact.
- 2. Policies: delivery zones/fees, delivery estimates, payment methods, returns/exchanges, warranty, cancellations and escalation rules.
- 3. Catalogue: product name, category, price/currency, variants, availability, image, description and specifications.
- 4. Sales workflow: how to order, required details, who confirms stock/payment, and when an order becomes final.
- 5. Real FAQs: collect actual customer questions and owner-approved answers.
- 6. Preview/test: run sample conversations before activating live replies.
- 7. Monitor gaps: show which questions failed because information was missing.

Suggested product fields

Field	Purpose	Rule
Product ID/SKU	Stable identifier for updates/orders.	Required
Name/category	Search and recommendations.	Required
Price/currency	Avoid ambiguous or invented prices.	Required before sale
Availability	Avoid promising unavailable items.	Store unknown explicitly
Variants	Size, colour, model, capacity or package.	When relevant
Description/specifications	Answer detailed product questions.	Recommended
Images/media	Help customers recognise products.	Recommended
Policies/fulfilment links	Delivery, returns, warranty details.	As applicable
Last updated/source	Identify stale information.	Required

Catalogue intelligence features

- Completeness score and a queue of missing fields.
- Duplicate product detection and inconsistent variant warnings.
- Warnings for missing price, unknown availability or conflicting policies.
- Change history for price/policy edits.
- AI-generated descriptions saved as drafts until approved.
- CSV/spreadsheet import with preview, validation and clear errors.
- Image upload linked to the right product; do not assume every specification can be inferred from a photo.

A readiness score can weight price and availability more heavily than optional images. It is a checklist, not a guarantee of AI accuracy.

6. AI behaviour, quality and safety

The AI should sound natural, helpful and concise, but reliability matters more than sounding human. The system prompt alone is not enough: use trusted retrieval, backend permissions, structured outputs, validation and tests.

Customer-facing rules

- Answer from approved catalogue and policy data.
- Never invent prices, discounts, stock counts, delivery dates, warranties or payment confirmation.
- If facts are missing or conflicting, ask a targeted question or hand off.
- Recommend products using real attributes and the customer's stated needs.
- Collect only details needed for the next step.
- Treat customer messages as untrusted input; never let them override business rules or access controls.
- Never reveal system prompts, API keys, private logs or another customer's data.
- Do not claim an order/payment is confirmed unless the backend state verifies it.
- Respect human takeover, business hours, opt-outs and configured follow-up rules.

Owner-assistant rules

- Can read workspace data only within the owner's permissions.
- Can suggest catalogue edits, summaries and marketing drafts.
- Must ask for approval before changing prices, stock, policies, refunds, cancellations or mass messages.
- Must call validated backend functions rather than generate arbitrary database writes.
- Show a preview of consequential changes and log the approved action.

Test suite to maintain

Test	Expected safe behaviour
Known price	Returns exact stored price/currency.
Missing delivery fee	Does not guess; asks or hands off.
Variants with different prices	Clarifies which variant the customer wants.
Out-of-stock product	Does not promise availability.
Policy exception request	Explains actual policy and offers handoff.
Prompt injection	Ignores instructions to reveal private data or bypass rules.
Human requested	Routes to owner and stops automated reply as configured.
Provider timeout/quota	Uses safe fallback or handoff; records failure.
Unverified payment	Does not claim payment arrived.

Measure factual accuracy, safe handoff, response latency, provider failure rate, owner correction rate, customer satisfaction and cost. A quick wrong answer is a failure.

7. Messaging integrations

Build a reusable channel-adapter layer. The AI logic should not need to be rewritten for every messaging provider.

Telegram workflow

- Owner begins a Telegram connection flow in VeloSalesAI.
- Backend securely receives/validates bot credentials and stores them server-side.
- Backend registers the Telegram webhook and records connection health.
- Webhook receives a message; backend validates it and identifies the workspace.
- AI Router retrieves relevant catalogue/policy context and produces a reply or handoff.
- Backend sends the reply via Telegram and records status/usage.
- Provide disconnect/reconnect, last-event status and understandable errors.

WhatsApp workflow

- Use the official Meta/WhatsApp Business Platform onboarding flow appropriate to the product.
- Do not ask owners to paste secret credentials into a public frontend.
- Handle authorisation, account identifiers, webhook verification, token storage and permissions server-side.
- Test inbound/outbound messages, applicable template rules, opt-in/opt-out and channel errors.
- Show connection steps and helpful diagnostics instead of cryptic provider errors.

Integration acceptance checklist

- Connect/disconnect/reconnect works without duplicate subscriptions.
- Webhook verification, retries and idempotency are implemented.
- Duplicate events do not cause duplicate replies/orders.
- Every incoming message maps to the correct workspace.
- Secrets never appear in browser bundles, API responses or logs.
- Send failures and provider downtime are visible and recoverable.
- Owner can pause automation or take over a conversation.

8. Pricing strategy and pricing cards

Draft monthly prices discussed: Free ₦0, Starter ₦7,500, Business ₦20,000 and Pro ₦50,000. Treat these as hypotheses, not final public pricing. Confirm real usage cost, willingness to pay and feature readiness first.

Possible tier structure — draft only

Plan	Who it serves	Possible inclusions (only if implemented)
Free — ₦0	New owner trying the workflow.	Limited AI replies, basic catalogue, one workspace, manual testing.
Starter — ₦7,500/mo	Solo owner with everyday enquiries.	One channel, limited monthly replies, catalogue and conversation history.
Business — ₦20,000/mo	Growing business with more conversations.	Higher allowance, catalogue tools, owner-assistant features, labels and basic analytics.
Pro — ₦50,000/mo	Higher-volume or small-team workflow.	Higher allowance, team workflow/advanced reporting, priority support and eligible integrations.

What every pricing card should show

- Plan name and who it is for.
- Monthly naira price and billing period; clearly state any taxes/fees.
- A short outcome-based description.
- AI reply allowance and a plain definition of what counts as a reply.
- Channel, workspace, team-member or product limits if applicable.
- Included features, exclusions, upgrade behaviour and overage policy.
- Support level, renewal, cancellation and trial terms.
- One clear CTA and a plan comparison/FAQ link.

Pricing-card design

- Use three or four cards on desktop; stack them on mobile.
- Highlight one recommended plan subtly, with an honest reason.
- Place the price and most important usage limit near the top.
- Use consistent spacing, readable typography and a clear CTA.
- Do not use fake countdowns, fake discounts, hidden limits or deceptive “unlimited” claims.
- Keep plan details in one maintainable configuration source so the UI and billing logic do not drift.

Illustrative card copy

FREE	STARTER	BUSINESS	PRO
Try the core workflow.	Reply to everyday enquiries.	Organise growing sales conversations.	Support higher-volume workflows.
₦0/month	₦7,500/month*	₦20,000/month*	₦50,000/month*
Limited AI replies	Higher reply allowance	More usage + business tools	Highest planned allowance
Start free	Choose Starter	Choose Business	Choose Pro

*Draft pricing only. Do not publish until cost and customer validation are complete.

Unit economics

Monthly variable cost = model input-token cost + model output-token cost + channel fees + attributable infrastructure/storage/monitoring costs. Gross margin = (subscription revenue − variable cost) ÷ subscription revenue. Measure real conversations before setting allowances. Avoid unlimited AI usage at launch; show usage meters and alerts.

9. UI/UX design system

The interface should feel trustworthy, modern, quick and simple—not crowded with generic AI decoration. A polished UI is a complete system of hierarchy, spacing, loading/error states and reliable interactions, not just colours.

Visual direction

- Use a consistent navy/blue base with one bright accent; use status colours consistently.
- Use a readable sans-serif font, clear headings, comfortable spacing and aligned cards.
- Use real product images where possible; avoid generic AI art in place of actual products.
- Keep border radius, shadows, icons and buttons consistent.
- Design loading skeletons, empty states, success confirmations and helpful error messages.
- Maintain accessible contrast, visible labels, keyboard focus and comfortable touch targets.

Core screens

Screen	Key contents
Dashboard	Connection status, recent enquiries, unresolved handoffs, catalogue readiness, usage/cost.
Onboarding	Short steps, progress, save/resume, examples and preview before live activation.
Catalogue	Search, filters, categories, missing-data badges and quick editing.
Product editor	Price/currency, availability, variants, image, description and validation.
Conversations	Inbox, filters, unread state, transcript, AI/human label and takeover.
AI settings	Tone, language, allowed actions, handoff triggers, business hours and test chat.
Integrations	Connection status, setup steps, last event, test button, reconnect/disconnect.
Pricing/billing	Current plan, usage meter, limits, renewal, upgrade and cancellation.
Analytics	Enquiries, response time, handoffs, orders, failures and AI costs with metric definitions.

Mobile-first acceptance criteria

- Test widths around 320, 360, 390 and 430 px.
- No horizontal overflow, clipped controls or tiny tap targets.
- Forms use clear labels, correct keyboard types and persistent save/error feedback.
- Tables transform into cards or scroll safely.
- No essential action depends on hover.
- Conversation composer and handoff state remain easy to reach.
- Images and scripts are optimised; test slow networks and session expiry.
- Core flows have loading, empty, success and failure states.

10. Competing intelligently

Competitors discussed in earlier project conversations included Zella, Tunaa, Loop56 and Zana, plus global platforms such as Manychat, Respond.io, SleekFlow and Zoko. Their current features, prices and customer numbers may change. Verify each claim on official sources before publishing comparisons.

Ways to differentiate—hypotheses to test

- A catalogue assistant that highlights missing or contradictory product information.
- Grounded answers with clear human handoff rather than confident guessing.
- Simple setup and excellent Android/mobile usability.
- Owner assistant and customer salesperson with clear permissions.
- Transparent usage and cost so owners understand what they pay for.
- Reliable local business workflows, based on research into real payment/delivery practices.
- Honest pilot results and customer testimonials used only with permission.

Competitor research worksheet

For each competitor record: target customer; verified channels; AI features; catalogue tools; human handoff; analytics; prices/limits; setup effort; privacy/terms; date checked; customer feedback; strengths; gaps. Mark each item as confirmed, claimed by vendor or unverified. Do not copy a feature merely because another product lists it.

11. AI providers, API keys and cost controls

Existing project context mentions access/keys for providers such as Gemini, Groq, OpenRouter and SambaNova, plus model families such as Claude, GPT, Kimi and Grok. A key being present does not prove that it is configured, has quota, supports the selected model or is working. Start by diagnosing the current integration rather than buying more credits.

Provider roles

Provider/category	How to think about it
Gemini API	Direct Google model API; check quota, key restrictions, model ID and current terms.
Groq	Inference provider for supported models; check endpoint, model availability and account limits.
OpenRouter	Model routing/aggregation; check model ID, provider route, credits and error response.
SambaNova	Inference provider; verify current endpoint/model/account access.
Claude/OpenAI APIs	Direct APIs with their own usage billing and limits.
Claude Code / coding agents	Tools that work on the codebase; distinct from the deployed app's model API usage.

Recommended implementation order

- Pick one provider supported by the current backend.
- Keep keys in server-side environment secrets or a secret manager—never in frontend code, Git or logs.
- Add a small backend smoke test with a harmless prompt and safe status/error reporting.
- Check endpoint, model ID, request/response schema, auth, quota, timeout, retries and frontend error handling.
- Log usage and cost without storing unnecessary private message content.
- Add a fallback provider only after the primary provider is reliable and fallback tests exist.
- Use rate limits, model allowlists and budget caps.

Debugging checklist

Check	Question
Backend path	Does the request reach the server?
Secret loading	Is the correct environment variable present without printing its value?
Endpoint/model	Are both currently supported by this account?
Account	Is there quota, credit, permission or billing trouble?
Parsing	Does the code handle the provider's actual response/error schema?
Timeout/retry	Are retries bounded and duplicate actions prevented?
Workspace context	Is the right business/catalogue loaded?
Frontend	Are errors/loading/session state handled properly?

Cost formula

Model cost = (input tokens ÷ 1,000,000 × input price per million) + (output tokens ÷ 1,000,000 × output price per million). Add channel fees and attributable hosting, storage, monitoring and other variable costs. Verify current provider prices before budgeting.

12. Security, reliability and analytics

Security essentials

- Authenticate and authorise every workspace resource on the server.
- Enforce tenant isolation so one business cannot access another's products or chats.
- Keep secrets server-side, redact logs and rotate leaked keys.
- Validate input, limit request size/rate and protect against abuse.
- Verify webhook signatures/secrets where supported; use idempotency and retries.
- Back up data and document restore/rollback steps.
- Audit price changes, order changes, approvals, handoffs and billing events.
- Minimise data collection; publish clear privacy, retention, deletion and export rules.
- Provide a global pause for automated replies and a per-conversation human takeover.

Reliability behaviours

- If AI fails, preserve the customer message and notify the owner safely.
- Do not send duplicate replies on webhook retries.
- If model output fails validation, use a bounded retry or handoff.
- Separate delivery status from AI-generation status.
- Show connection health and last successful event.
- Use bounded backoff and respect provider rate limits.

Metrics worth tracking

Metric	Define it clearly
Inbound enquiries	Unique/eligible inbound events during the reporting period.
First response time	Time from inbound message to first successful response; report median/percentiles.
AI reply success	Valid successful responses ÷ eligible attempts.
Handoff rate	Share of conversations handed to a human; high is not automatically bad.
Owner correction rate	Share of sampled answers corrected by owners.
Lead/order conversion	Define what counts as a lead/order and how attribution works.
Cost per reply/conversation	Provider cost allocated to a reply or conversation.
Delivery failures	Messages rejected or not sent successfully.
Catalogue readiness	Completeness score, not a guarantee of correctness.

13. Pilot, validation and launch

Run a controlled pilot before promising a full platform to everyone.

Pilot plan

- Begin with 3–5 businesses; expand toward 5–10 only when the core flow is stable.
- Choose owners with reasonably clear catalogue data and willingness to review results.
- Agree on trial duration, what is measured and how automation can be disabled.
- Observe onboarding and note every step where users need help.
- Review conversations with permission; classify wrong answers, missing data, unnecessary handoffs and missed opportunities.
- Ask weekly what saved time, what felt risky, what confused them and whether they would pay.
- Never use private customer conversations in marketing without permission.

Go/no-go before broader paid launch

- One main channel completes repeated end-to-end tests.
- A maintained test set shows grounded answers and safe unknown handling.
- Human takeover and pause controls work.
- No critical secret exposure or tenant-isolation issue remains.
- Usage/cost can be measured well enough to set limits.
- Core screens work on mobile and error recovery is understandable.
- Pilot owners can describe the value in their own words.

Track activation, first successful AI reply, repeat weekly use, answer quality, time saved, handoffs, paid intent, support burden and cost per active business. Website traffic alone is not product validation.

14. Implementation roadmap

Milestone	Work	Definition of done
0. Preserve	Confirm repo, branch, backups, environment and deployment path.	Known working version can be restored.
1. Audit	Map frontend, backend, auth, database, AI and channel paths.	Evidence-based audit; no code changed yet.
2. AI smoke test	Test one provider from backend with safe logs.	Repeatable automated test returns valid response.
3. Catalogue grounding	Retrieve approved products and policies.	Correct answers; unknown facts are not invented.
4. One channel	Finish one messaging integration.	Inbound message gets one correct reply.
5. Handoff/history	Build review, takeover and audit trail.	Owner can review and control a conversation.
6. Mobile UI	Fix overflow, forms, navigation, loading and performance.	Core flows pass mobile smoke tests.
7. Pilot	Test with 3–5 businesses and measure costs.	Written pilot report and prioritised fixes.
8. Pricing	Calculate unit economics and test willingness to pay.	Plans match real features and costs.
9. Expand	Add next demanded feature/channel.	New feature passes end-to-end tests.

Weekly rhythm

- Choose one outcome for the week.
- Ask the agent to inspect and propose a plan first.
- Approve a small scope and acceptance criteria.
- Review the diff, run tests and commit/backup.
- Manually test the real flow on the phone.
- Record what changed, what failed and the next priority.

15. Copy-ready prompts for coding agents

Run these separately. Never paste secret API key values into prompts. Ask the agent to inspect before editing.

A. Read-only project audit

You are auditing the existing VeloSalesAI application. Inspect repository structure, framework, frontend, backend, authentication, database/data models, AI provider integration, messaging webhooks, deployment setup, tests and available logs. Do not edit files, install dependencies or change configuration yet. Produce: (1) architecture map; (2) end-to-end user flows; (3) confirmed bugs with file/line evidence; (4) security and data-isolation risks; (5) mobile/performance issues; (6) AI/API integration status; (7) missing tests; (8) prioritised plan ranked by severity, user impact, effort and risk. Label facts versus assumptions. Ask before destructive changes.

B. Diagnose AI API failure

Trace one VeloSalesAI request from frontend through backend to the provider and back. Do not print secret values. Identify the exact failure stage using safe logs and tests. Check environment-variable names, server-side secret loading, endpoint, model ID, request schema, response parsing, quota/permission errors, timeout, retries, auth/session and frontend error handling. Do not replace the provider or redesign the architecture unless evidence requires it. Report diagnosis and plan first; then implement the smallest safe fix, add an automated smoke test and document verification.

C. Ground AI answers in catalogue

Implement or repair retrieval of approved product and policy data for the customer-facing AI. Use database/API values as source of truth for price, currency, variants, availability, delivery, returns and order state. Never invent missing values. Ask a clarification or hand off when information is missing/conflicting. Enforce workspace isolation and validate structured outputs server-side. Add tests for known facts, missing facts, variants, out-of-stock, prompt injection and cross-workspace access. Preserve existing interfaces unless necessary.

D. Improve mobile UI safely

Audit VeloSalesAI at widths 320, 360, 390 and 430 px. Identify overflow, clipped controls, unreadable text, poor spacing, inaccessible tap targets, broken forms, missing loading/empty/error states and unnecessary render/network work. Prioritise dashboard, onboarding, catalogue editor, conversations and integrations. List issues and proposed files before editing. Implement a bounded change, preserve existing behaviour and test desktop plus mobile. Do not rewrite the whole UI.

E. Build truthful pricing cards

Build a responsive pricing page using only features/limits that exist or are explicitly marked planned. Use clear monthly naira prices, plan differences, AI allowance definitions, channel limits, support, renewal/cancellation and one CTA per plan. Do not claim unlimited use, fake savings, false urgency, unsupported integrations or guaranteed sales. Keep plan data in one maintainable configuration source. Cards must stack on mobile and expose important limits clearly. Treat prices as drafts until unit economics are approved.

F. Add a feature safely

Before implementing [FEATURE], inspect related code, data model, API routes, permissions, UI entry points and tests. Propose the smallest plan, risks and acceptance criteria; wait for approval before broad/destructive changes. Implement in small steps, preserve compatibility, add tests and update docs. Report files changed, commands run, test results, remaining risks and manual verification steps. Do not refactor unrelated code.

16. Final launch checklist

Product and data

- ☐ Workspace onboarding works without developer assistance.
- ☐ Catalogue validates price/currency, variants, availability and product identity.
- ☐ Policies are structured, editable and visible to the owner.
- ☐ Missing information is flagged before enabling AI.
- ☐ Owner assistant and customer salesperson have separate permissions.

AI and integrations

- ☐ One provider works from backend with a repeatable test.
- ☐ API secrets never appear in frontend code or logs.
- ☐ One channel completes a real inbound-to-outbound test.
- ☐ Webhooks are validated, idempotent and observable.
- ☐ AI does not invent price, stock, delivery, policy or payment state.
- ☐ Human handoff, pause and recovery work.
- ☐ Usage and estimated costs are measured.

UI and pricing

- ☐ Core screens have no mobile overflow or clipped controls.
- ☐ Loading, empty, success and error states exist.
- ☐ Pricing cards show actual features and transparent limits.
- ☐ Prices/allowances are checked against costs and customer feedback.
- ☐ No fake testimonials, unsupported competitor claims or guaranteed results.

Launch operations

- ☐ Backup and rollback are available.
- ☐ Tenant isolation, authentication and permissions are tested.
- ☐ Privacy, retention, deletion and export rules are clear.
- ☐ 3–5 pilot businesses have been observed using the product.
- ☐ Feedback, incidents and costs have an owner/review process.
- ☐ Next milestone is chosen from evidence, not pressure to copy competitors.

The core principle

> **Build the smallest version that reliably helps a real business answer customers and organise sales. Prove value with real owners, measure cost, improve the experience, then expand. VeloSalesAI does not need every feature on day one; it needs a dependable core that customers trust.**

Scope note: This playbook consolidates the VeloSalesAI project details available in the current conversation and saved project context; it is not a verbatim transcript of every historical message. Provider pricing/limits, competitor features and platform rules change and should be verified against official sources at implementation time.