VELOSALESAI

UI / UX DESIGN BLUEPRINT

A practical visual and interaction system for a polished, premium, mobile-first AI sales app

Buttons • spacing • rounded corners • liquid/glass effects • colour • typography • dashboard • catalogue • conversations • motion • accessibility • performance

Design goal: make VeloSalesAI feel beautiful, clear, trustworthy and effortless to use—not merely decorated.

Important design principle: use glass, blur, glow and motion as accents. The product must remain fast, readable and usable on ordinary Android phones and slower connections.

This document is a design specification and implementation guide. It does not mean these changes have already been applied to the live app.

1. The visual direction

The target is a modern, premium SaaS interface with crisp typography, calm surfaces, precise spacing and a restrained liquid-glass identity. Think of a dependable business tool with a little visual magic—not a gaming dashboard or a page full of glowing cards.

The design personality

- Premium: balanced whitespace, careful alignment, strong typography and subtle depth.
- Friendly: plain language, inviting empty states, useful explanations and no intimidating technical jargon.
- Intelligent: AI status is visible; AI suggestions are distinguishable from confirmed business data.
- Confident: clear button hierarchy, consistent controls and honest feedback.
- Fast: simple layouts, efficient rendering and restrained animation.

Visual recipe

Layer	Recommended treatment
Foundation	Soft neutral background; high-contrast content surfaces; consistent page width.
Brand	Deep navy for structure, vivid blue for primary actions, cyan as a small signature accent.
Depth	Subtle borders and shadows; use translucent glass panels only where they clarify layering.
Shape	Consistent medium-to-large corner radius; pill shape only for badges/chips or selected controls.
Motion	Short, purposeful transitions; avoid constant pulsing or distracting background movement.
Content	Real product data, clear labels, useful summaries and honest status indicators.

Avoid

- Every card glowing, every surface blurred, too many gradients, excessive shadows or many competing accent colours.
- Low-contrast translucent text over busy backgrounds.
- Decorative charts that do not help an owner make a decision.
- Tiny icons without labels on important actions.
- Animations that make the app feel slower or continue when the user prefers reduced motion.

2. Design tokens: make the whole app consistent

A polished app is built from shared rules. Define design tokens once, then use them across every page and reusable component. Do not style each screen independently.

Suggested colour tokens

Token	Suggested value	Use
Brand / primary	#315CFF	Primary CTA, active navigation, selected controls.
Deep navy	#101B35	Sidebar, headings, strong text, dark panels.
Cyan accent	#25C9D0	Small brand highlights, AI accent, selected decorative details.
App background	#F5F7FB	Main page background.
Surface	#FFFFFF	Cards, forms, menus and tables.
Text primary	#182235	Headings and body copy.
Text secondary	#65738A	Supporting labels and helper text.
Border	#DCE4F0	Dividers, inputs and card outlines.
Success	#0E9F6E	Connected, saved, completed.
Warning	#B7791F	Needs attention, approaching limit.
Error	#C53030	Failed, disconnected, destructive warning.

Suggested spacing scale

Token	Value	Use
space-1	4 px	Icon/text micro-gap.
space-2	8 px	Compact control gaps.
space-3	12 px	Small groups and chips.
space-4	16 px	Default component spacing.
space-5	20 px	Card inner spacing on compact screens.
space-6	24 px	Standard card/page section spacing.
space-8	32 px	Large section separation.
space-10	40 px	Major page section separation.
space-12	48 px	Large desktop rhythm.

Suggested radii and elevation

Token	Suggested value	Rule
radius-sm	8 px	Compact inputs, small menus.
radius-md	12 px	Buttons, standard inputs.
radius-lg	16 px	Cards and panels.
radius-xl	20–24 px	Hero cards, onboarding panels, modal shells.
radius-pill	999 px	Status chips and selected small controls only.
shadow-sm	Very subtle	Inputs/popovers where separation is needed.
shadow-md	Soft, wide	Dropdowns, floating panels and modals.
shadow-lg	Rare	Important overlay only; avoid heavy black shadows.

These are starting values, not rigid laws. Keep them in CSS variables/design tokens and check the actual result on real devices.

3. Typography, layout and hierarchy

Typography should make the app feel calm and easy to scan. Use one modern sans-serif family if possible, with a small number of weights. Reserve very large type for page titles, key metrics and the most important action.

Suggested type scale

Role	Size / line-height	Guideline
Page title	28–32 / 34–40 px desktop; 24–28 mobile	One clear heading per page.
Section title	18–22 / 26–30 px	Organise groups, not every card.
Card title	14–16 / 20–24 px	Medium/semibold; concise.
Body	14–16 / 20–24 px	Use 16 px where reading matters.
Label	12–14 / 16–20 px	Do not make important labels too faint.
Helper text	12–13 / 16–18 px	Readable and close to the field.
Key metric	26–34 px	Pair with a label, time range and context.

Desktop layout

- Use a consistent app shell: left sidebar, top bar and main content region.
- Sidebar starting point: 232–256 px expanded, with a compact/collapsible state if useful.
- Keep main content at a readable maximum width; do not stretch forms across a very wide monitor.
- Use a consistent grid and align card edges. Cards in the same row should share padding and heading alignment.
- Keep the main action near the page title or in a clearly predictable location.

Mobile layout

- Do not simply shrink the desktop sidebar and cards. Re-prioritise the page for a narrow screen.
- Use a compact top bar and a well-considered bottom navigation or drawer for primary sections.
- Stack cards in a meaningful order; keep the main action easy to reach.
- Turn wide tables into responsive cards or provide an intentional horizontal-scroll container.
- Keep forms in one column and make the primary CTA visible without excessive scrolling.

4. Liquid glass, backdrop blur and depth

The liquid-glass look can make VeloSalesAI distinctive, but it should be a signature layer rather than the entire interface. Put glass effects on floating navigation, AI assistant panels, selected overlays or small highlight cards—not on every surface.

Where glass works best

- A floating AI assistant panel or contextual AI suggestion.
- A top navigation surface that sits above a soft background.
- A connection-status overlay or focused onboarding step.
- A small featured insight card where the background behind it is simple.

Where glass is usually a poor choice

- Long product descriptions, dense tables, small form labels and critical error messages.
- Text over busy photos or animated gradients.
- Every dashboard card at once; that creates visual noise and can hurt performance.
- Any place where transparency makes a price, status or button hard to read.

Implementation guidance

Use a mostly opaque fallback surface first. Apply backdrop blur only as progressive enhancement; support browsers that do not render it. Keep text contrast strong and avoid stacking many blurred layers.

Illustrative CSS token pattern (adapt to the existing stack; do not paste blindly)

```
:root {
  --glass-bg: rgba(255, 255, 255, 0.76);
  --glass-border: rgba(255, 255, 255, 0.72);
  --glass-blur: 16px;
}
.glass-panel {
  background: var(--glass-bg);
  border: 1px solid var(--glass-border);
  border-radius: 20px;
  box-shadow: 0 12px 36px rgba(16, 27, 53, 0.10);
}
@supports (backdrop-filter: blur(1px)) {
  .glass-panel { backdrop-filter: blur(var(--glass-blur)); }
}
```

Keep the fallback opaque enough to read. Check the actual contrast over every background. Avoid using a CSS snippet as a replacement for auditing the existing design system.

Motion and liquid details

- Use gentle 140–220 ms transitions for hover/focus/press states; keep route transitions short.
- A subtle highlight can move when a user selects a control, but never make core text or controls wobble.
- Use loading skeletons for content waiting on the server; do not animate the entire screen unnecessarily.
- Respect prefers-reduced-motion and disable decorative motion where requested.
- Check blur, shadow and animation on a mid-range Android phone; visual effects must not block scrolling.

5. Buttons, inputs, cards and other components

Create a reusable component library. Every button, input, badge, dropdown, dialog and toast should have predictable sizes, states and behaviour.

Button system

Type	Appearance	Use
Primary	Brand blue fill, white text, clear focus ring.	One main action per section, e.g. Save changes.
Secondary	Neutral surface, visible border.	Useful secondary actions.
Tertiary / ghost	Transparent with clear hover/focus state.	Low-priority actions and toolbar controls.
Destructive	Error colour, with confirmation where needed.	Delete, disconnect, revoke access.
Icon button	Visible hover/focus, accessible name/tooltip.	Only when icon meaning is recognisable.

Button rules

- Use a consistent height: around 44–48 px for primary touch controls.
- Use 12–16 px horizontal padding and a 10–12 px corner radius.
- Use a short verb phrase: “Add product”, “Connect Telegram”, “Save changes”.
- Include disabled, hover, pressed, focused and loading states.
- During a request, prevent accidental double submissions and show a clear status.
- Do not make several competing buttons look equally primary.

Form controls

- Use persistent labels above fields; placeholders are examples, not labels.
- Show validation beside the relevant field and explain how to fix the problem.
- Preserve entered values when an error occurs.
- Use correct keyboard types on mobile for email, phone, price and search.
- For price fields, show currency clearly and avoid ambiguous number formats.
- Warn before discarding meaningful unsaved changes.

Cards, badges and dialogs

- Cards: consistent internal padding (often 20–24 px desktop, 16–20 px mobile), border and radius.
- Badges: compact, readable and paired with text; never rely on colour alone.
- Dialogs: concise title, consequence, clear primary action and safe cancel action.
- Toasts: confirm successful lightweight actions; do not use a disappearing toast for a critical error that needs attention.
- Tooltips: supplement, never hide essential instructions.

6. Screen-by-screen design specification

Design the real tasks first. The app should guide a business owner from setup to a first successful customer response with as little confusion as possible.

A. Onboarding

- Use a short stepper: Business details → Products → Policies → Connect channel → Test AI.
- Allow save-and-resume; show progress and explain why each detail helps.
- Show sample product data only as a clearly marked example, never as the owner's real catalogue.
- Before activating live automation, run a preview conversation and display what data the AI used.
- If a channel cannot be connected, preserve progress and provide a retry path.

B. Dashboard

- Top: greeting/page title and one primary next action based on setup state.
- Show only a few useful metrics: new enquiries, unanswered/handoff conversations, catalogue readiness and AI usage.
- Every metric needs a label and date range; avoid impressive-looking but undefined numbers.
- Below: recent conversations, connection health, missing catalogue details and useful next steps.
- For a new account, replace empty charts with a guided first action.

C. Catalogue

- Search and filters at the top; a clear Add product action.
- Each product row/card should show image, name, price/currency, availability and a compact completeness warning.
- Provide list and card layouts only if both are genuinely useful; do not add switches without a purpose.
- Product editor groups fields logically: essentials, variants, images, description and fulfilment details.
- For bulk import, show a preview, row errors and a confirmation step before saving.

D. Conversations inbox

- List panel: customer/conversation identity, latest message, time and unread/handoff state.
- Conversation view: clear message chronology, channel label and whether AI or human is in control.
- Composer: visible send state, error recovery and a prominent human takeover/pause control.
- AI-generated draft replies should be visually distinct from sent messages.
- Filters should solve real jobs: Unread, Needs human, AI active, Channel and date.

E. AI Business Assistant

- Offer useful suggested tasks: “Find products missing prices”, “Draft a product description”, “Summarise today’s enquiries”.
- Display the source data behind an answer where relevant.
- For edits, show a before/after preview and require approval for consequential changes.
- Separate “Draft” from “Applied”; show undo/rollback when feasible.
- Keep the assistant available without covering important controls or conversation content.

F. Integrations and settings

- Use a card for each channel with status, last successful event and clear Connect/Reconnect/Disconnect actions.
- Explain setup requirements in plain language; do not expose raw tokens or technical secrets.
- Provide a Test connection action and a helpful result.
- Settings should be grouped by task, not by internal code architecture.

7. UX flows and interaction behaviour

Good UX means the user always understands where they are, what happened, what is happening now and what to do next.

Core journey: new business to first reply

Create account → complete business profile → add/import a product → add delivery/payment policies → connect one channel → preview a sample conversation → approve activation → receive first real enquiry → review answer and usage.

Interaction states every major feature needs

State	What the UI should do
Loading	Show a local skeleton/spinner and explain long-running actions when necessary.
Empty	Explain the feature and provide one clear next action.
Success	Confirm the completed action and what changed.
Validation error	Point to the field/action and give a fix.
Network/provider error	Preserve user work, explain retry options and expose a supportable error code if useful.
Permission error	Explain that the user lacks permission; do not reveal private resources.
Disconnected	Show impact, last working state and reconnect action.
AI uncertainty	Explain that the information is missing and offer a human handoff.
Unsaved changes	Warn before navigation or offer save/discard.

Micro-interactions that add quality

- A button subtly changes shade when pressed and visibly responds to keyboard focus.
- A saved product briefly shows “Saved” without forcing a page reload.
- A new conversation appears with a restrained highlight, not a distracting flash.
- A connection status updates only after the backend confirms the result.
- The AI typing indicator appears only while a reply is genuinely being generated.
- Use optimistic updates only when failure can be reconciled safely.

8. Mobile-first, accessibility and performance

Because many small-business owners will use the product on phones, mobile is not a final polish step. It is a first-class design target.

Device and viewport checks

- Test widths around 320, 360, 390 and 430 CSS pixels, plus a tablet and desktop.
- Check portrait and landscape where useful, soft keyboard behaviour and sticky elements.
- No horizontal page overflow, clipped dialogs or controls hidden under browser/system UI.
- Touch targets should be comfortable—aim for roughly 44 × 44 px for important actions.
- Forms, uploads, menus and modals must work using touch only.

Accessibility basics

- Maintain strong text contrast; glass surfaces need special checking because backgrounds vary.
- Use semantic headings, real form labels and meaningful accessible names for icon buttons.
- Make focus visible and support keyboard navigation on desktop.
- Do not communicate status by colour alone; include text or icons with labels.
- Respect reduced-motion preferences and avoid flashing effects.
- Ensure dialogs manage focus and can be dismissed safely.

Performance rules

- Avoid multiple full-screen backdrop-filter layers and oversized blur radii.
- Compress product images, specify image dimensions and lazy-load below-the-fold media.
- Avoid shipping large animation libraries for tiny effects.
- Use skeletons and preserve layout dimensions to reduce layout shifts.
- Paginate or virtualise long conversation/product lists when needed.
- Measure on a real mid-range Android device and a slower network, not only on a powerful developer laptop.

A beautiful interface that freezes, jumps or hides controls is not a beautiful product. Perceived speed and clear feedback are part of the design.

9. Light/dark theme and responsive behaviour

Start with a strong light theme for readability and a carefully designed dark theme only if the app can maintain both consistently. A dark theme is not just an inverted background; surfaces, borders, shadows, charts and semantic colours all need their own tokens.

Theme rules

- Use semantic tokens such as --surface, --text-primary, --border and --status-success instead of hard-coded colours across components.
- Keep the primary CTA consistent in both themes.
- Do not use the same shadow assumptions in dark mode; use surface separation and subtle borders.
- Persist the user's theme preference and support system preference if implemented.
- Check charts, disabled states, menus, dialogs and glass panels separately in each theme.

Responsive breakpoints

Range (suggested)	Layout behaviour
Small mobile: < 360 px	Single column; minimal secondary actions; compact but readable spacing.
Mobile: 360–767 px	One-column content; bottom nav/drawer; cards stacked.
Tablet: 768–1023 px	Collapsible sidebar; two-column cards where content fits.
Desktop: 1024–1439 px	Sidebar + top bar + flexible content grid.
Wide desktop: 1440 px+	Constrain content width; avoid overlong text and stretched forms.

Responsive behaviour should be based on the content and workflow—not solely on a device name.

10. How to audit the existing app before redesigning

Do not tell a coding agent to “make the whole app beautiful” and let it rewrite everything. First gather evidence, decide the design system, then update one screen or component family at a time.

Audit order

- 1. Capture current screenshots of all key screens at mobile and desktop sizes.
- 2. Identify the existing framework, component library, CSS system and route structure.
- 3. List duplicate styles, inconsistent components and responsive defects.
- 4. Record critical user journeys and where the current UI creates friction.
- 5. Define design tokens and reusable components before restyling all pages.
- 6. Implement the highest-impact screen first and compare before/after.
- 7. Run visual, functional, responsive and accessibility checks.
- 8. Continue screen by screen; keep a rollback path.

Priority score

Priority	Examples
P0 — Critical	Broken save/connect flows, unreadable text, security-sensitive data exposed, primary controls inaccessible.
P1 — High	Mobile overflow, confusing navigation, broken forms, missing loading/error states.
P2 — Polish	Inconsistent radius/spacing, weak typography hierarchy, excessive shadows, rough micro-interactions.
P3 — Optional	Extra visual effects, advanced themes, decorative animation with no workflow benefit.

Definition of done for each screen

- The page has one clear purpose and a visible primary action.
- Spacing, type, borders, buttons and statuses use shared tokens/components.
- Empty, loading, success, error and disabled states are handled.
- The page works at small mobile widths and on desktop.
- No existing business logic or API contract was unintentionally broken.
- Keyboard/focus and contrast basics are checked.
- The developer reports files changed, tests run and known remaining issues.

11. Copy-ready prompt for Claude Code or another coding agent

Use this as the main UI/UX audit prompt. Run the audit phase first without code changes. Then ask the agent to implement one approved stage at a time.

PHASE 1 — READ-ONLY DESIGN AUDIT

You are the senior product designer and frontend engineer auditing the existing VeloSalesAI application. The goal is a premium, polished, modern SaaS UI with excellent UX, refined buttons, consistent spacing, carefully chosen border radii, subtle depth, selective liquid-glass/backdrop-filter effects, excellent mobile responsiveness and fast performance. First, inspect the existing repository and identify the framework, routes, component system, styling approach and key screens. Do not edit files, install packages, replace the framework or redesign the app yet. Audit these areas: visual hierarchy, typography, colour tokens, spacing, button hierarchy/states, inputs/forms, cards, radii, borders/shadows, navigation, dashboard information priority, catalogue, conversation inbox, AI assistant, integrations, pricing page, mobile breakpoints, accessibility, loading/empty/error/success states, animation, rendering performance and consistency. Return: 1. Existing architecture and design approach. 2. Screens/components that need attention, with file references. 3. Problems ranked P0/P1/P2/P3 by user impact and risk. 4. A proposed design token system and component variants. 5. A screen-by-screen redesign plan. 6. Mobile and accessibility test plan. 7. Exact acceptance criteria for each stage. Separate verified facts from assumptions. Preserve working features and API contracts. Do not make unrelated refactors.

PHASE 2 — IMPLEMENT THE DESIGN SYSTEM

Using the approved audit, implement a small, reusable design system in the current stack. Define semantic colour tokens, typography scale, spacing scale, radii, borders, shadows, focus rings and motion durations. Standardise Button, Input, Select, Badge, Card, Dialog, Toast, Skeleton and EmptyState components where appropriate. Support primary/secondary/ghost/destructive buttons and their loading, disabled, focus and pressed states. Use liquid-glass effects selectively for appropriate floating/overlay surfaces only. Provide a readable fallback when backdrop-filter is unsupported. Do not apply glass blur to every card or form. Preserve accessibility, readable contrast and performance on mid-range Android phones. Do not add large dependencies without explaining why. Report all changed files and test results.

PHASE 3 — REDESIGN ONE SCREEN AT A TIME

Redesign [SCREEN NAME] using the approved design system. Before coding, list the intended changes and acceptance criteria. Keep existing backend calls, permissions and business logic intact unless a confirmed bug requires a change. Improve hierarchy, alignment, spacing, responsive layout, useful empty/loading/error/success states and touch usability. Test at 320, 360, 390, 430 px and desktop. Do not change unrelated screens. After implementation, report changed files, tests run, manual test steps and remaining issues.

PHASE 4 — VISUAL OA

Compare the updated screen against the approved design goals. Check overflow, alignment, spacing, typography, contrast, focus visibility, loading states, error recovery, button hierarchy, keyboard/touch interaction and rendering performance. Identify defects instead of claiming everything is perfect. Fix only defects in the approved scope, rerun tests and provide a concise QA report.

Safety guardrails

- Do not replace the entire application or framework for a visual refresh.
- Do not remove features because they are difficult to style.
- Do not invent fake analytics or placeholder data that looks real.
- Do not hard-code secret values or change production configuration without approval.
- Do not install new libraries unless the benefit and maintenance cost are justified.
- Keep each change small enough to review and roll back.

12. Final visual and UX checklist

Use this checklist after every major UI pass.

Visual consistency

- ☐ Shared colour, spacing, type, radius and shadow tokens are used.
- ☐ Cards and forms align; padding and headings are consistent.
- ☐ One clear primary action is visible on each screen.
- ☐ Glass/blur/glow are restrained and never harm readability.

Interaction

- ☐ Buttons have focus, disabled, loading, pressed and success/error states.
- ☐ Forms preserve user input and explain validation failures.
- ☐ Menus, dialogs, toasts and navigation behave predictably.
- ☐ Critical changes require confirmation and show the result.

Product UX

- ☐ New users know what to do next.
- ☐ Empty states guide users to a useful first action.
- ☐ AI answers, suggestions, drafts and confirmed facts are distinguishable.
- ☐ Integration status and error recovery are understandable.

Mobile and accessibility

- ☐ 320/360/390/430 px layouts have no accidental overflow.
- ☐ Touch controls are comfortable and not too close together.
- ☐ Text contrast, labels, focus indicators and semantic headings are checked.
- ☐ Reduced-motion preference is respected.

Performance and quality

- ☐ Blur and animation are tested on a real Android device.
- ☐ Images are optimised and long lists do not freeze the screen.
- ☐ Existing routes, API calls and business logic still work.
- ☐ Screenshots, tests and known issues are documented.

The final principle

Make VeloSalesAI beautiful by making every detail intentional: clear hierarchy, generous but efficient spacing, precise components, tasteful liquid-glass accents, responsive layouts and dependable feedback. The best interface is not the one with the most effects; it is the one that feels premium while helping the owner finish work quickly and confidently.

Design references used for general principles: current SaaS dashboard guidance emphasises role-specific information, clear hierarchy, progressive disclosure, explicit loading/empty states, responsive behaviour and accessible controls. These principles are adapted here to VeloSalesAI rather than copied as a template.

Further reading: [url]SaaS Dashboard Design in 2026[https://f1studioz.com/blog/saas-dashboard-design/] • [url]4Byte SaaS Dashboard Design Guide[https://www.4byte.agency/resources/saas-dashboard-design]