



ENERGY COVE
(PVT) LTD.
Energy for life

Quote For : **[NAME]**

[System Power] KW [System Type]PV System

Certifications & Licences

SECP Certification

Securities Exchange Commission of Pakistan Certificate of Incorporation

EnergyCove (Private) Ltd

PEC License C3 Category

Pakistan Engineering Council

EE01 - EE03 - EE04 - EE11(Solar) - EE11(General Electrical Works)

EnergyCove(Pvt) Ltd (Licencee)



TERMS & CONDITIONS

1 - Payment Terms : Advance: 90% with Purchase Order, 10% at the time of commissioning.

2 - Offer Validity : 02 Days from the date of quotation

3 - Delivery & Installation : Within 30 Days after confirmation of payment.

4 - Order Cancellation : If the order is cancelled by the client after PO issuance, EnergyCove(Pvt) Ltd. reserves the right to charge stocking fee of 25 % of the selling price of the offered equipment.

5 - Transfer of Title : Notwithstanding anything contained herein, EnergyCove(Pvt) Ltd, shall retain the title and ownership of the contracted goods until the entire contract payment has been made, In case of any default in payment . EnergyCove(Pvt) Ltd, reserves the right to repossess the equipment and will hold no responsibility for any damages or recompense to the client occurred as a result thereof.

6 - Customer Scope of Work : Customer will be responsible to provide site access. All Civil works will be the responsibility of customer. Safety and security of equipment once on the premises of the customer are the responsibility of the customer. Electrical and mechanical scope of work will be as per agreed terms & conditions.

7 - Warranties : Solar panels will have 12 years product & workmanship warranty and 25 years linear performance warranty. Inverters warranties will be as per manufacture 5 year services included

8 - Duties, Taxes & Exchange Rate Fluctuations : The Quoted price in PKR is based on an exchange rate of (USD) and subject to current duties and taxes as per laws & regulations of the Govt. of Pakistan. In case of a change occurring in existing duties, taxes and exchange rate, such changes shall be deemed applicable as per the pertaining laws of the Govt. of Pakistan when job will be awarded.

9 - Net Metering : EnergyCove, will provide complete assistance to the Customer in procuring a Net Metering connection. All the required documentation for Net-Metering shall be prepared and submitted by EnergyCove on behalf of the customer. The obligation to procure required approvals, however, rests with the Customer. In no circumstances shall EnergyCove be held liable on any account if the said approval is not granted by NEPRA. The timeline for the Net Metering connection to become operational depends on DISCO/ NEPRA approvals and can, thus, vary due to factors beyond our control and/or scope of work. The estimated cost of the bidirectional/green meter is included in the prices quoted in this proposal and shall be charged as per actual to the consumer in addition to the amount quoted in this proposal.

10 - Force Majeure : This offer shall be subject to standard Force Majeure conditions,

Operations and Maintenance

The solar photovoltaic system will perform best when there is simple and periodic maintenance tasks carried out to ensure safe, efficient and reliable operation.

Solar Modules

To increase the average output, solar panels should be cleaned at least twice in a week if environment is dusty.

Following considerations must be followed when cleaning the solar panels:

- Solar panel should be cleaned at dawn or at dusk, to ensure optimum operation of the solar panel during daytime hours and accurate energy generation metering.
- Moist cloth or a sponge with rod should be used to clean solar panels evenly.
- Gloves should be worn while cleaning to avoid any cuts from sharp edges of solar panel frames or structural steel.
- Do not splash water on solar panels, as water spots may stay on surface of glass and reduce solar panel efficiency. Be sure to evenly clean the surface.
- Do not use commercial or industrial grade cleaning agents. If required, use a mild soapy mixture to clean hardened spots or superficial debris.
- Viper with enhancement rod should be used to clean panels if installed at heights that are not readily accessible.
- Keep yourself at a reasonable distance from the safety railings while cleaning to avoid any dizziness felt, if installed at heights.

Inverter and BOS (Balance of System) Components

There is little to no maintenance required for these components on part of the system owner as System will be monitored Online Via mobile and Desktop, However, it should be noted that no tampering, modifications, or unauthorized changes to the system hardware, software and/or installation is permitted without prior consent and communication technicians.

Date: _____

ACKNOWLEDGEMENTS

*I ACKNOWLEDGE AND REPRESENT THAT I HAVE READ
THE TERMS AND CONDITIONS OF THIS PROPOSAL
AND I FULLY UNDERSTAND
WHAT IS STATED HEREIN.*

*I EXPRESSLY AGREE TO ALL THE TERMS AND CONDITIONS SET
OUT HEREIN AND TO ADHERE TO ALL PAYMENTS OBLIGATIONS
AND OTHER ANCILLARY OBLIGATIONS.*

Customer Signature

For EnergyCove (Pvt.) Ltd.

Name: _____

CNIC No: _____

Name:

Advance Received:

Balance:
