

A3-EC00-03 · ARCHITECTURE AXIOMS

Non-negotiable separations for connectivity, identity, evidence, engineering truth, authority and domain ownership.

REFERENCE: SEM-MCD-001 — SEMEY, SHAKARIMA 13A · AXIOMS: PROPOSED / CONCEPTUAL · EC-00 PRIMARY SOURCE LINKAGE: SOURCE LINKAGE PENDING · DUPLICATES: 0

AXIOM	SEPARATION / RULE	WHAT IT PREVENTS	OPERATIONAL CONSEQUENCE
AX-01 A · STATE	CONNECTIVITY STATE ≠ ENGINEERING STATE	Reachability, degradation or restoration being treated as component/building condition.	Store connectivity state separately; never open, close or change engineering findings from connectivity alone.
AX-02 A · STATE	NETWORK HEALTH ≠ BUILDING HEALTH	Declaring a building healthy from network health or failed from network unavailability.	Use network telemetry only to qualify evidence availability; never substitute it for engineering evidence.
AX-08 A · STATE	DEVICE OFFLINE ≠ COMPONENT FAILED	False component-failure inference from missing telemetry or device silence.	Record an evidence gap; retain last confirmed state where applicable; investigate root cause before defect classification. · EC-03 §22
AX-03 B · IDENTITY	DEVICE IDENTITY ≠ SIM IDENTITY	HouseMaster domain identity/history changing with SIM replacement or provider lifecycle.	Maintain separate identifiers and explicit mappings; never derive HouseMaster IDs from SIM identifiers.
AX-04 C · TRUTH	OBSERVATION ≠ EVIDENCE ≠ DEFECT	Raw signal, note, photo or accepted record being treated as a verified defect.	Preserve separate records and explicit acceptance, provenance and professional-validation gates.
AX-05 C · TRUTH	AI SIGNAL ≠ ENGINEERING FACT	Model output overwriting evidence-backed HouseMaster state or becoming engineering truth.	Store AI signals separately; require evidence/domain validation before any engineering-state change.
AX-09 C · TRUTH	HUMAN EVIDENCE ≠ MACHINE DEPENDENCE	Treating all evidence as IoT-generated or blocking human inspection without machine data.	Maintain a direct human/documentary path with the same provenance and HouseMaster acceptance discipline. · EC-02 §4a.3
AX-06 D · AUTHORITY	AI RECOMMENDATION ≠ AUTHORIZED DECISION	Autonomous action or workflow-state change from an AI recommendation alone.	Route recommendations through explicit human/authorized review and record the accountable decision.
AX-07 D · OWNERSHIP	HOSTING ≠ DOMAIN OWNERSHIP	A provider being treated as owner of HouseMaster identities, evidence, state, history or workflow.	Preserve HouseMaster system-of-record ownership in contracts, integrations and responsibility matrices.
AX-10 D · OWNERSHIP	HOUSEMASTER DOMAIN ACCEPTANCE ≠ OWNERSHIP TRANSFER	Integration crossing being interpreted as external ownership of HouseMaster domain records.	HouseMaster accepts/validates/maps input and creates a canonical record where rules pass; ownership_transfer remains false. · OWNER-APPROVED BC-03

REAL BUILDING
Physical source of engineering reality.
Physical condition ≠ connectivity / software / AI state.

BEELINE
Connectivity / IoT-M2M / SIM-eSIM / operator transport / exposed state.
Not domain owner; not building-condition authority.

HOUSEMASTER
Independent system of record: identities · observation/evidence · engineering state · history/workflow.
Accepts / validates / maps at boundary.

ALAU AI
Downstream intelligence / prediction / decision-support.
Not system of record · not engineering truth · no autonomous control.

HUMAN / DOCUMENTARY CHANNEL
Evidence-bearing input without Beeline connectivity.
Provenance required · not IoT-dependent.

AX-10 OPERATIONAL NOTE · OWNER-APPROVED FROZEN BC-03
housemaster_domain_acceptance = true · canonical_domain_record_created_where_acceptance_rules_pass = true · ownership_transfer = false

FROZEN AXIOM REGISTER · 10 AXIOMS · 4 GROUPS · 5 DOMAIN CONSEQUENCES · DUPLICATE CANONICAL STATEMENTS: 0

PAGE A3-EC00-03 · P2-02 · CASE ASSEMBLY 003 · REFERENCE SEM-MCD-001 · EC-00 SOURCE LINKAGE PENDING

AX-08 EC-03 §22 · AX-09 EC-02 §4a.3 · AX-10 OWNER-APPROVED BC-03 · v1.0 REVIEW