

MASTER OBSERVABILITY MATRIX

SEM-MCD-001 · Semey, Shakarima 13A · rows 001–006

MASTER OBSERVABILITY MATRIX ≠ DEVICE DEPLOYMENT PLAN

MATRIX ROW COVERAGE ≠ FULL BUILDING OBSERVABILITY

OBSERVABILITY STATUS SUMMARY
ROWS 18 · CHANNELS 2 · BOTH 16 · DOCUMENTARY/HUMAN 2 · MACHINE ONLY 0
L1 18 · L2+ 0 · CONFIRMED OP LOCATIONS 0 · SITE VALIDATION 18 · INSTALLATION READY 0
INSTALLED DEVICES 0 CONFIRMED · ACTUAL PRESENCE NOT ESTABLISHED · 0 CONFIRMED ≠ PROVED ABSENCE
OBSERVABLE NOW THROUGH HUMAN 8 · AFTER FIELD MAPPING 10 · NO SCORE / % / MATURITY LADDER

CHANNEL / EVIDENCE LEGEND
HUMAN · MACHINE · BOTH · TBD
VERIFIED · PARTIAL · TBD · NO EVIDENCE · CONCEPTUAL / CANDIDATE
NOT SEVERITY · NOT RISK

ID	ENGINEERING CONTEXT	OBSERVABLE CONDITION / QUESTION	OP STATUS	HUMAN CHANNEL	MACHINE CHANNEL	EVIDENCE / PROVENANCE	VALIDATION / OPEN ITEMS	DOWNSTREAM RESTRICTION
OBS-CAND-001 OC-001 HEATING	SEM-MCD-001 / heating system entry / component location TBD	Temperature condition Is the heating temperature condition adequate and how does it vary over time?	L1 CONCEPTUAL TBD HEATING ENTRY LOCATION OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	YES General assessment / periodic inspection note	YES · CONCEPTUAL SCALAR temperature measurement / continuous-high-frequency concept CONN: REQUIRED / TBD / DOWNSTREAM	VERIFIED SYSTEM EXISTENCE LOCATION TBD EC-02 §15 OBS-CAND-001 / §15.x / §16; BF-015 as cited by EC-02 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE NOW HUMAN MACHINE PENDING SITING SITE: YES TBD-005 heating-entry location · component identity · machine siting · environment · power · access · connectivity feasibility · provenance completeness	DO NOT: DO NOT SITE OR DEPLOY MACHINE DEVICE UNTIL LOCATION AND SITE REQUIREMENTS ARE VALIDATED 0 confirmed ≠ proved absence
OBS-CAND-002 OC-001 HEATING	SEM-MCD-001 / heating system entry / component location TBD	Pressure condition What is the heating pressure condition at an accessible and validated point?	L1 CONCEPTUAL TBD OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	CONDITIONAL Manual gauge reading where an accessible gauge exists	YES · CONCEPTUAL SCALAR pressure measurement / continuous-high-frequency concept CONN: REQUIRED / TBD / DOWNSTREAM	VERIFIED SYSTEM EXISTENCE LOCATION TBD EC-02 §15 OBS-CAND-002 / §15.x; BF-015 as cited by EC-02 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE AFTER FIELD MAPPING SITE: YES TBD-005 pressure point · gauge existence · gauge access · exact location · machine siting · connectivity feasibility · provenance completeness	DO NOT: DO NOT ASSUME GAUGE OR MACHINE POINT EXISTS BEFORE FIELD MAPPING 0 confirmed ≠ proved absence
OBS-CAND-003 OC-002 HEATING	SEM-MCD-001 / heating metering node / node location and interface existence TBD	Flow/consumption metering condition Can heating flow or consumption be observed through a confirmed metering context?	L1 CONCEPTUAL TBD METERING NODE OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	YES Manual meter/interface reading	YES · CONCEPTUAL COUNTER / meter or pulse-interface reading / periodic concept CONN: REQUIRED / TBD / DOWNSTREAM	VERIFIED SYSTEM EXISTENCE METER INTERFACE TBD EC-02 §15 OBS-CAND-003 / §15.x; BF-015 as cited by EC-02 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE AFTER FIELD MAPPING SITE: YES TBD-005 metering node · interface existence · access · exact location · machine feasibility · connectivity feasibility · provenance completeness	DO NOT: DO NOT DESIGN INTERFACE OR DEPLOYMENT UNTIL METERING CONTEXT IS CONFIRMED 0 confirmed ≠ proved absence
OBS-CAND-004 OC-004 COLD WATER	SEM-MCD-001 / cold-water system entry / component location TBD	Pressure condition What is the cold-water pressure condition at a validated entry point?	L1 CONCEPTUAL TBD OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	CONDITIONAL Manual gauge reading where accessible	YES · CONCEPTUAL SCALAR pressure measurement / continuous-high-frequency concept CONN: REQUIRED / TBD / DOWNSTREAM	VERIFIED SYSTEM EXISTENCE LOCATION TBD EC-02 §15 OBS-CAND-004 / §15.x; BF-016 as cited by EC-02 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE AFTER FIELD MAPPING SITE: YES TBD-005 entry location · gauge existence · access · machine siting · connectivity feasibility · provenance completeness	DO NOT: DO NOT ASSUME OR SITE PRESSURE OBSERVATION POINT BEFORE FIELD MAPPING 0 confirmed ≠ proved absence
OBS-CAND-005 OC-004 COLD WATER	SEM-MCD-001 / cold-water system entry / component location TBD	Flow condition What is the cold-water flow condition at a validated entry point?	L1 CONCEPTUAL TBD OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	CONDITIONAL Manual/visual assessment where a readable flow point exists	YES · CONCEPTUAL SCALAR flow measurement / continuous-high-frequency concept CONN: REQUIRED / TBD / DOWNSTREAM	VERIFIED SYSTEM EXISTENCE LOCATION TBD EC-02 §15 OBS-CAND-005 / §15.x; BF-016 as cited by EC-02 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE AFTER FIELD MAPPING SITE: YES TBD-005 entry/flow point · access · machine siting · power/environment · connectivity feasibility · provenance completeness	DO NOT: DO NOT CREATE FLOW DEPLOYMENT PLAN BEFORE FIELD VALIDATION 0 confirmed ≠ proved absence
OBS-CAND-006 OC-005 COLD WATER	SEM-MCD-001 / cold-water metering node / node location and interface existence TBD	Flow/consumption metering condition Can cold-water flow or consumption be observed through a confirmed metering context?	L1 CONCEPTUAL TBD METERING NODE OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	YES Manual meter/interface reading	YES · CONCEPTUAL COUNTER / meter-interface reading / periodic concept CONN: REQUIRED / TBD / DOWNSTREAM	VERIFIED SYSTEM EXISTENCE METER INTERFACE TBD EC-02 §15 OBS-CAND-006 / §15.x; BF-016 as cited by EC-02 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE AFTER FIELD MAPPING SITE: YES TBD-005 metering node · interface existence · access · machine feasibility · connectivity feasibility · provenance completeness	DO NOT: DO NOT DEFINE INTERFACE OR CONNECTIVITY BEFORE METERING CONTEXT VALIDATION 0 confirmed ≠ proved absence

MASTER OBSERVABILITY MATRIX ≠ DEVICE DEPLOYMENT PLAN · OBSERVATION POINT ≠ DEVICE · CANDIDATE ≠ INSTALLED DEVICE · SYSTEM EXISTS ≠ COMPONENT LOCATION KNOWN · MATRIX ROW COVERAGE ≠ FULL BUILDING OBSERVABILITY

MASTER OBSERVABILITY MATRIX

SEM-MCD-001 · Semey, Shakarima 13A · rows 007–012

MASTER OBSERVABILITY MATRIX ≠ DEVICE DEPLOYMENT PLAN

MATRIX ROW COVERAGE ≠ FULL BUILDING OBSERVABILITY

TIME / EVIDENCE BOUNDARIES

event_time ≠ recorded / received time · NO EVENT ≠ NORMAL CONDITION · NO NEW OBSERVATION ≠ UNCHANGED ENGINEERING STATE
OBSERVATION ≠ EVIDENCE · EVIDENCE ≠ DEFECT · engineering meaning remains domain / professional-validation gated

CHANNEL RELATIONSHIP

HUMAN + MACHINE = CO-APPLICABLE · NOT SEQUENTIAL · NOT MUTUALLY EXCLUSIVE
OBS-CAND-014 = DOCUMENTARY/HUMAN · NO CURRENT MACHINE MODEL
OBS-CAND-016 = DOCUMENTARY/HUMAN · NO MACHINE TARGET

ID	ENGINEERING CONTEXT	OBSERVABLE CONDITION / QUESTION	OP STATUS	HUMAN CHANNEL	MACHINE CHANNEL	EVIDENCE / PROVENANCE	VALIDATION / OPEN ITEMS	DOWNSTREAM RESTRICTION
OBS-CAND-007 OC-006 HOT WATER	SEM-MCD-001 / hot-water system / location TBD / ontology gap retained	Temperature/availability condition Is hot water available at an adequate temperature in the observed context?	L1 CONCEPTUAL TBD OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	YES Tap-level availability/temperature check and note	YES · CONCEPTUAL SCALAR temperature or availability-state measurement / continuous-high-frequency concept CONN: REQUIRED / TBD / DOWNSTREAM	VERIFIED SYSTEM EXISTENCE LOCATION TBD ONTOLOGY GAP EC-02 §15 OBS-CAND-007 / §15.x / §7; BF-017 as cited by EC-02 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE NOW HUMAN MACHINE PENDING SITING SITE: YES TBD-005 location · ontology mapping · access · machine siting · connectivity feasibility · provenance completeness	DO NOT: DO NOT INSTANTIATE COMPONENT ID OR DEVICE BEFORE EVIDENCE AND FIELD VALIDATION 0 confirmed ≠ proved absence
OBS-CAND-008 OC-006 HOT WATER	SEM-MCD-001 / hot-water system / location TBD	Leakage/water-presence indication Is there a leakage or water-presence indication associated with the hot-water context?	L1 CONCEPTUAL TBD OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	YES Visual assessment / photo / note where accessible	YES · CONCEPTUAL EVENT or BINARY STATE capture / event-driven concept CONN: REQUIRED / TBD / DOWNSTREAM	VERIFIED SYSTEM EXISTENCE LOCATION TBD EC-02 §15 OBS-CAND-008 / §15.x; BF-017 as cited by EC-02 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE NOW HUMAN MACHINE PENDING SITING SITE: YES TBD-005 observation point · access · cause interpretation · machine siting · connectivity feasibility · provenance completeness	DO NOT: DO NOT CLASSIFY DEFECT OR SITE DEVICE FROM INDICATION ALONE 0 confirmed ≠ proved absence
OBS-CAND-009 OC-007 BASEMENT ENVIRONMENT	SEM-MCD-001 / basement zone / zone existence PARTIAL secondary-source only	Water-presence/flooding indication Is water presence or flooding observed in a field-confirmed basement environment?	WEAK / PARTIAL CONTEXT TBD ZONE AND POINT OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	YES Inspection / photo / location note	YES · CONCEPTUAL EVENT presence/absence capture / event-driven concept CONN: REQUIRED / TBD / DOWNSTREAM	PARTIAL ZONE EXISTENCE PRIMARY OR FIELD CONFIRMATION REQUIRED EC-02 §15 OBS-CAND-009 / §15.x / §12 TBD-EC02-04 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE AFTER FIELD MAPPING SITE: YES TBD-003 AND TBD-EC02-04 basement existence · access · point location · field confirmation · machine siting · power/environment · connectivity feasibility · provenance completeness	DO NOT: DO NOT PROMOTE BEYOND PROVENANCE GATED L1 UNTIL ZONE IS PRIMARY OR FIELD CONFIRMED 0 confirmed ≠ proved absence
OBS-CAND-010 OC-007 BASEMENT ENVIRONMENT	SEM-MCD-001 / basement zone / zone existence PARTIAL secondary-source only	Temperature condition What is the temperature condition in a field-confirmed basement environment?	WEAK / PARTIAL CONTEXT TBD ZONE AND POINT OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	YES Manual assessment/reading and note where accessible	YES · CONCEPTUAL SCALAR temperature measurement / periodic concept CONN: REQUIRED / TBD / DOWNSTREAM	PARTIAL ZONE EXISTENCE SITE: YES TBD-003 AND TBD-EC02-04 EC-02 §15 OBS-CAND-010 / §15.x / §12 TBD-EC02-04 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE AFTER FIELD MAPPING SITE: YES TBD-003 AND TBD-EC02-04 basement existence · access · point location · field confirmation · machine siting · power/environment · connectivity feasibility · provenance completeness	DO NOT: DO NOT SITE OR SCORE BASEMENT TEMPERATURE OBSERVABILITY BEFORE ZONE CONFIRMATION 0 confirmed ≠ proved absence
OBS-CAND-011 OC-007 BASEMENT ENVIRONMENT	SEM-MCD-001 / basement zone / zone existence PARTIAL secondary-source only	Humidity condition What is the humidity condition in a field-confirmed basement environment?	WEAK / PARTIAL CONTEXT TBD ZONE AND POINT OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	YES Manual assessment/reading and note where accessible	YES · CONCEPTUAL SCALAR humidity measurement / periodic concept CONN: REQUIRED / TBD / DOWNSTREAM	PARTIAL ZONE EXISTENCE SITE: YES TBD-003 AND TBD-EC02-04 EC-02 §15 OBS-CAND-011 / §15.x / §12 TBD-EC02-04 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE AFTER FIELD MAPPING SITE: YES TBD-003 AND TBD-EC02-04 basement existence · access · point location · field confirmation · machine siting · power/environment · connectivity feasibility · provenance completeness	DO NOT: DO NOT SITE OR SCORE BASEMENT HUMIDITY OBSERVABILITY BEFORE ZONE CONFIRMATION 0 confirmed ≠ proved absence
OBS-CAND-012 OC-008 ELECTRICAL	SEM-MCD-001 / main distribution board / location TBD	Supply-availability condition Is electrical supply available in the validated main-board context?	L1 CONCEPTUAL TBD MAIN BOARD OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	YES General availability assessment / inspection note	YES · CONCEPTUAL BINARY STATE capture / event-driven concept CONN: REQUIRED / TBD / DOWNSTREAM	VERIFIED SYSTEM EXISTENCE LOCATION TBD EC-02 §15 OBS-CAND-012 / §15.x; BF-019 as cited by EC-02 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE NOW HUMAN MACHINE PENDING SITING SITE: YES TBD-005 main-board location · access · observation point · machine siting · power/environment · connectivity feasibility · provenance completeness	DO NOT: DO NOT SITE MACHINE OBSERVATION OR INFER BOARD LOCATION BEFORE FIELD MAPPING 0 confirmed ≠ proved absence

MASTER OBSERVABILITY MATRIX ≠ DEVICE DEPLOYMENT PLAN · OBSERVATION POINT ≠ DEVICE · CANDIDATE ≠ INSTALLED DEVICE · SYSTEM EXISTS ≠ COMPONENT LOCATION KNOWN · MATRIX ROW COVERAGE ≠ FULL BUILDING OBSERVABILITY

MASTER OBSERVABILITY MATRIX

SEM-MCD-001 · Semey, Shakarima 13A · rows 013–018

MASTER OBSERVABILITY MATRIX ≠ DEVICE DEPLOYMENT PLAN

MATRIX ROW COVERAGE ≠ FULL BUILDING OBSERVABILITY

SYSTEM / LOCATION + OBSERVATION-POINT BOUNDARIES
SYSTEM EXISTS ≠ COMPONENT LOCATION KNOWN · OBSERVATION POINT ≠ DEVICE · CANDIDATE ≠ INSTALLED DEVICE · TBD LOCATION ≠ NO PHYSICAL COMPONENT

COVERAGE / DEVICE SEMANTICS
MATRIX ROW COVERAGE ≠ FULL BUILDING OBSERVABILITY
INSTALLED DEVICES = 0 CONFIRMED · ACTUAL PRESENCE = NOT ESTABLISHED
0 CONFIRMED ≠ PROVED ABSENCE · NO SCORE / % / SENSOR TARGET / MATURITY

ID	ENGINEERING CONTEXT	OBSERVABLE CONDITION / QUESTION	OP STATUS	HUMAN CHANNEL	MACHINE CHANNEL	EVIDENCE / PROVENANCE	VALIDATION / OPEN ITEMS	DOWNSTREAM RESTRICTION
OBS-CAND-013 OC-008 ELECTRICAL	SEM-MCD-001 / main distribution board / location TBD	Outage/event condition Has an electrical outage/event occurred in the validated system context?	L1 · CONCEPTUAL TBD MAIN BOARD OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	YES Human report / inspection note / documentary record	YES · CONCEPTUAL EVENT capture / event-driven concept CONN: REQUIRED / TBD / DOWNSTREAM	VERIFIED SYSTEM EXISTENCE LOCATION TBD EC-02 §15 OBS-CAND-013 / §15.x; BF- 019 as cited by EC-02 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE NOW HUMAN MACHINE PENDING SITING SITE: YES TBD-005 main-board location · event context · access · machine siting · connectivity feasibility · provenance completeness	DO NOT: DO NOT EQUATE EVENT OR CONNECTIVITY LOSS WITH ENGINEERING DEFECT 0 confirmed ≠ proved absence
OBS-CAND-014 OC-009 SEWER	SEM-MCD-001 / sewer collector or outlet / location TBD / ontology OP undefined	Overflow/backflow indication Is an overflow or backflow indication visible in the validated sewer context?	L1 · ONTOLOGY GAP TBD COLLECTOR OUTLET OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	YES Visual assessment / inspection note / photo or documentary record	NO CURRENT MODEL NOT DEFINED IN CURRENT SOURCE MODEL CONN: NOT REQUIRED · HUMAN/DOC MODEL	VERIFIED SYSTEM EXISTENCE LOCATION TBD ONTOLOGY GAP EC-02 §15 OBS-CAND-014 / §15.x / §7; BF-018 as cited by EC-02 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE NOW HUMAN SITE: YES TBD-005 collector/outlet location · access · ontology OP extension · provenance completeness · professional interpretation	DO NOT: DO NOT CREATE MACHINE CONNECTIVITY OR DEVICE REQUIREMENT FOR THIS ROW UNDER CURRENT MODEL 0 confirmed ≠ proved absence
OBS-CAND-015 OC-010 ROOF	SEM-MCD-001 / roof surface / roof existence-type PARTIAL / access TBD	Moisture/water-ingress condition Is moisture or water ingress observed at an accessible and validated roof context?	WEAK / PARTIAL CONTEXT TBD ROOF ACCESS AND POINT OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	YES Inspection / visual assessment / photo / note	YES · CONCEPTUAL EVENT moisture/water-ingress capture / event-driven concept CONN: REQUIRED / TBD / DOWNSTREAM	PARTIAL ROOF EXISTENCE TYPE ACCESS TBD EC-02 §15 OBS-CAND-015 / §15.x; roof context PARTIAL as carried by EC- 02 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE AFTER FIELD MAPPING SITE: YES TBD-004 roof existence/type confirmation · access · point location · machine suitability · power/environment · connectivity feasibility · provenance completeness	DO NOT: DO NOT SITE OPTIONAL MACHINE OBSERVATION BEFORE ROOF ACCESS AND POINT VALIDATION 0 confirmed ≠ proved absence
OBS-CAND-016 OC-010 ROOF	SEM-MCD-001 / roof surface / roof existence-type PARTIAL / access TBD	Visual defect evidence Is there visual defect evidence in an accessible and validated roof context?	WEAK / PARTIAL CONTEXT TBD ROOF ACCESS AND CONTEXT OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	YES Photo / inspection / note / act or documentary record	NO MACHINE TARGET NOT APPLICABLE CONN: NOT REQUIRED · HUMAN/DOC MODEL	PARTIAL ROOF EXISTENCE TYPE ACCESS TBD EC-02 §15 OBS-CAND-016 / §15.x; roof context PARTIAL as carried by EC- 02 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE AFTER FIELD MAPPING SITE: YES TBD-004 roof confirmation · access · exact context · attachment provenance · professional validation	DO NOT: DO NOT CREATE MACHINE DEVICE OR CONNECTIVITY SCOPE FOR DOCUMENTARY ONLY ROW 0 confirmed ≠ proved absence
OBS-CAND-017 OC-011 LIFTS	SEM-MCD-001 / lift per entrance / count PARTIAL / per-unit location TBD	Availability/operational condition Is each validated lift available and operational?	L1 · CONCEPTUAL TBD PER ENTRANCE LIFT LOCATION OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	YES General availability assessment / inspection or maintenance note	YES · CONCEPTUAL BINARY STATE availability capture / event-driven concept CONN: REQUIRED / TBD / DOWNSTREAM	VERIFIED SYSTEM EXISTENCE COUNT PARTIAL PER UNIT LOCATION TBD EC-02 §15 OBS-CAND-017 / §15.x / §12 TBD-EC02-01; BF-020 as cited by EC-02 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE NOW HUMAN MACHINE PENDING SITING SITE: YES TBD-EC02-01 lift count confirmation · per-entrance locations · access · machine interface/siting · connectivity feasibility · provenance completeness	DO NOT: DO NOT CREATE PER LIFT DEPLOYMENT BEFORE COUNT AND LOCATION CONFIRMATION 0 confirmed ≠ proved absence
OBS-CAND-018 OC-011 LIFTS	SEM-MCD-001 / lift per entrance / count PARTIAL / per-unit location TBD	Outage/event condition Has a lift outage/event occurred in a validated per- unit context?	L1 · CONCEPTUAL TBD PER ENTRANCE LIFT LOCATION OP ≠ DEVICE · CANDIDATE ≠ INSTALLED	YES Human report / inspection or maintenance note	YES · CONCEPTUAL EVENT capture / event-driven concept CONN: REQUIRED / TBD / DOWNSTREAM	VERIFIED SYSTEM EXISTENCE COUNT PARTIAL PER UNIT LOCATION TBD EC-02 §15 OBS-CAND-018 / §15.x / §12 TBD-EC02-01; BF-020 as cited by EC-02 CTX · OP · CH · TIME · SRC/ACTOR · RECORD · CONF · VALID	OBSERVABLE NOW HUMAN MACHINE PENDING SITING SITE: YES TBD-EC02-01 lift count confirmation · per-entrance locations · event context · machine interface/siting · connectivity feasibility · provenance completeness	DO NOT: DO NOT EQUATE EVENT OR CHANNEL LOSS WITH LIFT ENGINEERING DEFECT 0 confirmed ≠ proved absence

MASTER OBSERVABILITY MATRIX ≠ DEVICE DEPLOYMENT PLAN · OBSERVATION POINT ≠ DEVICE · CANDIDATE ≠ INSTALLED DEVICE · SYSTEM EXISTS ≠ COMPONENT LOCATION KNOWN · MATRIX ROW COVERAGE ≠ FULL BUILDING OBSERVABILITY