\equiv Q (https://profile.intra.42.fr/searches)

abaiao-r

(https://profile.intra.42.fr)

SCALE FOR PROJECT CPP MODULE 04 (/PROJECTS/CPP-MODULE-04)

You should evaluate 1 student in this team



Git repository

git@vogsphere.42lisboa.com:vogsphere/intra-uuid-0a95ddb8-692a-44a5-b



Introduction

Please comply with the following rules:

- Remain polite, courteous, respectful and constructive throughout the evaluation process. The well-being of the community depends on it.
- Identify with the student or group whose work is evaluated the possible dysfunctions in their project. Take the time to discuss and debate the problems that may have been identified.
- You must consider that there might be some differences in how your peers might have understood the project's instructions and the scope of its functionalities. Always keep an open mind and grade them as honestly as possible. The pedagogy is useful only and only if the peer-evaluation is done seriously.

Guidelines

- Only grade the work that was turned in the Git repository of the evaluated student or group.
- Double-check that the Git repository belongs to the student(s). Ensure that the project is the one expected. Also, check that 'git clone' is used in an empty folder.
- Check carefully that no malicious aliases was used to fool you and make you evaluate something that is not the content of the official repository.
- To avoid any surprises and if applicable, review together any scripts used to facilitate the grading (scripts for testing or automation).
- If you have not completed the assignment you are going to evaluate, you have to read the entire subject prior to starting the evaluation process.
- Use the available flags to report an empty repository, a non-functioning program, a Norm error, cheating, and so forth.

 In these cases, the evaluation process ends and the final grade is 0, or -42 in case of cheating. However, except for cheating, student are strongly encouraged to review together the work that was turned in, in order to identify any mistakes that shouldn't be repeated in the future.
- You should never have to edit any file except the configuration file if it exists. If you want to edit a file, take the time to explicit the reasons with the evaluated student and make sure both of you are okay with this.

- You must also verify the absence of memory leaks. Any memory allocated o
the heap must be properly freed before the end of execution.
You are allowed to use any of the different tools available on the computer,
such as leaks, valgrind, or e_fence. In case of memory leaks, tick the
appropriate flag.

Attachments

subject.pdf (https://cdn.intra.42.fr/pdf/pdf/103127/en.subject.pdf)

Preliminary tests

If cheating is suspected, the evaluation stops here. Use the "Cheat" flag to report it. Take this decision calmly, wisely, and please, use this button with caution.

Prerequisites

The code must compile with c++ and the flags -Wall -Wextra -Werror Don't forget this project has to follow the C++98 standard. Thus, C++11 (and later) functions or containers are NOT expected.

Any of these means you must not grade the exercise in question:

- A function is implemented in a header file (except for template functions).
- A Makefile compiles without the required flags and/or another compiler than c++.

Any of these means that you must flag the project with "Forbidden Function":

- Use of a "C" function (*alloc, *printf, free).
- Use of a function not allowed in the exercise guidelines.
- Use of "using namespace <ns_name>" or the "friend" keyword.
- Use of an external library, or features from versions other than C++98.

⊗ Yes	×No

Exercise 00: Polymorphism

As usual, there has to be enough tests to prove the program works as expected. If there isn't, do not grade this exercise. If any non-interface class is not in orthodox canonical class form, do not grade this exercise.

First check There is an Animal class that has one attribute: One string called type.

You must be able to instantiate and use this class.

⊗ Yes ×No

Inheritance

They are at least two classes that inherit from Animal: Cat and Dog.

The constructor and destructor outputs must be clear.

Ask the student about constructor and destructor orders.


arnothing Yes imes No

Easy derived class

The attribute type is set to the appropriate value at creation for

⊗ Yes	XNo
Animal	
Using makeSound() function always called the appropriate makeSound() function. makeSound() should be virtual! Verify it in the code. virtual void makeSound() const; The return value is not important but virtual keyword is mandatory.	
There should be an example with a WrongAnimal and WrongCat that don't use the virtual keyword (see subject). The WrongCat must output the WrongCat makeSound() only when used as a wrongCat.	
⊗ Yes	× _{No}
Exercise 01: I do not want to set the wor As usual, there has to be enough tests to prove the program works as expected. If there isn't, interface class is not in orthodox canonical class form, do not grade this exercise.	
Concrete Animal	
There is a new class called Brain. Cat and Dog have the required private Brain attribute. The Brain attribute should not be inside the Animal class. The Brain class has specific outputs upon creation and deletion.	
⊘ Yes	imesNo
Concrete Brain	
The copy a Cat or a Dog should be a deep copy. Test something like: Dog basic; {	
Dog tmp = basic; } If the copy is shallow, tmp and basic will use the same Brain and	
the Brain will get deleted with tmp at the end of the scope. The copy constructor should do a deep copy too. That's why a clean implementation in orthodox canonical form will save you from hours of pain.	
⊗ Yes	imesNo
Destruction chaining	
The destructors in Animal must be virtual. Ask an explanation of what will happen without the virtual keyword over Animal destructor. Test it.	
⊗ Yes	×N₀
Assignment and copy	

	⊗ Yes	×N₀
As usual, there has to be e	: Abstract class nough tests to prove the program works as expendox canonical class form, do not grade this e.	ected. If there isn't, do not grade this exercise. If any non- xercise.
Abstract class		
The Animal::makeSound is t should look like : virtual v The "= 0" part is mandator You should not be able to i	void makeSound() const = 0; y.	ract
	⊗ Yes	×N₀
Concrete Animal		
Class Cat and Dog are still	present and work exactly like in ex01.	
As usual, there has to be e		ected. If there isn't, do not grade this exercise. If any non-
As usual, there has to be e interface class is not in orth	: Interface and recap	ected. If there isn't, do not grade this exercise. If any non-
As usual, there has to be e interface class is not in orth Interfaces	: Interface and recap nough tests to prove the program works as expe nodox canonical class form, do not grade this e.	ected. If there isn't, do not grade this exercise. If any non-
As usual, there has to be e interface class is not in orth Interfaces	: Interface and recap	ected. If there isn't, do not grade this exercise. If any non-
As usual, there has to be e interface class is not in orth Interfaces There are ICharacter and I	: Interface and recap nough tests to prove the program works as expe nodox canonical class form, do not grade this e.	ected. If there isn't, do not grade this exercise. If any non-
As usual, there has to be e interface class is not in orth Interfaces There are ICharacter and I	: Interface and recap nough tests to prove the program works as expendodox canonical class form, do not grade this endanced with the control of the control	ected. If there isn't, do not grade this exercise. If any non- xercise.
As usual, there has to be e interface class is not in orth Interfaces There are ICharacter and I required in the subject. MateriaSource	: Interface and recap nough tests to prove the program works as expended and class form, do not grade this exactly like Yes Present and implements Materia Source. The	ected. If there isn't, do not grade this exercise. If any non- xercise.
As usual, there has to be e interface class is not in orth Interfaces There are ICharacter and I required in the subject. MateriaSource The MateriaSource class is	: Interface and recap nough tests to prove the program works as expended and class form, do not grade this exactly like Yes Present and implements Materia Source. The	ected. If there isn't, do not grade this exercise. If any non- xercise.
As usual, there has to be enterface class is not in orth Interfaces There are ICharacter and I required in the subject. MateriaSource The MateriaSource class is	: Interface and recap nough tests to prove the program works as expended and canonical class form, do not grade this exactly like Materia Source interfaces that are exactly like Yes Present and implements I Materia Source. The intended.	ected. If there isn't, do not grade this exercise. If any non- xercise.
As usual, there has to be enterface class is not in orthinterfaces There are ICharacter and I required in the subject. MateriaSource The MateriaSource class is member functions work as Concrete Materia There are concrete Ice and clone() method is correctly for AMateria class is still contributal ~AMateria() is presented.	: Interface and recap nough tests to prove the program works as expended and canonical class form, do not grade this expended and canonical class form, do not grade this expended and canonical class form, do not grade this expended and canonical class form, do not grade this expended and canonical class form, do not grade this expended and canonical class form, do not grade this expended and canonical class form, do not grade this expended and canonical class form, do not grade this expended and canonical class form, do not grade this expended and canonical class form, do not grade this expended and canonical class form, do not grade this expended and canonical class form, do not grade this expense. Yes Cure classes that inherit from AMateria and canonical class form, do not grade this expense.	ected. If there isn't, do not grade this exercise. If any non- xercise.



5 of 5