\equiv Q (https://profile.intra.42.fr/searches)

abaiao-r

(https://profile.intra.42.fr)

SCALE FOR PROJECT MINITALK (/PROJECTS/MINITALK)

You should evaluate 1 student in this team



Git repository

git@vogsphere.42lisboa.com:vogsphere/intra-uuid-3e47451b-c66a-4001-9



Introduction

Please comply with the following rules:

- Remain polite, courteous, respectful, and constructive throughout the evaluation process. The well-being of the community depends on it.
- Identify with the student or group whose work is evaluated the possible dysfunctions in their project. Take the time to discuss and debate the problems that may have been identified.
- You must consider that there might be some differences in how your peers might have understood the project's instructions and the scope of its functionalities. Always keep an open mind and grade them as honestly as possible. The pedagogy is useful only and only if the peer-evaluation is done seriously.

Guidelines

- Only grade the work that was turned in the Git repository of the evaluated student or group.
- Double-check that the Git repository belongs to the student(s). Ensure that the project is the one expected. Also, check that "git clone" is used in an empty folder.
- Check carefully that no malicious aliases were used to fool you and make you evaluate something that is not the content of the official repository.
- To avoid any surprises and if applicable, review together any scripts used to facilitate the grading (scripts for testing or automation).
- If you have not completed the assignment you are going to evaluate, you have to read the entire subject before starting the evaluation process.
- Use the available flags to report an empty repository, a non-functioning program, a Norm error, cheating, and so forth.

 In these cases, the evaluation process ends and the final grade is 0, or -42 in case of cheating. However, except for cheating, student are strongly encouraged to review together the work that was turned in, to identify any mistakes that shouldn't be repeated in the future.

Attachments

1 of 3 2/22/23, 14:03

subject ndf (https://cdn.intro	12 fr/ndf/ndf	/68942/en.subject.pdf)

Preliminary tests

If cheating is suspected, the evaluation stops here. Use the "Cheat" flag to report it. Take this decision calmly, wisely, and please, use this button with caution.

Prerequisites

- Defense can only happen if the evaluated student or group is present. This way everybody learns by sharing knowledge.
- If no work has been submitted (or wrong files, wrong directory, or wrong filenames), the grade is 0, and the evaluation
 process ends.
- No empty repository (= nothing in Git repository).
- No Norm error.
- Cheating (= -42).
- No compilation error. Also, the Makefile must not re-link.

If all of these requirements are passed, check Yes and go on.

Otherwise, use the appropriate flag at the end of the scale!



 \times No

General instructions

General instructions

- The Makefile compiles both executables -> 1 point
- The server name is 'server' and it prints his PID at launch -> 2 points
- The client name is 'client' and is run as follows: './client PID_SERVER STRING_TO_PASS' -> 2 points



Rate it from 0 (failed) through 5 (excellent)

Mandatory part

This project is an introduction to signals. Check the code and ensure the signals are used only for the communication between the server and the client.

Message transmission

It's possible to pass on a message of any size.

Received messages must be displayed by the server, and must be obviously

The server should never get stuck or print wrong characters.



 \times_{No}

Simple setup

- ullet The server can receive multiple strings without needing to be restarted. -> 1 point
- Only one global variable per program is allowed, or no global. Ask for explanations. -> 1 point
- The communication is done only using the signals SIGUSR1 and SIGUSR2. -> 3 points

Received messages must be displayed by the server, and must be obviously corrects!

Rate it from 0 (failed) through 5 (excellent)

2 of 3 2/22/23, 14:03

Intra	Pro	iects	minitalk	Edit

Unicode characters support Unicode characters are supported both by the client and the server. Yes Acknowledgement The server acknowledges every message received by sending back a	×No
	×N₀
Acknowledgement	×No
The server acknowledges every message received by sending back a	
to the client.	a signal
⊘ Yes	imesNo
✓ Ok	▼ Outstanding project
■ Empty work ■ Incomplete work ● Invalid compile	lation 📕 Norme 🖷 Cheat 🛣 Crash
▲ Concerning situation	iks OF Forbidden function
Finish evalu	luation

3 of 3 2/22/23, 14:03