

Example Document Using the NU Beamer Theme

Flashy Subtitle

Venue 2020, Online

Andrea Baisero

`baisero.a@northeastern.edu`

Northeastern University, Boston, USA



Ordinary table of contents

1 Overview

2 Features

3 References

Table of contents that highlights current section

1 Overview

2 Features

3 References

Table of contents that highlights current section

1 Overview

2 Features

3 References

Package Options

Options can be used to change some theme properties, e.g.,

```
\usetheme [t,SansSerif,AMS] {NU}
```

Vertical Alignment

- c** text is aligned at the center of the frame. (default)
- t** text is aligned at the top of the frame.

Fonts

- MathSerif** Only math is formatted in serif. (default)
- SansSerif** Nothing is formatted in serif.
- Serif** All text is formatted in serif.

Enumeration Style of Theorems

- unnumbered** Theorems are not numbered. (default)
- numbered** Theorems are numbered.
- AMS** AMS style.

Highlighting & Blocks

Text can be highlighted:

- With command **structure**, which gives text the NU color.
- With command **localstructure**, which gives local color.
- With command **alert**, which gives text extra umph.

Block

This is a standard block, and its associated **local color**.

Example

This is an “example” block, and its associated **local color**.

Alertblock

This is an “alert” block, and its associated **local color**.

Lists

- Bullet lists are marked with a red dot.
- ① Numbered lists are marked with a white number in a red circle.

Description highlights important words with red text.

Example

- Lists change color in block environments.
- ① As seen in this example block.

Description and here

Another Example

- Lists change color in block environments.
- ① As seen in this alert block.

Description and here

Venue Command

This package introduces the **venue** command, with which you can describe the venue where you are giving the talk, e.g. conference name, location, etc.

The command is used like **author**, **institute**, etc.,

```
\venue [Venue 2020]{Venue 2020, Online}
```


Title Page

Title Page Logos

Logos can be added to the title page using

```
\addtitlepagelogo{logo.png}  
\addtitlepagelogo{other_logo.png}
```

Calling the command multiple times will add multiple logos.

Hide Frame Logo

If necessary, it is possible to free up space in individual frames by omitting the logo on the bottom right. Hiding the logo (and making it reappear) is possible by using the following commands between frames:

```
\hidelogo  
\showlogo
```

Theorem-like Environments

The theme defines additional theorem-like environments:

- Conjecture
- Facts
- Hypothesis
- Observation
- Proposition
- Assumption
- Axiom
- Property
- Calculation
- Computation
- Notation
- Remark
- Remarks

Notation (Necessary Notation)

...

Axiom (Arbitrary Axiom)

...

Property (Peculiar Property)

...

Table of contents that highlights current section

1 Overview

2 Features

3 References

References I



R. Hartshorne.
Algebraic Geometry.
Springer-Verlag, 1977.



M. Artin.
On isolated rational singularities of surfaces.
Amer. J. Math., 80(1):129–136, 1966.



R. Vakil.
The moduli space of curves and Gromov–Witten theory, 2006.
<http://arxiv.org/abs/math/0602347>

- ▶ M. Atiyah og I. Macdonald.
Introduction to commutative algebra.
Addison-Wesley Publishing Co., Reading, Mass.-London-Don Mills,
Ont., 1969

- [5] J. Fraleigh.
A first course in abstract algebra.
Addison-Wesley Publishing Co., Reading, Mass.-London-Don Mills,
Ont., 1967