

YEAR 7 MATHEMATICS  
TOPIC 1  
Whole Numbers [2/2]

Contents

0	Section Zero: Introduction	2
1	Section One: Multiplication	3
2	Section Two: Combinations of Operations & the Distributive Law	6
3	Section Three: Place Value	12
4	Section Four: The Multiplication Algorithms	17
5	Section Five: Division	26
6	Section Six: The Short Division Algorithm	35
7	Section Seven: The Long Division Algorithm	42
8	Section Eight: Order of Operations	46
9	Section Nine: Homework	57
10	Marking	63
11	Feedback	63

---

## § Section Zero: Introduction

In case there was any ambiguity these are the whole numbers:

$$0, 1, 2, 3, 4, \dots, \infty$$

- 0 is the first *whole number*
- there is no *last* whole number
- whole numbers are also known as *counting numbers* or *natural numbers*

Now that there is no more confusion about what a whole number IS, we can focus on multiplying and dividing them with each other.

You will quickly realise that *multiplying* 2 whole numbers \_\_\_\_\_ and \_\_\_\_\_ will always produce another \_\_\_\_\_ number. However, *dividing* two such whole numbers \_\_\_\_\_.

Let us now begin with our study of **Multiplication**:

---

## § Section One: Multiplication

In the same way that “to add” is \_\_\_\_\_, to multiply is to calculate the \_\_\_\_\_.

Much in the same way that we *visualised* addition, we are able to visualise multiplication:




Figure 1:  $3 \times 5 = 15$

In mathematics, one thing you must reconcile with as early as possible is the fact that 1 concept can be understood, or thought of, in multiple different ways; and each of these ways provides different value. For example: multiplication can be conceptualised as addition!




Figure 2:  $5 \times 3$

Note that in the Figure 1, we’ve demonstrated  $5 \times 3$  as opposed to the equation we’ve been thinking about:  $3 \times 5$ . Why is are these 2 the same thing?

.....  
.....  
.....  
.....

**Note:** Associativity also applies to multiplication.

$$(a \times b) \times c = a \times (b \times c)$$

## §§ Tricks of the Trade

### 1.1.1 Multiplication with 0

This concept is elementary, but important:

ANYTHING MULTIPLIED BY 0 IS EQUAL TO 0

---

### 1.1.2 Multiplication by powers of 10

This is straight-forward—look at how many 0's the power of 10 has, and then just give all those 0's to the other operand<sup>1</sup>

Thus,  $2 \times 10$  will just mean I take 1 zero to the 2: 20.  $90 \times 1000$  means I take 3 zeros to the 90  $\rightsquigarrow$  90,000.

$$2 \times 100 = \underline{\hspace{2cm}} \qquad 32 \times 10 = \underline{\hspace{2cm}}$$

$$2 \times 1000 = \underline{\hspace{2cm}} \qquad 32 \times 10000 = \underline{\hspace{2cm}}$$

$$2 \times 10 = \underline{\hspace{2cm}} \qquad 32 \times 1000 = \underline{\hspace{2cm}}$$

#### ♡ Exercises:

There are no examples this time, you'll be fine. You have 6 minutes:

1. Perform each multiplication

(a)  $23 \times 0 = \underline{\hspace{2cm}}$

(h)  $100 \times 1 = \underline{\hspace{2cm}}$

(b)  $33 \times 1 = \underline{\hspace{2cm}}$

(i)  $120 \times 100 = \underline{\hspace{2cm}}$

(c)  $43 \times 10 = \underline{\hspace{2cm}}$

(j)  $18 \times 1000 = \underline{\hspace{2cm}}$

(d)  $73 \times 100 = \underline{\hspace{2cm}}$

(k)  $100 \times 100 = \underline{\hspace{2cm}}$

(e)  $93 \times 1000 = \underline{\hspace{2cm}}$

(l)  $1000 \times 73 = \underline{\hspace{2cm}}$

(f)  $17 \times 10 = \underline{\hspace{2cm}}$

(m)  $10000 \times 100 = \underline{\hspace{2cm}}$

(g)  $89 \times 0 = \underline{\hspace{2cm}}$

(n)  $67430 \times 1000 = \underline{\hspace{2cm}}$

2. Carry out each calculation, using associativity property for multiplication.

(a)  $25 \times 4 \times 6 = \underline{\hspace{2cm}}$

(e)  $16 \times 5 \times 40 = \underline{\hspace{2cm}}$

(b)  $5 \times 26 \times 2 = \underline{\hspace{2cm}}$

(f)  $1 \times 34 \times 20 = \underline{\hspace{2cm}}$

(c)  $50 \times 49 \times 2 = \underline{\hspace{2cm}}$

(g)  $13 \times 6 \times 0 = \underline{\hspace{2cm}}$

(d)  $5 \times 43 \times 20 = \underline{\hspace{2cm}}$

(h)  $6 \times 10 \times 10 \times 2 = \underline{\hspace{2cm}}$

3. Fill in each box with a number to make the statements true.

---

<sup>1</sup>you should use the space in the margins to define this word if you do not know what it means!

(a)  $(3 \times 2) \times 7 = 3 \times (\square \times 7)$

1

(b)  $(5 \times 9) \times (2 \times 8) = 9 \times 8 \times (\square \times 2)$

1

4. Ian has 13 jars, each containing 20 olives. If he decides to redistribute the olives equally among 20 jars, how many olives will there be in each jar?

2

5. Six friends buy a large box of jelly snakes. The snakes come in 5 different colours. How many snakes are needed so that every person has two of each colour?

2

6. Bricks are arranged on a concrete floor in 12 rows of 25, and stacked 4 bricks high. How many bricks are there in total?

2

7. Holly has prepared 28 bags of lollies for her birthday party. Each bag has 9 lollies in it. She makes these into 14 new bags when some of her friends do not turn up. How many lollies will each person now receive?

2

---

## § Section Two: Combinations of Operations & the Distributive Law

You now know addition, subtraction and multiplication. It is time to realise that  $7 \times 5 - 4$  can be interpreted in *two* different ways. Only one of these ways is correct.

$7 \times 5 - 4$  is:

.....  
.....  
.....  
.....

<b>BODMAS:</b> =				
<b>B</b> _____	<b>O</b> _____	<b>D</b> _____		
<b>M</b> _____	<b>A</b> _____	<b>S</b> _____		

### ♠ Examples:

- |  |                                 |
|--|---------------------------------|
| 1. $5 \times 3 + 2 =$ _____                      |                                 |
| 2. $5 \times (3 + 2) =$ _____                    |                                 |
| 3. Carry out each of the following calculations. |                                 |
| (a) $3 \times 7 - 4 =$ _____                     | (d) $7 \times (11 + 4) =$ _____ |
| (b) $3 \times (7 - 4) =$ _____                   | (e) $3 + 4 \times 2 =$ _____    |
| (c) $5 \times 6 + 8 =$ _____                     | (f) $25 - 6 \times 3 =$ _____   |

1
---

1
---

notice that we used brackets to force the addition to occur first.

## §§ The Distributive Law

This is another concept as important as **BODMAS**:

When multiplying, it is sometimes useful to express one of the numbers you are multiplying as a sum of two other numbers. For example:

$$\begin{aligned} 6 \times 105 &= 6 \times (100 + 5) \\ &= 6 \times 100 + 6 \times 5 \\ &= 600 + 30 \\ &= 630 \end{aligned}$$

---

This is an example of the distributive law for multiplication over addition. Using the distributive law can often help you to do multiplications more easily.

Using the distributive law for multiplication over subtraction can also help to make a multiplication easier. For example:

$$\begin{aligned}85 \times 98 &= 85 \times (100 - 2) \\&= (85 \times 100) - (85 \times 2) \\&= 8500 - 170 \\&= 8330\end{aligned}$$

♠ **Examples:**

1. Carry out each of the following computations, using the distributive law.

(a)  $106 \times 8 =$  \_\_\_\_\_

(b)  $43 \times 7 + 43 \times 3 =$  \_\_\_\_\_

(c)  $97 \times 88 =$  \_\_\_\_\_

2. For each of the following, put a whole number in the box to make the statement true.

(a)  $6 \times (7 + \square) = 6 \times 7 + 6 \times 5$

(b)  $13 \times 7 + 13 \times 8 = \square \times (7 + 8)$

(c)  $10 \times (4 + 7) = 10 \times 4 + 10 \times \square$

(d)  $8 \times \square = 8 \times 10 + 8 \times 7$

♡ **Exercises:**

1. Carry out these calculations mentally.

(a)  $5 \times 6 - 3 =$  \_\_\_\_\_

(f)  $10 + 2 \times 7 =$  \_\_\_\_\_

(b)  $5 \times (6 - 3) =$  \_\_\_\_\_

(g)  $(10 + 2) \times 7 =$  \_\_\_\_\_

(c)  $6 \times 5 + 7 =$  \_\_\_\_\_

(h)  $19 - 9 \times 2 =$  \_\_\_\_\_

(d)  $6 \times (5 + 7) =$  \_\_\_\_\_

(e)  $11 \times (2 + 3) =$  \_\_\_\_\_

(i)  $(19 - 9) \times 2 =$  \_\_\_\_\_

2. Carry out these calculations mentally, using the distributive laws.

6

(a)  $6 \times 87 + 4 \times 87 =$  \_\_\_\_\_

(b)  $64 \times 77 + 36 \times 77 =$  \_\_\_\_\_

(c)  $23 \times 78 + 77 \times 78 =$  \_\_\_\_\_

(d)  $27 \times 4 =$  \_\_\_\_\_

(e)  $9 \times 102 =$  \_\_\_\_\_

(f)  $87 \times 101 =$  \_\_\_\_\_

3. Put a whole number in the box to make each statement true.

4

(a)  $11 \times (7 + \square) = 11 \times 7 + 11 \times 5$

(b)  $15 \times 7 + 15 \times 8 = \square \times (7 + 8)$

(c)  $11 \times \square = 11 \times 20 + 11 \times 3$

(d)  $21 \times 6 + 21 \times 8 = \square \times (6 + 8)$

4. Use the distributive law to carry out these calculations.

4

(a)  $6 \times 87 - 4 \times 87$

.....  
.....  
.....  
.....

(b)  $123 \times 77 - 23 \times 77$

.....  
.....  
.....  
.....

(c)  $23 \times 78 - 13 \times 78$

.....  
.....  
.....  
.....

(d)  $8 \times 120 - 13 \times 120$



.....

.....

.....

.....

5. Put a whole number in each box to make the statements true.

4

(a)  $11 \times (7 - \square) = 11 \times 7 - 11 \times 5$

(b)  $15 \times 8 - 15 \times 7 = \square \times (8 - 7)$

(c)  $9 \times \square = 9 \times 20 - 9 \times 1$

(d)  $8 \times \square = 8 \times 100 - 8 \times 1$

6. There are 40 passengers on a bus when the bus stops. Eleven passengers leave the bus and 7 passengers get on the bus. How many passengers are there on the bus?

2

.....

.....

.....

.....

.....

.....

.....

7. Daniel has 6 boxes of chocolates, each containing 20 chocolates, and he also has 54 loose chocolates. How many chocolates does he have altogether?

2

.....

.....

.....

.....

.....

.....

.....

8. Deborah has 5 hair clips while Christine has 11.

(a) What is the total number of hair clips?

1

.....

.....

.....

.....

(b) Jane has three times as many hair clips as Deborah, and Leanne has three times as many hair clips as Christine. What is the total number of hair clips that Jane and Leanne have?

2

.....

.....

.....

.....

9. John and Minh walk each day for 12 days to keep fit. John walks 9 km a day, and Minh walks 5 km a day.

(a) What is the total distance walked by John and Minh in the 12 days?

2

.....

.....

.....

.....

(b) How many more kilometres than Minh has John walked in the 12 days?

2

10. James has 10 fewer novels than Janine, and Ainesh has 5 times the number of novels that James has. Janine has 13 novels. How many novels does Ainesh have?

[illegible]

11. Becky earns \$5 less than Ben each week, and Jake earns 4 times the amount that Becky earns each week. Ben earns \$17 each week. How much does Jake earn each week?

[illegible]

---

## § Section Three: Place Value

The symbols 0, 1, 2, 3, 4, 5, 6, 7, 8 and 9 are called digits. For example, 421 is a three-digit number and 40000 is a five-digit number.

The place value of a digit in a number means its value according to its place in that number.

We can break apart any number and write it showing its place-value parts. For example:

$$\begin{aligned} 3721 &= 3 \times 1000 + 7 \times 100 + 2 \times 10 + 1 \\ &= 3000 + 700 + 20 + 1 \end{aligned}$$

For the number 3721, we say that:

- the place value of 3 is 3000
- the place value of 7 is 700
- the place value of 2 is 20
- the place value of 1 is 1 .

A number can be represented in a place-value table. In this table, the places are thousands, hundreds, tens and ones. The ones place is sometimes called the units place.

Thousands	Hundreds	Tens	Ones
3	7	2	1

## §§ Powers of 10

Recall that:

$$10 \times 10 = 100 \text{ and } 10 \times 10 \times 10 = 1000 \text{ and } 10 \times 10 \times 10 \times 10 = 10000$$

We can record that there is 1 factor of 10 in 10, 2 factors of 10 in 100, 3 factors of 10 in 1000 and so on, by writing:

$$\begin{aligned} 10 &= 10^1 \\ 100 &= 10^2 \\ 1000 &= 10^3 \\ 10000 &= 10^4 \end{aligned}$$

## ♠ Examples:

- Find the correct number for each box.

(a)  $120 = 12 \times 10^{\square}$

(b)  $700 = 7 \times 10^{\square}$

(c)  $340000 = 34 \times 10^{\square}$

Notation using powers of 10 is very useful in describing the place values of digits. It is particularly useful for large numbers. When we use powers of 10 to show the place value of the digits in a number, we say that the number is written in expanded form.

For example, 30721 is written in expanded form as:

$$3 \times 10^4 + 7 \times 10^2 + 2 \times 10^1 + 1$$

### ♠ Examples:

- Write each of the following numbers in expanded form and give the place value of the digit 5 .

(a) 523

.....  
 .....  
 .....  
 .....

(b) 750987

.....  
 .....  
 .....  
 .....

- Write down all the three-digit numbers that can be formed from the digits 3,7 and 9 (use each digit only once in each number formed), and list the numbers from largest to smallest.

.....  
 .....  
 .....  
 .....

---

## §§ Large Numbers

There are common names for some large numbers:

$$1000000 = 10^6 \text{ is 1 million}$$

$$1000000000 = 10^9 \text{ is 1 billion}$$

$$1000000000000 = 10^{12} \text{ is 1 trillion}$$

Large numbers are often used in astronomy. Here are some examples:

- The average distance from the Earth to the Sun is approximately 150 million kilometres.
- There are between 100 billion and 2000 billion stars in the Milky Way.
- The star Sirius is approximately 75684 billion kilometres from Earth.

## §§ Place value

- Each digit in a number has a place value.

For example, in the number 567, the place value of 5 is 500, the place value of 6 is 60 and the place value of 7 is 7.

- A number can be written in expanded form to show all the place values.  
For example:  $567 = 5 \times 10^2 + 6 \times 10^1 + 7$

### ♥ Exercises:

1. Find the correct number for each box.

(a)  $90 = 9 \times 10^{\square}$

(e)  $45000 = 45 \times 10^{\square}$

(b)  $500 = 5 \times 10^{\square}$

(f)  $234000 = 234 \times 10^{\square}$

(c)  $1800 = 18 \times 10^{\square}$

(g)  $7000000 = 7 \times 10^{\square}$

(d)  $20000 = 2 \times 10^{\square}$

(h)  $25000000 = 25 \times 10^{\square}$

2. Write each of the following numbers in expanded form and give the place value of the digit 6.

8

6

(a) 46

.....

.....

.....

.....

(c) 569

(b) 623

.....

.....

.....

.....

(d) 63

3. Write each of the following numbers in expanded form and give the place value of the digit 3 .

(a) 2083

.....

.....

.....

.....

(b) 3758

.....

.....

.....

.....

(c) 5036

.....

.....

.....

.....

(d) 43170

.....

.....

.....

.....

6

- 
4. Write down all of the three-digit numbers that can be formed from the digits 2, 5 and 9 (use each digit only once in each number formed), and list them from largest to smallest.

2

.....  
.....  
.....  
.....

5. Write down all of the three-digit numbers that can be formed from the digits 2,5 and 9 (each digit can be used more than once in each number formed), and list them from largest to smallest.

2

.....  
.....  
.....  
.....



---


$$\begin{array}{r}
 \phantom{\times} \phantom{00} 378 \\
 \times \phantom{00} 237 \\
 \hline
 \phantom{00} 2646 \\
 11340 \\
 75600 \\
 \hline
 89586
 \end{array}$$

## § Section Four: The Multiplication Algorithms

Last lesson you were exposed to *algorithms*—specifically the ones for *addition* and *subtraction*.

Today we will look at 2 more: **multiplication** (this section) and **division** (the next section).

The structure is identical, with one operand layed ontop of the other:

The reason why you do not see any carry forwards is:

.....  
 .....  
 .....  
 .....

### ♠ Examples:

1. Multiply 27 by 8

1

2.  $378 \times 37$

1

3. Multiply 389 by 46

2

4. Multiply 667 by 667

2

♡ **Exercises:**

1. Carry out each calculation

12

(a)  $53 \times 4$

(b)  $19 \times 8$

(c)  $64 \times 7$

(d)  $85 \times 4$

---

(e)  $513 \times 4$

(f)  $819 \times 8$

(g)  $235 \times 7$

(h)  $2006 \times 7$

(i)  $6543 \times 7$

(j)  $8159 \times 4$

(k)  $91370 \times 9$

(l)  $43987 \times 6$

2. Carry out each calculation, using the long multiplication method.

(a)  $453 \times 24$

(b)  $179 \times 86$

(c)  $614 \times 47$

(d)  $895 \times 45$

18

---

(e)  $135 \times 27$

(f)  $506 \times 68$

(g)  $235 \times 34$

(h)  $5646 \times 73$

(i)  $91270 \times 39$

(j)  $762 \times 549$

(k)  $936 \times 564$

(l)  $91370 \times 109$

3. Calculate each of the following

- (a) Each student in a class is given 9 coloured pencils by the teacher. How many pencils does the teacher need to supply 26 students?

1

- (b) A packaging machine in a factory packs 893 boxes per hour. How many boxes are packed in a 12 -hour day?

1

- (c) A brick wall has 43 rows of 723 bricks. How many bricks are in the wall?

1

- (d) A publishing company packages books in boxes of 125 . How many books are there in 298 boxes?

1

.....  
 .....  
 .....  
 .....

4. A hall has 86 rows of 34 seats. How many seats are there in the hall?

2

.....  
 .....  
 .....  
 .....

5. A machine makes 257 doughnuts in an hour. How many doughnuts can it make in 13 hours?

2

.....  
 .....  
 .....  
 .....

6. Copy and complete the following by finding a digit for each ★

6

$$\begin{array}{r} \times \quad \quad \star \quad 6 \\ \quad \quad \quad 7 \\ \hline \quad \quad 6 \quad 0 \quad \star \end{array}$$

$$\begin{array}{r} \times \quad \quad \star \quad \star \quad 9 \\ \quad \quad \quad 3 \\ \hline \quad \quad 5 \quad 0 \quad \star \end{array}$$

$$\begin{array}{r} \times \quad \quad \star \quad \star \quad \star \\ \quad \quad \quad \star \quad 3 \\ \hline \quad \quad 6 \quad 4 \quad 8 \\ \quad \star \quad \star \quad \star \quad 0 \\ \hline \quad \quad 4 \quad 9 \quad 6 \quad 8 \end{array}$$

7. A particular brand of lollies comes in packets of 26 . A carton contains 34 packets.

- (a) How many lollies are there in one carton?

1

.....  
 .....  
 .....  
 .....

- (b) How many lollies are there in 30 cartons?

1






---

## § Section Five: Division

Division can be a tricky topic - much like *negative numbers*. However, a careful study at the start will pay you dividends in the future.

An interesting place to start might be  $\frac{4}{0}$ . What does it mean to divide a number by zero?

.....

.....

.....

.....

Well let's try dividing by another whole number then:  $\frac{4}{2} = \underline{\hspace{2cm}}$ . This method of writing division as a fraction is common practice beyond *primary school*. We shall try to express division in this form as often as we can.

You can and should think about division as taking a group (the numerator) and dividing it into parts (the denominator). If we have 15 people and want to split them into 3 groups, each group has  $\underline{\hspace{2cm}}$  people.

### §§ Division without Remainders

This clean division, i.e. that without remainders is exactly the reverse of multiplication:

#### ♠ Examples:

1. Fill in each box to give the equivalent multiplication or division statement.

(a)  $60 \div 5 = 12$  is equivalent to  $60 = 12 \times \square$

1

(b)  $24 \div \square = 4$  is equivalent to  $24 = 6 \times 4$

1

2. How many equal groups of 5 objects can 15 objects be divided into?

1

3. There are 60 chocolates to be packed into boxes so that each box has 12 chocolates in it. How many boxes are needed?

1

4. A box of 72 chocolates is to be divided equally between 9 people. How many chocolates does each person get?

1

5.  $\frac{25}{5} = \underline{\hspace{2cm}}$

1

6.  $\frac{240}{3} = \underline{\hspace{2cm}}$

1

## §§ Division *with* remainders

You should still consider this as taking a group of things and dividing it by a denominator amount of parts:

This shows that  $28 = 3 \times 9 + 1$ . We say '  $28 \div 3$  equals 9 with remainder 1 '.

In this process, 28 is called the dividend, 3 is the divisor, 9 is the quotient and 1 is the remainder. The remainder must be less than the divisor.

The naming  
of things is  
termed  
*nomenclature*

### ♠ Examples:

1. Put the quotient in the first box and the remainder in the second box to make each statement true.

2

(a)  $26 = \square \times 4 + \square$

(b)  $34 = \square \times 3 + \square$

## §§ The Distributive Law

This part is interesting—it is the same as before, but very rarely are people able to do this mentally for division:

$$\begin{aligned}
 16 \div 2 &= (10 + 6) \div 2 \\
 &= 10 \div 2 + 6 \div 2 \\
 &= 5 + 3 \\
 &= 8
 \end{aligned}$$

Here is another example, this time involving subtraction. It uses the distributive law of division over subtraction.

$$\begin{aligned}
 196 \div 4 &= (200 - 4) \div 4 \\
 &= 200 \div 4 - 4 \div 4 \\
 &= 50 - 1 \\
 &= 49
 \end{aligned}$$

### ♠ Examples:

The distributive law for division over addition and subtraction makes it easier to carry out some divisions.

1. Use the distributive law to evaluate each of the following. I'll pay double marks for these.

2

(a)  $(100 + 55) \div 5 = \underline{\hspace{2cm}}$

(b)  $(200 - 15) \div 5 = \underline{\hspace{2cm}}$

(c)  $540 \div 5 = \underline{\hspace{2cm}}$

### ♡ Exercises:

1. Fill in each box to give the equivalent multiplication or division statement.

1

(a)  $108 \div 9 = 12$  is equivalent to  $108 = 12 \times \square$ .

(b)  $200 \div 10 = 20$  is equivalent to  $\square = 10 \times 20$ .

(c)  $72 \div \square = 12$  is equivalent to  $72 = 12 \times \square$ .

2. Work from left to right to calculate the following.

6

(a)  $24 \times 3 \div 3$

.....  
 .....  
 .....  
 .....

(b)  $10 \times 2 \div 2$

.....

.....

.....

.....

(c)  $36 \div 4 \times 4$

.....

.....

.....

.....

(d)  $56 \div 8 \times 8$

.....

.....

.....

.....

(e)  $18 \div 3 \times 3$

.....

.....

.....

.....

(f)  $24 \div 12 \times 12$

.....

.....

.....

.....

3. There are 28 chocolates to be divided equally among 4 people. How many chocolates does each person get?

.....

.....

.....

.....

4. There are 84 people at a club meeting. The organiser wishes to form 7 equal groups. How many people will there be in each group?

2

.....  
.....  
.....  
.....

5. Fill in the boxes to make each statement true, with the smallest possible remainder.

6

(a)  $17 = \square \times 3 + \square$

(b)  $37 = \square \times 5 + \square$

(c)  $13 = \square \times 2 + \square$

(d)  $87 = \square \times 8 + \square$

(e)  $41 = \square \times 5 + \square$

(f)  $148 = \square \times 12 + \square$

6. Draw a dot diagram to show  $30 \div 8 = 3$  with remainder 6 or, equivalently,  $30 = 8 \times 3 + 6$ .

2

7. Draw a dot diagram to show  $20 \div 6 = 3$  with remainder 2 or, equivalently,  $20 = 6 \times 3 + 2$ .

2

8. Illustrate each expression on a number line.

4

(a)  $7 \div 2$

---

(b)  $13 \div 3$

9. Evaluate:

6

(a)

$$\frac{20}{10}$$

(b)

$$\frac{30}{6}$$

(c)

$$\frac{42}{7}$$

(d)

$$\frac{144}{12}$$

.....

.....

.....

.....

(e)

$$\frac{36}{4}$$

.....

.....

.....

.....

(f)

$$\frac{120}{3}$$

.....

.....

.....

.....

10. Perform each calculation by using the method indicated.

3

(a)  $448 \div 32$  (divide by 2 five times)

.....

.....

.....

.....

(b)  $640 \div 80$  (divide by 10 and then by 8 )

.....

.....

.....

.....

(c)  $805 \div 35$  (divide by 7 and then by 5 )



11. Evaluate each expression by using the distributive law.

(a)  $(600 + 35) \div 5$

.....  
.....  
.....  
.....

(b)  $(300 - 25) \div 5$

.....  
.....  
.....  
.....

(c)  $390 \div 5$

.....  
.....  
.....  
.....

(d)  $(600 + 27) \div 3$

.....  
.....  
.....  
.....

(e)  $(300 - 24) \div 3$

.....  
.....  
.....  
.....

(f)  $390 \div 3$

1 2 3 4		

---

## § Section Six: The Short Division Algorithm

The short division algorithm looks simply like this:

$$4 \overline{)473}$$

$$4 \overline{)64}$$

$$7 \overline{)91}$$

### ♠ Examples:

1.  $4 \overline{)763}$

2.  $4 \overline{)473}$

3. If \$6755 is to be divided equally among 5 people, how much will each person receive?

### ♥ Exercises:

1. Use short division to calculate:

---

(a)  $556 \div 2$

(b)  $869 \div 7$

(c)  $4536 \div 8$

(d)  $8624 \div 8$

(e)  $1089 \div 9$

(f)  $5472 \div 6$

---

(g)  $1496 \div 11$

(h)  $33552 \div 12$

(i)  $39240 \div 9$

2. Work out each of the following, using short division.

(a)  $524 \div 4$

(b)  $1095 \div 3$

---

(c)  $498 \div 6$

(d)  $431 \div 8$

(e)  $740 \div 11$

(f)  $9756 \div 12$

(g)  $67543 \div 6$

(h)  $19005 \div 7$

3. If \$4250 is to be divided equally among 5 people, how much will each person receive?

2

4. There are 542 tennis balls to be packed into boxes of 12 . How many boxes will be filled and how many tennis balls will be left over?

2

5. A biscuit company packages its biscuits into tins of 96 . The biscuits are arranged in rectangular arrays. How many rows with how many biscuits in each could there be? (Give four different answers.)

2

6. If 231 children from a school are to be transported on 7 buses, how many children will there be on each bus, if the number of children on

2

---

each bus is the same?

7. There are 11 buses available to transport 407 people on an outing. How many people will there be on each bus, if the passengers are to be distributed equally?

2

8. A library of 3458 books is to be divided equally among 7 organisations. How many books will each organisation receive?

2

9. Eggs are sold in cartons of 12. If there are 345 eggs to be packaged, how many full cartons will there be and how many eggs will be left over?

2



- 
10. Cans of lemonade are to be packaged together in groups of 6 . The factory has 4567 cans to be packaged. How many packages of 6 cans are there and how many are left over?

2

11. 112552 people arrive at a film studio for a tour. The film studio decides that there should be exactly 8 people in a tour group.

4

- (a) How many tour groups are there?

- (b) How many people are left waiting to form the next group of 8 ?

---

## § Section Seven: The Long Division Algorithm

The long division algorithm is the short division algorithm with the subtractions set out. The long division algorithm is an efficient and clear way to set out division, particularly with larger divisions.

$$\begin{array}{r} 7 \overline{)861} \\ 7 \overline{)861} \\ \underline{7} \phantom{1} \\ 1 \phantom{1} \end{array} \quad \begin{array}{r} 12 \\ 7 \overline{)861} \\ \underline{7} \phantom{1} \\ 16 \\ \underline{14} \\ 2 \end{array} \quad \begin{array}{r} 123 \\ 7 \overline{)861} \\ \underline{7} \phantom{1} \\ 16 \\ \underline{14} \\ 21 \\ \underline{21} \\ 0 \end{array}$$

### ♥ Exercises:

1. Find  $8618 \div 27$ , using the long division algorithm.

1

2. Use the long division algorithm to calculate:

(a)  $728 \div 13$

1

(b)  $1050 \div 14$

1

(c)  $1344 \div 16$

1

(d)  $4047 \div 19$

1

---

3. Use the long division algorithm to calculate:

4

(a)  $2982 \div 71$

(b)  $5244 \div 57$

(c)  $3268 \div 43$

(d)  $1743 \div 102$

4. If \$4260 is divided equally among 15 people, how much will each person receive?

2

5. If \$11572 is divided equally among 22 people, how much will each person receive?

2

6. A piece of string that is 1170 cm long is to be cut into 26 equal lengths. How long is each piece?

2

---

7. There are 5420 golf balls to be packed into boxes of 25 . How many boxes will be filled and how many golf balls will be left over?

2

8. If 1598 school children are to be transported on 34 buses, how many children will there be on each bus, if each bus contains the same number of children?

2

9. There are 27 buses available to transport 1107 fans to a football match. How many people will there be on each bus, if each bus contains the same number of people?

2

---

10. A computer program runs for 7568 seconds. Convert this to hours, minutes and seconds.

2

---

## § Section Eight: Order of Operations

You have already covered the theory behind this, but since it is so important to drill here are more exercises:

<b>BODMAS</b>
---------------

label each of these letters!

### ♥ Exercises:

1. Evaluate:

(a)  $6 + 7 + 11 + 8$

--

(b)  $6 + 7 + 8 - 9$

--

(c)  $4 - 3 + 6 - 2$

--

(d)  $12 - 4 - 3 + 2$

--

(e)  $7 - 1 - 3 + 6$

---

(f)  $26 - 14 - 4 + 12$

(g)  $56 - 28 - 20 + 2$

(h)  $30 + 50 - 20 - 60$

(i)  $32 + 8 - 40$

(j)  $34 + 5 \times 3$

---

(k)  $60 - 4 \times 10$

(l)  $52 + 45 \div 9$

(m)  $45 - 45 \div 9$

(n)  $66 + 23 \times 2$

(o)  $24 - 144 \div 12$

(p)  $4 \div 10^3$



---

(q)  $5 + 7 - 4 + 13$

(a)  $5 \times 6 \div 3 + 7$

(b)  $(11 - 7) \times (12 - 5)$

(c)  $4 + 28 \div 4$

(d)  $64 \div 8 + 42 \div 7$

---

(e)  $7 + 11 \times (5 + 7)$

(f)  $(14 + 11) \div 5$

(g)  $10^4 \times (2 + 11)$

(h)  $(24 + 56) \div (7 + 3)$

(i)  $(4 - 3) \times 5$

(j)  $24 - 15 \div 3$

---

(k)  $3 \times (5 - 3) - 6$

(l)  $(32 - 16) + (54 - 12) \div 6$

(m)  $25 \div 5 \times 5 \div 25$

(n)  $4 \times 11 \div 2 \times (12 + 8)$

(o)  $(75 - 45) \times 3 + (11 + 9) \times 5$

(p)  $(7 - 4) + 9 \div 3$

(q)  $(11 + 7) \div 3 + 8 \times (11 + 19)$

(r)  $(11 + 7) \div 3 + 8 \times 11 + 19$

2. Insert brackets in each expression to make the resulting statement true.

6

(a)  $3 \times 6 + 4 = 30$

(b)  $3 \times 7 - 6 \div 3 = 1$

(c)  $8 \times 7 + 30 \div 5 = 104$

---

(d)  $7 \times 3 \times 2 + 8 = 210$

(e)  $5 - 2 \times 1 + 23 \div 6 = 12$

(f)  $6 + 7 \times 11 + 1 = 156$

3. Evaluate:

(a)  $(4 - 3) \times 10^2$

(b)  $(340 - 140) - 10^2$

5

---

(c)  $3 \times 5 - (13 - 6)$

(d)  $10^3 \div 5 \times 5 \div 25$

(e)  $4 \times 10^2 \div 2 \times (13 + 7)$

4. Perform these calculations.

4

(a) Divide 36 by 3 and then add 6

(b) Add 6 to 36 and then divide by 3

---

(c) Subtract 12 from 64 and then divide by 4

(d) Add 15 to 210 and then divide by 5

5. Crates of bananas have 60 bananas in each. A market store owner buys 12 crates and 23 loose bananas. How many bananas does he buy?

2

6. Taj has 568 chocolates to give out at a party. He first divides the chocolates into 8 equal parcels. He then takes 3 of these parcels of chocolates and gives them to his friend Jane. How many chocolates does Jane receive?

2

---

7. Large crates of soft drinks each contain 56 bottles. It is decided that these are too heavy, so 8 bottles are removed from each crate. How many bottles are there in 15 of the lighter crates?

2

8. David divides \$4250 equally between 5 bank accounts. He then adds another \$32 to each of these accounts. How much money has he put into each account?

2



---

## § Section Nine: Homework

### ♣ Essential:

1. Calculate:

(a)  $226 + 601 + 478 =$  \_\_\_\_\_

(b)  $72 \div 3 =$  \_\_\_\_\_

(c)  $163 - 136 =$  \_\_\_\_\_

(d)  $20 \div (9 - 4) + 6 =$  \_\_\_\_\_

(e)  $8 \times 321 + 6 =$  \_\_\_\_\_

(f)  $68 - 42 + 12 \times 2 =$  \_\_\_\_\_

(g)  $382 - 792 \div 3 =$  \_\_\_\_\_

(h)  $268 \times (3 + 7) =$  \_\_\_\_\_

(i)  $(96 \div 3) + (258 \div 3) =$  \_\_\_\_\_

2. The contents of a tin of chocolates weigh 6500 grams. The chocolates are divided into packets of 250 grams. How many packets are there?

.....

.....

.....

.....

.....

.....

.....

3. There are 4000 apples to be divided into boxes so that each box holds 75 apples. How many boxes are required?

.....

.....

.....

.....

.....

.....

.....

10

2

2

- 
4. A club started the year with 125 members. During the year, 23 people left and 68 people joined. How many people belonged to the club at the end of the year?

2

.....

.....

.....

.....

.....

.....

.....

.....

5. If a bus can carry 45 passengers, how many buses are needed to transport 670 school students to a hockey game?

2

.....

.....

.....

.....

.....

.....

.....

.....

6. A supermarket takes delivery of 54 cartons of soft drink cans. Each carton contains 48 cans. How many cans are delivered?

2

.....

.....

.....

.....

.....

.....

.....

.....

7. On a school excursion, 17 buses each carry 42 students. How many students are transported?

2

.....

.....

.....

.....

.....

.....

.....

.....

8. A school day is 6 hours long. How many minutes are there in a school day?

2

.....

.....

.....

.....

.....

.....

.....

.....

9. Find the sum of eighty-six and fifty-four and then subtract sixty-eight.

2

.....

.....

.....

.....

.....

.....

.....

.....

10. The manager of the school canteen orders 1000 hot dogs for the week. On Monday 384 are sold and on Tuesday 239 are sold. How many hot dogs does the school have left for the rest of the week?

2

.....

.....

.....

.....

.....

.....

.....

11. Use five 6 s and a selection of the symbols

2

$(, ), +, -, \times$  and  $\div$

to write a statement with 66 as the result.

.....

.....

.....

.....

.....

.....

.....

◆ **Challenge:**

1. Place the numbers 1 to 9 in the circles to make each of the equations true.

3

$$\bigcirc - \bigcirc = \bigcirc$$

$\times$

$$\bigcirc \div \bigcirc = \bigcirc$$

$\parallel$

$$\bigcirc + \bigcirc = \bigcirc$$

2. Find the missing digits in the following multiplication.

3

$$\begin{array}{r}
 \times \qquad \qquad \star \ \star \ \star \\
 \hline
 \qquad \qquad \star \ 2 \ \star \\
 \\
 \qquad \qquad \star \ \star \ \star \\
 \star \ \star \ \star \ \star \ 0 \\
 \star \ 8 \ \star \ 0 \ 0 \\
 \hline
 \star \ \star \ 9 \ \star \ 2 \ \star \\
 \hline
 \end{array}$$

3. Use all of the numbers 1, 2, 3, 4, 5, 6 and 7 once and the symbols, +, −, × and ÷ to make a number sentence that results in 100 .

4. A fast food store sells nuggets in boxes of 5 and 8 . You can buy 31 nuggets at a time since  $3 \times 5 + 2 \times 8 = 31$ . What is the largest whole number of nuggets that cannot be purchased?

---

5. It is possible to choose four numbers such that any value between 1 and 40 can be made by taking one or more of these numbers and adding or subtracting them from each other. Find the four numbers, and show how the values from 1 to 40 can be made.

4

---

## § Marking

Marker's use only.

SECTION	0	1	2	3	4	5	6	7	8	9	HW	Total
MARKS	$\overline{0}$	$\overline{17}$	$\overline{53}$	$\overline{27}$	$\overline{61}$	$\overline{51}$	$\overline{41}$	$\overline{23}$	$\overline{23}$	$\overline{0}$	$\overline{47}$	$\overline{343}$

## § Feedback

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....