

```
1 /Library/Java/JavaVirtualMachines/jdk-23.jdk/
  Contents/Home/bin/java -javaagent:/Applications/
  IntelliJ IDEA CE.app/Contents/lib/idea_rt.jar=54787
  :/Applications/IntelliJ IDEA CE.app/Contents/bin -
  Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8 -
  Dsun.stderr.encoding=UTF-8 -classpath /Users/
  akankshabankhele/uber-microservices/backend/payment
  -service/target/classes:/Users/akankshabankhele/.m2
  /repository/org/springframework/boot/spring-boot-
  starter-actuator/3.5.0/spring-boot-starter-actuator
  -3.5.0.jar:/Users/akankshabankhele/.m2/repository/
  org/springframework/boot/spring-boot-starter/3.5.0/
  spring-boot-starter-3.5.0.jar:/Users/
  akankshabankhele/.m2/repository/org/springframework
  /boot/spring-boot/3.5.0/spring-boot-3.5.0.jar:/
  Users/akankshabankhele/.m2/repository/org/
  springframework/boot/spring-boot-autoconfigure/3.5.
  0/spring-boot-autoconfigure-3.5.0.jar:/Users/
  akankshabankhele/.m2/repository/org/springframework
  /boot/spring-boot-starter-logging/3.5.0/spring-boot
  -starter-logging-3.5.0.jar:/Users/akankshabankhele
  /.m2/repository/org/apache/logging/log4j/log4j-to-
  slf4j/2.24.3/log4j-to-slf4j-2.24.3.jar:/Users/
  akankshabankhele/.m2/repository/org/apache/logging/
  log4j/log4j-api/2.24.3/log4j-api-2.24.3.jar:/Users/
  akankshabankhele/.m2/repository/org/slf4j/jul-to-
  slf4j/2.0.17/jul-to-slf4j-2.0.17.jar:/Users/
  akankshabankhele/.m2/repository/jakarta/annotation/
  jakarta.annotation-api/2.1.1/jakarta.annotation-api
  -2.1.1.jar:/Users/akankshabankhele/.m2/repository/
  org/yaml/snakeyaml/2.4/snakeyaml-2.4.jar:/Users/
  akankshabankhele/.m2/repository/org/springframework
  /boot/spring-boot-actuator-autoconfigure/3.5.0/
  spring-boot-actuator-autoconfigure-3.5.0.jar:/Users/
  /akankshabankhele/.m2/repository/org/
  springframework/boot/spring-boot-actuator/3.5.0/
  spring-boot-actuator-3.5.0.jar:/Users/
  akankshabankhele/.m2/repository/com/fasterxmlxml/
```

```
1 jackson/datatype/jackson-datatype-jsr310/2.19.0/
jackson-datatype-jsr310-2.19.0.jar:/Users/
akankshabankhele/.m2/repository/io/micrometer/
micrometer-observation/1.15.0/micrometer-
observation-1.15.0.jar:/Users/akankshabankhele/.m2/
repository/io/micrometer/micrometer-commons/1.15.0/
micrometer-commons-1.15.0.jar:/Users/
akankshabankhele/.m2/repository/io/micrometer/
micrometer-jakarta9/1.15.0/micrometer-jakarta9-1.15
.0.jar:/Users/akankshabankhele/.m2/repository/io/
micrometer/micrometer-core/1.15.0/micrometer-core-1
.15.0.jar:/Users/akankshabankhele/.m2/repository/
org/hdrhistogram/HdrHistogram/2.2.2/HdrHistogram-2.
2.2.jar:/Users/akankshabankhele/.m2/repository/org/
latencyutils/LatencyUtils/2.0.3/LatencyUtils-2.0.3.
jar:/Users/akankshabankhele/.m2/repository/org/
springframework/boot/spring-boot-starter-data-jpa/3
.5.0/spring-boot-starter-data-jpa-3.5.0.jar:/Users/
akankshabankhele/.m2/repository/org/springframework
/boot/spring-boot-starter-jdbc/3.5.0/spring-boot-
starter-jdbc-3.5.0.jar:/Users/akankshabankhele/.m2/
repository/com/zaxxer/HikariCP/6.3.0/HikariCP-6.3.0
.jar:/Users/akankshabankhele/.m2/repository/org/
springframework/spring-jdbc/6.2.7/spring-jdbc-6.2.7
.jar:/Users/akankshabankhele/.m2/repository/org/
hibernate/orm/hibernate-core/6.6.15.Final/hibernate
-core-6.6.15.Final.jar:/Users/akankshabankhele/.m2/
repository/jakarta/persistence/jakarta.persistence-
api/3.1.0/jakarta.persistence-api-3.1.0.jar:/Users/
akankshabankhele/.m2/repository/jakarta/transaction-
/jakarta.transaction-api/2.0.1/jakarta.transaction-
api-2.0.1.jar:/Users/akankshabankhele/.m2/
repository/org/jboss/logging/jboss-logging/3.6.1.
Final/jboss-logging-3.6.1.Final.jar:/Users/
akankshabankhele/.m2/repository/org/hibernate/
common/hibernate-commons-annotations/7.0.3.Final/
hibernate-commons-annotations-7.0.3.Final.jar:/
Users/akankshabankhele/.m2/repository/io/smallrye/
```

```
1 jandex/3.2.0/jandex-3.2.0.jar:/Users/
akankshabankhele/.m2/repository/com/fasterxmlxml/
classmate/1.7.0/classmate-1.7.0.jar:/Users/
akankshabankhele/.m2/repository/net/bytebuddy/byte-
buddy/1.17.5/byte-buddy-1.17.5.jar:/Users/
akankshabankhele/.m2/repository/org/glassfish/jaxb/
jaxb-runtime/4.0.5/jaxb-runtime-4.0.5.jar:/Users/
akankshabankhele/.m2/repository/org/glassfish/jaxb/
jaxb-core/4.0.5/jaxb-core-4.0.5.jar:/Users/
akankshabankhele/.m2/repository/org/eclipse/angus/
angus-activation/2.0.2/angus-activation-2.0.2.jar:/-
Users/akankshabankhele/.m2/repository/org/glassfish
/jaxb/txw2/4.0.5/txw2-4.0.5.jar:/Users/
akankshabankhele/.m2/repository/com/sun/istack/
istack-commons-runtime/4.1.2/istack-commons-runtime
-4.1.2.jar:/Users/akankshabankhele/.m2/repository/
jakarta/inject/jakarta.inject-api/2.0.1/jakarta.
inject-api-2.0.1.jar:/Users/akankshabankhele/.m2/
repository/org/antlr/antlr4-runtime/4.13.0/antlr4-
runtime-4.13.0.jar:/Users/akankshabankhele/.m2/
repository/org/springframework/data/spring-data-jpa
/3.5.0/spring-data-jpa-3.5.0.jar:/Users/
akankshabankhele/.m2/repository/org/springframework
/data/spring-data-commons/3.5.0/spring-data-commons
-3.5.0.jar:/Users/akankshabankhele/.m2/repository/
org/springframework/spring-orm/6.2.7/spring-orm-6.2
.7.jar:/Users/akankshabankhele/.m2/repository/org/
springframework/spring-aop/6.2.7/spring-aop-6.2.7.
jar:/Users/akankshabankhele/.m2/repository/org/
springframework/spring-beans/6.2.7/spring-beans-6.2
.7.jar:/Users/akankshabankhele/.m2/repository/org/
slf4j/slf4j-api/2.0.17/slf4j-api-2.0.17.jar:/Users/
akankshabankhele/.m2/repository/org/springframework
/spring-aspects/6.2.7/spring-aspects-6.2.7.jar:/-
Users/akankshabankhele/.m2/repository/org/aspectj/
aspectjweaver/1.9.24/aspectjweaver-1.9.24.jar:/-
Users/akankshabankhele/.m2/repository/org/
springframework/boot/spring-boot-starter-validation
```

```
1 /3.5.0/spring-boot-starter-validation-3.5.0.jar:/  
Users/akankshabankhele/.m2/repository/org/apache/  
tomcat/embed/tomcat-embed-el/10.1.41/tomcat-embed-  
el-10.1.41.jar:/Users/akankshabankhele/.m2/  
repository/org/hibernate/validator/hibernate-  
validator/8.0.2.Final/hibernate-validator-8.0.2.  
Final.jar:/Users/akankshabankhele/.m2/repository/  
jakarta/validation/jakarta.validation-api/3.0.2/  
jakarta.validation-api-3.0.2.jar:/Users/  
akankshabankhele/.m2/repository/org/springframework  
/boot/spring-boot-starter-web/3.5.0/spring-boot-  
starter-web-3.5.0.jar:/Users/akankshabankhele/.m2/  
repository/org/springframework/boot/spring-boot-  
starter-json/3.5.0/spring-boot-starter-json-3.5.0.  
jar:/Users/akankshabankhele/.m2/repository/com/  
fasterxml/jackson/datatype/jackson-datatype-jdk8/2.  
19.0/jackson-datatype-jdk8-2.19.0.jar:/Users/  
akankshabankhele/.m2/repository/com/fasterxml/  
jackson/module/jackson-module-parameter-names/2.19.  
0/jackson-module-parameter-names-2.19.0.jar:/Users/  
akankshabankhele/.m2/repository/org/springframework  
/boot/spring-boot-starter-tomcat/3.5.0/spring-boot-  
starter-tomcat-3.5.0.jar:/Users/akankshabankhele/.  
m2/repository/org/apache/tomcat/embed/tomcat-embed-  
core/10.1.41/tomcat-embed-core-10.1.41.jar:/Users/  
akankshabankhele/.m2/repository/org/apache/tomcat/  
embed/tomcat-embed-websocket/10.1.41/tomcat-embed-  
websocket-10.1.41.jar:/Users/akankshabankhele/.m2/  
repository/org/springframework/spring-web/6.2.7/  
spring-web-6.2.7.jar:/Users/akankshabankhele/.m2/  
repository/org/springframework/spring-webmvc/6.2.7/  
spring-webmvc-6.2.7.jar:/Users/akankshabankhele/.m2/  
repository/org/springframework/spring-expression/6  
.2.7/spring-expression-6.2.7.jar:/Users/  
akankshabankhele/.m2/repository/org/springframework/  
/kafka/spring-kafka/3.3.6/spring-kafka-3.3.6.jar:/  
Users/akankshabankhele/.m2/repository/org/  
springframework/spring-context/6.2.7/spring-context
```

```
1 -6.2.7.jar:/Users/akankshabankhele/.m2/repository/
org/springframework/spring-messaging/6.2.7/spring-
messaging-6.2.7.jar:/Users/akankshabankhele/.m2/
repository/org/springframework/spring-tx/6.2.7/
spring-tx-6.2.7.jar:/Users/akankshabankhele/.m2/
repository/org/springframework/retry/spring-retry/2
.0.12/spring-retry-2.0.12.jar:/Users/
akankshabankhele/.m2/repository/org/apache/kafka/
kafka-clients/3.9.1/kafka-clients-3.9.1.jar:/Users/
akankshabankhele/.m2/repository/com/github/luben/
zstd-jni/1.5.6-4/zstd-jni-1.5.6-4.jar:/Users/
akankshabankhele/.m2/repository/org/lz4/lz4-java/1.
8.0/lz4-java-1.8.0.jar:/Users/akankshabankhele/.m2/
repository/org/xerial/snappy/snappy-java/1.1.10.5/
snappy-java-1.1.10.5.jar:/Users/akankshabankhele/.
m2/repository/org/postgresql/postgresql/42.7.5/
postgresql-42.7.5.jar:/Users/akankshabankhele/.m2/
repository/org/checkerframework/checker-qual/3.48.3
/checker-qual-3.48.3.jar:/Users/akankshabankhele/
uber-microservices/backend/shared/target/classes:/
Users/akankshabankhele/.m2/repository/com/fasterxmlxml
/jackson/core/jackson-databind/2.19.0/jackson-
databind-2.19.0.jar:/Users/akankshabankhele/.m2/
repository/com/fasterxmlxml/jackson/core/jackson-
annotations/2.19.0/jackson-annotations-2.19.0.jar:/
Users/akankshabankhele/.m2/repository/com/fasterxmlxml
/jackson/core/jackson-core/2.19.0/jackson-core-2.19
.0.jar:/Users/akankshabankhele/.m2/repository/
jakarta/xml/bind/jakarta.xml.bind-api/4.0.2/jakarta
.xml.bind-api-4.0.2.jar:/Users/akankshabankhele/.m2
/repository/jakarta/activation/jakarta.activation-
api/2.1.3/jakarta.activation-api-2.1.3.jar:/Users/
akankshabankhele/.m2/repository/org/springframework
/spring-core/6.2.7/spring-core-6.2.7.jar:/Users/
akankshabankhele/.m2/repository/org/springframework
/spring-jcl/6.2.7/spring-jcl-6.2.7.jar:/Users/
akankshabankhele/.m2/repository/ch/qos/logback/
logback-core/1.5.18/logback-core-1.5.18.jar:/Users/
```

```

1 akankshabankhele/.m2/repository/ch/qos/logback/
  logback-classic/1.5.18/logback-classic-1.5.18.jar:/
  Users/akankshabankhele/.m2/repository/org/
  projectlombok/lombok/1.18.38/lombok-1.18.38.jar com
  .uber.api.payment.service.PaymentServiceApplication
2
3 .
4 / \ \ / _ _ ' _ _ _ ( ) _ _ _ \ \ \ \ \
5 ( ( ) \ _ _ | ' | ' | ' | ' | \ _ ' | \ \ \ \
6 \ \ \ / _ _ ) | ( ) | | | | | | ( | | ) ) ) )
7 ' | _ _ | . _ | _ | _ | _ | _ \ _ , | / / / /
8 = = = = = | _ | = = = = = | _ | / = / / / /
9
10 :: Spring Boot ::           (v3.5.0)
11
12 2025-05-26T15:10:42.175-04:00  INFO 48932 --- [
  payment-service] [           main] c.u.a.p.s.
  PaymentServiceApplication      : Starting
  PaymentServiceApplication using Java 23.0.1 with
  PID 48932 (/Users/akankshabankhele/uber-
  microservices/backend/payment-service/target/
  classes started by akankshabankhele in /Users/
  akankshabankhele/uber-microservices/backend)
13 2025-05-26T15:10:42.178-04:00 DEBUG 48932 --- [
  payment-service] [           main] c.u.a.p.s.
  PaymentServiceApplication      : Running with
  Spring Boot v3.5.0, Spring v6.2.7
14 2025-05-26T15:10:42.178-04:00  INFO 48932 --- [
  payment-service] [           main] c.u.a.p.s.
  PaymentServiceApplication      : No active profile
  set, falling back to 1 default profile: "default"
15 2025-05-26T15:10:42.919-04:00  INFO 48932 --- [
  payment-service] [           main] .s.d.r.c.
  RepositoryConfigurationDelegate : Bootstrapping
  Spring Data JPA repositories in DEFAULT mode.
16 2025-05-26T15:10:42.970-04:00  INFO 48932 --- [
  payment-service] [           main] .s.d.r.c.
  RepositoryConfigurationDelegate : Finished Spring

```

```
16 Data repository scanning in 44 ms. Found 4 JPA
repository interfaces.
17 2025-05-26T15:10:43.541-04:00 INFO 48932 --- [
payment-service] [           main] o.s.b.w.embedded
.tomcat.TomcatWebServer : Tomcat initialized with
port 8182 (http)
18 2025-05-26T15:10:43.548-04:00 INFO 48932 --- [
payment-service] [           main] o.apache.
catalina.core.StandardService : Starting service
[Tomcat]
19 2025-05-26T15:10:43.548-04:00 INFO 48932 --- [
payment-service] [           main] o.apache.
catalina.core.StandardEngine : Starting Servlet
engine: [Apache Tomcat/10.1.41]
20 2025-05-26T15:10:43.570-04:00 INFO 48932 --- [
payment-service] [           main] o.a.c.c.C.[
Tomcat].[localhost].[/] : Initializing Spring
embedded WebApplicationContext
21 2025-05-26T15:10:43.570-04:00 INFO 48932 --- [
payment-service] [           main] w.s.c.
ServletWebServerApplicationContext : Root
WebApplicationContext: initialization completed in
1332 ms
22 2025-05-26T15:10:43.700-04:00 INFO 48932 --- [
payment-service] [           main] o.hibernate.jpa.
internal.util.LogHelper : HHH000204: Processing
PersistenceUnitInfo [name: default]
23 2025-05-26T15:10:43.722-04:00 INFO 48932 --- [
payment-service] [           main] org.hibernate.
Version : HHH000412: Hibernate
ORM core version 6.6.15.Final
24 2025-05-26T15:10:43.734-04:00 INFO 48932 --- [
payment-service] [           main] o.h.c.internal.
RegionFactoryInitiator : HHH000026: Second-level
cache disabled
25 2025-05-26T15:10:43.838-04:00 INFO 48932 --- [
payment-service] [           main] o.s.o.j.p.
SpringPersistenceUnitInfo : No LoadTimeWeaver
```

```
25 setup: ignoring JPA class transformer
26 2025-05-26T15:10:43.849-04:00 INFO 48932 --- [payment-service] [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting...
27 2025-05-26T15:10:43.963-04:00 INFO 48932 --- [payment-service] [main] com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Added connection org.postgresql.jdbc.PgConnection@45b8bbbf
28 2025-05-26T15:10:43.964-04:00 INFO 48932 --- [payment-service] [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start completed.
29 2025-05-26T15:10:43.979-04:00 WARN 48932 --- [payment-service] [main] org.hibernate.orm.deprecation : HHH900000025: PostgreSQLDialect does not need to be specified explicitly using 'hibernate.dialect' (remove the property setting and it will be selected by default)
30 2025-05-26T15:10:43.987-04:00 INFO 48932 --- [payment-service] [main] org.hibernate.orm.connections.pooling : HHH10001005: Database info:
31     Database JDBC URL [Connecting through datasource 'HikariDataSource (HikariPool-1)']
32     Database driver: undefined/unknown
33     Database version: 16.9
34     Autocommit mode: undefined/unknown
35     Isolation level: undefined/unknown
36     Minimum pool size: undefined/unknown
37     Maximum pool size: undefined/unknown
38 2025-05-26T15:10:44.402-04:00 INFO 48932 --- [payment-service] [main] o.h.e.t.j.p.i.JtaPlatformInitiator : HHH000489: No JTA platform available (set 'hibernate.transaction.jta.platform' to enable JTA platform integration)
```

```
39 Hibernate:  
40     set client_min_messages = WARNING  
41 Hibernate:  
42     alter table if exists ride_requests  
43         drop constraint if exists  
        FKgyxvs1l33mtvnkwfu83m6b6eo  
44 Hibernate:  
45     alter table if exists ride_requests  
46         drop constraint if exists  
        FKrd9l7lnoiptghvlufjo8qwp82  
47 Hibernate:  
48     drop table if exists balances cascade  
49 Hibernate:  
50     drop table if exists locations cascade  
51 Hibernate:  
52     drop table if exists outbox_events cascade  
53 Hibernate:  
54     drop table if exists payment_outbox cascade  
55 Hibernate:  
56     drop table if exists queued_requests cascade  
57 Hibernate:  
58     drop table if exists ride_requests cascade  
59 Hibernate:  
60     drop table if exists transactions cascade  
61 Hibernate:  
62     create table balances (  
63         amount numeric(19,2),  
64         last_updated timestamp(6) with time zone,  
65         version bigint,  
66         customer_email varchar(255) not null,  
67         primary key (customer_email)  
68     )  
69 Hibernate:  
70     create table locations (  
71         latitude float(53),  
72         longitude float(53),  
73         id uuid not null,  
74         address varchar(255),
```

```
75          city varchar(255),  
76          primary key (id)  
77      )  
78 Hibernate:  
79      create table outbox_events (  
80          created_at timestamp(6) with time zone,  
81          processed_at timestamp(6) with time zone,  
82          version bigint,  
83          id uuid not null,  
84          saga_id uuid,  
85          event_type varchar(255),  
86          payload TEXT,  
87          saga_status varchar(255) check (  
     saga_status in ('STARTED','PROCESSING','SUCCEEDED'  
     , 'COMPENSATING','COMPENSATED','FAILED')),  
88          status varchar(255) check (status in ('  
PENDING','SENT','FAILED')),  
89          primary key (id)  
90      )  
91 Hibernate:  
92      create table payment_outbox (  
93          created_at timestamp(6) with time zone,  
94          processed_at timestamp(6) with time zone,  
95          version bigint,  
96          id uuid not null,  
97          saga_id uuid,  
98          event_type varchar(255),  
99          payload TEXT,  
100         saga_status varchar(255) check (  
     saga_status in ('STARTED','PROCESSING','SUCCEEDED'  
     , 'COMPENSATING','COMPENSATED','FAILED')),  
101         status varchar(255) check (status in ('  
PENDING','SENT','FAILED')),  
102         primary key (id)  
103     )  
104 Hibernate:  
105     create table queued_requests (  
106         expires_at timestamp(6) with time zone,
```

```
107      queued_at timestamp(6) with time zone,
108      version bigint,
109      id uuid not null,
110      ride_request_id uuid,
111      saga_id uuid,
112      customer_email varchar(255),
113      driver_request_payload TEXT,
114      status varchar(255),
115      primary key (id)
116  )
117 Hibernate:
118  create table ride_requests (
119      estimated_price numeric(38,2),
120      final_price numeric(38,2),
121      completed_at timestamp(6) with time zone,
122      created_at timestamp(6) with time zone,
123      destination_location_id uuid,
124      id uuid not null,
125      pickup_location_id uuid,
126      customer_email varchar(255),
127      driver_email varchar(255),
128      status varchar(255) check (status in (
129          'CREATED', 'PAYMENT_PROCESSING', 'PAYMENT_COMPLETED',
130          ', 'DRIVER_SEARCHING', 'DRIVER_ASSIGNED', ',
131          'RIDE_STARTED', 'RIDE_COMPLETED', 'PAYMENT_FAILED',
132          'DRIVER_UNAVAILABLE', 'CANCELLED', 'EXPIRED', ',
133          'REFUND_PROCESSING', 'REFUND_COMPLETED')),
134      primary key (id)
135  )
136 Hibernate:
137  create table transactions (
138      amount numeric(19,2),
139      created_at timestamp(6) with time zone,
```

```

140          customer_email varchar(255),
141          description varchar(255),
142          status varchar(255) check (status in (
143              'PENDING', 'COMPLETED', 'FAILED', 'REFUNDED')),
144          type varchar(255) check (type in ('DEBIT',
145              'CREDIT', 'REFUND')),
146          primary key (id)
147      )
148 Hibernate:
149     alter table if exists ride_requests
150         add constraint FKgyxvs1l33mtvnkwfu83m6b6eo
151             foreign key (destination_location_id)
152             references locations
153 Hibernate:
154     alter table if exists ride_requests
155         add constraint FKrd9l7lnoiptghvlufjo8qwp82
156         foreign key (pickup_location_id)
157         references locations
158 2025-05-26T15:10:44.495-04:00  INFO 48932 --- [
159     payment-service] [           main] j.
160 LocalContainerEntityManagerFactoryBean :
161     Initialized JPA EntityManagerFactory for
162     persistence unit 'default'
163 2025-05-26T15:10:44.786-04:00  WARN 48932 --- [
164     payment-service] [           main]
165     JpaBaseConfiguration$JpaWebConfiguration : spring.
166     jpa.open-in-view is enabled by default. Therefore
167     , database queries may be performed during view
168     rendering. Explicitly configure spring.jpa.open-in
169     -view to disable this warning
170 2025-05-26T15:10:45.027-04:00  INFO 48932 --- [
171     payment-service] [           main] o.s.b.a.e.web.
172     EndpointLinksResolver      : Exposing 3 endpoints
173     beneath base path '/actuator'
174 2025-05-26T15:10:45.083-04:00  INFO 48932 --- [
175     payment-service] [           main] o.s.b.w.
176     embedded.tomcat.TomcatWebServer : Tomcat started
177     on port 8182 (http) with context path '/'

```

```
160 2025-05-26T15:10:45.102-04:00 INFO 48932 --- [  
  payment-service] [           main] o.a.k.clients.  
 consumer.ConsumerConfig      : ConsumerConfig values  
 :  
161     allow.auto.create.topics = true  
162     auto.commit.interval.ms = 5000  
163     auto.include.jmx.reporter = true  
164     auto.offset.reset = earliest  
165     bootstrap.servers = [localhost:9092]  
166     check.crcs = true  
167     client.dns.lookup = use_all_dns_ips  
168     client.id = consumer-payment-service-group-1  
169     client.rack =  
170     connections.max.idle.ms = 540000  
171     default.api.timeout.ms = 60000  
172     enable.auto.commit = false  
173     enable.metrics.push = true  
174     exclude.internal.topics = true  
175     fetch.max.bytes = 52428800  
176     fetch.max.wait.ms = 500  
177     fetch.min.bytes = 1  
178     group.id = payment-service-group  
179     group.instance.id = null  
180     group.protocol = classic  
181     group.remote.assignor = null  
182     heartbeat.interval.ms = 3000  
183     interceptor.classes = []  
184     internal.leave.group.on.close = true  
185     internal.throw.on.fetch.stable.offset.  
     unsupported = false  
186     isolation.level = read_uncommitted  
187     key.deserializer = class org.apache.kafka.  
     common.serialization.StringDeserializer  
188     max.partition.fetch.bytes = 1048576  
189     max.poll.interval.ms = 300000  
190     max.poll.records = 500  
191     metadata.max.age.ms = 300000  
192     metadata.recovery.strategy = none
```

```
193     metric.reporters = []
194     metrics.num.samples = 2
195     metrics.recording.level = INFO
196     metrics.sample.window.ms = 30000
197     partition.assignment.strategy = [class org.
    apache.kafka.clients.consumer.RangeAssignor, class
    org.apache.kafka.clients.consumer.
    CooperativeStickyAssignor]
198     receive.buffer.bytes = 65536
199     reconnect.backoff.max.ms = 1000
200     reconnect.backoff.ms = 50
201     request.timeout.ms = 30000
202     retry.backoff.max.ms = 1000
203     retry.backoff.ms = 100
204     sasl.client.callback.handler.class = null
205     sasl.jaas.config = null
206     sasl.kerberos.kinit.cmd = /usr/bin/kinit
207     sasl.kerberos.min.time.before.relogin = 60000
208     sasl.kerberos.service.name = null
209     sasl.kerberos.ticket.renew.jitter = 0.05
210     sasl.kerberos.ticket.renew.window.factor = 0.8
211     sasl.login.callback.handler.class = null
212     sasl.login.class = null
213     sasl.login.connect.timeout.ms = null
214     sasl.login.read.timeout.ms = null
215     sasl.login.refresh.buffer.seconds = 300
216     sasl.login.refresh.min.period.seconds = 60
217     sasl.login.refresh.window.factor = 0.8
218     sasl.login.refresh.window.jitter = 0.05
219     sasl.login.retry.backoff.max.ms = 10000
220     sasl.login.retry.backoff.ms = 100
221     sasl.mechanism = GSSAPI
222     sasl.oauthbearer.clock.skew.seconds = 30
223     sasl.oauthbearer.expected.audience = null
224     sasl.oauthbearer.expected.issuer = null
225     sasl.oauthbearer.header.urlencoded = false
226     sasl.oauthbearer.jwks.endpoint.refresh.ms =
3600000
```

```
227    sasl.oauthbearer.jwks.endpoint.retry.backoff.  
        max.ms = 10000  
228    sasl.oauthbearer.jwks.endpoint.retry.backoff.  
        ms = 100  
229    sasl.oauthbearer.jwks.endpoint.url = null  
230    sasl.oauthbearer.scope.claim.name = scope  
231    sasl.oauthbearer.sub.claim.name = sub  
232    sasl.oauthbearer.token.endpoint.url = null  
233    security.protocol = PLAINTEXT  
234    security.providers = null  
235    send.buffer.bytes = 131072  
236    session.timeout.ms = 45000  
237    socket.connection.setup.timeout.max.ms = 30000  
238    socket.connection.setup.timeout.ms = 10000  
239    ssl.cipher.suites = null  
240    ssl.enabled.protocols = [TLSv1.2, TLSv1.3]  
241    ssl.endpoint.identification.algorithm = https  
242    ssl.engine.factory.class = null  
243    ssl.key.password = null  
244    ssl.keymanager.algorithm = SunX509  
245    ssl.keystore.certificate.chain = null  
246    ssl.keystore.key = null  
247    ssl.keystore.location = null  
248    ssl.keystore.password = null  
249    ssl.keystore.type = JKS  
250    ssl.protocol = TLSv1.3  
251    ssl.provider = null  
252    ssl.secure.random.implementation = null  
253    ssl.trustmanager.algorithm = PKIX  
254    ssl.truststore.certificates = null  
255    ssl.truststore.location = null  
256    ssl.truststore.password = null  
257    ssl.truststore.type = JKS  
258    value.deserializer = class org.apache.kafka.  
        common.serialization.StringDeserializer  
259  
260 2025-05-26T15:10:45.127-04:00 INFO 48932 --- [  
    payment-service] [main] o.a.k.c.t.i.
```

```
260 KafkaMetricsCollector : initializing Kafka
    metrics collector
261 2025-05-26T15:10:45.198-04:00 INFO 48932 --- [
    payment-service] [           main] o.a.kafka.
    common.utils.AppInfoParser : Kafka version: 3.
9.1
262 2025-05-26T15:10:45.199-04:00 INFO 48932 --- [
    payment-service] [           main] o.a.kafka.
    common.utils.AppInfoParser : Kafka commitId:
f745dfdce2b9851
263 2025-05-26T15:10:45.199-04:00 INFO 48932 --- [
    payment-service] [           main] o.a.kafka.
    common.utils.AppInfoParser : Kafka startTimeMs
: 1748286645198
264 2025-05-26T15:10:45.200-04:00 INFO 48932 --- [
    payment-service] [           main] o.a.k.c.c.i.
    ClassicKafkaConsumer : [Consumer clientId=
consumer-payment-service-group-1, groupId=payment-
service-group] Subscribed to topic(s): payment-
refunds
265 2025-05-26T15:10:45.204-04:00 INFO 48932 --- [
    payment-service] [           main] o.a.k.clients.
    consumer.ConsumerConfig : ConsumerConfig values
:
266     allow.auto.create.topics = true
267     auto.commit.interval.ms = 5000
268     auto.include.jmx.reporter = true
269     auto.offset.reset = earliest
270     bootstrap.servers = [localhost:9092]
271     check.crcs = true
272     client.dns.lookup = use_all_dns_ips
273     client.id = consumer-payment-service-group-2
274     client.rack =
275     connections.max.idle.ms = 540000
276     default.api.timeout.ms = 60000
277     enable.auto.commit = false
278     enable.metrics.push = true
279     exclude.internal.topics = true
```

```
280     fetch.max.bytes = 52428800
281     fetch.max.wait.ms = 500
282     fetch.min.bytes = 1
283     group.id = payment-service-group
284     group.instance.id = null
285     group.protocol = classic
286     group.remote.assignor = null
287     heartbeat.interval.ms = 3000
288     interceptor.classes = []
289     internal.leave.group.on.close = true
290     internal.throw.on.fetch.stable.offset.
291         unsupported = false
292     isolation.level = read_uncommitted
293     key.deserializer = class org.apache.kafka.
294         common.serialization.StringDeserializer
295     max.partition.fetch.bytes = 1048576
296     max.poll.interval.ms = 300000
297     max.poll.records = 500
298     metadata.max.age.ms = 300000
299     metadata.recovery.strategy = none
300     metric.reporters = []
301     metrics.num.samples = 2
302     metrics.recording.level = INFO
303     metrics.sample.window.ms = 30000
304     partition.assignment.strategy = [class org.
305         apache.kafka.clients.consumer.RangeAssignor, class
306         org.apache.kafka.clients.consumer.
307         CooperativeStickyAssignor]
308     receive.buffer.bytes = 65536
309     reconnect.backoff.max.ms = 1000
310     reconnect.backoff.ms = 50
311     request.timeout.ms = 30000
312     retry.backoff.max.ms = 1000
313     retry.backoff.ms = 100
314     sasl.client.callback.handler.class = null
315     sasl.jaas.config = null
316     sasl.kerberos.kinit.cmd = /usr/bin/kinit
317     sasl.kerberos.min.time.before.relogin = 60000
```

```
313     sasl.kerberos.service.name = null
314     sasl.kerberos.ticket.renew.jitter = 0.05
315     sasl.kerberos.ticket.renew.window.factor = 0.8
316     sasl.login.callback.handler.class = null
317     sasl.login.class = null
318     sasl.login.connect.timeout.ms = null
319     sasl.login.read.timeout.ms = null
320     sasl.login.refresh.buffer.seconds = 300
321     sasl.login.refresh.min.period.seconds = 60
322     sasl.login.refresh.window.factor = 0.8
323     sasl.login.refresh.window.jitter = 0.05
324     sasl.login.retry.backoff.max.ms = 10000
325     sasl.login.retry.backoff.ms = 100
326     sasl.mechanism = GSSAPI
327     sasl.oauthbearer.clock.skew.seconds = 30
328     sasl.oauthbearer.expected.audience = null
329     sasl.oauthbearer.expected.issuer = null
330     sasl.oauthbearer.header.urlencoded = false
331     sasl.oauthbearer.jwks.endpoint.refresh.ms =
332         3600000
332     sasl.oauthbearer.jwks.endpoint.retry.backoff.
333         max.ms = 10000
333     sasl.oauthbearer.jwks.endpoint.retry.backoff.
334         ms = 100
334     sasl.oauthbearer.jwks.endpoint.url = null
335     sasl.oauthbearer.scope.claim.name = scope
336     sasl.oauthbearer.sub.claim.name = sub
337     sasl.oauthbearer.token.endpoint.url = null
338     security.protocol = PLAINTEXT
339     security.providers = null
340     send.buffer.bytes = 131072
341     session.timeout.ms = 45000
342     socket.connection.setup.timeout.max.ms = 30000
343     socket.connection.setup.timeout.ms = 10000
344     ssl.cipher.suites = null
345     ssl.enabled.protocols = [TLSv1.2, TLSv1.3]
346     ssl.endpoint.identification.algorithm = https
347     ssl.engine.factory.class = null
```

```
348     ssl.key.password = null
349     ssl.keymanager.algorithm = SunX509
350     ssl.keystore.certificate.chain = null
351     ssl.keystore.key = null
352     ssl.keystore.location = null
353     ssl.keystore.password = null
354     ssl.keystore.type = JKS
355     ssl.protocol = TLSv1.3
356     ssl.provider = null
357     ssl.secure.random.implementation = null
358     ssl.trustmanager.algorithm = PKIX
359     ssl.truststore.certificates = null
360     ssl.truststore.location = null
361     ssl.truststore.password = null
362     ssl.truststore.type = JKS
363     value.deserializer = class org.apache.kafka.
    common.serialization.StringDeserializer
364
365 2025-05-26T15:10:45.204-04:00 INFO 48932 --- [
    payment-service] [           main] o.a.k.c.t.i.
    KafkaMetricsCollector : initializing Kafka
    metrics collector
366 2025-05-26T15:10:45.207-04:00 INFO 48932 --- [
    payment-service] [           main] o.a.kafka.
    common.utils.AppInfoParser : Kafka version: 3.
    9.1
367 2025-05-26T15:10:45.207-04:00 INFO 48932 --- [
    payment-service] [           main] o.a.kafka.
    common.utils.AppInfoParser : Kafka commitId:
    f745dfdce2b9851
368 2025-05-26T15:10:45.207-04:00 INFO 48932 --- [
    payment-service] [           main] o.a.kafka.
    common.utils.AppInfoParser : Kafka startTimeMs
    : 1748286645207
369 2025-05-26T15:10:45.207-04:00 INFO 48932 --- [
    payment-service] [           main] o.a.k.c.c.i.
    ClassicKafkaConsumer : [Consumer clientId=
    consumer-payment-service-group-2, groupId=payment-
```

```
369 service-group] Subscribed to topic(s): payment-
  requests
370 2025-05-26T15:10:45.221-04:00 INFO 48932 --- [payment-service] [main] c.u.a.p.s.
  PaymentServiceApplication : Started
  PaymentServiceApplication in 3.926 seconds (
    process running for 4.239)
371 Hibernate:
372     select
373         po1_0.id,
374         po1_0.created_at,
375         po1_0.event_type,
376         po1_0.payload,
377         po1_0.processed_at,
378         po1_0.saga_id,
379         po1_0.saga_status,
380         po1_0.status,
381         po1_0.version
382     from
383         payment_outbox po1_0
384     where
385         po1_0.status=?
386     order by
387         po1_0.created_at
388 Hibernate:
389     select
390         oe1_0.id,
391         oe1_0.created_at,
392         oe1_0.event_type,
393         oe1_0.payload,
394         oe1_0.processed_at,
395         oe1_0.saga_id,
396         oe1_0.saga_status,
397         oe1_0.status,
398         oe1_0.version
399     from
400         outbox_events oe1_0
401     where
```

```
402          oe1_0.status=?  
403      order by  
404          oe1_0.created_at  
405 2025-05-26T15:10:45.364-04:00 INFO 48932 --- [  
  payment-service] [  scheduling-1] c.u.api.shared.  
  outbox.OutboxScheduler : Processing 0 outbox  
  events  
406 2025-05-26T15:10:45.430-04:00 INFO 48932 --- [  
  payment-service] [ntainer#0-0-C-1] org.apache.  
  kafka.clients.Metadata : [Consumer clientId  
=consumer-payment-service-group-1, groupId=payment  
-service-group] Cluster ID: CO_GOMfPSXWLNSaWmnJauQ  
407 2025-05-26T15:10:45.430-04:00 INFO 48932 --- [  
  payment-service] [ntainer#1-0-C-1] org.apache.  
  kafka.clients.Metadata : [Consumer clientId  
=consumer-payment-service-group-2, groupId=payment  
-service-group] Cluster ID: CO_GOMfPSXWLNSaWmnJauQ  
408 2025-05-26T15:10:45.431-04:00 INFO 48932 --- [  
  payment-service] [ntainer#0-0-C-1] o.a.k.c.c.  
  internals.ConsumerCoordinator : [Consumer  
  clientId=consumer-payment-service-group-1, groupId  
=payment-service-group] Discovered group  
  coordinator localhost:9092 (id: 2147483646 rack:  
  null)  
409 2025-05-26T15:10:45.431-04:00 INFO 48932 --- [  
  payment-service] [ntainer#1-0-C-1] o.a.k.c.c.  
  internals.ConsumerCoordinator : [Consumer  
  clientId=consumer-payment-service-group-2, groupId  
=payment-service-group] Discovered group  
  coordinator localhost:9092 (id: 2147483646 rack:  
  null)  
410 2025-05-26T15:10:45.432-04:00 INFO 48932 --- [  
  payment-service] [ntainer#0-0-C-1] o.a.k.c.c.  
  internals.ConsumerCoordinator : [Consumer  
  clientId=consumer-payment-service-group-1, groupId  
=payment-service-group] (Re-)joining group  
411 2025-05-26T15:10:45.432-04:00 INFO 48932 --- [  
  payment-service] [ntainer#1-0-C-1] o.a.k.c.c.
```

```
411 internals.ConsumerCoordinator : [Consumer
    clientId=consumer-payment-service-group-2, groupId
    =payment-service-group] (Re-)joining group
412 2025-05-26T15:10:45.445-04:00 INFO 48932 --- [
    payment-service] [ntainer#1-0-C-1] o.a.k.c.c.
    internals.ConsumerCoordinator : [Consumer
    clientId=consumer-payment-service-group-2, groupId
    =payment-service-group] Request joining group due
    to: need to re-join with the given member-id:
    consumer-payment-service-group-2-fbc7b4e6-8fcf-
    4172-976c-f6220ad0e313
413 2025-05-26T15:10:45.445-04:00 INFO 48932 --- [
    payment-service] [ntainer#0-0-C-1] o.a.k.c.c.
    internals.ConsumerCoordinator : [Consumer
    clientId=consumer-payment-service-group-1, groupId
    =payment-service-group] Request joining group due
    to: need to re-join with the given member-id:
    consumer-payment-service-group-1-57bf0a08-f4bb-
    4aa1-9061-a12d2ad7d123
414 2025-05-26T15:10:45.445-04:00 INFO 48932 --- [
    payment-service] [ntainer#1-0-C-1] o.a.k.c.c.
    internals.ConsumerCoordinator : [Consumer
    clientId=consumer-payment-service-group-2, groupId
    =payment-service-group] (Re-)joining group
415 2025-05-26T15:10:45.446-04:00 INFO 48932 --- [
    payment-service] [ntainer#0-0-C-1] o.a.k.c.c.
    internals.ConsumerCoordinator : [Consumer
    clientId=consumer-payment-service-group-1, groupId
    =payment-service-group] (Re-)joining group
416 2025-05-26T15:10:48.467-04:00 INFO 48932 --- [
    payment-service] [ntainer#0-0-C-1] o.a.k.c.c.
    internals.ConsumerCoordinator : [Consumer
    clientId=consumer-payment-service-group-1, groupId
    =payment-service-group] Successfully joined group
    with generation Generation{generationId=65,
    memberId='consumer-payment-service-group-1-
    57bf0a08-f4bb-4aa1-9061-a12d2ad7d123', protocol='
    range'}
```

```
417 2025-05-26T15:10:48.467-04:00 INFO 48932 --- [payment-service] [ntainer#1-0-C-1] o.a.k.c.c.internals.ConsumerCoordinator : [Consumer clientId=consumer-payment-service-group-2, groupId=payment-service-group] Successfully joined group with generation Generation{generationId=65, memberId='consumer-payment-service-group-2-fbc7b4e6-8fcf-4172-976c-f6220ad0e313', protocol='range'}
```

```
418 2025-05-26T15:10:48.490-04:00 INFO 48932 --- [payment-service] [ntainer#1-0-C-1] o.a.k.c.c.internals.ConsumerCoordinator : [Consumer clientId=consumer-payment-service-group-2, groupId=payment-service-group] Finished assignment for group at generation 65: {consumer-payment-service-group-1-57bf0a08-f4bb-4aa1-9061-a12d2ad7d123=Assignment(partitions=[payment-refunds-0]), consumer-payment-service-group-2-fbc7b4e6-8fcf-4172-976c-f6220ad0e313=Assignment(partitions=[payment-requests-0])}
```

```
419 2025-05-26T15:10:48.499-04:00 INFO 48932 --- [payment-service] [ntainer#0-0-C-1] o.a.k.c.c.internals.ConsumerCoordinator : [Consumer clientId=consumer-payment-service-group-1, groupId=payment-service-group] Successfully synced group in generation Generation{generationId=65, memberId='consumer-payment-service-group-1-57bf0a08-f4bb-4aa1-9061-a12d2ad7d123', protocol='range'}
```

```
420 2025-05-26T15:10:48.499-04:00 INFO 48932 --- [payment-service] [ntainer#1-0-C-1] o.a.k.c.c.internals.ConsumerCoordinator : [Consumer clientId=consumer-payment-service-group-2, groupId=payment-service-group] Successfully synced group in generation Generation{generationId=65, memberId='consumer-payment-service-group-2-fbc7b4e6-8fcf-4172-976c-f6220ad0e313', protocol='range'}
```

```
421 2025-05-26T15:10:48.500-04:00 INFO 48932 --- [payment-service] [ntainer#1-0-C-1] o.a.k.c.c.
```

```

421 internals.ConsumerCoordinator : [Consumer
    clientId=consumer-payment-service-group-2, groupId
    =payment-service-group] Notifying assignor about
    the new Assignment(partitions=[payment-requests-0
    ])
422 2025-05-26T15:10:48.500-04:00 INFO 48932 --- [
    payment-service] [ntainer#0-0-C-1] o.a.k.c.c.
    internals.ConsumerCoordinator : [Consumer
    clientId=consumer-payment-service-group-1, groupId
    =payment-service-group] Notifying assignor about
    the new Assignment(partitions=[payment-refunds-0])
423 2025-05-26T15:10:48.501-04:00 INFO 48932 --- [
    payment-service] [ntainer#1-0-C-1] k.c.c.i.
    ConsumerRebalanceListenerInvoker : [Consumer
    clientId=consumer-payment-service-group-2, groupId
    =payment-service-group] Adding newly assigned
    partitions: payment-requests-0
424 2025-05-26T15:10:48.501-04:00 INFO 48932 --- [
    payment-service] [ntainer#0-0-C-1] k.c.c.i.
    ConsumerRebalanceListenerInvoker : [Consumer
    clientId=consumer-payment-service-group-1, groupId
    =payment-service-group] Adding newly assigned
    partitions: payment-refunds-0
425 2025-05-26T15:10:48.507-04:00 INFO 48932 --- [
    payment-service] [ntainer#0-0-C-1] o.a.k.c.c.
    internals.ConsumerCoordinator : [Consumer
    clientId=consumer-payment-service-group-1, groupId
    =payment-service-group] Found no committed offset
    for partition payment-refunds-0
426 2025-05-26T15:10:48.508-04:00 INFO 48932 --- [
    payment-service] [ntainer#1-0-C-1] o.a.k.c.c.
    internals.ConsumerUtils : Setting offset
    for partition payment-requests-0 to the committed
    offset FetchPosition{offset=202, offsetEpoch=
    Optional.empty, currentLeader=LeaderAndEpoch{
    leader=Optional[localhost:9092 (id: 1 rack: null
    )], epoch=0}}
427 2025-05-26T15:10:48.509-04:00 INFO 48932 --- [

```

```
427 payment-service] [ntainer#1-0-C-1] o.s.k.l.  
    KafkaMessageListenerContainer : payment-service  
    -group: partitions assigned: [payment-requests-0]  
428 2025-05-26T15:10:48.520-04:00 INFO 48932 --- [  
    payment-service] [ntainer#0-0-C-1] o.a.k.c.c.  
    internals.SubscriptionState : [Consumer  
    clientId=consumer-payment-service-group-1, groupId  
    =payment-service-group] Resetting offset for  
    partition payment-refunds-0 to position  
    FetchPosition{offset=0, offsetEpoch=Optional.empty  
    , currentLeader=LeaderAndEpoch{leader=Optional[  
    localhost:9092 (id: 1 rack: null)], epoch=0}}.  
429 2025-05-26T15:10:48.520-04:00 INFO 48932 --- [  
    payment-service] [ntainer#0-0-C-1] o.s.k.l.  
    KafkaMessageListenerContainer : payment-service  
    -group: partitions assigned: [payment-refunds-0]  
430 Hibernate:  
431     select  
432         po1_0.id,  
433         po1_0.created_at,  
434         po1_0.event_type,  
435         po1_0.payload,  
436         po1_0.processed_at,  
437         po1_0.saga_id,  
438         po1_0.saga_status,  
439         po1_0.status,  
440         po1_0.version  
441     from  
442         payment_outbox po1_0  
443     where  
444         po1_0.status=?  
445     order by  
446         po1_0.created_at  
447 Hibernate:  
448     select  
449         oe1_0.id,  
450         oe1_0.created_at,  
451         oe1_0.event_type,
```

```
452          oe1_0.payload,  
453          oe1_0.processed_at,  
454          oe1_0.saga_id,  
455          oe1_0.saga_status,  
456          oe1_0.status,  
457          oe1_0.version  
458      from  
459          outbox_events oe1_0  
460      where  
461          oe1_0.status=?  
462      order by  
463          oe1_0.created_at  
464 2025-05-26T15:10:50.406-04:00 INFO 48932 --- [  
  payment-service] [ scheduling-1] c.u.api.shared.  
  outbox.OutboxScheduler : Processing 0 outbox  
  events  
465 Hibernate:  
466     select  
467         po1_0.id,  
468         po1_0.created_at,  
469         po1_0.event_type,  
470         po1_0.payload,  
471         po1_0.processed_at,  
472         po1_0.saga_id,  
473         po1_0.saga_status,  
474         po1_0.status,  
475         po1_0.version  
476     from  
477         payment_outbox po1_0  
478     where  
479         po1_0.status=?  
480     order by  
481         po1_0.created_at  
482 Hibernate:  
483     select  
484         oe1_0.id,  
485         oe1_0.created_at,  
486         oe1_0.event_type,
```

```
487          oe1_0.payload,  
488          oe1_0.processed_at,  
489          oe1_0.saga_id,  
490          oe1_0.saga_status,  
491          oe1_0.status,  
492          oe1_0.version  
493      from  
494          outbox_events oe1_0  
495      where  
496          oe1_0.status=?  
497      order by  
498          oe1_0.created_at  
499 2025-05-26T15:10:55.460-04:00 INFO 48932 --- [  
  payment-service] [ scheduling-1] c.u.api.shared.  
  outbox.OutboxScheduler : Processing 0 outbox  
  events  
500 Hibernate:  
501     select  
502         po1_0.id,  
503         po1_0.created_at,  
504         po1_0.event_type,  
505         po1_0.payload,  
506         po1_0.processed_at,  
507         po1_0.saga_id,  
508         po1_0.saga_status,  
509         po1_0.status,  
510         po1_0.version  
511     from  
512         payment_outbox po1_0  
513     where  
514         po1_0.status=?  
515     order by  
516         po1_0.created_at  
517 Hibernate:  
518     select  
519         oe1_0.id,  
520         oe1_0.created_at,  
521         oe1_0.event_type,
```

```
522          oe1_0.payload,  
523          oe1_0.processed_at,  
524          oe1_0.saga_id,  
525          oe1_0.saga_status,  
526          oe1_0.status,  
527          oe1_0.version  
528      from  
529          outbox_events oe1_0  
530      where  
531          oe1_0.status=?  
532      order by  
533          oe1_0.created_at  
534 2025-05-26T15:11:00.500-04:00  INFO 48932 --- [  
  payment-service] [  scheduling-1] c.u.api.shared.  
outbox.OutboxScheduler      : Processing 0 outbox  
events  
535 2025-05-26T15:11:03.987-04:00  INFO 48932 --- [  
  payment-service] [ntainer#1-0-C-1] c.u.a.p.s.m.  
PaymentRequestListener      : Received payment  
request: {"sagaId":"b735ed7c-c348-4eb4-90f4-  
9d669dbbd0ca","rideRequestId":"f5bb5224-06c0-4ecc-  
af3e-320b0c0b7b05","customerEmail":"final1@example  
.com","amount":15.84023128050127,"description": "  
Taxi ride payment"}  
536 2025-05-26T15:11:04.032-04:00  INFO 48932 --- [  
  payment-service] [ntainer#1-0-C-1] c.u.a.p.s.s.i.  
PaymentDomainServiceImpl    : Processing payment  
for customer: final1@example.com amount: 15.  
84023128050127  
537 Hibernate:  
538     select  
539         b1_0.customer_email,  
540         b1_0.amount,  
541         b1_0.last_updated,  
542         b1_0.version  
543     from  
544         balances b1_0  
545     where
```

```
546      b1_0.customer_email=?  
547 2025-05-26T15:11:04.076-04:00 INFO 48932 --- [  
payment-service] [ntainer#1-0-C-1] c.u.a.p.s.s.i.  
PaymentDomainServiceImpl : Payment processed  
successfully for customer: final1@example.com  
amount: 15.84023128050127  
548 Hibernate:  
549     insert  
550     into  
551         balances  
552             (amount, last_updated, version,  
customer_email)  
553     values  
554         (?, ?, ?, ?)  
555 Hibernate:  
556     insert  
557     into  
558         transactions  
559             (amount, created_at, customer_email,  
description, processed_at, ride_request_id,  
saga_id, status, type, version, id)  
560     values  
561         (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)  
562 Hibernate:  
563     insert  
564     into  
565         payment_outbox  
566             (created_at, event_type, payload,  
processed_at, saga_id, saga_status, status,  
version, id)  
567     values  
568         (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)  
569 Hibernate:  
570     update  
571         balances  
572     set  
573         amount=?,  
574         last_updated=? ,
```

```
575         version=?  
576     where  
577         customer_email=?  
578         and version=?  
579 2025-05-26T15:11:04.099-04:00 INFO 48932 --- [  
  payment-service] [ntainer#1-0-C-1] c.u.a.p.s.m.  
  PaymentRequestListener : Payment request  
  processed successfully for ride: f5bb5224-06c0-  
  4ecc-af3e-320b0c0b7b05  
580 2025-05-26T15:11:04.099-04:00 INFO 48932 --- [  
  payment-service] [ntainer#1-0-C-1] c.u.a.p.s.m.  
  PaymentRequestListener : Received payment  
  request: {"sagaId":"db87bdcb-c1cc-4ad5-ad97-  
  c75231300178","rideRequestId":"270f9771-a2a0-42fb-  
  a0b7-a286f1800b6b","customerEmail":"final2@example  
  .com","amount":15.84023128050127,"description":  
  "Taxi ride payment"}  
581 2025-05-26T15:11:04.099-04:00 INFO 48932 --- [  
  payment-service] [ntainer#1-0-C-1] c.u.a.p.s.s.i.  
  PaymentDomainServiceImpl : Processing payment  
  for customer: final2@example.com amount: 15.  
  84023128050127  
582 Hibernate:  
583     select  
584         b1_0.customer_email,  
585         b1_0.amount,  
586         b1_0.last_updated,  
587         b1_0.version  
588     from  
589         balances b1_0  
590     where  
591         b1_0.customer_email=?  
592 2025-05-26T15:11:04.102-04:00 INFO 48932 --- [  
  payment-service] [ntainer#1-0-C-1] c.u.a.p.s.s.i.  
  PaymentDomainServiceImpl : Payment processed  
  successfully for customer: final2@example.com  
  amount: 15.84023128050127  
593 Hibernate:
```

```
594     insert
595     into
596         balances
597             (amount, last_updated, version,
      customer_email)
598     values
599             (?, ?, ?, ?, ?)
600 Hibernate:
601     insert
602     into
603         transactions
604             (amount, created_at, customer_email,
      description, processed_at, ride_request_id,
      saga_id, status, type, version, id)
605     values
606             (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
607 Hibernate:
608     insert
609     into
610         payment_outbox
611             (created_at, event_type, payload,
      processed_at, saga_id, saga_status, status,
      version, id)
612     values
613             (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
614 Hibernate:
615     update
616         balances
617     set
618         amount=?,
619         last_updated=?,
620         version=?
621     where
622         customer_email=?
623         and version=?
624 2025-05-26T15:11:04.107-04:00  INFO 48932 --- [
      payment-service] [ntainer#1-0-C-1] c.u.a.p.s.m.
      PaymentRequestListener : Payment request
```

```
624 processed successfully for ride: 270f9771-a2a0-
42fb-a0b7-a286f1800b6b
625 2025-05-26T15:11:04.107-04:00 INFO 48932 --- [payment-service] [ntainer#1-0-C-1] c.u.a.p.s.m.PaymentRequestListener : Received payment request: {"sagaId":"62f66a6d-254c-4e3c-9af6-2d087cbdf64a","rideRequestId":"3bf5e1ae-f30a-401d-906c-386d21d8365e","customerEmail":"final3@example.com","amount":15.84023128050127,"description":"Taxi ride payment"}
626 2025-05-26T15:11:04.108-04:00 INFO 48932 --- [payment-service] [ntainer#1-0-C-1] c.u.a.p.s.s.i.PaymentDomainServiceImpl : Processing payment for customer: final3@example.com amount: 15.84023128050127
627 Hibernate:
628     select
629         b1_0.customer_email,
630         b1_0.amount,
631         b1_0.last_updated,
632         b1_0.version
633     from
634         balances b1_0
635     where
636         b1_0.customer_email=?
637 2025-05-26T15:11:04.110-04:00 INFO 48932 --- [payment-service] [ntainer#1-0-C-1] c.u.a.p.s.s.i.PaymentDomainServiceImpl : Payment processed successfully for customer: final3@example.com amount: 15.84023128050127
638 Hibernate:
639     insert
640     into
641         balances
642             (amount, last_updated, version,
643             customer_email)
643     values
644             (?, ?, ?, ?)
```

```
645 Hibernate:
646     insert
647     into
648         transactions
649             (amount, created_at, customer_email,
650             description, processed_at, ride_request_id,
651             saga_id, status, type, version, id)
650     values
651         (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
652 Hibernate:
653     insert
654     into
655         payment_outbox
656             (created_at, event_type, payload,
657             processed_at, saga_id, saga_status, status,
658             version, id)
657     values
658         (?, ?, ?, ?, ?, ?, ?, ?, ?)
659 Hibernate:
660     update
661         balances
662     set
663         amount=?,
664         last_updated=?,
665         version=?
666     where
667         customer_email=?
668         and version=?
669 2025-05-26T15:11:04.115-04:00  INFO 48932 --- [
670   payment-service] [ntainer#1-0-C-1] c.u.a.p.s.m.
671   PaymentRequestListener : Payment request
672   processed successfully for ride: 3bf5e1ae-f30a-
673   401d-906c-386d21d8365e
674 2025-05-26T15:11:04.115-04:00  INFO 48932 --- [
675   payment-service] [ntainer#1-0-C-1] c.u.a.p.s.m.
676   PaymentRequestListener : Received payment
677   request: {"sagaId":"9cfe8b43-91d0-47ad-b0c6-
678   043f854fc569","rideRequestId":"3d658c02-f674-4e4c-
```

```
670 a263-abebc492942a", "customerEmail": "final4@example.com", "amount": 15.84023128050127, "description": "Taxi ride payment"}  
671 2025-05-26T15:11:04.116-04:00 INFO 48932 --- [payment-service] [Container#1-0-C-1] com.upsoft.PaymentDomainServiceImpl : Processing payment for customer: final4@example.com amount: 15.84023128050127  
672 Hibernate:  
673     select  
674         b1_0.customer_email,  
675         b1_0.amount,  
676         b1_0.last_updated,  
677         b1_0.version  
678     from  
679         balances b1_0  
680     where  
681         b1_0.customer_email=?  
682 2025-05-26T15:11:04.118-04:00 INFO 48932 --- [payment-service] [Container#1-0-C-1] com.upsoft.PaymentDomainServiceImpl : Payment processed successfully for customer: final4@example.com amount: 15.84023128050127  
683 Hibernate:  
684     insert  
685     into  
686         balances  
687         (amount, last_updated, version,  
       customer_email)  
688     values  
689         (?, ?, ?, ?)  
690 Hibernate:  
691     insert  
692     into  
693         transactions  
694         (amount, created_at, customer_email,  
       description, processed_at, ride_request_id,  
       saga_id, status, type, version, id)
```

```
695     values
696         (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
697 Hibernate:
698     insert
699     into
700         payment_outbox
701             (created_at, event_type, payload,
702             processed_at, saga_id, saga_status, status,
703             version, id)
704     values
705         (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
706 Hibernate:
707     update
708     balances
709     set
710         amount=?,
711         last_updated=?,
712         version=?
713     where
714         customer_email=?
715         and version=?
716 2025-05-26T15:11:04.122-04:00  INFO 48932 --- [
payment-service] [ntainer#1-0-C-1] c.u.a.p.s.m.
PaymentRequestListener : Payment request
processed successfully for ride: 3d658c02-f674-
4e4c-a263-abebc492942a
717 2025-05-26T15:11:04.122-04:00  INFO 48932 --- [
payment-service] [ntainer#1-0-C-1] c.u.a.p.s.m.
PaymentRequestListener : Received payment
request: {"sagaId":"0decc834-3b71-4af7-9ef3-
8172a058fcb4","rideRequestId":"83f0c34b-4848-4544-
aa56-d07230dccf4e","customerEmail":"final5@example
.com","amount":15.84023128050127,"description":"
Taxi ride payment"}
718 2025-05-26T15:11:04.123-04:00  INFO 48932 --- [
payment-service] [ntainer#1-0-C-1] c.u.a.p.s.s.i.
PaymentDomainServiceImpl : Processing payment
for customer: final5@example.com amount: 15.
```

```
716 84023128050127
717 Hibernate:
718     select
719         b1_0.customer_email,
720         b1_0.amount,
721         b1_0.last_updated,
722         b1_0.version
723     from
724         balances b1_0
725     where
726         b1_0.customer_email=?
727 2025-05-26T15:11:04.125-04:00 INFO 48932 --- [
payment-service] [ntainer#1-0-C-1] c.u.a.p.s.s.i.
PaymentDomainServiceImpl : Payment processed
successfully for customer: final5@example.com
amount: 15.84023128050127
728 Hibernate:
729     insert
730     into
731         balances
732             (amount, last_updated, version,
customer_email)
733     values
734         (?, ?, ?, ?)
735 Hibernate:
736     insert
737     into
738         transactions
739             (amount, created_at, customer_email,
description, processed_at, ride_request_id,
saga_id, status, type, version, id)
740     values
741         (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
742 Hibernate:
743     insert
744     into
745         payment_outbox
746             (created_at, event_type, payload,
```

```
746 processed_at, saga_id, saga_status, status,
    version, id)
747     values
748         (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
749 Hibernate:
750     update
751         balances
752     set
753         amount=? ,
754         last_updated=? ,
755         version=?
756     where
757         customer_email=?
758         and version=?
759 2025-05-26T15:11:04.132-04:00 INFO 48932 --- [
    payment-service] [ntainer#1-0-C-1] c.u.a.p.s.m.
    PaymentRequestListener : Payment request
    processed successfully for ride: 83f0c34b-4848-
    4544-aa56-d07230dccf4e
760 2025-05-26T15:11:04.132-04:00 INFO 48932 --- [
    payment-service] [ntainer#1-0-C-1] c.u.a.p.s.m.
    PaymentRequestListener : Received payment
    request: {"sagaId":"92a428c9-c996-4c38-87fd-
    865ce11fed74","rideRequestId":"ae7dd9e9-2150-44aa-
    b738-107acb70a091","customerEmail":"final6@example
    .com","amount":15.84023128050127,"description":"
    Taxi ride payment"}
761 2025-05-26T15:11:04.132-04:00 INFO 48932 --- [
    payment-service] [ntainer#1-0-C-1] c.u.a.p.s.s.i.
    PaymentDomainServiceImpl : Processing payment
    for customer: final6@example.com amount: 15.
    84023128050127
762 Hibernate:
763     select
764         b1_0.customer_email,
765         b1_0.amount,
766         b1_0.last_updated,
767         b1_0.version
```

```
768     from
769         balances b1_0
770     where
771         b1_0.customer_email=?  
772 2025-05-26T15:11:04.134-04:00 INFO 48932 --- [payment-service] [ntainer#1-0-C-1] c.u.a.p.s.s.i.PaymentDomainServiceImpl : Payment processed successfully for customer: final6@example.com amount: 15.84023128050127  
773 Hibernate:
774     insert
775     into
776         balances
777             (amount, last_updated, version,
778             customer_email)
779             (?, ?, ?, ?)
780 Hibernate:
781     insert
782     into
783         transactions
784             (amount, created_at, customer_email,
785             description, processed_at, ride_request_id,
786             saga_id, status, type, version, id)
787             values
788                 (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
789 Hibernate:
790     insert
791     into
792         payment_outbox
793             (created_at, event_type, payload,
794             processed_at, saga_id, saga_status, status,
795             version, id)
796             values
797                 (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
798 Hibernate:
799     update
800         balances
```

```
797      set
798          amount=?,
799          last_updated=?,
800          version=?
801      where
802          customer_email=?
803          and version=?
804 2025-05-26T15:11:04.139-04:00 INFO 48932 --- [
805   payment-service] [ntainer#1-0-C-1] c.u.a.p.s.m.
806   PaymentRequestListener : Payment request
807   processed successfully for ride: ae7dd9e9-2150-
808   44aa-b738-107acb70a091
809 Hibernate:
810     select
811         po1_.id,
812         po1_.created_at,
813         po1_.event_type,
814         po1_.payload,
815         po1_.processed_at,
816         po1_.saga_id,
817         po1_.saga_status,
818         po1_.status,
819         po1_.version
820     from
821         payment_outbox po1_
822     where
823         po1_.status=?
824     order by
825         po1_.created_at
826 2025-05-26T15:11:05.500-04:00 INFO 48932 --- [
827   payment-service] [ scheduling-1] c.u.a.p.s.s.
828   PaymentOutboxScheduler : Processing 6
829   payment outbox events
830 2025-05-26T15:11:05.508-04:00 INFO 48932 --- [
831   payment-service] [ scheduling-1] o.a.k.clients.
832   producer.ProducerConfig : ProducerConfig values
833   :
834   acks = -1
```

```
825     auto.include.jmx.reporter = true
826     batch.size = 16384
827     bootstrap.servers = [localhost:9092]
828     buffer.memory = 33554432
829     client.dns.lookup = use_all_dns_ips
830     client.id = payment-service-producer-1
831     compression.gzip.level = -1
832     compression.lz4.level = 9
833     compression.type = none
834     compression.zstd.level = 3
835     connections.max.idle.ms = 540000
836     delivery.timeout.ms = 120000
837     enable.idempotence = true
838     enable.metrics.push = true
839     interceptor.classes = []
840     key.serializer = class org.apache.kafka.common
     .serialization.StringSerializer
841     linger.ms = 0
842     max.block.ms = 60000
843     max.in.flight.requests.per.connection = 5
844     max.request.size = 1048576
845     metadata.max.age.ms = 300000
846     metadata.max.idle.ms = 300000
847     metadata.recovery.strategy = none
848     metric.reporters = []
849     metrics.num.samples = 2
850     metrics.recording.level = INFO
851     metrics.sample.window.ms = 30000
852     partitioner.adaptive.partitioning.enable =
     true
853     partitioner.availability.timeout.ms = 0
854     partitioner.class = null
855     partitioner.ignore.keys = false
856     receive.buffer.bytes = 32768
857     reconnect.backoff.max.ms = 1000
858     reconnect.backoff.ms = 50
859     request.timeout.ms = 30000
860     retries = 3
```

```
861     retry.backoff.max.ms = 1000
862     retry.backoff.ms = 100
863     sasl.client.callback.handler.class = null
864     sasl.jaas.config = null
865     sasl.kerberos.kinit.cmd = /usr/bin/kinit
866     sasl.kerberos.min.time.before.relogin = 60000
867     sasl.kerberos.service.name = null
868     sasl.kerberos.ticket.renew.jitter = 0.05
869     sasl.kerberos.ticket.renew.window.factor = 0.8
870     sasl.login.callback.handler.class = null
871     sasl.login.class = null
872     sasl.login.connect.timeout.ms = null
873     sasl.login.read.timeout.ms = null
874     sasl.login.refresh.buffer.seconds = 300
875     sasl.login.refresh.min.period.seconds = 60
876     sasl.login.refresh.window.factor = 0.8
877     sasl.login.refresh.window.jitter = 0.05
878     sasl.login.retry.backoff.max.ms = 10000
879     sasl.login.retry.backoff.ms = 100
880     sasl.mechanism = GSSAPI
881     sasl.oauthbearer.clock.skew.seconds = 30
882     sasl.oauthbearer.expected.audience = null
883     sasl.oauthbearer.expected.issuer = null
884     sasl.oauthbearer.header.urlencoded = false
885     sasl.oauthbearer.jwks.endpoint.refresh.ms =
3600000
886     sasl.oauthbearer.jwks.endpoint.retry.backoff.
max.ms = 10000
887     sasl.oauthbearer.jwks.endpoint.retry.backoff.
ms = 100
888     sasl.oauthbearer.jwks.endpoint.url = null
889     sasl.oauthbearer.scope.claim.name = scope
890     sasl.oauthbearer.sub.claim.name = sub
891     sasl.oauthbearer.token.endpoint.url = null
892     security.protocol = PLAINTEXT
893     security.providers = null
894     send.buffer.bytes = 131072
895     socket.connection.setup.timeout.max.ms = 30000
```

```
896     socket.connection.setup.timeout.ms = 10000
897     ssl.cipher.suites = null
898     ssl.enabled.protocols = [TLSv1.2, TLSv1.3]
899     ssl.endpoint.identification.algorithm = https
900     ssl.engine.factory.class = null
901     ssl.key.password = null
902     ssl.keymanager.algorithm = SunX509
903     ssl.keystore.certificate.chain = null
904     ssl.keystore.key = null
905     ssl.keystore.location = null
906     ssl.keystore.password = null
907     ssl.keystore.type = JKS
908     ssl.protocol = TLSv1.3
909     ssl.provider = null
910     ssl.secure.random.implementation = null
911     ssl.trustmanager.algorithm = PKIX
912     ssl.truststore.certificates = null
913     ssl.truststore.location = null
914     ssl.truststore.password = null
915     ssl.truststore.type = JKS
916     transaction.timeout.ms = 60000
917     transactional.id = null
918     value.serializer = class org.apache.kafka.
919         common.serialization.StringSerializer
920 2025-05-26T15:11:05.509-04:00  INFO 48932 --- [
921     payment-service] [  scheduling-1] o.a.k.c.t.i.
922     KafkaMetricsCollector      : initializing Kafka
923     metrics collector
924 2025-05-26T15:11:05.521-04:00  INFO 48932 --- [
925     payment-service] [  scheduling-1] o.a.k.clients.
926     producer.KafkaProducer      : [Producer clientId=
927     payment-service-producer-1] Instantiated an
928     idempotent producer.
929 2025-05-26T15:11:05.531-04:00  INFO 48932 --- [
930     payment-service] [  scheduling-1] o.a.kafka.
931     common.utils.AppInfoParser    : Kafka version: 3.
932     .9.1
```

```
923 2025-05-26T15:11:05.531-04:00 INFO 48932 --- [payment-service] [ scheduling-1] o.a.kafka.common.utils.AppInfoParser : Kafka commitId: f745dfdceeb9851
924 2025-05-26T15:11:05.531-04:00 INFO 48932 --- [payment-service] [ scheduling-1] o.a.kafka.common.utils.AppInfoParser : Kafka startTimeMs : 1748286665531
925 2025-05-26T15:11:05.537-04:00 INFO 48932 --- [payment-service] [vice-producer-1] org.apache.kafka.clients.Metadata : [Producer clientId =payment-service-producer-1] Cluster ID: CO_GOMfPSXWLNSaWmnJauQ
926 2025-05-26T15:11:05.537-04:00 INFO 48932 --- [payment-service] [vice-producer-1] o.a.k.c.p.internals.TransactionManager : [Producer clientId=payment-service-producer-1] ProducerId set to 93 with epoch 0
927 2025-05-26T15:11:05.541-04:00 INFO 48932 --- [payment-service] [ scheduling-1] c.u.a.p.s.s.PaymentOutboxScheduler : Successfully sent payment event 8d42e427-f18b-4499-842c-109230153b3b to topic payment-responses
928 2025-05-26T15:11:05.541-04:00 INFO 48932 --- [payment-service] [ scheduling-1] c.u.a.p.s.s.PaymentOutboxScheduler : Successfully sent payment event 0a0ff39f-4009-4eb1-a6c5-917c11b2fbdd to topic payment-responses
929 2025-05-26T15:11:05.541-04:00 INFO 48932 --- [payment-service] [ scheduling-1] c.u.a.p.s.s.PaymentOutboxScheduler : Successfully sent payment event e07bbead-d880-4d84-a03b-8c889b7c1267 to topic payment-responses
930 2025-05-26T15:11:05.542-04:00 INFO 48932 --- [payment-service] [ scheduling-1] c.u.a.p.s.s.PaymentOutboxScheduler : Successfully sent payment event 8697d94f-45cd-4eab-978a-5eb1aaaf6095 to topic payment-responses
```

```
931 2025-05-26T15:11:05.542-04:00 INFO 48932 --- [payment-service] [ scheduling-1] c.u.a.p.s.s.PaymentOutboxScheduler : Successfully sent payment event f8237128-87f7-4c88-8484-8fe731884707 to topic payment-responses
932 2025-05-26T15:11:05.542-04:00 INFO 48932 --- [payment-service] [ scheduling-1] c.u.a.p.s.s.PaymentOutboxScheduler : Successfully sent payment event 29dbacdf-f134-433d-84c0-3f07b22b72da to topic payment-responses
933 Hibernate:
934     update
935         payment_outbox
936     set
937         created_at=?,
938         event_type=?,
939         payload=?,
940         processed_at=?,
941         saga_id=?,
942         saga_status=?,
943         status=?,
944         version=?
945     where
946         id=?
947         and version=?
948 Hibernate:
949     update
950         payment_outbox
951     set
952         created_at=?,
953         event_type=?,
954         payload=?,
955         processed_at=?,
956         saga_id=?,
957         saga_status=?,
958         status=?,
959         version=?
960     where
```

```
961      id=?  
962      and version=?  
963 Hibernate:  
964     update  
965       payment_outbox  
966     set  
967       created_at=? ,  
968       event_type=? ,  
969       payload=? ,  
970       processed_at=? ,  
971       saga_id=? ,  
972       saga_status=? ,  
973       status=? ,  
974       version=?  
975     where  
976       id=?  
977       and version=?  
978 Hibernate:  
979     update  
980       payment_outbox  
981     set  
982       created_at=? ,  
983       event_type=? ,  
984       payload=? ,  
985       processed_at=? ,  
986       saga_id=? ,  
987       saga_status=? ,  
988       status=? ,  
989       version=?  
990     where  
991       id=?  
992       and version=?  
993 Hibernate:  
994     update  
995       payment_outbox  
996     set  
997       created_at=? ,  
998       event_type=? ,
```

```
999      payload=?,
1000     processed_at=?,
1001     saga_id=?,
1002     saga_status=?,
1003     status=?,
1004     version=?

1005    where
1006        id=?
1007        and version=?

1008 Hibernate:
1009     update
1010         payment_outbox
1011     set
1012         created_at=?,
1013         event_type=?,
1014         payload=?,
1015         processed_at=?,
1016         saga_id=?,
1017         saga_status=?,
1018         status=?,
1019         version=?

1020     where
1021        id=?
1022        and version=?

1023 Hibernate:
1024     select
1025         oe1_0.id,
1026         oe1_0.created_at,
1027         oe1_0.event_type,
1028         oe1_0.payload,
1029         oe1_0.processed_at,
1030         oe1_0.saga_id,
1031         oe1_0.saga_status,
1032         oe1_0.status,
1033         oe1_0.version
1034     from
1035         outbox_events oe1_0
1036     where
```

```
1037          oe1_0.status=?  
1038      order by  
1039          oe1_0.created_at  
1040 2025-05-26T15:11:05.556-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1041 Hibernate:  
1042     select  
1043         po1_0.id,  
1044         po1_0.created_at,  
1045         po1_0.event_type,  
1046         po1_0.payload,  
1047         po1_0.processed_at,  
1048         po1_0.saga_id,  
1049         po1_0.saga_status,  
1050         po1_0.status,  
1051         po1_0.version  
1052     from  
1053         payment_outbox po1_0  
1054     where  
1055         po1_0.status=?  
1056     order by  
1057         po1_0.created_at  
1058 Hibernate:  
1059     select  
1060         oe1_0.id,  
1061         oe1_0.created_at,  
1062         oe1_0.event_type,  
1063         oe1_0.payload,  
1064         oe1_0.processed_at,  
1065         oe1_0.saga_id,  
1066         oe1_0.saga_status,  
1067         oe1_0.status,  
1068         oe1_0.version  
1069     from  
1070         outbox_events oe1_0  
1071     where
```

```
1072          oe1_0.status=?  
1073      order by  
1074          oe1_0.created_at  
1075 2025-05-26T15:11:10.638-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1076 Hibernate:  
1077     select  
1078         po1_0.id,  
1079         po1_0.created_at,  
1080         po1_0.event_type,  
1081         po1_0.payload,  
1082         po1_0.processed_at,  
1083         po1_0.saga_id,  
1084         po1_0.saga_status,  
1085         po1_0.status,  
1086         po1_0.version  
1087     from  
1088         payment_outbox po1_0  
1089     where  
1090         po1_0.status=?  
1091     order by  
1092         po1_0.created_at  
1093 Hibernate:  
1094     select  
1095         oe1_0.id,  
1096         oe1_0.created_at,  
1097         oe1_0.event_type,  
1098         oe1_0.payload,  
1099         oe1_0.processed_at,  
1100         oe1_0.saga_id,  
1101         oe1_0.saga_status,  
1102         oe1_0.status,  
1103         oe1_0.version  
1104     from  
1105         outbox_events oe1_0  
1106     where
```

```
1107          oe1_0.status=?  
1108      order by  
1109          oe1_0.created_at  
1110 2025-05-26T15:11:15.658-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1111 Hibernate:  
1112     select  
1113         po1_0.id,  
1114         po1_0.created_at,  
1115         po1_0.event_type,  
1116         po1_0.payload,  
1117         po1_0.processed_at,  
1118         po1_0.saga_id,  
1119         po1_0.saga_status,  
1120         po1_0.status,  
1121         po1_0.version  
1122     from  
1123         payment_outbox po1_0  
1124     where  
1125         po1_0.status=?  
1126     order by  
1127         po1_0.created_at  
1128 Hibernate:  
1129     select  
1130         oe1_0.id,  
1131         oe1_0.created_at,  
1132         oe1_0.event_type,  
1133         oe1_0.payload,  
1134         oe1_0.processed_at,  
1135         oe1_0.saga_id,  
1136         oe1_0.saga_status,  
1137         oe1_0.status,  
1138         oe1_0.version  
1139     from  
1140         outbox_events oe1_0  
1141     where
```

```
1142          oe1_0.status=?  
1143      order by  
1144          oe1_0.created_at  
1145 2025-05-26T15:11:20.679-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1146 Hibernate:  
1147     select  
1148         po1_0.id,  
1149         po1_0.created_at,  
1150         po1_0.event_type,  
1151         po1_0.payload,  
1152         po1_0.processed_at,  
1153         po1_0.saga_id,  
1154         po1_0.saga_status,  
1155         po1_0.status,  
1156         po1_0.version  
1157     from  
1158         payment_outbox po1_0  
1159     where  
1160         po1_0.status=?  
1161     order by  
1162         po1_0.created_at  
1163 Hibernate:  
1164     select  
1165         oe1_0.id,  
1166         oe1_0.created_at,  
1167         oe1_0.event_type,  
1168         oe1_0.payload,  
1169         oe1_0.processed_at,  
1170         oe1_0.saga_id,  
1171         oe1_0.saga_status,  
1172         oe1_0.status,  
1173         oe1_0.version  
1174     from  
1175         outbox_events oe1_0  
1176     where
```

```
1177          oe1_0.status=?  
1178      order by  
1179          oe1_0.created_at  
1180 2025-05-26T15:11:25.715-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1181 Hibernate:  
1182     select  
1183         po1_0.id,  
1184         po1_0.created_at,  
1185         po1_0.event_type,  
1186         po1_0.payload,  
1187         po1_0.processed_at,  
1188         po1_0.saga_id,  
1189         po1_0.saga_status,  
1190         po1_0.status,  
1191         po1_0.version  
1192     from  
1193         payment_outbox po1_0  
1194     where  
1195         po1_0.status=?  
1196     order by  
1197         po1_0.created_at  
1198 Hibernate:  
1199     select  
1200         oe1_0.id,  
1201         oe1_0.created_at,  
1202         oe1_0.event_type,  
1203         oe1_0.payload,  
1204         oe1_0.processed_at,  
1205         oe1_0.saga_id,  
1206         oe1_0.saga_status,  
1207         oe1_0.status,  
1208         oe1_0.version  
1209     from  
1210         outbox_events oe1_0  
1211     where
```

```
1212         oe1_0.status=?  
1213     order by  
1214         oe1_0.created_at  
1215 2025-05-26T15:11:30.757-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler      : Processing 0 outbox  
    events  
1216 Hibernate:  
1217     select  
1218         po1_0.id,  
1219         po1_0.created_at,  
1220         po1_0.event_type,  
1221         po1_0.payload,  
1222         po1_0.processed_at,  
1223         po1_0.saga_id,  
1224         po1_0.saga_status,  
1225         po1_0.status,  
1226         po1_0.version  
1227     from  
1228         payment_outbox po1_0  
1229     where  
1230         po1_0.status=?  
1231     order by  
1232         po1_0.created_at  
1233 Hibernate:  
1234     select  
1235         oe1_0.id,  
1236         oe1_0.created_at,  
1237         oe1_0.event_type,  
1238         oe1_0.payload,  
1239         oe1_0.processed_at,  
1240         oe1_0.saga_id,  
1241         oe1_0.saga_status,  
1242         oe1_0.status,  
1243         oe1_0.version  
1244     from  
1245         outbox_events oe1_0  
1246     where
```

```
1247          oe1_0.status=?  
1248      order by  
1249          oe1_0.created_at  
1250 2025-05-26T15:11:35.778-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1251 Hibernate:  
1252     select  
1253         po1_0.id,  
1254         po1_0.created_at,  
1255         po1_0.event_type,  
1256         po1_0.payload,  
1257         po1_0.processed_at,  
1258         po1_0.saga_id,  
1259         po1_0.saga_status,  
1260         po1_0.status,  
1261         po1_0.version  
1262     from  
1263         payment_outbox po1_0  
1264     where  
1265         po1_0.status=?  
1266     order by  
1267         po1_0.created_at  
1268 Hibernate:  
1269     select  
1270         oe1_0.id,  
1271         oe1_0.created_at,  
1272         oe1_0.event_type,  
1273         oe1_0.payload,  
1274         oe1_0.processed_at,  
1275         oe1_0.saga_id,  
1276         oe1_0.saga_status,  
1277         oe1_0.status,  
1278         oe1_0.version  
1279     from  
1280         outbox_events oe1_0  
1281     where
```

```
1282          oe1_0.status=?  
1283      order by  
1284          oe1_0.created_at  
1285 2025-05-26T15:11:40.850-04:00  INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler      : Processing 0 outbox  
    events  
1286 Hibernate:  
1287     select  
1288         po1_0.id,  
1289         po1_0.created_at,  
1290         po1_0.event_type,  
1291         po1_0.payload,  
1292         po1_0.processed_at,  
1293         po1_0.saga_id,  
1294         po1_0.saga_status,  
1295         po1_0.status,  
1296         po1_0.version  
1297     from  
1298         payment_outbox po1_0  
1299     where  
1300         po1_0.status=?  
1301     order by  
1302         po1_0.created_at  
1303 Hibernate:  
1304     select  
1305         oe1_0.id,  
1306         oe1_0.created_at,  
1307         oe1_0.event_type,  
1308         oe1_0.payload,  
1309         oe1_0.processed_at,  
1310         oe1_0.saga_id,  
1311         oe1_0.saga_status,  
1312         oe1_0.status,  
1313         oe1_0.version  
1314     from  
1315         outbox_events oe1_0  
1316     where
```

```
1317          oe1_0.status=?  
1318      order by  
1319          oe1_0.created_at  
1320 2025-05-26T15:11:45.884-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1321 Hibernate:  
1322     select  
1323         po1_0.id,  
1324         po1_0.created_at,  
1325         po1_0.event_type,  
1326         po1_0.payload,  
1327         po1_0.processed_at,  
1328         po1_0.saga_id,  
1329         po1_0.saga_status,  
1330         po1_0.status,  
1331         po1_0.version  
1332     from  
1333         payment_outbox po1_0  
1334     where  
1335         po1_0.status=?  
1336     order by  
1337         po1_0.created_at  
1338 Hibernate:  
1339     select  
1340         oe1_0.id,  
1341         oe1_0.created_at,  
1342         oe1_0.event_type,  
1343         oe1_0.payload,  
1344         oe1_0.processed_at,  
1345         oe1_0.saga_id,  
1346         oe1_0.saga_status,  
1347         oe1_0.status,  
1348         oe1_0.version  
1349     from  
1350         outbox_events oe1_0  
1351     where
```

```
1352          oe1_0.status=?  
1353      order by  
1354          oe1_0.created_at  
1355 2025-05-26T15:11:50.904-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1356 Hibernate:  
1357     select  
1358         po1_0.id,  
1359         po1_0.created_at,  
1360         po1_0.event_type,  
1361         po1_0.payload,  
1362         po1_0.processed_at,  
1363         po1_0.saga_id,  
1364         po1_0.saga_status,  
1365         po1_0.status,  
1366         po1_0.version  
1367     from  
1368         payment_outbox po1_0  
1369     where  
1370         po1_0.status=?  
1371     order by  
1372         po1_0.created_at  
1373 Hibernate:  
1374     select  
1375         oe1_0.id,  
1376         oe1_0.created_at,  
1377         oe1_0.event_type,  
1378         oe1_0.payload,  
1379         oe1_0.processed_at,  
1380         oe1_0.saga_id,  
1381         oe1_0.saga_status,  
1382         oe1_0.status,  
1383         oe1_0.version  
1384     from  
1385         outbox_events oe1_0  
1386     where
```

```
1387          oe1_0.status=?  
1388      order by  
1389          oe1_0.created_at  
1390 2025-05-26T15:11:55.921-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1391 Hibernate:  
1392     select  
1393         po1_0.id,  
1394         po1_0.created_at,  
1395         po1_0.event_type,  
1396         po1_0.payload,  
1397         po1_0.processed_at,  
1398         po1_0.saga_id,  
1399         po1_0.saga_status,  
1400         po1_0.status,  
1401         po1_0.version  
1402     from  
1403         payment_outbox po1_0  
1404     where  
1405         po1_0.status=?  
1406     order by  
1407         po1_0.created_at  
1408 Hibernate:  
1409     select  
1410         oe1_0.id,  
1411         oe1_0.created_at,  
1412         oe1_0.event_type,  
1413         oe1_0.payload,  
1414         oe1_0.processed_at,  
1415         oe1_0.saga_id,  
1416         oe1_0.saga_status,  
1417         oe1_0.status,  
1418         oe1_0.version  
1419     from  
1420         outbox_events oe1_0  
1421     where
```

```
1422          oe1_0.status=?  
1423      order by  
1424          oe1_0.created_at  
1425 2025-05-26T15:12:00.927-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1426 Hibernate:  
1427     select  
1428         po1_0.id,  
1429         po1_0.created_at,  
1430         po1_0.event_type,  
1431         po1_0.payload,  
1432         po1_0.processed_at,  
1433         po1_0.saga_id,  
1434         po1_0.saga_status,  
1435         po1_0.status,  
1436         po1_0.version  
1437     from  
1438         payment_outbox po1_0  
1439     where  
1440         po1_0.status=?  
1441     order by  
1442         po1_0.created_at  
1443 Hibernate:  
1444     select  
1445         oe1_0.id,  
1446         oe1_0.created_at,  
1447         oe1_0.event_type,  
1448         oe1_0.payload,  
1449         oe1_0.processed_at,  
1450         oe1_0.saga_id,  
1451         oe1_0.saga_status,  
1452         oe1_0.status,  
1453         oe1_0.version  
1454     from  
1455         outbox_events oe1_0  
1456     where
```

```
1457          oe1_0.status=?  
1458      order by  
1459          oe1_0.created_at  
1460 2025-05-26T15:12:05.941-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1461 Hibernate:  
1462     select  
1463         po1_0.id,  
1464         po1_0.created_at,  
1465         po1_0.event_type,  
1466         po1_0.payload,  
1467         po1_0.processed_at,  
1468         po1_0.saga_id,  
1469         po1_0.saga_status,  
1470         po1_0.status,  
1471         po1_0.version  
1472     from  
1473         payment_outbox po1_0  
1474     where  
1475         po1_0.status=?  
1476     order by  
1477         po1_0.created_at  
1478 Hibernate:  
1479     select  
1480         oe1_0.id,  
1481         oe1_0.created_at,  
1482         oe1_0.event_type,  
1483         oe1_0.payload,  
1484         oe1_0.processed_at,  
1485         oe1_0.saga_id,  
1486         oe1_0.saga_status,  
1487         oe1_0.status,  
1488         oe1_0.version  
1489     from  
1490         outbox_events oe1_0  
1491     where
```

```
1492          oe1_0.status=?  
1493      order by  
1494          oe1_0.created_at  
1495 2025-05-26T15:12:10.964-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1496 Hibernate:  
1497     select  
1498         po1_0.id,  
1499         po1_0.created_at,  
1500         po1_0.event_type,  
1501         po1_0.payload,  
1502         po1_0.processed_at,  
1503         po1_0.saga_id,  
1504         po1_0.saga_status,  
1505         po1_0.status,  
1506         po1_0.version  
1507     from  
1508         payment_outbox po1_0  
1509     where  
1510         po1_0.status=?  
1511     order by  
1512         po1_0.created_at  
1513 Hibernate:  
1514     select  
1515         oe1_0.id,  
1516         oe1_0.created_at,  
1517         oe1_0.event_type,  
1518         oe1_0.payload,  
1519         oe1_0.processed_at,  
1520         oe1_0.saga_id,  
1521         oe1_0.saga_status,  
1522         oe1_0.status,  
1523         oe1_0.version  
1524     from  
1525         outbox_events oe1_0  
1526     where
```

```
1527          oe1_0.status=?  
1528      order by  
1529          oe1_0.created_at  
1530 2025-05-26T15:12:15.980-04:00  INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler      : Processing 0 outbox  
    events  
1531 Hibernate:  
1532     select  
1533         po1_0.id,  
1534         po1_0.created_at,  
1535         po1_0.event_type,  
1536         po1_0.payload,  
1537         po1_0.processed_at,  
1538         po1_0.saga_id,  
1539         po1_0.saga_status,  
1540         po1_0.status,  
1541         po1_0.version  
1542     from  
1543         payment_outbox po1_0  
1544     where  
1545         po1_0.status=?  
1546     order by  
1547         po1_0.created_at  
1548 Hibernate:  
1549     select  
1550         oe1_0.id,  
1551         oe1_0.created_at,  
1552         oe1_0.event_type,  
1553         oe1_0.payload,  
1554         oe1_0.processed_at,  
1555         oe1_0.saga_id,  
1556         oe1_0.saga_status,  
1557         oe1_0.status,  
1558         oe1_0.version  
1559     from  
1560         outbox_events oe1_0  
1561     where
```

```
1562          oe1_0.status=?  
1563      order by  
1564          oe1_0.created_at  
1565 2025-05-26T15:12:21.009-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1566 Hibernate:  
1567     select  
1568         po1_0.id,  
1569         po1_0.created_at,  
1570         po1_0.event_type,  
1571         po1_0.payload,  
1572         po1_0.processed_at,  
1573         po1_0.saga_id,  
1574         po1_0.saga_status,  
1575         po1_0.status,  
1576         po1_0.version  
1577     from  
1578         payment_outbox po1_0  
1579     where  
1580         po1_0.status=?  
1581     order by  
1582         po1_0.created_at  
1583 Hibernate:  
1584     select  
1585         oe1_0.id,  
1586         oe1_0.created_at,  
1587         oe1_0.event_type,  
1588         oe1_0.payload,  
1589         oe1_0.processed_at,  
1590         oe1_0.saga_id,  
1591         oe1_0.saga_status,  
1592         oe1_0.status,  
1593         oe1_0.version  
1594     from  
1595         outbox_events oe1_0  
1596     where
```

```
1597          oe1_0.status=?  
1598      order by  
1599          oe1_0.created_at  
1600 2025-05-26T15:12:26.023-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1601 Hibernate:  
1602     select  
1603         po1_0.id,  
1604         po1_0.created_at,  
1605         po1_0.event_type,  
1606         po1_0.payload,  
1607         po1_0.processed_at,  
1608         po1_0.saga_id,  
1609         po1_0.saga_status,  
1610         po1_0.status,  
1611         po1_0.version  
1612     from  
1613         payment_outbox po1_0  
1614     where  
1615         po1_0.status=?  
1616     order by  
1617         po1_0.created_at  
1618 Hibernate:  
1619     select  
1620         oe1_0.id,  
1621         oe1_0.created_at,  
1622         oe1_0.event_type,  
1623         oe1_0.payload,  
1624         oe1_0.processed_at,  
1625         oe1_0.saga_id,  
1626         oe1_0.saga_status,  
1627         oe1_0.status,  
1628         oe1_0.version  
1629     from  
1630         outbox_events oe1_0  
1631     where
```

```
1632          oe1_0.status=?  
1633      order by  
1634          oe1_0.created_at  
1635 2025-05-26T15:12:31.051-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1636 Hibernate:  
1637     select  
1638         po1_0.id,  
1639         po1_0.created_at,  
1640         po1_0.event_type,  
1641         po1_0.payload,  
1642         po1_0.processed_at,  
1643         po1_0.saga_id,  
1644         po1_0.saga_status,  
1645         po1_0.status,  
1646         po1_0.version  
1647     from  
1648         payment_outbox po1_0  
1649     where  
1650         po1_0.status=?  
1651     order by  
1652         po1_0.created_at  
1653 Hibernate:  
1654     select  
1655         oe1_0.id,  
1656         oe1_0.created_at,  
1657         oe1_0.event_type,  
1658         oe1_0.payload,  
1659         oe1_0.processed_at,  
1660         oe1_0.saga_id,  
1661         oe1_0.saga_status,  
1662         oe1_0.status,  
1663         oe1_0.version  
1664     from  
1665         outbox_events oe1_0  
1666     where
```

```
1667          oe1_0.status=?  
1668      order by  
1669          oe1_0.created_at  
1670 2025-05-26T15:12:36.076-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1671 Hibernate:  
1672     select  
1673         po1_0.id,  
1674         po1_0.created_at,  
1675         po1_0.event_type,  
1676         po1_0.payload,  
1677         po1_0.processed_at,  
1678         po1_0.saga_id,  
1679         po1_0.saga_status,  
1680         po1_0.status,  
1681         po1_0.version  
1682     from  
1683         payment_outbox po1_0  
1684     where  
1685         po1_0.status=?  
1686     order by  
1687         po1_0.created_at  
1688 Hibernate:  
1689     select  
1690         oe1_0.id,  
1691         oe1_0.created_at,  
1692         oe1_0.event_type,  
1693         oe1_0.payload,  
1694         oe1_0.processed_at,  
1695         oe1_0.saga_id,  
1696         oe1_0.saga_status,  
1697         oe1_0.status,  
1698         oe1_0.version  
1699     from  
1700         outbox_events oe1_0  
1701     where
```

```
1702          oe1_0.status=?  
1703      order by  
1704          oe1_0.created_at  
1705 2025-05-26T15:12:41.120-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1706 Hibernate:  
1707     select  
1708         po1_0.id,  
1709         po1_0.created_at,  
1710         po1_0.event_type,  
1711         po1_0.payload,  
1712         po1_0.processed_at,  
1713         po1_0.saga_id,  
1714         po1_0.saga_status,  
1715         po1_0.status,  
1716         po1_0.version  
1717     from  
1718         payment_outbox po1_0  
1719     where  
1720         po1_0.status=?  
1721     order by  
1722         po1_0.created_at  
1723 Hibernate:  
1724     select  
1725         oe1_0.id,  
1726         oe1_0.created_at,  
1727         oe1_0.event_type,  
1728         oe1_0.payload,  
1729         oe1_0.processed_at,  
1730         oe1_0.saga_id,  
1731         oe1_0.saga_status,  
1732         oe1_0.status,  
1733         oe1_0.version  
1734     from  
1735         outbox_events oe1_0  
1736     where
```

```
1737         oe1_0.status=?  
1738     order by  
1739         oe1_0.created_at  
1740 2025-05-26T15:12:46.141-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler      : Processing 0 outbox  
    events  
1741 Hibernate:  
1742     select  
1743         po1_0.id,  
1744         po1_0.created_at,  
1745         po1_0.event_type,  
1746         po1_0.payload,  
1747         po1_0.processed_at,  
1748         po1_0.saga_id,  
1749         po1_0.saga_status,  
1750         po1_0.status,  
1751         po1_0.version  
1752     from  
1753         payment_outbox po1_0  
1754     where  
1755         po1_0.status=?  
1756     order by  
1757         po1_0.created_at  
1758 Hibernate:  
1759     select  
1760         oe1_0.id,  
1761         oe1_0.created_at,  
1762         oe1_0.event_type,  
1763         oe1_0.payload,  
1764         oe1_0.processed_at,  
1765         oe1_0.saga_id,  
1766         oe1_0.saga_status,  
1767         oe1_0.status,  
1768         oe1_0.version  
1769     from  
1770         outbox_events oe1_0  
1771     where
```

```
1772          oe1_0.status=?  
1773      order by  
1774          oe1_0.created_at  
1775 2025-05-26T15:12:51.186-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1776 Hibernate:  
1777     select  
1778         po1_0.id,  
1779         po1_0.created_at,  
1780         po1_0.event_type,  
1781         po1_0.payload,  
1782         po1_0.processed_at,  
1783         po1_0.saga_id,  
1784         po1_0.saga_status,  
1785         po1_0.status,  
1786         po1_0.version  
1787     from  
1788         payment_outbox po1_0  
1789     where  
1790         po1_0.status=?  
1791     order by  
1792         po1_0.created_at  
1793 Hibernate:  
1794     select  
1795         oe1_0.id,  
1796         oe1_0.created_at,  
1797         oe1_0.event_type,  
1798         oe1_0.payload,  
1799         oe1_0.processed_at,  
1800         oe1_0.saga_id,  
1801         oe1_0.saga_status,  
1802         oe1_0.status,  
1803         oe1_0.version  
1804     from  
1805         outbox_events oe1_0  
1806     where
```

```
1807          oe1_0.status=?  
1808      order by  
1809          oe1_0.created_at  
1810 2025-05-26T15:12:56.228-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1811 Hibernate:  
1812     select  
1813         po1_0.id,  
1814         po1_0.created_at,  
1815         po1_0.event_type,  
1816         po1_0.payload,  
1817         po1_0.processed_at,  
1818         po1_0.saga_id,  
1819         po1_0.saga_status,  
1820         po1_0.status,  
1821         po1_0.version  
1822     from  
1823         payment_outbox po1_0  
1824     where  
1825         po1_0.status=?  
1826     order by  
1827         po1_0.created_at  
1828 Hibernate:  
1829     select  
1830         oe1_0.id,  
1831         oe1_0.created_at,  
1832         oe1_0.event_type,  
1833         oe1_0.payload,  
1834         oe1_0.processed_at,  
1835         oe1_0.saga_id,  
1836         oe1_0.saga_status,  
1837         oe1_0.status,  
1838         oe1_0.version  
1839     from  
1840         outbox_events oe1_0  
1841     where
```

```
1842          oe1_0.status=?  
1843      order by  
1844          oe1_0.created_at  
1845 2025-05-26T15:13:01.250-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1846 Hibernate:  
1847     select  
1848         po1_0.id,  
1849         po1_0.created_at,  
1850         po1_0.event_type,  
1851         po1_0.payload,  
1852         po1_0.processed_at,  
1853         po1_0.saga_id,  
1854         po1_0.saga_status,  
1855         po1_0.status,  
1856         po1_0.version  
1857     from  
1858         payment_outbox po1_0  
1859     where  
1860         po1_0.status=?  
1861     order by  
1862         po1_0.created_at  
1863 Hibernate:  
1864     select  
1865         oe1_0.id,  
1866         oe1_0.created_at,  
1867         oe1_0.event_type,  
1868         oe1_0.payload,  
1869         oe1_0.processed_at,  
1870         oe1_0.saga_id,  
1871         oe1_0.saga_status,  
1872         oe1_0.status,  
1873         oe1_0.version  
1874     from  
1875         outbox_events oe1_0  
1876     where
```

```
1877          oe1_0.status=?  
1878      order by  
1879          oe1_0.created_at  
1880 2025-05-26T15:13:06.271-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1881 Hibernate:  
1882     select  
1883         po1_0.id,  
1884         po1_0.created_at,  
1885         po1_0.event_type,  
1886         po1_0.payload,  
1887         po1_0.processed_at,  
1888         po1_0.saga_id,  
1889         po1_0.saga_status,  
1890         po1_0.status,  
1891         po1_0.version  
1892     from  
1893         payment_outbox po1_0  
1894     where  
1895         po1_0.status=?  
1896     order by  
1897         po1_0.created_at  
1898 Hibernate:  
1899     select  
1900         oe1_0.id,  
1901         oe1_0.created_at,  
1902         oe1_0.event_type,  
1903         oe1_0.payload,  
1904         oe1_0.processed_at,  
1905         oe1_0.saga_id,  
1906         oe1_0.saga_status,  
1907         oe1_0.status,  
1908         oe1_0.version  
1909     from  
1910         outbox_events oe1_0  
1911     where
```

```
1912          oe1_0.status=?  
1913      order by  
1914          oe1_0.created_at  
1915 2025-05-26T15:13:11.312-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1916 Hibernate:  
1917     select  
1918         po1_0.id,  
1919         po1_0.created_at,  
1920         po1_0.event_type,  
1921         po1_0.payload,  
1922         po1_0.processed_at,  
1923         po1_0.saga_id,  
1924         po1_0.saga_status,  
1925         po1_0.status,  
1926         po1_0.version  
1927     from  
1928         payment_outbox po1_0  
1929     where  
1930         po1_0.status=?  
1931     order by  
1932         po1_0.created_at  
1933 Hibernate:  
1934     select  
1935         oe1_0.id,  
1936         oe1_0.created_at,  
1937         oe1_0.event_type,  
1938         oe1_0.payload,  
1939         oe1_0.processed_at,  
1940         oe1_0.saga_id,  
1941         oe1_0.saga_status,  
1942         oe1_0.status,  
1943         oe1_0.version  
1944     from  
1945         outbox_events oe1_0  
1946     where
```

```
1947          oe1_0.status=?  
1948      order by  
1949          oe1_0.created_at  
1950 2025-05-26T15:13:16.329-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
1951 Hibernate:  
1952     select  
1953         po1_0.id,  
1954         po1_0.created_at,  
1955         po1_0.event_type,  
1956         po1_0.payload,  
1957         po1_0.processed_at,  
1958         po1_0.saga_id,  
1959         po1_0.saga_status,  
1960         po1_0.status,  
1961         po1_0.version  
1962     from  
1963         payment_outbox po1_0  
1964     where  
1965         po1_0.status=?  
1966     order by  
1967         po1_0.created_at  
1968 Hibernate:  
1969     select  
1970         oe1_0.id,  
1971         oe1_0.created_at,  
1972         oe1_0.event_type,  
1973         oe1_0.payload,  
1974         oe1_0.processed_at,  
1975         oe1_0.saga_id,  
1976         oe1_0.saga_status,  
1977         oe1_0.status,  
1978         oe1_0.version  
1979     from  
1980         outbox_events oe1_0  
1981     where
```

```
1982          oe1_0.status=?  
1983      order by  
1984          oe1_0.created_at  
1985 2025-05-26T15:13:21.355-04:00 INFO 48932 --- [  
           payment-service] [  scheduling-1] c.u.api.shared  
           .outbox.OutboxScheduler : Processing 0 outbox  
           events  
1986 Hibernate:  
1987     select  
1988         po1_0.id,  
1989         po1_0.created_at,  
1990         po1_0.event_type,  
1991         po1_0.payload,  
1992         po1_0.processed_at,  
1993         po1_0.saga_id,  
1994         po1_0.saga_status,  
1995         po1_0.status,  
1996         po1_0.version  
1997     from  
1998         payment_outbox po1_0  
1999     where  
2000         po1_0.status=?  
2001     order by  
2002         po1_0.created_at  
2003 Hibernate:  
2004     select  
2005         oe1_0.id,  
2006         oe1_0.created_at,  
2007         oe1_0.event_type,  
2008         oe1_0.payload,  
2009         oe1_0.processed_at,  
2010         oe1_0.saga_id,  
2011         oe1_0.saga_status,  
2012         oe1_0.status,  
2013         oe1_0.version  
2014     from  
2015         outbox_events oe1_0  
2016     where
```

```
2017          oe1_0.status=?  
2018      order by  
2019          oe1_0.created_at  
2020 2025-05-26T15:13:26.412-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
.outbox.OutboxScheduler : Processing 0 outbox  
events  
2021 Hibernate:  
2022     select  
2023         po1_0.id,  
2024         po1_0.created_at,  
2025         po1_0.event_type,  
2026         po1_0.payload,  
2027         po1_0.processed_at,  
2028         po1_0.saga_id,  
2029         po1_0.saga_status,  
2030         po1_0.status,  
2031         po1_0.version  
2032     from  
2033         payment_outbox po1_0  
2034     where  
2035         po1_0.status=?  
2036     order by  
2037         po1_0.created_at  
2038 Hibernate:  
2039     select  
2040         oe1_0.id,  
2041         oe1_0.created_at,  
2042         oe1_0.event_type,  
2043         oe1_0.payload,  
2044         oe1_0.processed_at,  
2045         oe1_0.saga_id,  
2046         oe1_0.saga_status,  
2047         oe1_0.status,  
2048         oe1_0.version  
2049     from  
2050         outbox_events oe1_0  
2051     where
```

```
2052          oe1_0.status=?  
2053      order by  
2054          oe1_0.created_at  
2055 2025-05-26T15:13:31.430-04:00 INFO 48932 --- [  
    payment-service] [  scheduling-1] c.u.api.shared  
    .outbox.OutboxScheduler : Processing 0 outbox  
    events  
2056 Hibernate:  
2057     select  
2058         po1_0.id,  
2059         po1_0.created_at,  
2060         po1_0.event_type,  
2061         po1_0.payload,  
2062         po1_0.processed_at,  
2063         po1_0.saga_id,  
2064         po1_0.saga_status,  
2065         po1_0.status,  
2066         po1_0.version  
2067     from  
2068         payment_outbox po1_0  
2069     where  
2070         po1_0.status=?  
2071     order by  
2072         po1_0.created_at  
2073 Hibernate:  
2074     select  
2075         oe1_0.id,  
2076         oe1_0.created_at,  
2077         oe1_0.event_type,  
2078         oe1_0.payload,  
2079         oe1_0.processed_at,  
2080         oe1_0.saga_id,  
2081         oe1_0.saga_status,  
2082         oe1_0.status,  
2083         oe1_0.version  
2084     from  
2085         outbox_events oe1_0  
2086     where
```

```
2087          oe1_0.status=?  
2088      order by  
2089          oe1_0.created_at  
2090 2025-05-26T15:13:36.456-04:00 INFO 48932 --- [  
    payment-service] [ scheduling-1] c.u.api.shared  
.outbox.OutboxScheduler : Processing 0 outbox  
events  
2091
```