

```
1 /Library/Java/JavaVirtualMachines/jdk-23.jdk/
  Contents/Home/bin/java -javaagent:/Applications/
  IntelliJ IDEA CE.app/Contents/lib/idea_rt.jar=54747
  :/Applications/IntelliJ IDEA CE.app/Contents/bin -
  Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8 -
  Dsun.stderr.encoding=UTF-8 -classpath /Users/
  akankshabankhele/uber-microservices/backend/
  customer-service/target/classes:/Users/
  akankshabankhele/.m2/repository/org/springframework
  /boot/spring-boot-starter-actuator/3.5.0/spring-
  boot-starter-actuator-3.5.0.jar:/Users/
  akankshabankhele/.m2/repository/org/springframework
  /boot/spring-boot-starter/3.5.0/spring-boot-starter
  -3.5.0.jar:/Users/akankshabankhele/.m2/repository/
  org/springframework/boot/spring-boot/3.5.0/spring-
  boot-3.5.0.jar:/Users/akankshabankhele/.m2/
  repository/org/springframework/boot/spring-boot-
  autoconfigure/3.5.0/spring-boot-autoconfigure-3.5.0
  .jar:/Users/akankshabankhele/.m2/repository/org/
  springframework/boot/spring-boot-starter-logging/3.
  5.0/spring-boot-starter-logging-3.5.0.jar:/Users/
  akankshabankhele/.m2/repository/org/apache/logging/
  log4j/log4j-to-slf4j/2.24.3/log4j-to-slf4j-2.24.3.
  jar:/Users/akankshabankhele/.m2/repository/org/
  apache/logging/log4j/log4j-api/2.24.3/log4j-api-2.
  24.3.jar:/Users/akankshabankhele/.m2/repository/org
  /slf4j/jul-to-slf4j/2.0.17/jul-to-slf4j-2.0.17.jar
  :/Users/akankshabankhele/.m2/repository/jakarta/
  annotation/jakarta.annotation-api/2.1.1/jakarta.
  annotation-api-2.1.1.jar:/Users/akankshabankhele/.
  m2/repository/org/yaml/snakeyaml/2.4/snakeyaml-2.4.
  jar:/Users/akankshabankhele/.m2/repository/org/
  springframework/boot/spring-boot-actuator-
  autoconfigure/3.5.0/spring-boot-actuator-
  autoconfigure-3.5.0.jar:/Users/akankshabankhele/.m2
  /repository/org/springframework/boot/spring-boot-
  actuator/3.5.0/spring-boot-actuator-3.5.0.jar:/
  Users/akankshabankhele/.m2/repository/com/fasterxmlxml
```

```
1 /jackson/datatype/jackson-datatype-jsr310/2.19.0/
jackson-datatype-jsr310-2.19.0.jar:/Users/
akankshabankhele/.m2/repository/io/micrometer/
micrometer-observation/1.15.0/micrometer-
observation-1.15.0.jar:/Users/akankshabankhele/.m2/
repository/io/micrometer/micrometer-commons/1.15.0/
micrometer-commons-1.15.0.jar:/Users/
akankshabankhele/.m2/repository/io/micrometer/
micrometer-jakarta9/1.15.0/micrometer-jakarta9-1.15
.0.jar:/Users/akankshabankhele/.m2/repository/io/
micrometer/micrometer-core/1.15.0/micrometer-core-1
.15.0.jar:/Users/akankshabankhele/.m2/repository/
org/hdrhistogram/HdrHistogram/2.2.2/HdrHistogram-2.
2.2.jar:/Users/akankshabankhele/.m2/repository/org/
latencyutils/LatencyUtils/2.0.3/LatencyUtils-2.0.3.
jar:/Users/akankshabankhele/.m2/repository/org/
springframework/boot/spring-boot-starter-data-jpa/3
.5.0/spring-boot-starter-data-jpa-3.5.0.jar:/Users/
akankshabankhele/.m2/repository/org/springframework
/boot/spring-boot-starter-jdbc/3.5.0/spring-boot-
starter-jdbc-3.5.0.jar:/Users/akankshabankhele/.m2/
repository/com/zaxxer/HikariCP/6.3.0/HikariCP-6.3.0
.jar:/Users/akankshabankhele/.m2/repository/org/
springframework/spring-jdbc/6.2.7/spring-jdbc-6.2.7
.jar:/Users/akankshabankhele/.m2/repository/org/
hibernate/orm/hibernate-core/6.6.15.Final/hibernate
-core-6.6.15.Final.jar:/Users/akankshabankhele/.m2/
repository/jakarta/persistence/jakarta.persistence-
api/3.1.0/jakarta.persistence-api-3.1.0.jar:/Users/
akankshabankhele/.m2/repository/jakarta/transaction-
/jakarta.transaction-api/2.0.1/jakarta.transaction-
api-2.0.1.jar:/Users/akankshabankhele/.m2/
repository/org/jboss/logging/jboss-logging/3.6.1.
Final/jboss-logging-3.6.1.Final.jar:/Users/
akankshabankhele/.m2/repository/org/hibernate/
common/hibernate-commons-annotations/7.0.3.Final/
hibernate-commons-annotations-7.0.3.Final.jar:/
Users/akankshabankhele/.m2/repository/io/smallrye/
```

```
1 jandex/3.2.0/jandex-3.2.0.jar:/Users/
akankshabankhele/.m2/repository/com/fasterxmlxml/
classmate/1.7.0/classmate-1.7.0.jar:/Users/
akankshabankhele/.m2/repository/net/bytebuddy/byte-
buddy/1.17.5/byte-buddy-1.17.5.jar:/Users/
akankshabankhele/.m2/repository/org/glassfish/jaxb/
jaxb-runtime/4.0.5/jaxb-runtime-4.0.5.jar:/Users/
akankshabankhele/.m2/repository/org/glassfish/jaxb/
jaxb-core/4.0.5/jaxb-core-4.0.5.jar:/Users/
akankshabankhele/.m2/repository/org/eclipse/angus/
angus-activation/2.0.2/angus-activation-2.0.2.jar:/-
Users/akankshabankhele/.m2/repository/org/glassfish
/jaxb/txw2/4.0.5/txw2-4.0.5.jar:/Users/
akankshabankhele/.m2/repository/com/sun/istack/
istack-commons-runtime/4.1.2/istack-commons-runtime
-4.1.2.jar:/Users/akankshabankhele/.m2/repository/
jakarta/inject/jakarta.inject-api/2.0.1/jakarta.
inject-api-2.0.1.jar:/Users/akankshabankhele/.m2/
repository/org/antlr/antlr4-runtime/4.13.0/antlr4-
runtime-4.13.0.jar:/Users/akankshabankhele/.m2/
repository/org/springframework/data/spring-data-jpa
/3.5.0/spring-data-jpa-3.5.0.jar:/Users/
akankshabankhele/.m2/repository/org/springframework
/data/spring-data-commons/3.5.0/spring-data-commons
-3.5.0.jar:/Users/akankshabankhele/.m2/repository/
org/springframework/spring-orm/6.2.7/spring-orm-6.2
.7.jar:/Users/akankshabankhele/.m2/repository/org/
springframework/spring-aop/6.2.7/spring-aop-6.2.7.
jar:/Users/akankshabankhele/.m2/repository/org/
springframework/spring-beans/6.2.7/spring-beans-6.2
.7.jar:/Users/akankshabankhele/.m2/repository/org/
slf4j/slf4j-api/2.0.17/slf4j-api-2.0.17.jar:/Users/
akankshabankhele/.m2/repository/org/springframework
/spring-aspects/6.2.7/spring-aspects-6.2.7.jar:/-
Users/akankshabankhele/.m2/repository/org/aspectj/
aspectjweaver/1.9.24/aspectjweaver-1.9.24.jar:/-
Users/akankshabankhele/.m2/repository/org/
springframework/boot/spring-boot-starter-validation
```

```
1 /3.5.0/spring-boot-starter-validation-3.5.0.jar:/  
Users/akankshabankhele/.m2/repository/org/apache/  
tomcat/embed/tomcat-embed-el/10.1.41/tomcat-embed-  
el-10.1.41.jar:/Users/akankshabankhele/.m2/  
repository/org/hibernate/validator/hibernate-  
validator/8.0.2.Final/hibernate-validator-8.0.2.  
Final.jar:/Users/akankshabankhele/.m2/repository/  
jakarta/validation/jakarta.validation-api/3.0.2/  
jakarta.validation-api-3.0.2.jar:/Users/  
akankshabankhele/.m2/repository/org/springframework  
/boot/spring-boot-starter-web/3.5.0/spring-boot-  
starter-web-3.5.0.jar:/Users/akankshabankhele/.m2/  
repository/org/springframework/boot/spring-boot-  
starter-json/3.5.0/spring-boot-starter-json-3.5.0.  
jar:/Users/akankshabankhele/.m2/repository/com/  
fasterxml/jackson/datatype/jackson-datatype-jdk8/2.  
19.0/jackson-datatype-jdk8-2.19.0.jar:/Users/  
akankshabankhele/.m2/repository/com/fasterxml/  
jackson/module/jackson-module-parameter-names/2.19.  
0/jackson-module-parameter-names-2.19.0.jar:/Users/  
akankshabankhele/.m2/repository/org/springframework  
/boot/spring-boot-starter-tomcat/3.5.0/spring-boot-  
starter-tomcat-3.5.0.jar:/Users/akankshabankhele/.  
m2/repository/org/apache/tomcat/embed/tomcat-embed-  
core/10.1.41/tomcat-embed-core-10.1.41.jar:/Users/  
akankshabankhele/.m2/repository/org/apache/tomcat/  
embed/tomcat-embed-websocket/10.1.41/tomcat-embed-  
websocket-10.1.41.jar:/Users/akankshabankhele/.m2/  
repository/org/springframework/spring-web/6.2.7/  
spring-web-6.2.7.jar:/Users/akankshabankhele/.m2/  
repository/org/springframework/spring-webmvc/6.2.7/  
spring-webmvc-6.2.7.jar:/Users/akankshabankhele/.m2/  
repository/org/springframework/spring-expression/6  
.2.7/spring-expression-6.2.7.jar:/Users/  
akankshabankhele/.m2/repository/org/springframework  
/boot/spring-boot-starter-websocket/3.5.0/spring-  
boot-starter-websocket-3.5.0.jar:/Users/  
akankshabankhele/.m2/repository/org/springframework
```

```
1 /spring-messaging/6.2.7/spring-messaging-6.2.7.jar  
:/Users/akankshabankhele/.m2/repository/org/  
springframework/spring-websocket/6.2.7/spring-  
websocket-6.2.7.jar:/Users/akankshabankhele/.m2/  
repository/org/springframework/kafka/spring-kafka/3  
.3.6/spring-kafka-3.3.6.jar:/Users/akankshabankhele  
.m2/repository/org/springframework/spring-context/  
6.2.7/spring-context-6.2.7.jar:/Users/  
akankshabankhele/.m2/repository/org/springframework  
/spring-tx/6.2.7/spring-tx-6.2.7.jar:/Users/  
akankshabankhele/.m2/repository/org/springframework  
/retry/spring-retry/2.0.12/spring-retry-2.0.12.jar  
:/Users/akankshabankhele/.m2/repository/org/apache/  
kafka/kafka-clients/3.9.1/kafka-clients-3.9.1.jar:/  
Users/akankshabankhele/.m2/repository/com/github/  
luben/zstd-jni/1.5.6-4/zstd-jni-1.5.6-4.jar:/Users/  
akankshabankhele/.m2/repository/org/lz4/lz4-java/1.  
8.0/lz4-java-1.8.0.jar:/Users/akankshabankhele/.m2/  
repository/org/xerial/snappy/snappy-java/1.1.10.5/  
snappy-java-1.1.10.5.jar:/Users/akankshabankhele/.  
m2/repository/org/postgresql/postgresql/42.7.5/  
postgresql-42.7.5.jar:/Users/akankshabankhele/.m2/  
repository/org/checkerframework/checker-qual/3.48.3  
/checker-qual-3.48.3.jar:/Users/akankshabankhele/  
uber-microservices/backend/shared/target/classes:/  
Users/akankshabankhele/.m2/repository/com/fasterxml  
/jackson/core/jackson-databind/2.19.0/jackson-  
databind-2.19.0.jar:/Users/akankshabankhele/.m2/  
repository/com/fasterxml/jackson/core/jackson-  
annotations/2.19.0/jackson-annotations-2.19.0.jar:/  
Users/akankshabankhele/.m2/repository/com/fasterxml  
/jackson/core/jackson-core/2.19.0/jackson-core-2.19  
.0.jar:/Users/akankshabankhele/.m2/repository/  
jakarta/xml/bind/jakarta.xml.bind-api/4.0.2/jakarta  
.xml.bind-api-4.0.2.jar:/Users/akankshabankhele/.m2  
/repository/jakarta/activation/jakarta.activation-  
api/2.1.3/jakarta.activation-api-2.1.3.jar:/Users/  
akankshabankhele/.m2/repository/org/springframework
```

```

1 /spring-core/6.2.7/spring-core-6.2.7.jar:/Users/
  akankshabankhele/.m2/repository/org/springframework
  /spring-jcl/6.2.7/spring-jcl-6.2.7.jar:/Users/
  akankshabankhele/.m2/repository/ch/qos/logback/
  logback-core/1.5.18/logback-core-1.5.18.jar:/Users/
  akankshabankhele/.m2/repository/ch/qos/logback/
  logback-classic/1.5.18/logback-classic-1.5.18.jar:/
  Users/akankshabankhele/.m2/repository/org/
  projectlombok/lombok/1.18.38/lombok-1.18.38.jar com
  .uber.api.customer.service.
  CustomerServiceApplication

2
3 .
4 / \ \ / _ _ _ ' - _ _ - - ( ) _ _ _ _ _ \ \ \ \ \
5 ( ( ) \ _ _ | ' _ | ' _ | ' _ \ \ ' | \ \ \ \ \
6 \ \ \ _ _ ) | ( ) | | | | | | ( _ | | ) ) ) )
7 ' | _ _ | . _ | _ | _ | _ \ _ , | / / / /
8 = = = = = | _ | = = = = = | _ | / = / _ / _ / /
9
10 :: Spring Boot ::           (v3.5.0)
11
12 2025-05-26T15:10:35.310-04:00  INFO 48923 --- [
  customer-service] [           main] c.u.a.c.s.
  CustomerServiceApplication : Starting
  CustomerServiceApplication using Java 23.0.1 with
  PID 48923 (/Users/akankshabankhele/uber-
  microservices/backend/customer-service/target/
  classes started by akankshabankhele in /Users/
  akankshabankhele/uber-microservices/backend)
13 2025-05-26T15:10:35.311-04:00 DEBUG 48923 --- [
  customer-service] [           main] c.u.a.c.s.
  CustomerServiceApplication : Running with
  Spring Boot v3.5.0, Spring v6.2.7
14 2025-05-26T15:10:35.311-04:00  INFO 48923 --- [
  customer-service] [           main] c.u.a.c.s.
  CustomerServiceApplication : No active profile
  set, falling back to 1 default profile: "default"
15 2025-05-26T15:10:35.685-04:00  INFO 48923 --- [

```

```
15 customer-service] [main] .s.d.r.c.  
    RepositoryConfigurationDelegate : Bootstrapping  
    Spring Data JPA repositories in DEFAULT mode.  
16 2025-05-26T15:10:35.714-04:00 INFO 48923 --- [  
    customer-service] [main] .s.d.r.c.  
    RepositoryConfigurationDelegate : Finished Spring  
    Data repository scanning in 25 ms. Found 5 JPA  
    repository interfaces.  
17 2025-05-26T15:10:36.109-04:00 INFO 48923 --- [  
    customer-service] [main] o.s.b.w.  
    embedded.tomcat.TomcatWebServer : Tomcat  
    initialized with port 8181 (http)  
18 2025-05-26T15:10:36.119-04:00 INFO 48923 --- [  
    customer-service] [main] o.apache.  
    catalina.core.StandardService : Starting service  
    [Tomcat]  
19 2025-05-26T15:10:36.120-04:00 INFO 48923 --- [  
    customer-service] [main] o.apache.  
    catalina.core.StandardEngine : Starting Servlet  
    engine: [Apache Tomcat/10.1.41]  
20 2025-05-26T15:10:36.149-04:00 INFO 48923 --- [  
    customer-service] [main] o.a.c.c.C.[  
    Tomcat].[localhost].[/] : Initializing Spring  
    embedded WebApplicationContext  
21 2025-05-26T15:10:36.150-04:00 INFO 48923 --- [  
    customer-service] [main] w.s.c.  
    ServletWebServerApplicationContext : Root  
    WebApplicationContext: initialization completed in  
    796 ms  
22 2025-05-26T15:10:36.346-04:00 INFO 48923 --- [  
    customer-service] [main] o.hibernate.jpa.  
.internal.util.LogHelper : HHH000204: Processing  
    PersistenceUnitInfo [name: default]  
23 2025-05-26T15:10:36.377-04:00 INFO 48923 --- [  
    customer-service] [main] org.hibernate.  
    Version : HHH000412: Hibernate  
    ORM core version 6.6.15.Final  
24 2025-05-26T15:10:36.391-04:00 INFO 48923 --- [
```

```
24 customer-service] [main] o.h.c.internal.  
RegionFactoryInitiator : HHH000026: Second-level  
cache disabled  
25 2025-05-26T15:10:36.516-04:00 INFO 48923 --- [  
customer-service] [main] o.s.o.j.p.  
SpringPersistenceUnitInfo : No LoadTimeWeaver  
setup: ignoring JPA class transformer  
26 2025-05-26T15:10:36.530-04:00 INFO 48923 --- [  
customer-service] [main] com.zaxxer.  
hikari.HikariDataSource : HikariPool-1 -  
Starting...  
27 2025-05-26T15:10:36.674-04:00 INFO 48923 --- [  
customer-service] [main] com.zaxxer.  
hikari.pool.HikariPool : HikariPool-1 -  
Added connection org.postgresql.jdbc.PgConnection@  
1592e540  
28 2025-05-26T15:10:36.674-04:00 INFO 48923 --- [  
customer-service] [main] com.zaxxer.  
hikari.HikariDataSource : HikariPool-1 -  
Start completed.  
29 2025-05-26T15:10:36.696-04:00 WARN 48923 --- [  
customer-service] [main] org.hibernate.  
orm.deprecation : HHH90000025:  
PostgreSQLDialect does not need to be specified  
explicitly using 'hibernate.dialect' (remove the  
property setting and it will be selected by default  
)  
30 2025-05-26T15:10:36.706-04:00 INFO 48923 --- [  
customer-service] [main] org.hibernate.  
orm.connections.pooling : HHH10001005: Database  
info:  
31 Database JDBC URL [Connecting through  
datasource 'HikariDataSource (HikariPool-1)']  
32 Database driver: undefined/unknown  
33 Database version: 16.9  
34 Autocommit mode: undefined/unknown  
35 Isolation level: undefined/unknown  
36 Minimum pool size: undefined/unknown
```

```
37      Maximum pool size: undefined/unknown
38 2025-05-26T15:10:37.143-04:00  INFO 48923 --- [
  customer-service] [           main] o.h.e.t.j.p.i.
  JtaPlatformInitiator       : HHH000489: No JTA
  platform available (set 'hibernate.transaction.jta.
  platform' to enable JTA platform integration)
39 Hibernate:
40     set client_min_messages = WARNING
41 Hibernate:
42     alter table if exists ride_requests
43         drop constraint if exists
  FKgyxvs1l33mtvnkwfu83m6b6eo
44 Hibernate:
45     alter table if exists ride_requests
46         drop constraint if exists
  FKrd9l7lnoiptghvlufjo8qwp82
47 Hibernate:
48     drop table if exists customer_outbox cascade
49 Hibernate:
50     drop table if exists customers cascade
51 Hibernate:
52     drop table if exists locations cascade
53 Hibernate:
54     drop table if exists outbox_events cascade
55 Hibernate:
56     drop table if exists queued_requests cascade
57 Hibernate:
58     drop table if exists ride_requests cascade
59 Hibernate:
60     create table customer_outbox (
  61         created_at timestamp(6) with time zone,
  62         processed_at timestamp(6) with time zone,
  63         version bigint,
  64         id uuid not null,
  65         saga_id uuid,
  66         event_type varchar(255),
  67         payload TEXT,
  68         saga_status varchar(255) check (saga_status
```

```
68  in ('STARTED','PROCESSING','SUCCEEDED','  
      COMPENSATING','COMPENSATED','FAILED'))),  
69      status varchar(255) check (status in ('  
      PENDING','SENT','FAILED')),  
70      primary key (id)  
71  )  
72 Hibernate:  
73      create table customers (  
74          version bigint,  
75          current_ride_request_id uuid,  
76          id uuid not null,  
77          email varchar(255) not null unique,  
78          name varchar(255),  
79          phone varchar(255),  
80          status varchar(255) check (status in ('  
      AVAILABLE','REQUESTING','ON_RIDE')),  
81          primary key (id)  
82  )  
83 Hibernate:  
84      create table locations (  
85          latitude float(53),  
86          longitude float(53),  
87          id uuid not null,  
88          address varchar(255),  
89          city varchar(255),  
90          primary key (id)  
91  )  
92 Hibernate:  
93      create table outbox_events (  
94          created_at timestamp(6) with time zone,  
95          processed_at timestamp(6) with time zone,  
96          version bigint,  
97          id uuid not null,  
98          saga_id uuid,  
99          event_type varchar(255),  
100         payload TEXT,  
101         saga_status varchar(255) check (  
      saga_status in ('STARTED','PROCESSING','SUCCEEDED
```

```
101  ', 'COMPENSATING', 'COMPENSATED', 'FAILED')),  
102      status varchar(255) check (status in ('  
103      PENDING', 'SENT', 'FAILED')),  
104      primary key (id)  
105  )  
106  Hibernate:  
107      create table queued_requests (  
108          expires_at timestamp(6) with time zone,  
109          queued_at timestamp(6) with time zone,  
110          version bigint,  
111          id uuid not null,  
112          ride_request_id uuid,  
113          saga_id uuid,  
114          customer_email varchar(255),  
115          driver_request_payload TEXT,  
116          status varchar(255),  
117          primary key (id)  
118  )  
119  Hibernate:  
120      create table ride_requests (  
121          estimated_price numeric(38,2),  
122          final_price numeric(38,2),  
123          completed_at timestamp(6) with time zone,  
124          created_at timestamp(6) with time zone,  
125          destination_location_id uuid,  
126          id uuid not null,  
127          pickup_location_id uuid,  
128          customer_email varchar(255),  
129          driver_email varchar(255),  
130          status varchar(255) check (status in ('  
131          CREATED', 'PAYMENT_PROCESSING', 'PAYMENT_COMPLETED  
132          ', 'DRIVER_SEARCHING', 'DRIVER_ASSIGNED', '  
133          RIDE_STARTED', 'RIDE_COMPLETED', 'PAYMENT_FAILED', '  
134          DRIVER_UNAVAILABLE', 'CANCELLED', 'EXPIRED', '  
135          REFUND_PROCESSING', 'REFUND_COMPLETED')),  
136          primary key (id)  
137  )  
138  Hibernate:
```

```
133     alter table if exists ride_requests
134         add constraint FKgyxvs1l33mtvnkwfu83m6b6eo
135             foreign key (destination_location_id)
136                 references locations
137 Hibernate:
138     alter table if exists ride_requests
139         add constraint FKrd9l7lnoiptghvlufjo8qwp82
140             foreign key (pickup_location_id)
141                 references locations
142 2025-05-26T15:10:37.207-04:00 INFO 48923 --- [
customer-service] [           main] j.
LocalContainerEntityManagerFactoryBean :
Initialized JPA EntityManagerFactory for
persistence unit 'default'
143 2025-05-26T15:10:37.375-04:00 INFO 48923 --- [
customer-service] [           main] o.s.d.j.r.
query.QueryEnhancerFactory : Hibernate is in
classpath; If applicable, HQL parser will be used.
144 2025-05-26T15:10:37.863-04:00 WARN 48923 --- [
customer-service] [           main]
JpaBaseConfiguration$JpaWebConfiguration : spring.
jpa.open-in-view is enabled by default. Therefore
, database queries may be performed during view
rendering. Explicitly configure spring.jpa.open-in
-view to disable this warning
145 2025-05-26T15:10:38.191-04:00 INFO 48923 --- [
customer-service] [           main] o.s.b.a.e.web.
EndpointLinksResolver : Exposing 3 endpoints
beneath base path '/actuator'
146 2025-05-26T15:10:38.295-04:00 INFO 48923 --- [
customer-service] [           main] o.s.b.w.
embedded.tomcat.TomcatWebServer : Tomcat started
on port 8181 (http) with context path '/'
147 2025-05-26T15:10:38.360-04:00 INFO 48923 --- [
customer-service] [           main] o.a.k.clients.
consumer.ConsumerConfig : ConsumerConfig values
:
148     allow.auto.create.topics = true
```

```
149     auto.commit.interval.ms = 5000
150     auto.include.jmx.reporter = true
151     auto.offset.reset = earliest
152     bootstrap.servers = [localhost:9092]
153     check.crcs = true
154     client.dns.lookup = use_all_dns_ips
155     client.id = consumer-customer-service-group-1
156     client.rack =
157     connections.max.idle.ms = 540000
158     default.api.timeout.ms = 60000
159     enable.auto.commit = false
160     enable.metrics.push = true
161     exclude.internal.topics = true
162     fetch.max.bytes = 52428800
163     fetch.max.wait.ms = 500
164     fetch.min.bytes = 1
165     group.id = customer-service-group
166     group.instance.id = null
167     group.protocol = classic
168     group.remote.assignor = null
169     heartbeat.interval.ms = 3000
170     interceptor.classes = []
171     internal.leave.group.on.close = true
172     internal.throw.on.fetch.stable.offset.
    unsupported = false
173     isolation.level = read_uncommitted
174     key.deserializer = class org.apache.kafka.
        common.serialization.StringDeserializer
175     max.partition.fetch.bytes = 1048576
176     max.poll.interval.ms = 300000
177     max.poll.records = 500
178     metadata.max.age.ms = 300000
179     metadata.recovery.strategy = none
180     metric.reporters = []
181     metrics.num.samples = 2
182     metrics.recording.level = INFO
183     metrics.sample.window.ms = 30000
184     partition.assignment.strategy = [class org.
```

```
184 apache.kafka.clients.consumer.RangeAssignor, class
      org.apache.kafka.clients.consumer.
      CooperativeStickyAssignor]
185     receive.buffer.bytes = 65536
186     reconnect.backoff.max.ms = 1000
187     reconnect.backoff.ms = 50
188     request.timeout.ms = 30000
189     retry.backoff.max.ms = 1000
190     retry.backoff.ms = 100
191     sasl.client.callback.handler.class = null
192     sasl.jaas.config = null
193     sasl.kerberos.kinit.cmd = /usr/bin/kinit
194     sasl.kerberos.min.time.before.relogin = 60000
195     sasl.kerberos.service.name = null
196     sasl.kerberos.ticket.renew.jitter = 0.05
197     sasl.kerberos.ticket.renew.window.factor = 0.8
198     sasl.login.callback.handler.class = null
199     sasl.login.class = null
200     sasl.login.connect.timeout.ms = null
201     sasl.login.read.timeout.ms = null
202     sasl.login.refresh.buffer.seconds = 300
203     sasl.login.refresh.min.period.seconds = 60
204     sasl.login.refresh.window.factor = 0.8
205     sasl.login.refresh.window.jitter = 0.05
206     sasl.login.retry.backoff.max.ms = 10000
207     sasl.login.retry.backoff.ms = 100
208     sasl.mechanism = GSSAPI
209     sasl.oauthbearer.clock.skew.seconds = 30
210     sasl.oauthbearer.expected.audience = null
211     sasl.oauthbearer.expected.issuer = null
212     sasl.oauthbearer.header.urlencoded = false
213     sasl.oauthbearer.jwks.endpoint.refresh.ms =
3600000
214     sasl.oauthbearer.jwks.endpoint.retry.backoff.
      max.ms = 10000
215     sasl.oauthbearer.jwks.endpoint.retry.backoff.
      ms = 100
216     sasl.oauthbearer.jwks.endpoint.url = null
```

```
217    sasl.oauthbearer.scope.claim.name = scope
218    sasl.oauthbearer.sub.claim.name = sub
219    sasl.oauthbearer.token.endpoint.url = null
220    security.protocol = PLAINTEXT
221    security.providers = null
222    send.buffer.bytes = 131072
223    session.timeout.ms = 45000
224    socket.connection.setup.timeout.max.ms = 30000
225    socket.connection.setup.timeout.ms = 10000
226    ssl.cipher.suites = null
227    ssl.enabled.protocols = [TLSv1.2, TLSv1.3]
228    ssl.endpoint.identification.algorithm = https
229    ssl.engine.factory.class = null
230    ssl.key.password = null
231    ssl.keymanager.algorithm = SunX509
232    ssl.keystore.certificate.chain = null
233    ssl.keystore.key = null
234    ssl.keystore.location = null
235    ssl.keystore.password = null
236    ssl.keystore.type = JKS
237    ssl.protocol = TLSv1.3
238    ssl.provider = null
239    ssl.secure.random.implementation = null
240    ssl.trustmanager.algorithm = PKIX
241    ssl.truststore.certificates = null
242    ssl.truststore.location = null
243    ssl.truststore.password = null
244    ssl.truststore.type = JKS
245    value.deserializer = class org.apache.kafka.
        common.serialization.StringDeserializer
246
247 2025-05-26T15:10:38.394-04:00  INFO 48923 --- [
        customer-service] [           main] o.a.k.c.t.i.
        KafkaMetricsCollector          : initializing Kafka
        metrics collector
248 2025-05-26T15:10:38.510-04:00  INFO 48923 --- [
        customer-service] [           main] o.a.kafka.
        common.utils.AppInfoParser     : Kafka version: 3.
```

```
248 9.1
249 2025-05-26T15:10:38.510-04:00 INFO 48923 --- [
  customer-service] [           main] o.a.kafka.
  common.utils.AppInfoParser      : Kafka commitId:
  f745dfdce2b9851
250 2025-05-26T15:10:38.510-04:00 INFO 48923 --- [
  customer-service] [           main] o.a.kafka.
  common.utils.AppInfoParser      : Kafka startTimeMs
  : 1748286638509
251 2025-05-26T15:10:38.512-04:00 INFO 48923 --- [
  customer-service] [           main] o.a.k.c.c.i.
  ClassicKafkaConsumer          : [Consumer clientId=
  consumer-customer-service-group-1, groupId=
  customer-service-group] Subscribed to topic(s):
  payment-responses
252 2025-05-26T15:10:38.518-04:00 INFO 48923 --- [
  customer-service] [           main] o.a.k.clients.
  consumer.ConsumerConfig       : ConsumerConfig values
  :
253   allow.auto.create.topics = true
254   auto.commit.interval.ms = 5000
255   auto.include.jmx.reporter = true
256   auto.offset.reset = earliest
257   bootstrap.servers = [localhost:9092]
258   check.crcs = true
259   client.dns.lookup = use_all_dns_ips
260   client.id = consumer-customer-service-group-2
261   client.rack =
262   connections.max.idle.ms = 540000
263   default.api.timeout.ms = 60000
264   enable.auto.commit = false
265   enable.metrics.push = true
266   exclude.internal.topics = true
267   fetch.max.bytes = 52428800
268   fetch.max.wait.ms = 500
269   fetch.min.bytes = 1
270   group.id = customer-service-group
271   group.instance.id = null
```

```
272     group.protocol = classic
273     group.remote.assignor = null
274     heartbeat.interval.ms = 3000
275     interceptor.classes = []
276     internal.leave.group.on.close = true
277     internal.throw.on.fetch.stable.offset.
278         unsupported = false
279     isolation.level = read_uncommitted
280     key.deserializer = class org.apache.kafka.
281         common.serialization.StringDeserializer
282     max.partition.fetch.bytes = 1048576
283     max.poll.interval.ms = 300000
284     max.poll.records = 500
285     metadata.max.age.ms = 300000
286     metadata.recovery.strategy = none
287     metric.reporters = []
288     metrics.num.samples = 2
289     metrics.recording.level = INFO
290     metrics.sample.window.ms = 30000
291     partition.assignment.strategy = [class org.
292         apache.kafka.clients.consumer.RangeAssignor, class
293         org.apache.kafka.clients.consumer.
294         CooperativeStickyAssignor]
295     receive.buffer.bytes = 65536
296     reconnect.backoff.max.ms = 1000
297     reconnect.backoff.ms = 50
298     request.timeout.ms = 30000
299     retry.backoff.max.ms = 1000
300     retry.backoff.ms = 100
301     sasl.client.callback.handler.class = null
302     sasl.jaas.config = null
303     sasl.kerberos.kinit.cmd = /usr/bin/kinit
304     sasl.kerberos.min.time.before.relogin = 60000
305     sasl.kerberos.service.name = null
306     sasl.kerberos.ticket.renew.jitter = 0.05
307     sasl.kerberos.ticket.renew.window.factor = 0.8
308     sasl.login.callback.handler.class = null
309     sasl.login.class = null
```

```
305     sasl.login.connect.timeout.ms = null
306     sasl.login.read.timeout.ms = null
307     sasl.login.refresh.buffer.seconds = 300
308     sasl.login.refresh.min.period.seconds = 60
309     sasl.login.refresh.window.factor = 0.8
310     sasl.login.refresh.window.jitter = 0.05
311     sasl.login.retry.backoff.max.ms = 10000
312     sasl.login.retry.backoff.ms = 100
313     sasl.mechanism = GSSAPI
314     sasl.oauthbearer.clock.skew.seconds = 30
315     sasl.oauthbearer.expected.audience = null
316     sasl.oauthbearer.expected.issuer = null
317     sasl.oauthbearer.header.urlencoded = false
318     sasl.oauthbearer.jwks.endpoint.refresh.ms =
319         3600000
320     sasl.oauthbearer.jwks.endpoint.retry.backoff.
321         max.ms = 10000
322     sasl.oauthbearer.jwks.endpoint.retry.backoff.
323         ms = 100
324     sasl.oauthbearer.jwks.endpoint.url = null
325     sasl.oauthbearer.scope.claim.name = scope
326     sasl.oauthbearer.sub.claim.name = sub
327     sasl.oauthbearer.token.endpoint.url = null
328     security.protocol = PLAINTEXT
329     security.providers = null
330     send.buffer.bytes = 131072
331     session.timeout.ms = 45000
332     socket.connection.setup.timeout.max.ms = 30000
333     socket.connection.setup.timeout.ms = 10000
334     ssl.cipher.suites = null
335     ssl.enabled.protocols = [TLSv1.2, TLSv1.3]
336     ssl.endpoint.identification.algorithm = https
337     ssl.engine.factory.class = null
338     ssl.key.password = null
339     ssl.keymanager.algorithm = SunX509
340     ssl.keystore.certificate.chain = null
341     ssl.keystore.key = null
342     ssl.keystore.location = null
```

```
340     ssl.keystore.password = null
341     ssl.keystore.type = JKS
342     ssl.protocol = TLSv1.3
343     ssl.provider = null
344     ssl.secure.random.implementation = null
345     ssl.trustmanager.algorithm = PKIX
346     ssl.truststore.certificates = null
347     ssl.truststore.location = null
348     ssl.truststore.password = null
349     ssl.truststore.type = JKS
350     value.deserializer = class org.apache.kafka.
351                               common.serialization.StringDeserializer
351
352 2025-05-26T15:10:38.518-04:00  INFO 48923 --- [
353   customer-service] [           main] o.a.k.c.t.i.
354   KafkaMetricsCollector          : initializing Kafka
355   metrics collector
353 2025-05-26T15:10:38.525-04:00  INFO 48923 --- [
354   customer-service] [           main] o.a.kafka.
355   common.utils.AppInfoParser    : Kafka version: 3.
356   9.1
354 2025-05-26T15:10:38.525-04:00  INFO 48923 --- [
355   customer-service] [           main] o.a.kafka.
356   common.utils.AppInfoParser    : Kafka commitId:
357   f745dfdce2b9851
355 2025-05-26T15:10:38.525-04:00  INFO 48923 --- [
356   customer-service] [           main] o.a.kafka.
357   common.utils.AppInfoParser    : Kafka startTimeMs
358   : 1748286638525
356 2025-05-26T15:10:38.525-04:00  INFO 48923 --- [
357   customer-service] [           main] o.a.k.c.c.i.
358   ClassicKafkaConsumer         : [Consumer clientId=
359   consumer-customer-service-group-2, groupId=
360   customer-service-group] Subscribed to topic(s):
361   driver-available
357 2025-05-26T15:10:38.527-04:00  INFO 48923 --- [
358   customer-service] [           main] o.a.k.clients.
359   consumer.ConsumerConfig      : ConsumerConfig values
```

```
357 :  
358     allow.auto.create.topics = true  
359     auto.commit.interval.ms = 5000  
360     auto.include.jmx.reporter = true  
361     auto.offset.reset = earliest  
362     bootstrap.servers = [localhost:9092]  
363     check.crcs = true  
364     client.dns.lookup = use_all_dns_ips  
365     client.id = consumer-customer-service-group-3  
366     client.rack =  
367     connections.max.idle.ms = 540000  
368     default.api.timeout.ms = 60000  
369     enable.auto.commit = false  
370     enable.metrics.push = true  
371     exclude.internal.topics = true  
372     fetch.max.bytes = 52428800  
373     fetch.max.wait.ms = 500  
374     fetch.min.bytes = 1  
375     group.id = customer-service-group  
376     group.instance.id = null  
377     group.protocol = classic  
378     group.remote.assignor = null  
379     heartbeat.interval.ms = 3000  
380     interceptor.classes = []  
381     internal.leave.group.on.close = true  
382     internal.throw.on.fetch.stable.offset.  
     unsupported = false  
383     isolation.level = read_uncommitted  
384     key.deserializer = class org.apache.kafka.  
     common.serialization.StringDeserializer  
385     max.partition.fetch.bytes = 1048576  
386     max.poll.interval.ms = 300000  
387     max.poll.records = 500  
388     metadata.max.age.ms = 300000  
389     metadata.recovery.strategy = none  
390     metric.reporters = []  
391     metrics.num.samples = 2  
392     metrics.recording.level = INFO
```

```
393     metrics.sample.window.ms = 30000
394     partition.assignment.strategy = [class org.
    apache.kafka.clients.consumer.RangeAssignor, class
    org.apache.kafka.clients.consumer.
    CooperativeStickyAssignor]
395     receive.buffer.bytes = 65536
396     reconnect.backoff.max.ms = 1000
397     reconnect.backoff.ms = 50
398     request.timeout.ms = 30000
399     retry.backoff.max.ms = 1000
400     retry.backoff.ms = 100
401     sasl.client.callback.handler.class = null
402     sasl.jaas.config = null
403     sasl.kerberos.kinit.cmd = /usr/bin/kinit
404     sasl.kerberos.min.time.before.relogin = 60000
405     sasl.kerberos.service.name = null
406     sasl.kerberos.ticket.renew.jitter = 0.05
407     sasl.kerberos.ticket.renew.window.factor = 0.8
408     sasl.login.callback.handler.class = null
409     sasl.login.class = null
410     sasl.login.connect.timeout.ms = null
411     sasl.login.read.timeout.ms = null
412     sasl.login.refresh.buffer.seconds = 300
413     sasl.login.refresh.min.period.seconds = 60
414     sasl.login.refresh.window.factor = 0.8
415     sasl.login.refresh.window.jitter = 0.05
416     sasl.login.retry.backoff.max.ms = 10000
417     sasl.login.retry.backoff.ms = 100
418     sasl.mechanism = GSSAPI
419     sasl.oauthbearer.clock.skew.seconds = 30
420     sasl.oauthbearer.expected.audience = null
421     sasl.oauthbearer.expected.issuer = null
422     sasl.oauthbearer.header.urlencoded = false
423     sasl.oauthbearer.jwks.endpoint.refresh.ms =
    3600000
424     sasl.oauthbearer.jwks.endpoint.retry.backoff.
        max.ms = 10000
425     sasl.oauthbearer.jwks.endpoint.retry.backoff.
```

```
425 ms = 100
426     sasl.oauthbearer.jwks.endpoint.url = null
427     sasl.oauthbearer.scope.claim.name = scope
428     sasl.oauthbearer.sub.claim.name = sub
429     sasl.oauthbearer.token.endpoint.url = null
430     security.protocol = PLAINTEXT
431     security.providers = null
432     send.buffer.bytes = 131072
433     session.timeout.ms = 45000
434     socket.connection.setup.timeout.max.ms = 30000
435     socket.connection.setup.timeout.ms = 10000
436     ssl.cipher.suites = null
437     ssl.enabled.protocols = [TLSv1.2, TLSv1.3]
438     ssl.endpoint.identification.algorithm = https
439     ssl.engine.factory.class = null
440     ssl.key.password = null
441     ssl.keymanager.algorithm = SunX509
442     ssl.keystore.certificate.chain = null
443     ssl.keystore.key = null
444     ssl.keystore.location = null
445     ssl.keystore.password = null
446     ssl.keystore.type = JKS
447     ssl.protocol = TLSv1.3
448     ssl.provider = null
449     ssl.secure.random.implementation = null
450     ssl.trustmanager.algorithm = PKIX
451     ssl.truststore.certificates = null
452     ssl.truststore.location = null
453     ssl.truststore.password = null
454     ssl.truststore.type = JKS
455     value.deserializer = class org.apache.kafka.
        common.serialization.StringDeserializer
456
457 2025-05-26T15:10:38.527-04:00  INFO 48923 --- [
        customer-service] [           main] o.a.k.c.t.i.
        KafkaMetricsCollector : initializing Kafka
        metrics collector
458 2025-05-26T15:10:38.534-04:00  INFO 48923 --- [
```

```
458 customer-service] [           main] o.a.kafka.  
    common.utils.AppInfoParser      : Kafka version: 3.  
    9.1  
459 2025-05-26T15:10:38.534-04:00 INFO 48923 --- [  
    customer-service] [           main] o.a.kafka.  
    common.utils.AppInfoParser      : Kafka commitId:  
    f745dfdce2b9851  
460 2025-05-26T15:10:38.535-04:00 INFO 48923 --- [  
    customer-service] [           main] o.a.kafka.  
    common.utils.AppInfoParser      : Kafka startTimeMs  
    : 1748286638534  
461 2025-05-26T15:10:38.535-04:00 INFO 48923 --- [  
    customer-service] [           main] o.a.k.c.c.i.  
    ClassicKafkaConsumer          : [Consumer clientId=  
    consumer-customer-service-group-3, groupId=  
    customer-service-group] Subscribed to topic(s):  
    driver-responses  
462 2025-05-26T15:10:38.584-04:00 INFO 48923 --- [  
    customer-service] [           main] c.u.a.c.s.  
    CustomerServiceApplication     : Started  
    CustomerServiceApplication in 3.527 seconds (   
    process running for 3.763)  
463 Hibernate:  
464     select  
465         co1_0.id,  
466         co1_0.created_at,  
467         co1_0.event_type,  
468         co1_0.payload,  
469         co1_0.processed_at,  
470         co1_0.saga_id,  
471         co1_0.saga_status,  
472         co1_0.status,  
473         co1_0.version  
474     from  
475         customer_outbox co1_0  
476     where  
477         co1_0.status=?  
478     order by
```

```
479      co1_0.created_at
480 2025-05-26T15:10:38.677-04:00 DEBUG 48923 --- [
  customer-service] [ scheduling-1] c.u.a.c.s.s.
  QueueAndTimeoutScheduler : Running
  aggressive queue processor...
481 2025-05-26T15:10:38.678-04:00 INFO 48923 --- [
  customer-service] [ scheduling-1] c.u.a.c.s.s.i.
  CustomerDomainServiceImpl : === PROCESSING QUEUE
  ===
482 Hibernate:
483     select
484         qr1_0.id,
485         qr1_0.customer_email,
486         qr1_0.driver_request_payload,
487         qr1_0.expires_at,
488         qr1_0.queued_at,
489         qr1_0.ride_request_id,
490         qr1_0.saga_id,
491         qr1_0.status,
492         qr1_0.version
493     from
494         queued_requests qr1_0
495     where
496         qr1_0.status='QUEUED'
497     order by
498         qr1_0.queued_at
499 2025-05-26T15:10:38.690-04:00 DEBUG 48923 --- [
  customer-service] [ scheduling-1] c.u.a.c.s.s.i.
  CustomerDomainServiceImpl : No queued requests to
  process
500 Hibernate:
501     select
502         qr1_0.id,
503         qr1_0.customer_email,
504         qr1_0.driver_request_payload,
505         qr1_0.expires_at,
506         qr1_0.queued_at,
507         qr1_0.ride_request_id,
```

```
508         qr1_0.saga_id,
509         qr1_0.status,
510         qr1_0.version
511     from
512         queued_requests qr1_0
513     where
514         qr1_0.status=?  
515         and qr1_0.expires_at<?
516 2025-05-26T15:10:38.706-04:00 INFO 48923 --- [customer-service] [ scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING 0 EXPIRED REQUESTS ===
517 Hibernate:
518     select
519         oe1_0.id,
520         oe1_0.created_at,
521         oe1_0.event_type,
522         oe1_0.payload,
523         oe1_0.processed_at,
524         oe1_0.saga_id,
525         oe1_0.saga_status,
526         oe1_0.status,
527         oe1_0.version
528     from
529         outbox_events oe1_0
530     where
531         oe1_0.status=?  
532     order by
533         oe1_0.created_at
534 2025-05-26T15:10:38.716-04:00 INFO 48923 --- [customer-service] [ scheduling-1] c.u.api.shared.outbox.OutboxScheduler : Processing 0 outbox events
535 2025-05-26T15:10:38.864-04:00 INFO 48923 --- [customer-service] [ntainer#0-0-C-1] org.apache.kafka.clients.Metadata : [Consumer clientId=consumer-consumer-customer-service-group-2, groupId=customer-service-group] Cluster ID:
```

```
535 CO_GOMFPSXWLNSaWmnJauQ
536 2025-05-26T15:10:38.864-04:00 INFO 48923 --- [customer-service] [ntainer#1-0-C-1] org.apache.kafka.clients.Metadata : [Consumer clientId=consumer-customer-service-group-3, groupId=customer-service-group] Cluster ID: CO_GOMFPSXWLNSaWmnJauQ
537 2025-05-26T15:10:38.865-04:00 INFO 48923 --- [customer-service] [ntainer#1-0-C-1] o.a.k.c.c.internals.ConsumerCoordinator : [Consumer clientId=consumer-customer-service-group-3, groupId=customer-service-group] Discovered group coordinator localhost:9092 (id: 2147483646 rack: null)
538 2025-05-26T15:10:38.865-04:00 INFO 48923 --- [customer-service] [ntainer#0-0-C-1] o.a.k.c.c.internals.ConsumerCoordinator : [Consumer clientId=consumer-customer-service-group-2, groupId=customer-service-group] Discovered group coordinator localhost:9092 (id: 2147483646 rack: null)
539 2025-05-26T15:10:38.870-04:00 INFO 48923 --- [customer-service] [ntainer#0-0-C-1] o.a.k.c.c.internals.ConsumerCoordinator : [Consumer clientId=consumer-customer-service-group-2, groupId=customer-service-group] (Re-)joining group
540 2025-05-26T15:10:38.870-04:00 INFO 48923 --- [customer-service] [ntainer#1-0-C-1] o.a.k.c.c.internals.ConsumerCoordinator : [Consumer clientId=consumer-customer-service-group-3, groupId=customer-service-group] (Re-)joining group
541 2025-05-26T15:10:38.866-04:00 INFO 48923 --- [customer-service] [ntainer#2-0-C-1] org.apache.kafka.clients.Metadata : [Consumer clientId=consumer-customer-service-group-1, groupId=customer-service-group] Cluster ID: CO_GOMFPSXWLNSaWmnJauQ
542 2025-05-26T15:10:38.871-04:00 INFO 48923 --- [
```

```
542 customer-service] [ntainer#2-0-C-1] o.a.k.c.c.  
    internals.ConsumerCoordinator : [Consumer  
        clientId=consumer-customer-service-group-1,  
        groupId=customer-service-group] Discovered group  
        coordinator localhost:9092 (id: 2147483646 rack:  
        null)  
543 2025-05-26T15:10:38.873-04:00 INFO 48923 --- [  
    customer-service] [ntainer#2-0-C-1] o.a.k.c.c.  
    internals.ConsumerCoordinator : [Consumer  
        clientId=consumer-customer-service-group-1,  
        groupId=customer-service-group] (Re-)joining group  
544 2025-05-26T15:10:38.917-04:00 INFO 48923 --- [  
    customer-service] [ntainer#1-0-C-1] o.a.k.c.c.  
    internals.ConsumerCoordinator : [Consumer  
        clientId=consumer-customer-service-group-3,  
        groupId=customer-service-group] Request joining  
        group due to: need to re-join with the given  
        member-id: consumer-customer-service-group-3-  
        b06c1984-88d4-499f-b673-ea09ad5d59e4  
545 2025-05-26T15:10:38.918-04:00 INFO 48923 --- [  
    customer-service] [ntainer#1-0-C-1] o.a.k.c.c.  
    internals.ConsumerCoordinator : [Consumer  
        clientId=consumer-customer-service-group-3,  
        groupId=customer-service-group] (Re-)joining group  
546 2025-05-26T15:10:38.921-04:00 INFO 48923 --- [  
    customer-service] [ntainer#2-0-C-1] o.a.k.c.c.  
    internals.ConsumerCoordinator : [Consumer  
        clientId=consumer-customer-service-group-1,  
        groupId=customer-service-group] Request joining  
        group due to: need to re-join with the given  
        member-id: consumer-customer-service-group-1-  
        120c0407-9080-46b5-87f6-72fe65c36a36  
547 2025-05-26T15:10:38.923-04:00 INFO 48923 --- [  
    customer-service] [ntainer#2-0-C-1] o.a.k.c.c.  
    internals.ConsumerCoordinator : [Consumer  
        clientId=consumer-customer-service-group-1,  
        groupId=customer-service-group] (Re-)joining group  
548 2025-05-26T15:10:38.934-04:00 INFO 48923 --- [
```

```

548 customer-service] [ntainer#0-0-C-1] o.a.k.c.c.
  internals.ConsumerCoordinator : [Consumer
    clientId=consumer-customer-service-group-2,
    groupId=customer-service-group] Request joining
    group due to: need to re-join with the given
    member-id: consumer-customer-service-group-2-
    558516a1-28e3-4ed9-b12a-6064dd8c567d
549 2025-05-26T15:10:38.934-04:00 INFO 48923 --- [
  customer-service] [ntainer#0-0-C-1] o.a.k.c.c.
  internals.ConsumerCoordinator : [Consumer
    clientId=consumer-customer-service-group-2,
    groupId=customer-service-group] (Re-)joining group
550 2025-05-26T15:10:39.697-04:00 DEBUG 48923 --- [
  customer-service] [ scheduling-1] c.u.a.c.s.s.
  QueueAndTimeoutScheduler : Running
  aggressive queue processor...
551 2025-05-26T15:10:39.709-04:00 INFO 48923 --- [
  customer-service] [ scheduling-1] c.u.a.c.s.s.i.
  CustomerDomainServiceImpl : === PROCESSING QUEUE
  ===
552 Hibernate:
553   select
554     qr1_0.id,
555     qr1_0.customer_email,
556     qr1_0.driver_request_payload,
557     qr1_0.expires_at,
558     qr1_0.queued_at,
559     qr1_0.ride_request_id,
560     qr1_0.saga_id,
561     qr1_0.status,
562     qr1_0.version
563   from
564     queued_requests qr1_0
565   where
566     qr1_0.status='QUEUED'
567   order by
568     qr1_0.queued_at
569 2025-05-26T15:10:39.717-04:00 DEBUG 48923 --- [

```

```
569 customer-service] [ scheduling-1] c.u.a.c.s.s.i.  
CustomerDomainServiceImpl : No queued requests to  
process  
570 2025-05-26T15:10:40.723-04:00 DEBUG 48923 --- [  
customer-service] [ scheduling-1] c.u.a.c.s.s.  
QueueAndTimeoutScheduler : Running  
aggressive queue processor...  
571 2025-05-26T15:10:40.726-04:00 INFO 48923 --- [  
customer-service] [ scheduling-1] c.u.a.c.s.s.i.  
CustomerDomainServiceImpl : === PROCESSING QUEUE  
====  
572 Hibernate:  
573     select  
574         qr1_0.id,  
575         qr1_0.customer_email,  
576         qr1_0.driver_request_payload,  
577         qr1_0.expires_at,  
578         qr1_0.queued_at,  
579         qr1_0.ride_request_id,  
580         qr1_0.saga_id,  
581         qr1_0.status,  
582         qr1_0.version  
583     from  
584         queued_requests qr1_0  
585     where  
586         qr1_0.status='QUEUED'  
587     order by  
588         qr1_0.queued_at  
589 2025-05-26T15:10:40.742-04:00 WARN 48923 --- [  
customer-service] [ scheduling-1] o.h.engine.  
jdbc.spi.SqlExceptionHelper : SQL Error: 0,  
SQLState: 42P01  
590 2025-05-26T15:10:40.742-04:00 ERROR 48923 --- [  
customer-service] [ scheduling-1] o.h.engine.  
jdbc.spi.SqlExceptionHelper : ERROR: relation "  
queued_requests" does not exist  
591 Position: 168  
592 2025-05-26T15:10:40.757-04:00 ERROR 48923 --- [
```

```
592 customer-service] [ scheduling-1] c.u.a.c.s.s.  
    QueueAndTimeoutScheduler      : Error processing  
    queued requests  
593  
594 org.springframework.dao.  
    InvalidDataAccessResourceUsageException: JDBC  
    exception executing SQL [select qr1_0.id,qr1_0.  
    customer_email,qr1_0.driver_request_payload,qr1_0.  
    expires_at,qr1_0.queued_at,qr1_0.ride_request_id,  
    qr1_0.saga_id,qr1_0.status,qr1_0.version from  
    queued_requests qr1_0 where qr1_0.status='QUEUED'  
    order by qr1_0.queued_at] [ERROR: relation "  
    queued_requests" does not exist  
595     Position: 168] [n/a]; SQL [n/a]  
596     at org.springframework.orm.jpa.vendor.  
    HibernateJpaDialect.  
    convertHibernateAccessException(  
    HibernateJpaDialect.java:281) ~[spring-orm-6.2.7.  
    jar:6.2.7]  
597     at org.springframework.orm.jpa.vendor.  
    HibernateJpaDialect.  
    convertHibernateAccessException(  
    HibernateJpaDialect.java:256) ~[spring-orm-6.2.7.  
    jar:6.2.7]  
598     at org.springframework.orm.jpa.vendor.  
    HibernateJpaDialect.translateExceptionIfPossible(  
    HibernateJpaDialect.java:241) ~[spring-orm-6.2.7.  
    jar:6.2.7]  
599     at org.springframework.orm.jpa.  
    AbstractEntityManagerFactoryBean.  
    translateExceptionIfPossible(  
    AbstractEntityManagerFactoryBean.java:560) ~[  
    spring-orm-6.2.7.jar:6.2.7]  
600     at org.springframework.dao.support.  
    ChainedPersistenceExceptionTranslator.  
    translateExceptionIfPossible(  
    ChainedPersistenceExceptionTranslator.java:61) ~[  
    spring-tx-6.2.7.jar:6.2.7]
```

```
601      at org.springframework.dao.support.  
        DataAccessUtils.translateIfNecessary(  
        DataAccessUtils.java:343) ~[spring-tx-6.2.7.jar:6.  
        2.7]  
602      at org.springframework.dao.support.  
        PersistenceExceptionTranslationInterceptor.invoke(  
        PersistenceExceptionTranslationInterceptor.java:  
        160) ~[spring-tx-6.2.7.jar:6.2.7]  
603      at org.springframework.aop.framework.  
        ReflectiveMethodInvocation.proceed(  
        ReflectiveMethodInvocation.java:184) ~[spring-aop-  
        6.2.7.jar:6.2.7]  
604      at org.springframework.data.jpa.repository.  
        support.  
        CrudMethodMetadataPostProcessor$CrudMethodMetadata  
        PopulatingMethodInterceptor.invoke(  
        CrudMethodMetadataPostProcessor.java:136) ~[spring  
        -data-jpa-3.5.0.jar:3.5.0]  
605      at org.springframework.aop.framework.  
        ReflectiveMethodInvocation.proceed(  
        ReflectiveMethodInvocation.java:184) ~[spring-aop-  
        6.2.7.jar:6.2.7]  
606      at org.springframework.aop.framework.  
        JdkDynamicAopProxy.invoke(JdkDynamicAopProxy.java:  
        223) ~[spring-aop-6.2.7.jar:6.2.7]  
607      at jdk.proxy2/jdk.proxy2.$Proxy153.  
        findQueuedRequestsOrderedByPriority(Unknown Source  
        ) ~[na:na]  
608      at com.uber.api.customer.service.service.impl.  
        CustomerDomainServiceImpl.processQueuedRequests(  
        CustomerDomainServiceImpl.java:216) ~[classes/:na]  
609      at java.base/jdk.internal.reflect.  
        DirectMethodHandleAccessor.invoke(  
        DirectMethodHandleAccessor.java:103) ~[na:na]  
610      at java.base/java.lang.reflect.Method.invoke(  
        Method.java:580) ~[na:na]  
611      at org.springframework.aop.support.AopUtils.  
        invokeJoinpointUsingReflection(AopUtils.java:359
```

```
611 ) ~[spring-aop-6.2.7.jar:6.2.7]
612     at org.springframework.aop.framework.
       ReflectiveMethodInvocation.invokeJoinpoint(
       ReflectiveMethodInvocation.java:196) ~[spring-aop-
6.2.7.jar:6.2.7]
613     at org.springframework.aop.framework.
       ReflectiveMethodInvocation.proceed(
       ReflectiveMethodInvocation.java:163) ~[spring-aop-
6.2.7.jar:6.2.7]
614     at org.springframework.transaction.interceptor.
       TransactionAspectSupport.invokeWithinTransaction(
       TransactionAspectSupport.java:380) ~[spring-tx-6.2
.7.jar:6.2.7]
615     at org.springframework.transaction.interceptor.
       TransactionInterceptor.invoke(
       TransactionInterceptor.java:119) ~[spring-tx-6.2.7
.jar:6.2.7]
616     at org.springframework.aop.framework.
       ReflectiveMethodInvocation.proceed(
       ReflectiveMethodInvocation.java:184) ~[spring-aop-
6.2.7.jar:6.2.7]
617     at org.springframework.aop.framework.
       CglibAopProxy$DynamicAdvisedInterceptor.intercept(
       CglibAopProxy.java:728) ~[spring-aop-6.2.7.jar:6.2
.7]
618     at com.uber.api.customer.service.service.impl.
       CustomerDomainServiceImpl$$SpringCGLIB$$0.
       processQueuedRequests(<generated>) ~[classes/:na]
619     at com.uber.api.customer.service.scheduler.
       QueueAndTimeoutScheduler.processQueuedRequests(
       QueueAndTimeoutScheduler.java:21) ~[classes/:na]
620     at java.base/jdk.internal.reflect.
       DirectMethodHandleAccessor.invoke(
       DirectMethodHandleAccessor.java:103) ~[na:na]
621     at java.base/java.lang.reflect.Method.invoke(
       Method.java:580) ~[na:na]
622     at org.springframework.scheduling.support.
       ScheduledMethodRunnable.runInternal(
```

```
622 ScheduledMethodRunnable.java:130) ~[spring-context-6.2.7.jar:6.2.7]
623     at org.springframework.scheduling.support.ScheduledMethodRunnable.lambda$run$2(ScheduledMethodRunnable.java:124) ~[spring-context-6.2.7.jar:6.2.7]
624     at io.micrometer.observation.Observation.observe(Observation.java:498) ~[micrometer-observation-1.15.0.jar:1.15.0]
625     at org.springframework.scheduling.support.ScheduledMethodRunnable.run(ScheduledMethodRunnable.java:124) ~[spring-context-6.2.7.jar:6.2.7]
626     at org.springframework.scheduling.config.Task$OutcomeTrackingRunnable.run(Task.java:85) ~[spring-context-6.2.7.jar:6.2.7]
627     at org.springframework.scheduling.support.DelegatingErrorHandlerRunnable.run(DelegatingErrorHandlerRunnable.java:54) ~[spring-context-6.2.7.jar:6.2.7]
628     at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:572) ~[na:na]
629     at java.base/java.util.concurrent.FutureTask.runAndReset(FutureTask.java:358) ~[na:na]
630     at java.base/java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(ScheduledThreadPoolExecutor.java:305) ~[na:na]
631     at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) ~[na:na]
632     at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642) ~[na:na]
633     at java.base/java.lang.Thread.run(Thread.java:1575) ~[na:na]
634 Caused by: org.hibernate.exception.SQLGrammarException: JDBC exception executing SQL
```

```
634 [select qr1_0.id,qr1_0.customer_email,qr1_0.  
     driver_request_payload,qr1_0.expires_at,qr1_0.  
     queued_at,qr1_0.ride_request_id,qr1_0.saga_id,  
     qr1_0.status,qr1_0.version from queued_requests  
     qr1_0 where qr1_0.status='QUEUED' order by qr1_0.  
     queued_at] [ERROR: relation "queued_requests" does  
     not exist  
635     Position: 168] [n/a]  
636         at org.hibernate.exception.internal.  
             SQLStateConversionDelegate.convert(  
                 SQLStateConversionDelegate.java:91) ~[hibernate-  
                     core-6.6.15.Final.jar:6.6.15.Final]  
637         at org.hibernate.exception.internal.  
             StandardSQLExceptionConverter.convert(  
                 StandardSQLExceptionConverter.java:58) ~[hibernate-  
                     core-6.6.15.Final.jar:6.6.15.Final]  
638         at org.hibernate.engine.jdbc.spi.  
             SQLExceptionHelper.convert(SqlExceptionHelper.java  
 :108) ~[hibernate-core-6.6.15.Final.jar:6.6.15.  
             Final]  
639         at org.hibernate.engine.jdbc.spi.  
             SQLExceptionHelper.convert(SqlExceptionHelper.java  
 :94) ~[hibernate-core-6.6.15.Final.jar:6.6.15.  
             Final]  
640         at org.hibernate.sql.results.jdbc.internal.  
             DeferredResultSetAccess.executeQuery(  
                 DeferredResultSetAccess.java:268) ~[hibernate-core  
 -6.6.15.Final.jar:6.6.15.Final]  
641         at org.hibernate.sql.results.jdbc.internal.  
             DeferredResultSetAccess.getResultSet(  
                 DeferredResultSetAccess.java:171) ~[hibernate-core  
 -6.6.15.Final.jar:6.6.15.Final]  
642         at org.hibernate.sql.results.jdbc.internal.  
             JdbcValuesResultSetImpl.<init>(  
                 JdbcValuesResultSetImpl.java:74) ~[hibernate-core-  
 6.6.15.Final.jar:6.6.15.Final]  
643         at org.hibernate.sql.exec.internal.  
             JdbcSelectExecutorStandardImpl.
```

```
643 resolveJdbcValuesSource(  
    JdbcSelectExecutorStandardImpl.java:355) ~[  
    hibernate-core-6.6.15.Final.jar:6.6.15.Final]  
644     at org.hibernate.sql.exec.internal.  
    JdbcSelectExecutorStandardImpl.doExecuteQuery(  
    JdbcSelectExecutorStandardImpl.java:137) ~[  
    hibernate-core-6.6.15.Final.jar:6.6.15.Final]  
645     at org.hibernate.sql.exec.internal.  
    JdbcSelectExecutorStandardImpl.executeQuery(  
    JdbcSelectExecutorStandardImpl.java:102) ~[  
    hibernate-core-6.6.15.Final.jar:6.6.15.Final]  
646     at org.hibernate.sql.exec.spi.  
    JdbcSelectExecutor.executeQuery(JdbcSelectExecutor  
.java:91) ~[hibernate-core-6.6.15.Final.jar:6.6.15  
.Final]  
647     at org.hibernate.sql.exec.spi.  
    JdbcSelectExecutor.list(JdbcSelectExecutor.java:  
165) ~[hibernate-core-6.6.15.Final.jar:6.6.15.  
Final]  
648     at org.hibernate.query.sqm.internal.  
    ConcreteSqmSelectQueryPlan.lambda$new$1(  
    ConcreteSqmSelectQueryPlan.java:152) ~[hibernate-  
core-6.6.15.Final.jar:6.6.15.Final]  
649     at org.hibernate.query.sqm.internal.  
    ConcreteSqmSelectQueryPlan.  
    withCacheableSqmInterpretation(  
    ConcreteSqmSelectQueryPlan.java:442) ~[hibernate-  
core-6.6.15.Final.jar:6.6.15.Final]  
650     at org.hibernate.query.sqm.internal.  
    ConcreteSqmSelectQueryPlan.performList(  
    ConcreteSqmSelectQueryPlan.java:362) ~[hibernate-  
core-6.6.15.Final.jar:6.6.15.Final]  
651     at org.hibernate.query.sqm.internal.  
    QuerySqmImpl.doList(QuerySqmImpl.java:380) ~[  
    hibernate-core-6.6.15.Final.jar:6.6.15.Final]  
652     at org.hibernate.query.spi.  
    AbstractSelectionQuery.list(AbstractSelectionQuery  
.java:143) ~[hibernate-core-6.6.15.Final.jar:6.6.
```

```
652 15.Final]
653      at org.hibernate.query.Query.getResultList(
  Query.java:120) ~[hibernate-core-6.6.15.Final.jar:
  6.6.15.Final]
654      at org.springframework.data.jpa.repository.
  query.JpaQueryExecution$CollectionExecution.
  doExecute(JpaQueryExecution.java:130) ~[spring-
  data-jpa-3.5.0.jar:3.5.0]
655      at org.springframework.data.jpa.repository.
  query.JpaQueryExecution.execute(JpaQueryExecution.
  java:93) ~[spring-data-jpa-3.5.0.jar:3.5.0]
656      at org.springframework.data.jpa.repository.
  query.AbstractJpaQuery.doExecute(AbstractJpaQuery.
  java:159) ~[spring-data-jpa-3.5.0.jar:3.5.0]
657      at org.springframework.data.jpa.repository.
  query.AbstractJpaQuery.execute(AbstractJpaQuery.
  java:147) ~[spring-data-jpa-3.5.0.jar:3.5.0]
658      at org.springframework.data.repository.core.
  support.RepositoryMethodInvoker.invoke(
  RepositoryMethodInvoker.java:170) ~[spring-data-
  commons-3.5.0.jar:3.5.0]
659      at org.springframework.data.repository.core.
  support.RepositoryMethodInvoker.invoke(
  RepositoryMethodInvoker.java:158) ~[spring-data-
  commons-3.5.0.jar:3.5.0]
660      at org.springframework.data.repository.core.
  support.QueryExecutorMethodInterceptor.invoke(
  QueryExecutorMethodInterceptor.java:170) ~[spring-
  data-commons-3.5.0.jar:3.5.0]
661      at org.springframework.data.repository.core.
  support.QueryExecutorMethodInterceptor.invoke(
  QueryExecutorMethodInterceptor.java:149) ~[spring-
  data-commons-3.5.0.jar:3.5.0]
662      at org.springframework.aop.framework.
  ReflectiveMethodInvocation.proceed(
  ReflectiveMethodInvocation.java:184) ~[spring-aop-
  6.2.7.jar:6.2.7]
663      at org.springframework.data.projection.
```

```
663 DefaultMethodInvokingMethodInterceptor.invoke(
    DefaultMethodInvokingMethodInterceptor.java:69) ~[spring-data-commons-3.5.0.jar:3.5.0]
664     at org.springframework.aop.framework.
    ReflectiveMethodInvocation.proceed(
    ReflectiveMethodInvocation.java:184) ~[spring-aop-
6.2.7.jar:6.2.7]
665     at org.springframework.transaction.interceptor
    .TransactionAspectSupport.invokeWithinTransaction(
    TransactionAspectSupport.java:380) ~[spring-tx-6.2
    .7.jar:6.2.7]
666     at org.springframework.transaction.interceptor
    .TransactionInterceptor.invoke(
    TransactionInterceptor.java:119) ~[spring-tx-6.2.7
    .jar:6.2.7]
667     at org.springframework.aop.framework.
    ReflectiveMethodInvocation.proceed(
    ReflectiveMethodInvocation.java:184) ~[spring-aop-
6.2.7.jar:6.2.7]
668     at org.springframework.dao.support.
    PersistenceExceptionTranslationInterceptor.invoke(
    PersistenceExceptionTranslationInterceptor.java:
    138) ~[spring-tx-6.2.7.jar:6.2.7]
669     ... 31 common frames omitted
670 Caused by: org.postgresql.util.PSQLException:
    ERROR: relation "queued_requests" does not exist
671     Position: 168
672     at org.postgresql.core.v3.QueryExecutorImpl.
    receiveErrorResponse(QueryExecutorImpl.java:2733
    ) ~[postgresql-42.7.5.jar:42.7.5]
673     at org.postgresql.core.v3.QueryExecutorImpl.
    processResults(QueryExecutorImpl.java:2420) ~[
    postgresql-42.7.5.jar:42.7.5]
674     at org.postgresql.core.v3.QueryExecutorImpl.
    execute(QueryExecutorImpl.java:372) ~[postgresql-
42.7.5.jar:42.7.5]
675     at org.postgresql.jdbc.PgStatement.
    executeInternal(PgStatement.java:517) ~[postgresql
```

```
675 -42.7.5.jar:42.7.5]
676     at org.postgresql.jdbc.PgStatement.execute(
  PgStatement.java:434) ~[postgresql-42.7.5.jar:42.7
  .5]
677     at org.postgresql.jdbc.PgPreparedStatement.
  executeWithFlags(PgPreparedStatement.java:194) ~[
  postgresql-42.7.5.jar:42.7.5]
678     at org.postgresql.jdbc.PgPreparedStatement.
  executeQuery(PgPreparedStatement.java:137) ~[
  postgresql-42.7.5.jar:42.7.5]
679     at com.zaxxer.hikari.pool.
  ProxyPreparedStatement.executeQuery(
  ProxyPreparedStatement.java:52) ~[HikariCP-6.3.0.
  jar:na]
680     at com.zaxxer.hikari.pool.
  HikariProxyPreparedStatement.executeQuery(
  HikariProxyPreparedStatement.java) ~[HikariCP-6.3.
  0.jar:na]
681     at org.hibernate.sql.results.jdbc.internal.
  DeferredResultSetAccess.executeQuery(
  DeferredResultSetAccess.java:250) ~[hibernate-core
  -6.6.15.Final.jar:6.6.15.Final]
682     ... 59 common frames omitted
683
684 2025-05-26T15:10:41.774-04:00 DEBUG 48923 --- [
  customer-service] [ scheduling-1] c.u.a.c.s.s.
  QueueAndTimeoutScheduler : Running
  aggressive queue processor...
685 2025-05-26T15:10:41.792-04:00 INFO 48923 --- [
  customer-service] [ scheduling-1] c.u.a.c.s.s.i.
  CustomerDomainServiceImpl : === PROCESSING QUEUE
  ===
686 Hibernate:
687     select
688         qr1_0.id,
689         qr1_0.customer_email,
690         qr1_0.driver_request_payload,
691         qr1_0.expires_at,
```

```
692         qr1_0.queued_at,
693         qr1_0.ride_request_id,
694         qr1_0.saga_id,
695         qr1_0.status,
696         qr1_0.version
697     from
698         queued_requests qr1_0
699     where
700         qr1_0.status='QUEUED'
701     order by
702         qr1_0.queued_at
703 2025-05-26T15:10:41.822-04:00 DEBUG 48923 --- [
customer-service] [ scheduling-1] c.u.a.c.s.s.i.
CustomerDomainServiceImpl : No queued requests to
process
704 2025-05-26T15:10:41.953-04:00 INFO 48923 --- [
customer-service] [ntainer#0-0-C-1] o.a.k.c.c.
internals.ConsumerCoordinator : [Consumer
clientId=consumer-customer-service-group-2,
groupId=customer-service-group] Successfully
joined group with generation Generation{
generationId=63, memberId='consumer-customer-
service-group-2-558516a1-28e3-4ed9-b12a-
6064dd8c567d', protocol='range'}
705 2025-05-26T15:10:41.953-04:00 INFO 48923 --- [
customer-service] [ntainer#1-0-C-1] o.a.k.c.c.
internals.ConsumerCoordinator : [Consumer
clientId=consumer-customer-service-group-3,
groupId=customer-service-group] Successfully
joined group with generation Generation{
generationId=63, memberId='consumer-customer-
service-group-3-b06c1984-88d4-499f-b673-
ea09ad5d59e4', protocol='range'}
706 2025-05-26T15:10:41.954-04:00 INFO 48923 --- [
customer-service] [ntainer#2-0-C-1] o.a.k.c.c.
internals.ConsumerCoordinator : [Consumer
clientId=consumer-customer-service-group-1,
groupId=customer-service-group] Successfully
```

- ```
706 joined group with generation Generation{
 generationId=63, memberId='consumer-customer-
 service-group-1-120c0407-9080-46b5-87f6-
 72fe65c36a36', protocol='range'}
707 2025-05-26T15:10:42.037-04:00 INFO 48923 --- [
 customer-service] [ntainer#1-0-C-1] o.a.k.c.c.
 internals.ConsumerCoordinator : [Consumer
 clientId=consumer-customer-service-group-3,
 groupId=customer-service-group] Finished
 assignment for group at generation 63: {consumer-
 customer-service-group-2-558516a1-28e3-4ed9-b12a-
 6064dd8c567d=Assignment(partitions=[driver-
 available-0]), consumer-customer-service-group-3-
 b06c1984-88d4-499f-b673-ea09ad5d59e4=Assignment(
 partitions=[driver-responses-0]), consumer-
 customer-service-group-1-120c0407-9080-46b5-87f6-
 72fe65c36a36=Assignment(partitions=[payment-
 responses-0])}
708 2025-05-26T15:10:42.064-04:00 INFO 48923 --- [
 customer-service] [ntainer#2-0-C-1] o.a.k.c.c.
 internals.ConsumerCoordinator : [Consumer
 clientId=consumer-customer-service-group-1,
 groupId=customer-service-group] Successfully
 synced group in generation Generation{generationId
 =63, memberId='consumer-customer-service-group-1-
 120c0407-9080-46b5-87f6-72fe65c36a36', protocol='
 range'}
709 2025-05-26T15:10:42.063-04:00 INFO 48923 --- [
 customer-service] [ntainer#0-0-C-1] o.a.k.c.c.
 internals.ConsumerCoordinator : [Consumer
 clientId=consumer-customer-service-group-2,
 groupId=customer-service-group] Successfully
 synced group in generation Generation{generationId
 =63, memberId='consumer-customer-service-group-2-
 558516a1-28e3-4ed9-b12a-6064dd8c567d', protocol='
 range'}
710 2025-05-26T15:10:42.066-04:00 INFO 48923 --- [
 customer-service] [ntainer#2-0-C-1] o.a.k.c.c.
```

```
710 internals.ConsumerCoordinator : [Consumer
 clientId=consumer-customer-service-group-1,
 groupId=customer-service-group] Notifying assignor
 about the new Assignment(partitions=[payment-
responses-0])
711 2025-05-26T15:10:42.066-04:00 INFO 48923 --- [
 customer-service] [ntainer#0-0-C-1] o.a.k.c.c.
internals.ConsumerCoordinator : [Consumer
 clientId=consumer-customer-service-group-2,
 groupId=customer-service-group] Notifying assignor
 about the new Assignment(partitions=[driver-
available-0])
712 2025-05-26T15:10:42.067-04:00 INFO 48923 --- [
 customer-service] [ntainer#1-0-C-1] o.a.k.c.c.
internals.ConsumerCoordinator : [Consumer
 clientId=consumer-customer-service-group-3,
 groupId=customer-service-group] Successfully
 synced group in generation Generation{generationId
=63, memberId='consumer-customer-service-group-3-
b06c1984-88d4-499f-b673-ea09ad5d59e4', protocol='
range'}
713 2025-05-26T15:10:42.067-04:00 INFO 48923 --- [
 customer-service] [ntainer#1-0-C-1] o.a.k.c.c.
internals.ConsumerCoordinator : [Consumer
 clientId=consumer-customer-service-group-3,
 groupId=customer-service-group] Notifying assignor
 about the new Assignment(partitions=[driver-
responses-0])
714 2025-05-26T15:10:42.069-04:00 INFO 48923 --- [
 customer-service] [ntainer#1-0-C-1] k.c.c.i.
ConsumerRebalanceListenerInvoker : [Consumer
 clientId=consumer-customer-service-group-3,
 groupId=customer-service-group] Adding newly
 assigned partitions: driver-responses-0
715 2025-05-26T15:10:42.071-04:00 INFO 48923 --- [
 customer-service] [ntainer#0-0-C-1] k.c.c.i.
ConsumerRebalanceListenerInvoker : [Consumer
 clientId=consumer-customer-service-group-2,
```

```
715 groupId=customer-service-group] Adding newly
 assigned partitions: driver-available-0
716 2025-05-26T15:10:42.072-04:00 INFO 48923 --- [
 customer-service] [ntainer#2-0-C-1] k.c.c.i.
 ConsumerRebalanceListenerInvoker : [Consumer
 clientId=consumer-customer-service-group-1,
 groupId=customer-service-group] Adding newly
 assigned partitions: payment-responses-0
717 2025-05-26T15:10:42.091-04:00 INFO 48923 --- [
 customer-service] [ntainer#1-0-C-1] o.a.k.c.c.
 internals.ConsumerUtils : Setting offset
 for partition driver-responses-0 to the committed
 offset FetchPosition{offset=130, offsetEpoch=
 Optional.empty, currentLeader=LeaderAndEpoch{
 leader=Optional[localhost:9092 (id: 1 rack: null
)], epoch=0}}
718 2025-05-26T15:10:42.092-04:00 INFO 48923 --- [
 customer-service] [ntainer#2-0-C-1] o.a.k.c.c.
 internals.ConsumerUtils : Setting offset
 for partition payment-responses-0 to the committed
 offset FetchPosition{offset=196, offsetEpoch=
 Optional.empty, currentLeader=LeaderAndEpoch{
 leader=Optional[localhost:9092 (id: 1 rack: null
)], epoch=0}}
719 2025-05-26T15:10:42.092-04:00 INFO 48923 --- [
 customer-service] [ntainer#0-0-C-1] o.a.k.c.c.
 internals.ConsumerUtils : Setting offset
 for partition driver-available-0 to the committed
 offset FetchPosition{offset=27, offsetEpoch=
 Optional.empty, currentLeader=LeaderAndEpoch{
 leader=Optional[localhost:9092 (id: 1 rack: null
)], epoch=0}}
720 2025-05-26T15:10:42.095-04:00 INFO 48923 --- [
 customer-service] [ntainer#0-0-C-1] o.s.k.l.
 KafkaMessageListenerContainer : customer-
 service-group: partitions assigned: [driver-
 available-0]
721 2025-05-26T15:10:42.095-04:00 INFO 48923 --- [
```

```
721 customer-service] [ntainer#2-0-C-1] o.s.k.l.
 KafkaMessageListenerContainer : customer-
 service-group: partitions assigned: [payment-
 responses-0]
722 2025-05-26T15:10:42.095-04:00 INFO 48923 --- [
 customer-service] [ntainer#1-0-C-1] o.s.k.l.
 KafkaMessageListenerContainer : customer-
 service-group: partitions assigned: [driver-
 responses-0]
723 2025-05-26T15:10:42.830-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
724 2025-05-26T15:10:42.848-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i.
 CustomerDomainServiceImpl : === PROCESSING QUEUE
 ===
725 Hibernate:
726 select
727 qr1_.id,
728 qr1_.customer_email,
729 qr1_.driver_request_payload,
730 qr1_.expires_at,
731 qr1_.queued_at,
732 qr1_.ride_request_id,
733 qr1_.saga_id,
734 qr1_.status,
735 qr1_.version
736 from
737 queued_requests qr1_
738 where
739 qr1_.status='QUEUED'
740 order by
741 qr1_.queued_at
742 2025-05-26T15:10:42.865-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i.
 CustomerDomainServiceImpl : No queued requests to
 process
```

```
743 Hibernate:
744 select
745 co1_0.id,
746 co1_0.created_at,
747 co1_0.event_type,
748 co1_0.payload,
749 co1_0.processed_at,
750 co1_0.saga_id,
751 co1_0.saga_status,
752 co1_0.status,
753 co1_0.version
754 from
755 customer_outbox co1_0
756 where
757 co1_0.status=?
758 order by
759 co1_0.created_at
760 Hibernate:
761 select
762 oe1_0.id,
763 oe1_0.created_at,
764 oe1_0.event_type,
765 oe1_0.payload,
766 oe1_0.processed_at,
767 oe1_0.saga_id,
768 oe1_0.saga_status,
769 oe1_0.status,
770 oe1_0.version
771 from
772 outbox_events oe1_0
773 where
774 oe1_0.status=?
775 order by
776 oe1_0.created_at
777 2025-05-26T15:10:43.728-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.api.shared
 .outbox.OutboxScheduler : Processing 0 outbox
 events
```

```
778 2025-05-26T15:10:43.873-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
779 2025-05-26T15:10:43.874-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
780 Hibernate:
781 select
782 qr1_0.id,
783 qr1_0.customer_email,
784 qr1_0.driver_request_payload,
785 qr1_0.expires_at,
786 qr1_0.queued_at,
787 qr1_0.ride_request_id,
788 qr1_0.saga_id,
789 qr1_0.status,
790 qr1_0.version
791 from
792 queued_requests qr1_0
793 where
794 qr1_0.status='QUEUED'
795 order by
796 qr1_0.queued_at
797 2025-05-26T15:10:43.879-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
798 2025-05-26T15:10:44.882-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
799 2025-05-26T15:10:44.887-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
800 Hibernate:
```

```
801 select
802 qr1_0.id,
803 qr1_0.customer_email,
804 qr1_0.driver_request_payload,
805 qr1_0.expires_at,
806 qr1_0.queued_at,
807 qr1_0.ride_request_id,
808 qr1_0.saga_id,
809 qr1_0.status,
810 qr1_0.version
811 from
812 queued_requests qr1_0
813 where
814 qr1_0.status='QUEUED'
815 order by
816 qr1_0.queued_at
817 2025-05-26T15:10:44.894-04:00 DEBUG 48923 --- [
818 customer-service] [scheduling-1] c.u.a.c.s.s.i.
819 CustomerDomainServiceImpl : No queued requests to
820 process
821 2025-05-26T15:10:45.899-04:00 DEBUG 48923 --- [
822 customer-service] [scheduling-1] c.u.a.c.s.s.
823 QueueAndTimeoutScheduler : Running
824 aggressive queue processor...
825 2025-05-26T15:10:45.907-04:00 INFO 48923 --- [
826 customer-service] [scheduling-1] c.u.a.c.s.s.i.
827 CustomerDomainServiceImpl : === PROCESSING QUEUE
828 ===
829 Hibernate:
830 select
831 qr1_0.id,
832 qr1_0.customer_email,
833 qr1_0.driver_request_payload,
834 qr1_0.expires_at,
835 qr1_0.queued_at,
836 qr1_0.ride_request_id,
837 qr1_0.saga_id,
838 qr1_0.status,
```

```
830 qr1_0.version
831 from
832 queued_requests qr1_0
833 where
834 qr1_0.status='QUEUED'
835 order by
836 qr1_0.queued_at
837 2025-05-26T15:10:45.910-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i.
CustomerDomainServiceImpl : No queued requests to
process
838 2025-05-26T15:10:46.913-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
839 2025-05-26T15:10:46.915-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i.
CustomerDomainServiceImpl : === PROCESSING QUEUE
===
840 Hibernate:
841 select
842 qr1_0.id,
843 qr1_0.customer_email,
844 qr1_0.driver_request_payload,
845 qr1_0.expires_at,
846 qr1_0.queued_at,
847 qr1_0.ride_request_id,
848 qr1_0.saga_id,
849 qr1_0.status,
850 qr1_0.version
851 from
852 queued_requests qr1_0
853 where
854 qr1_0.status='QUEUED'
855 order by
856 qr1_0.queued_at
857 2025-05-26T15:10:46.917-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i.
```

```
857 CustomerDomainServiceImpl : No queued requests to
 process
858 2025-05-26T15:10:47.932-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
859 2025-05-26T15:10:47.938-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i.
 CustomerDomainServiceImpl : === PROCESSING QUEUE
 ===
860 Hibernate:
861 select
862 qr1_.id,
863 qr1_.customer_email,
864 qr1_.driver_request_payload,
865 qr1_.expires_at,
866 qr1_.queued_at,
867 qr1_.ride_request_id,
868 qr1_.saga_id,
869 qr1_.status,
870 qr1_.version
871 from
872 queued_requests qr1_
873 where
874 qr1_.status='QUEUED'
875 order by
876 qr1_.queued_at
877 2025-05-26T15:10:47.944-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i.
 CustomerDomainServiceImpl : No queued requests to
 process
878 Hibernate:
879 select
880 co1_.id,
881 co1_.created_at,
882 co1_.event_type,
883 co1_.payload,
884 co1_.processed_at,
```

```
885 co1_0.saga_id,
886 co1_0.saga_status,
887 co1_0.status,
888 co1_0.version
889 from
890 customer_outbox co1_0
891 where
892 co1_0.status=?
893 order by
894 co1_0.created_at
895 Hibernate:
896 select
897 oe1_0.id,
898 oe1_0.created_at,
899 oe1_0.event_type,
900 oe1_0.payload,
901 oe1_0.processed_at,
902 oe1_0.saga_id,
903 oe1_0.saga_status,
904 oe1_0.status,
905 oe1_0.version
906 from
907 outbox_events oe1_0
908 where
909 oe1_0.status=?
910 order by
911 oe1_0.created_at
912 2025-05-26T15:10:48.894-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.api.shared
 .outbox.OutboxScheduler : Processing 0 outbox
 events
913 2025-05-26T15:10:48.959-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
914 2025-05-26T15:10:48.960-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i.
 CustomerDomainServiceImpl : === PROCESSING QUEUE
```

```
914 ===
915 Hibernate:
916 select
917 qr1_0.id,
918 qr1_0.customer_email,
919 qr1_0.driver_request_payload,
920 qr1_0.expires_at,
921 qr1_0.queued_at,
922 qr1_0.ride_request_id,
923 qr1_0.saga_id,
924 qr1_0.status,
925 qr1_0.version
926 from
927 queued_requests qr1_0
928 where
929 qr1_0.status='QUEUED'
930 order by
931 qr1_0.queued_at
932 2025-05-26T15:10:48.974-04:00 DEBUG 48923 --- [
933 customer-service] [scheduling-1] c.u.a.c.s.s.i.
934 CustomerDomainServiceImpl : No queued requests to
935 process
933 2025-05-26T15:10:49.982-04:00 DEBUG 48923 --- [
934 customer-service] [scheduling-1] c.u.a.c.s.s.
935 QueueAndTimeoutScheduler : Running
936 aggressive queue processor...
934 2025-05-26T15:10:49.998-04:00 INFO 48923 --- [
935 customer-service] [scheduling-1] c.u.a.c.s.s.i.
936 CustomerDomainServiceImpl : === PROCESSING QUEUE
937 ===
935 Hibernate:
936 select
937 qr1_0.id,
938 qr1_0.customer_email,
939 qr1_0.driver_request_payload,
940 qr1_0.expires_at,
941 qr1_0.queued_at,
942 qr1_0.ride_request_id,
```

```
943 qr1_0.saga_id,
944 qr1_0.status,
945 qr1_0.version
946 from
947 queued_requests qr1_0
948 where
949 qr1_0.status='QUEUED'
950 order by
951 qr1_0.queued_at
952 2025-05-26T15:10:50.008-04:00 DEBUG 48923 --- [
953 customer-service] [scheduling-1] c.u.a.c.s.s.i.
954 CustomerDomainServiceImpl : No queued requests to
955 process
953 2025-05-26T15:10:51.016-04:00 DEBUG 48923 --- [
954 customer-service] [scheduling-1] c.u.a.c.s.s.
955 QueueAndTimeoutScheduler : Running
956 aggressive queue processor...
954 2025-05-26T15:10:51.018-04:00 INFO 48923 --- [
955 customer-service] [scheduling-1] c.u.a.c.s.s.i.
956 CustomerDomainServiceImpl : === PROCESSING QUEUE
957 ===
955 Hibernate:
956 select
957 qr1_0.id,
958 qr1_0.customer_email,
959 qr1_0.driver_request_payload,
960 qr1_0.expires_at,
961 qr1_0.queued_at,
962 qr1_0.ride_request_id,
963 qr1_0.saga_id,
964 qr1_0.status,
965 qr1_0.version
966 from
967 queued_requests qr1_0
968 where
969 qr1_0.status='QUEUED'
970 order by
971 qr1_0.queued_at
```

```
972 2025-05-26T15:10:51.020-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
973 2025-05-26T15:10:52.028-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
974 2025-05-26T15:10:52.032-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
975 Hibernate:
976 select
977 qr1_.id,
978 qr1_.customer_email,
979 qr1_.driver_request_payload,
980 qr1_.expires_at,
981 qr1_.queued_at,
982 qr1_.ride_request_id,
983 qr1_.saga_id,
984 qr1_.status,
985 qr1_.version
986 from
987 queued_requests qr1_
988 where
989 qr1_.status='QUEUED'
990 order by
991 qr1_.queued_at
992 2025-05-26T15:10:52.037-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
993 2025-05-26T15:10:53.057-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
994 2025-05-26T15:10:53.066-04:00 INFO 48923 --- [
```

```
994 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
995 Hibernate:
996 select
997 qr1_0.id,
998 qr1_0.customer_email,
999 qr1_0.driver_request_payload,
1000 qr1_0.expires_at,
1001 qr1_0.queued_at,
1002 qr1_0.ride_request_id,
1003 qr1_0.saga_id,
1004 qr1_0.status,
1005 qr1_0.version
1006 from
1007 queued_requests qr1_0
1008 where
1009 qr1_0.status='QUEUED'
1010 order by
1011 qr1_0.queued_at
1012 2025-05-26T15:10:53.074-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
1013 Hibernate:
1014 select
1015 co1_0.id,
1016 co1_0.created_at,
1017 co1_0.event_type,
1018 co1_0.payload,
1019 co1_0.processed_at,
1020 co1_0.saga_id,
1021 co1_0.saga_status,
1022 co1_0.status,
1023 co1_0.version
1024 from
1025 customer_outbox co1_0
1026 where
```

```
1027 co1_0.status=?
1028 order by
1029 co1_0.created_at
1030 Hibernate:
1031 select
1032 oe1_0.id,
1033 oe1_0.created_at,
1034 oe1_0.event_type,
1035 oe1_0.payload,
1036 oe1_0.processed_at,
1037 oe1_0.saga_id,
1038 oe1_0.saga_status,
1039 oe1_0.status,
1040 oe1_0.version
1041 from
1042 outbox_events oe1_0
1043 where
1044 oe1_0.status=?
1045 order by
1046 oe1_0.created_at
1047 2025-05-26T15:10:53.904-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.api.shared.outbox.OutboxScheduler : Processing 0 outbox events
1048 2025-05-26T15:10:54.080-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
1049 2025-05-26T15:10:54.081-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
1050 Hibernate:
1051 select
1052 qr1_0.id,
1053 qr1_0.customer_email,
1054 qr1_0.driver_request_payload,
1055 qr1_0.expires_at,
```

```
1056 qr1_0.queued_at,
1057 qr1_0.ride_request_id,
1058 qr1_0.saga_id,
1059 qr1_0.status,
1060 qr1_0.version
1061 from
1062 queued_requests qr1_0
1063 where
1064 qr1_0.status='QUEUED'
1065 order by
1066 qr1_0.queued_at
1067 2025-05-26T15:10:54.084-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
1068 2025-05-26T15:10:55.089-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
1069 2025-05-26T15:10:55.096-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
1070 Hibernate:
1071 select
1072 qr1_0.id,
1073 qr1_0.customer_email,
1074 qr1_0.driver_request_payload,
1075 qr1_0.expires_at,
1076 qr1_0.queued_at,
1077 qr1_0.ride_request_id,
1078 qr1_0.saga_id,
1079 qr1_0.status,
1080 qr1_0.version
1081 from
1082 queued_requests qr1_0
1083 where
1084 qr1_0.status='QUEUED'
```

```
1085 order by
1086 qr1_0.queued_at
1087 2025-05-26T15:10:55.105-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
1088 2025-05-26T15:10:56.120-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
1089 2025-05-26T15:10:56.134-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
1090 Hibernate:
1091 select
1092 qr1_0.id,
1093 qr1_0.customer_email,
1094 qr1_0.driver_request_payload,
1095 qr1_0.expires_at,
1096 qr1_0.queued_at,
1097 qr1_0.ride_request_id,
1098 qr1_0.saga_id,
1099 qr1_0.status,
1100 qr1_0.version
1101 from
1102 queued_requests qr1_0
1103 where
1104 qr1_0.status='QUEUED'
1105 order by
1106 qr1_0.queued_at
1107 2025-05-26T15:10:56.162-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
1108 2025-05-26T15:10:57.181-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running
```

```
1108 aggressive queue processor...
1109 2025-05-26T15:10:57.187-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
1110 Hibernate:
1111 select
1112 qr1_0.id,
1113 qr1_0.customer_email,
1114 qr1_0.driver_request_payload,
1115 qr1_0.expires_at,
1116 qr1_0.queued_at,
1117 qr1_0.ride_request_id,
1118 qr1_0.saga_id,
1119 qr1_0.status,
1120 qr1_0.version
1121 from
1122 queued_requests qr1_0
1123 where
1124 qr1_0.status='QUEUED'
1125 order by
1126 qr1_0.queued_at
1127 2025-05-26T15:10:57.191-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
1128 2025-05-26T15:10:58.203-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
1129 2025-05-26T15:10:58.210-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
1130 Hibernate:
1131 select
1132 qr1_0.id,
1133 qr1_0.customer_email,
```

```
1134 qr1_0.driver_request_payload,
1135 qr1_0.expires_at,
1136 qr1_0.queued_at,
1137 qr1_0.ride_request_id,
1138 qr1_0.saga_id,
1139 qr1_0.status,
1140 qr1_0.version
1141 from
1142 queued_requests qr1_0
1143 where
1144 qr1_0.status='QUEUED'
1145 order by
1146 qr1_0.queued_at
1147 2025-05-26T15:10:58.216-04:00 DEBUG 48923 --- [
1148 customer-service] [scheduling-1] c.u.a.c.s.s.i
1149 .CustomerDomainServiceImpl : No queued requests
1150 to process
1151 Hibernate:
1152 select
1153 co1_0.id,
1154 co1_0.created_at,
1155 co1_0.event_type,
1156 co1_0.payload,
1157 co1_0.processed_at,
1158 co1_0.saga_id,
1159 co1_0.saga_status,
1160 co1_0.status,
1161 co1_0.version
1162 from
1163 customer_outbox co1_0
1164 where
1165 co1_0.status=?
1166 order by
1167 co1_0.created_at
1168 Hibernate:
1169 select
1170 oe1_0.id,
1171 oe1_0.created_at,
```

```
1169 oe1_0.event_type,
1170 oe1_0.payload,
1171 oe1_0.processed_at,
1172 oe1_0.saga_id,
1173 oe1_0.saga_status,
1174 oe1_0.status,
1175 oe1_0.version
1176 from
1177 outbox_events oe1_0
1178 where
1179 oe1_0.status=?
1180 order by
1181 oe1_0.created_at
1182 2025-05-26T15:10:58.911-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.api.shared.outbox.OutboxScheduler : Processing 0 outbox events
1183 2025-05-26T15:10:59.220-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
1184 2025-05-26T15:10:59.222-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
1185 Hibernate:
1186 select
1187 qr1_0.id,
1188 qr1_0.customer_email,
1189 qr1_0.driver_request_payload,
1190 qr1_0.expires_at,
1191 qr1_0.queued_at,
1192 qr1_0.ride_request_id,
1193 qr1_0.saga_id,
1194 qr1_0.status,
1195 qr1_0.version
1196 from
1197 queued_requests qr1_0
```

```
1198 where
1199 qr1_0.status='QUEUED'
1200 order by
1201 qr1_0.queued_at
1202 2025-05-26T15:10:59.226-04:00 DEBUG 48923 --- [
1203 customer-service] [scheduling-1] c.u.a.c.s.s.i
1204 .CustomerDomainServiceImpl : No queued requests
1205 to process
1206 2025-05-26T15:11:00.234-04:00 DEBUG 48923 --- [
1207 customer-service] [scheduling-1] c.u.a.c.s.s.
1208 QueueAndTimeoutScheduler : Running
1209 aggressive queue processor...
1210 2025-05-26T15:11:00.239-04:00 INFO 48923 --- [
1211 customer-service] [scheduling-1] c.u.a.c.s.s.i
1212 .CustomerDomainServiceImpl : === PROCESSING
1213 QUEUE ===
1214 Hibernate:
1215 select
1216 qr1_0.id,
1217 qr1_0.customer_email,
1218 qr1_0.driver_request_payload,
1219 qr1_0.expires_at,
1220 qr1_0.queued_at,
1221 qr1_0.ride_request_id,
1222 qr1_0.saga_id,
1223 qr1_0.status,
1224 qr1_0.version
1225 from
1226 queued_requests qr1_0
1227 where
1228 qr1_0.status='QUEUED'
1229 order by
1230 qr1_0.queued_at
1231 2025-05-26T15:11:00.241-04:00 DEBUG 48923 --- [
1232 customer-service] [scheduling-1] c.u.a.c.s.s.i
1233 .CustomerDomainServiceImpl : No queued requests
1234 to process
1235 2025-05-26T15:11:01.248-04:00 INFO 48923 --- [
```

```
1223 customer-service] [nio-8181-exec-1] o.a.c.c.C.[
 Tomcat].[localhost]. [/] : Initializing
 Spring DispatcherServlet 'dispatcherServlet'
1224 2025-05-26T15:11:01.248-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
1225 2025-05-26T15:11:01.248-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-1] o.s.web.
 servlet.DispatcherServlet : Initializing
 Servlet 'dispatcherServlet'
1226 2025-05-26T15:11:01.250-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
1227 Hibernate:
1228 select
1229 qr1_0.id,
1230 qr1_0.customer_email,
1231 qr1_0.driver_request_payload,
1232 qr1_0.expires_at,
1233 qr1_0.queued_at,
1234 qr1_0.ride_request_id,
1235 qr1_0.saga_id,
1236 qr1_0.status,
1237 qr1_0.version
1238 from
1239 queued_requests qr1_0
1240 where
1241 qr1_0.status='QUEUED'
1242 order by
1243 qr1_0.queued_at
1244 2025-05-26T15:11:01.252-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-1] o.s.web.
 servlet.DispatcherServlet : Completed
 initialization in 4 ms
1245 2025-05-26T15:11:01.255-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
```

```
1245 .CustomerDomainServiceImpl : No queued requests
 to process
1246 2025-05-26T15:11:01.356-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-1] c.u.a.c.s.
 controller.CustomerController : Received taxi
 call request from customer: final1@example.com
1247 2025-05-26T15:11:01.356-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-1] c.u.a.c.s.
 service.RideMatchingService : === RIDE REQUEST
 FOR: final1@example.com ===
1248 Hibernate:
1249 select
1250 c1_0.id,
1251 c1_0.current_ride_request_id,
1252 c1_0.email,
1253 c1_0.name,
1254 c1_0.phone,
1255 c1_0.status,
1256 c1_0.version
1257 from
1258 customers c1_0
1259 where
1260 c1_0.email=?
1261 Hibernate:
1262 insert
1263 into
1264 customers
1265 (current_ride_request_id, email, name,
 phone, status, version, id)
1266 values
1267 (?, ?, ?, ?, ?, ?, ?)
1268 Hibernate:
1269 insert
1270 into
1271 locations
1272 (address, city, latitude, longitude, id)
1273 values
1274 (?, ?, ?, ?, ?, ?)
```

```
1275 Hibernate:
1276 insert
1277 into
1278 locations
1279 (address, city, latitude, longitude, id)
1280 values
1281 (?, ?, ?, ?, ?, ?)
1282 Hibernate:
1283 insert
1284 into
1285 ride_requests
1286 (completed_at, created_at, customer_email
1287 , destination_location_id, driver_email,
1288 estimated_price, final_price, pickup_location_id
1289 , status, id)
1290 values
1291 (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
1292 Hibernate:
1293 update
1294 customers
1295 set
1296 current_ride_request_id=?
1297 email=?
1298 name=?
1299 phone=?
1300 status=?
1301 version=?
1302 where
1303 id=?
1304 and version=?
1305 Hibernate:
1306 select
1307 count(rr1_0.id)
1308 from
1309 ride_requests rr1_0
1310 where
1311 rr1_0.status=?
1312 2025-05-26T15:11:01.426-04:00 INFO 48923 --- [
```

```

1309 customer-service] [nio-8181-exec-1] c.u.a.c.s.
 service.RideMatchingService : Assigned
 requests: 0, Max drivers: 3 for customer: final1@example.com
1310 2025-05-26T15:11:01.426-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-1] c.u.a.c.s.
 service.RideMatchingService : IMMEDIATE
 PROCESSING: Slot available
1311 2025-05-26T15:11:01.437-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : Started SAGA for
 ride: f5bb5224-06c0-4ecc-af3e-320b0c0b7b05
1312 Hibernate:
1313 insert
1314 into
1315 customer_outbox
1316 (created_at, event_type, payload,
1317 processed_at, saga_id, saga_status, status,
1318 version, id)
1319 values
1320 (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
1321 2025-05-26T15:11:01.442-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-1] c.u.a.c.s.
 controller.CustomerController : Taxi call
 request processed successfully for customer:
 final1@example.com
1322 2025-05-26T15:11:01.471-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-2] c.u.a.c.s.
 controller.CustomerController : Received taxi
 call request from customer: final2@example.com
1323 2025-05-26T15:11:01.471-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-2] c.u.a.c.s.
 service.RideMatchingService : === RIDE REQUEST
 FOR: final2@example.com ===
1324 Hibernate:
1325 select
1326 c1_0.id,
1327 c1_0.current_ride_request_id,

```

```
1326 c1_0.email,
1327 c1_0.name,
1328 c1_0.phone,
1329 c1_0.status,
1330 c1_0.version
1331 from
1332 customers c1_0
1333 where
1334 c1_0.email=?
1335 Hibernate:
1336 insert
1337 into
1338 customers
1339 (current_ride_request_id, email, name,
 phone, status, version, id)
1340 values
1341 (?, ?, ?, ?, ?, ?, ?)
1342 Hibernate:
1343 insert
1344 into
1345 locations
1346 (address, city, latitude, longitude, id)
1347 values
1348 (?, ?, ?, ?, ?)
1349 Hibernate:
1350 insert
1351 into
1352 locations
1353 (address, city, latitude, longitude, id)
1354 values
1355 (?, ?, ?, ?, ?)
1356 Hibernate:
1357 insert
1358 into
1359 ride_requests
1360 (completed_at, created_at, customer_email
 , destination_location_id, driver_email,
estimated_price, final_price, pickup_location_id
```

```
1360 , status, id)
1361 values
1362 (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
1363 Hibernate:
1364 update
1365 customers
1366 set
1367 current_ride_request_id=?,
1368 email=?,
1369 name=?,
1370 phone=?,
1371 status=?,
1372 version=?
1373 where
1374 id=?
1375 and version=?
1376 Hibernate:
1377 select
1378 count(rr1_0.id)
1379 from
1380 ride_requests rr1_0
1381 where
1382 rr1_0.status=?
1383 2025-05-26T15:11:01.486-04:00 INFO 48923 --- [
customer-service] [nio-8181-exec-2] c.u.a.c.s.
service.RideMatchingService : Assigned
requests: 0, Max drivers: 3 for customer: final2@example.com
1384 2025-05-26T15:11:01.486-04:00 INFO 48923 --- [
customer-service] [nio-8181-exec-2] c.u.a.c.s.
service.RideMatchingService : IMMEDIATE
PROCESSING: Slot available
1385 2025-05-26T15:11:01.487-04:00 INFO 48923 --- [
customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : Started SAGA for
ride: 270f9771-a2a0-42fb-a0b7-a286f1800b6b
1386 Hibernate:
1387 insert
```

```
1388 into
1389 customer_outbox
1390 (created_at, event_type, payload,
1391 processed_at, saga_id, saga_status, status,
1392 version, id)
1391 values
1392 (?, ?, ?, ?, ?, ?, ?, ?, ?)
1393 2025-05-26T15:11:01.489-04:00 INFO 48923 --- [
1394 customer-service] [nio-8181-exec-2] c.u.a.c.s.
1395 controller.CustomerController : Taxi call
1396 request processed successfully for customer:
1397 final2@example.com
1394 2025-05-26T15:11:01.500-04:00 INFO 48923 --- [
1395 customer-service] [nio-8181-exec-4] c.u.a.c.s.
1396 controller.CustomerController : Received taxi
1397 call request from customer: final3@example.com
1395 2025-05-26T15:11:01.500-04:00 INFO 48923 --- [
1396 customer-service] [nio-8181-exec-4] c.u.a.c.s.
1397 service.RideMatchingService : === RIDE REQUEST
1398 FOR: final3@example.com ===
1396 Hibernate:
1397 select
1398 c1_0.id,
1399 c1_0.current_ride_request_id,
1400 c1_0.email,
1401 c1_0.name,
1402 c1_0.phone,
1403 c1_0.status,
1404 c1_0.version
1405 from
1406 customers c1_0
1407 where
1408 c1_0.email=?
1409 Hibernate:
1410 insert
1411 into
1412 customers
1413 (current_ride_request_id, email, name,
```

```
1413 phone, status, version, id)
1414 values
1415 (?, ?, ?, ?, ?, ?, ?, ?)
1416 Hibernate:
1417 insert
1418 into
1419 locations
1420 (address, city, latitude, longitude, id)
1421 values
1422 (?, ?, ?, ?, ?, ?)
1423 Hibernate:
1424 insert
1425 into
1426 locations
1427 (address, city, latitude, longitude, id)
1428 values
1429 (?, ?, ?, ?, ?, ?)
1430 Hibernate:
1431 insert
1432 into
1433 ride_requests
1434 (completed_at, created_at, customer_email,
1435 , destination_location_id, driver_email,
1436 estimated_price, final_price, pickup_location_id
1437 , status, id)
1438 values
1439 (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
1440 Hibernate:
1441 update
1442 customers
1443 set
1444 current_ride_request_id=?,
1445 email=?,
1446 name=?,
1447 phone=?,
1448 status=?,
1449 version=?
1450 where
```

```
1448 id=?
1449 and version=?
1450 Hibernate:
1451 select
1452 count(rr1_0.id)
1453 from
1454 ride_requests rr1_0
1455 where
1456 rr1_0.status=?
1457 2025-05-26T15:11:01.517-04:00 INFO 48923 --- [
customer-service] [nio-8181-exec-4] c.u.a.c.s.
service.RideMatchingService : Assigned
requests: 0, Max drivers: 3 for customer: final3@example.com
1458 2025-05-26T15:11:01.517-04:00 INFO 48923 --- [
customer-service] [nio-8181-exec-4] c.u.a.c.s.
service.RideMatchingService : IMMEDIATE
PROCESSING: Slot available
1459 2025-05-26T15:11:01.519-04:00 INFO 48923 --- [
customer-service] [nio-8181-exec-4] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : Started SAGA for
ride: 3bf5e1ae-f30a-401d-906c-386d21d8365e
1460 Hibernate:
1461 insert
1462 into
1463 customer_outbox
1464 (created_at, event_type, payload,
processed_at, saga_id, saga_status, status,
version, id)
1465 values
1466 (?, ?, ?, ?, ?, ?, ?, ?, ?)
1467 2025-05-26T15:11:01.522-04:00 INFO 48923 --- [
customer-service] [nio-8181-exec-4] c.u.a.c.s.
controller.CustomerController : Taxi call
request processed successfully for customer:
final3@example.com
1468 2025-05-26T15:11:01.536-04:00 INFO 48923 --- [
customer-service] [nio-8181-exec-6] c.u.a.c.s.
```

```
1468 controller.CustomerController : Received taxi
 call request from customer: final4@example.com
1469 2025-05-26T15:11:01.536-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-6] c.u.a.c.s.
 service.RideMatchingService : === RIDE REQUEST
 FOR: final4@example.com ===
1470 Hibernate:
1471 select
1472 c1_0.id,
1473 c1_0.current_ride_request_id,
1474 c1_0.email,
1475 c1_0.name,
1476 c1_0.phone,
1477 c1_0.status,
1478 c1_0.version
1479 from
1480 customers c1_0
1481 where
1482 c1_0.email=?
1483 Hibernate:
1484 insert
1485 into
1486 customers
1487 (current_ride_request_id, email, name,
1488 phone, status, version, id)
1489 values
1490 (?, ?, ?, ?, ?, ?, ?)
1491 Hibernate:
1492 insert
1493 into
1494 locations
1495 (address, city, latitude, longitude, id)
1496 values
1497 (?, ?, ?, ?, ?)
1498 Hibernate:
1499 insert
1500 into
1501 locations
```

```
1501 (address, city, latitude, longitude, id)
1502 values
1503 (?, ?, ?, ?, ?, ?)
1504 Hibernate:
1505 insert
1506 into
1507 ride_requests
1508 (completed_at, created_at, customer_email
1509 , destination_location_id, driver_email,
1510 estimated_price, final_price, pickup_location_id
1511 , status, id)
1512 values
1513 (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
1514 Hibernate:
1515 update
1516 customers
1517 set
1518 current_ride_request_id=?,
1519 email=?,
1520 name=?,
1521 phone=?,
1522 status=?,
1523 version=?
1524 where
1525 id=?
1526 and version=?
1527 Hibernate:
1528 select
1529 count(rr1_0.id)
1530 from
1531 ride_requests rr1_0
1532 where
1533 rr1_0.status=?
1534 2025-05-26T15:11:01.552-04:00 INFO 48923 --- [
1535 customer-service] [nio-8181-exec-6] c.u.a.c.s.
1536 service.RideMatchingService : Assigned
1537 requests: 0, Max drivers: 3 for customer: final4@example.com
```

```

1532 2025-05-26T15:11:01.552-04:00 INFO 48923 --- [customer-service] [nio-8181-exec-6] c.u.a.c.s.service.RideMatchingService : IMMEDIATE PROCESSING: Slot available
1533 2025-05-26T15:11:01.552-04:00 INFO 48923 --- [customer-service] [nio-8181-exec-6] c.u.a.c.s.s.i.CustomerDomainServiceImpl : Started SAGA for ride: 3d658c02-f674-4e4c-a263-abebc492942a
1534 Hibernate:
1535 insert
1536 into
1537 customer_outbox
1538 (created_at, event_type, payload,
1539 processed_at, saga_id, saga_status, status,
1540 version, id)
1541 values
1540 (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
1541 2025-05-26T15:11:01.555-04:00 INFO 48923 --- [customer-service] [nio-8181-exec-6] c.u.a.c.s.controller.CustomerController : Taxi call request processed successfully for customer: final4@example.com
1542 2025-05-26T15:11:01.566-04:00 INFO 48923 --- [customer-service] [nio-8181-exec-7] c.u.a.c.s.controller.CustomerController : Received taxi call request from customer: final5@example.com
1543 2025-05-26T15:11:01.566-04:00 INFO 48923 --- [customer-service] [nio-8181-exec-7] c.u.a.c.s.service.RideMatchingService : === RIDE REQUEST FOR: final5@example.com ===
1544 Hibernate:
1545 select
1546 c1_0.id,
1547 c1_0.current_ride_request_id,
1548 c1_0.email,
1549 c1_0.name,
1550 c1_0.phone,
1551 c1_0.status,

```

```
1552 c1_0.version
1553 from
1554 customers c1_0
1555 where
1556 c1_0.email=?
1557 Hibernate:
1558 insert
1559 into
1560 customers
1561 (current_ride_request_id, email, name,
1562 phone, status, version, id)
1563 values
1564 (?, ?, ?, ?, ?, ?, ?)
1565 Hibernate:
1566 insert
1567 into
1568 locations
1569 (address, city, latitude, longitude, id)
1570 values
1571 (?, ?, ?, ?, ?)
1572 Hibernate:
1573 insert
1574 into
1575 locations
1576 (address, city, latitude, longitude, id)
1577 values
1578 (?, ?, ?, ?, ?)
1579 Hibernate:
1580 insert
1581 into
1582 ride_requests
1583 (completed_at, created_at, customer_email,
1584 , destination_location_id, driver_email,
1585 estimated_price, final_price, pickup_location_id
1586 , status, id)
1587 values
1588 (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
1589 Hibernate:
```

```
1586 update
1587 customers
1588 set
1589 current_ride_request_id=?,
1590 email=?,
1591 name=?,
1592 phone=?,
1593 status=?,
1594 version=?
1595 where
1596 id=?
 and version=?
1598 Hibernate:
1599 select
1600 count(rr1_0.id)
1601 from
1602 ride_requests rr1_0
1603 where
1604 rr1_0.status=?
1605 2025-05-26T15:11:01.575-04:00 INFO 48923 --- [customer-service] [nio-8181-exec-7] c.u.a.c.s.service.RideMatchingService : Assigned requests: 0, Max drivers: 3 for customer: final5@example.com
1606 2025-05-26T15:11:01.575-04:00 INFO 48923 --- [customer-service] [nio-8181-exec-7] c.u.a.c.s.service.RideMatchingService : IMMEDIATE PROCESSING: Slot available
1607 2025-05-26T15:11:01.576-04:00 INFO 48923 --- [customer-service] [nio-8181-exec-7] c.u.a.c.s.s.i.CustomerDomainServiceImpl : Started SAGA for ride: 83f0c34b-4848-4544-aa56-d07230dccf4e
1608 Hibernate:
1609 insert
1610 into
1611 customer_outbox
1612 (created_at, event_type, payload,
processed_at, saga_id, saga_status, status,
```

```
1612 version, id)
1613 values
1614 (?, ?, ?, ?, ?, ?, ?, ?, ?)
1615 2025-05-26T15:11:01.578-04:00 INFO 48923 --- [
1616 customer-service] [nio-8181-exec-7] c.u.a.c.s.
1617 controller.CustomerController : Taxi call
1618 request processed successfully for customer:
1619 final5@example.com
1620
1621 1616 2025-05-26T15:11:01.587-04:00 INFO 48923 --- [
1622 customer-service] [nio-8181-exec-9] c.u.a.c.s.
1623 controller.CustomerController : Received taxi
1624 call request from customer: final6@example.com
1625
1626 1617 2025-05-26T15:11:01.587-04:00 INFO 48923 --- [
1627 customer-service] [nio-8181-exec-9] c.u.a.c.s.
1628 service.RideMatchingService : === RIDE REQUEST
1629 FOR: final6@example.com ===
1630
1631 Hibernate:
1632 select
1633 c1_0.id,
1634 c1_0.current_ride_request_id,
1635 c1_0.email,
1636 c1_0.name,
1637 c1_0.phone,
1638 c1_0.status,
1639 c1_0.version
1640
1641 from
1642 customers c1_0
1643
1644 where
1645 c1_0.email=?
1646
1647 Hibernate:
1648 insert
1649 into
1650 customers
1651 (current_ride_request_id, email, name,
1652 phone, status, version, id)
1653 values
1654 (?, ?, ?, ?, ?, ?, ?, ?)
1655
1656 Hibernate:
```

```
1639 insert
1640 into
1641 locations
1642 (address, city, latitude, longitude, id)
1643 values
1644 (?, ?, ?, ?, ?)
1645 Hibernate:
1646 insert
1647 into
1648 locations
1649 (address, city, latitude, longitude, id)
1650 values
1651 (?, ?, ?, ?, ?)
1652 Hibernate:
1653 insert
1654 into
1655 ride_requests
1656 (completed_at, created_at, customer_email
1657 , destination_location_id, driver_email,
1658 estimated_price, final_price, pickup_location_id
1659 , status, id)
1660 values
1661 (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
1662 Hibernate:
1663 update
1664 customers
1665 set
1666 current_ride_request_id=?,
1667 email=?,
1668 name=?,
1669 phone=?,
1670 status=?,
1671 version=?
1672 where
1673 id=?
1674 and version=?
1675 Hibernate:
1676 select
```

```
1674 count(rr1_0.id)
1675 from
1676 ride_requests rr1_0
1677 where
1678 rr1_0.status=?
1679 2025-05-26T15:11:01.596-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-9] c.u.a.c.s.
 service.RideMatchingService : Assigned
 requests: 0, Max drivers: 3 for customer: final6@example.com
1680 2025-05-26T15:11:01.596-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-9] c.u.a.c.s.
 service.RideMatchingService : IMMEDIATE
 PROCESSING: Slot available
1681 2025-05-26T15:11:01.596-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-9] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : Started SAGA for
 ride: ae7dd9e9-2150-44aa-b738-107acb70a091
1682 Hibernate:
1683 insert
1684 into
1685 customer_outbox
1686 (created_at, event_type, payload,
1687 processed_at, saga_id, saga_status, status,
1688 version, id)
1689 values
1690 (?, ?, ?, ?, ?, ?, ?, ?, ?)
1691 2025-05-26T15:11:01.598-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-9] c.u.a.c.s.
 controller.CustomerController : Taxi call
 request processed successfully for customer:
 final6@example.com
1692 2025-05-26T15:11:02.263-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
1693 2025-05-26T15:11:02.267-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
```

```
1691 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
1692 Hibernate:
1693 select
1694 qr1_0.id,
1695 qr1_0.customer_email,
1696 qr1_0.driver_request_payload,
1697 qr1_0.expires_at,
1698 qr1_0.queued_at,
1699 qr1_0.ride_request_id,
1700 qr1_0.saga_id,
1701 qr1_0.status,
1702 qr1_0.version
1703 from
1704 queued_requests qr1_0
1705 where
1706 qr1_0.status='QUEUED'
1707 order by
1708 qr1_0.queued_at
1709 2025-05-26T15:11:02.269-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
1710 2025-05-26T15:11:03.277-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
1711 2025-05-26T15:11:03.281-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
1712 Hibernate:
1713 select
1714 qr1_0.id,
1715 qr1_0.customer_email,
1716 qr1_0.driver_request_payload,
1717 qr1_0.expires_at,
1718 qr1_0.queued_at,
```

```
1719 qr1_0.ride_request_id,
1720 qr1_0.saga_id,
1721 qr1_0.status,
1722 qr1_0.version
1723 from
1724 queued_requests qr1_0
1725 where
1726 qr1_0.status='QUEUED'
1727 order by
1728 qr1_0.queued_at
1729 2025-05-26T15:11:03.285-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
1730 Hibernate:
1731 select
1732 co1_0.id,
1733 co1_0.created_at,
1734 co1_0.event_type,
1735 co1_0.payload,
1736 co1_0.processed_at,
1737 co1_0.saga_id,
1738 co1_0.saga_status,
1739 co1_0.status,
1740 co1_0.version
1741 from
1742 customer_outbox co1_0
1743 where
1744 co1_0.status=?
1745 order by
1746 co1_0.created_at
1747 2025-05-26T15:11:03.894-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 CustomerOutboxScheduler : Processing 6
 customer outbox events
1748 2025-05-26T15:11:03.907-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] o.a.k.clients
 .producer.ProducerConfig : ProducerConfig
```

```
1748 values:
1749 acks = -1
1750 auto.include.jmx.reporter = true
1751 batch.size = 16384
1752 bootstrap.servers = [localhost:9092]
1753 buffer.memory = 33554432
1754 client.dns.lookup = use_all_dns_ips
1755 client.id = customer-service-producer-1
1756 compression.gzip.level = -1
1757 compression.lz4.level = 9
1758 compression.type = none
1759 compression.zstd.level = 3
1760 connections.max.idle.ms = 540000
1761 delivery.timeout.ms = 120000
1762 enable.idempotence = true
1763 enable.metrics.push = true
1764 interceptor.classes = []
1765 key.serializer = class org.apache.kafka.
 common.serialization.StringSerializer
1766 linger.ms = 0
1767 max.block.ms = 60000
1768 max.in.flight.requests.per.connection = 5
1769 max.request.size = 1048576
1770 metadata.max.age.ms = 300000
1771 metadata.max.idle.ms = 300000
1772 metadata.recovery.strategy = none
1773 metric.reporters = []
1774 metrics.num.samples = 2
1775 metrics.recording.level = INFO
1776 metrics.sample.window.ms = 30000
1777 partitioner.adaptive.partitioning.enable =
 true
1778 partitioner.availability.timeout.ms = 0
1779 partitioner.class = null
1780 partitioner.ignore.keys = false
1781 receive.buffer.bytes = 32768
1782 reconnect.backoff.max.ms = 1000
1783 reconnect.backoff.ms = 50
```

```
1784 request.timeout.ms = 30000
1785 retries = 3
1786 retry.backoff.max.ms = 1000
1787 retry.backoff.ms = 100
1788 sasl.client.callback.handler.class = null
1789 sasl.jaas.config = null
1790 sasl.kerberos.kinit.cmd = /usr/bin/kinit
1791 sasl.kerberos.min.time.before.relogin = 60000
1792 sasl.kerberos.service.name = null
1793 sasl.kerberos.ticket.renew.jitter = 0.05
1794 sasl.kerberos.ticket.renew.window.factor = 0.
8
1795 sasl.login.callback.handler.class = null
1796 sasl.login.class = null
1797 sasl.login.connect.timeout.ms = null
1798 sasl.login.read.timeout.ms = null
1799 sasl.login.refresh.buffer.seconds = 300
1800 sasl.login.refresh.min.period.seconds = 60
1801 sasl.login.refresh.window.factor = 0.8
1802 sasl.login.refresh.window.jitter = 0.05
1803 sasl.login.retry.backoff.max.ms = 10000
1804 sasl.login.retry.backoff.ms = 100
1805 sasl.mechanism = GSSAPI
1806 sasl.oauthbearer.clock.skew.seconds = 30
1807 sasl.oauthbearer.expected.audience = null
1808 sasl.oauthbearer.expected.issuer = null
1809 sasl.oauthbearer.header.urlencoded = false
1810 sasl.oauthbearer.jwks.endpoint.refresh.ms =
3600000
1811 sasl.oauthbearer.jwks.endpoint.retry.backoff.
max.ms = 10000
1812 sasl.oauthbearer.jwks.endpoint.retry.backoff.
ms = 100
1813 sasl.oauthbearer.jwks.endpoint.url = null
1814 sasl.oauthbearer.scope.claim.name = scope
1815 sasl.oauthbearer.sub.claim.name = sub
1816 sasl.oauthbearer.token.endpoint.url = null
1817 security.protocol = PLAINTEXT
```

```
1818 security.providers = null
1819 send.buffer.bytes = 131072
1820 socket.connection.setup.timeout.ms =
30000
1821 socket.connection.setup.timeout.ms = 10000
1822 ssl.cipher.suites = null
1823 ssl.enabled.protocols = [TLSv1.2, TLSv1.3]
1824 ssl.endpoint.identification.algorithm = https
1825 ssl.engine.factory.class = null
1826 ssl.key.password = null
1827 ssl.keymanager.algorithm = SunX509
1828 ssl.keystore.certificate.chain = null
1829 ssl.keystore.key = null
1830 ssl.keystore.location = null
1831 ssl.keystore.password = null
1832 ssl.keystore.type = JKS
1833 ssl.protocol = TLSv1.3
1834 ssl.provider = null
1835 ssl.secure.random.implementation = null
1836 ssl.trustmanager.algorithm = PKIX
1837 ssl.truststore.certificates = null
1838 ssl.truststore.location = null
1839 ssl.truststore.password = null
1840 ssl.truststore.type = JKS
1841 transaction.timeout.ms = 60000
1842 transactional.id = null
1843 value.serializer = class org.apache.kafka.
common.serialization.StringSerializer
1844
1845 2025-05-26T15:11:03.908-04:00 INFO 48923 --- [
customer-service] [scheduling-1] o.a.k.c.t.i.
KafkaMetricsCollector : initializing Kafka
metrics collector
1846 2025-05-26T15:11:03.918-04:00 INFO 48923 --- [
customer-service] [scheduling-1] o.a.k.clients
.producer.KafkaProducer : [Producer clientId=
customer-service-producer-1] Instantiated an
idempotent producer.
```

```
1847 2025-05-26T15:11:03.926-04:00 INFO 48923 --- [customer-service] [scheduling-1] o.a.kafka.common.utils.AppInfoParser : Kafka version: 3.9.1
1848 2025-05-26T15:11:03.926-04:00 INFO 48923 --- [customer-service] [scheduling-1] o.a.kafka.common.utils.AppInfoParser : Kafka commitId: f745dfdce2b9851
1849 2025-05-26T15:11:03.926-04:00 INFO 48923 --- [customer-service] [scheduling-1] o.a.kafka.common.utils.AppInfoParser : Kafka startTimeMs: 1748286663926
1850 2025-05-26T15:11:03.935-04:00 INFO 48923 --- [customer-service] [vice-producer-1] org.apache.kafka.clients.Metadata : [Producer clientId=customer-service-producer-1] Cluster ID : CO_GOMfPSXWLNSaWmnJauQ
1851 2025-05-26T15:11:03.939-04:00 INFO 48923 --- [customer-service] [vice-producer-1] o.a.k.c.p.internals.TransactionManager : [Producer clientId=customer-service-producer-1] ProducerId set to 92 with epoch 0
1852 2025-05-26T15:11:03.940-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.CustomerOutboxScheduler : Successfully sent event 7bfe56e9-6934-4999-a855-1353ae1ca079 to topic payment-requests
1853 2025-05-26T15:11:03.940-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.CustomerOutboxScheduler : Successfully sent event f29b48dc-ece0-46a6-bae8-2199202470ce to topic payment-requests
1854 2025-05-26T15:11:03.940-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.CustomerOutboxScheduler : Successfully sent event afcbce11-96e9-48a1-b663-8ea369a778c9 to topic payment-requests
1855 2025-05-26T15:11:03.940-04:00 INFO 48923 --- [
```

```
1855 customer-service] [scheduling-1] c.u.a.c.s.s.
CustomerOutboxScheduler : Successfully sent
event 04d2ab64-1d6f-43f4-9b8f-4f881d91f711 to
topic payment-requests
1856 2025-05-26T15:11:03.940-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.
CustomerOutboxScheduler : Successfully sent
event bd34586e-62b9-4a8e-af48-90626be8ff1d to
topic payment-requests
1857 2025-05-26T15:11:03.941-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.
CustomerOutboxScheduler : Successfully sent
event 5c3bbd8c-448a-4fbc-9f9e-a73e85ec5284 to
topic payment-requests
1858 Hibernate:
1859 update
1860 customer_outbox
1861 set
1862 created_at=? ,
1863 event_type=? ,
1864 payload=? ,
1865 processed_at=? ,
1866 saga_id=? ,
1867 saga_status=? ,
1868 status=? ,
1869 version=?
1870 where
1871 id=?
1872 and version=?
1873 Hibernate:
1874 update
1875 customer_outbox
1876 set
1877 created_at=? ,
1878 event_type=? ,
1879 payload=? ,
1880 processed_at=? ,
1881 saga_id=? ,
```

```
1882 saga_status=?,
1883 status=?,
1884 version=?
1885 where
1886 id=?
1887 and version=?
1888 Hibernate:
1889 update
1890 customer_outbox
1891 set
1892 created_at=?,
1893 event_type=?,
1894 payload=?,
1895 processed_at=?,
1896 saga_id=?,
1897 saga_status=?,
1898 status=?,
1899 version=?
1900 where
1901 id=?
1902 and version=?
1903 Hibernate:
1904 update
1905 customer_outbox
1906 set
1907 created_at=?,
1908 event_type=?,
1909 payload=?,
1910 processed_at=?,
1911 saga_id=?,
1912 saga_status=?,
1913 status=?,
1914 version=?
1915 where
1916 id=?
1917 and version=?
1918 Hibernate:
1919 update
```

```
1920 customer_outbox
1921 set
1922 created_at=?,
1923 event_type=?,
1924 payload=?,
1925 processed_at=?,
1926 saga_id=?,
1927 saga_status=?,
1928 status=?,
1929 version=?
1930 where
1931 id=?
1932 and version=?
1933 Hibernate:
1934 update
1935 customer_outbox
1936 set
1937 created_at=?,
1938 event_type=?,
1939 payload=?,
1940 processed_at=?,
1941 saga_id=?,
1942 saga_status=?,
1943 status=?,
1944 version=?
1945 where
1946 id=?
1947 and version=?
1948 Hibernate:
1949 select
1950 oe1_0.id,
1951 oe1_0.created_at,
1952 oe1_0.event_type,
1953 oe1_0.payload,
1954 oe1_0.processed_at,
1955 oe1_0.saga_id,
1956 oe1_0.saga_status,
1957 oe1_0.status,
```

```
1958 oe1_0.version
1959 from
1960 outbox_events oe1_0
1961 where
1962 oe1_0.status=?
1963 order by
1964 oe1_0.created_at
1965 2025-05-26T15:11:03.952-04:00 INFO 48923 --- [
1966 customer-service] [scheduling-1] c.u.api.
1967 shared.outbox.OutboxScheduler : Processing 0
1968 outbox events
1969 2025-05-26T15:11:04.292-04:00 DEBUG 48923 --- [
1970 customer-service] [scheduling-1] c.u.a.c.s.s.
1971 QueueAndTimeoutScheduler : Running
1972 aggressive queue processor...
1973 2025-05-26T15:11:04.292-04:00 INFO 48923 --- [
1974 customer-service] [scheduling-1] c.u.a.c.s.s.i
1975 .CustomerDomainServiceImpl : === PROCESSING
1976 QUEUE ===
1977 Hibernate:
1978 select
1979 qr1_0.id,
1980 qr1_0.customer_email,
1981 qr1_0.driver_request_payload,
1982 qr1_0.expires_at,
1983 qr1_0.queued_at,
1984 qr1_0.ride_request_id,
1985 qr1_0.saga_id,
1986 qr1_0.status,
1987 qr1_0.version
1988 from
1989 queued_requests qr1_0
1990 where
1991 qr1_0.status='QUEUED'
1992 order by
1993 qr1_0.queued_at
1994 2025-05-26T15:11:04.296-04:00 DEBUG 48923 --- [
1995 customer-service] [scheduling-1] c.u.a.c.s.s.i
```

```
1985 .CustomerDomainServiceImpl : No queued requests
 to process
1986 2025-05-26T15:11:05.298-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
1987 2025-05-26T15:11:05.300-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
1988 Hibernate:
1989 select
1990 qr1_0.id,
1991 qr1_0.customer_email,
1992 qr1_0.driver_request_payload,
1993 qr1_0.expires_at,
1994 qr1_0.queued_at,
1995 qr1_0.ride_request_id,
1996 qr1_0.saga_id,
1997 qr1_0.status,
1998 qr1_0.version
1999 from
2000 queued_requests qr1_0
2001 where
2002 qr1_0.status='QUEUED'
2003 order by
2004 qr1_0.queued_at
2005 2025-05-26T15:11:05.302-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
2006 2025-05-26T15:11:05.565-04:00 INFO 48923 --- [
 customer-service] [ntainer#2-0-C-1] c.u.a.c.s.m.
 PaymentResponseListener : Received payment
 response: {"sagaId":"b735ed7c-c348-4eb4-90f4-
 9d669dbbd0ca","rideRequestId":"f5bb5224-06c0-4ecc
 -af3e-320b0c0b7b05","customerEmail":"final1@
 example.com","amount":15.84023128050127,"status
```

```
2006 ":"COMPLETED","failureReason":null}
2007 2025-05-26T15:11:05.574-04:00 INFO 48923 --- [customer-service] [ntainer#2-0-C-1] c.u.a.c.s.saga.CustomerPaymentSaga : Processing payment response for ride request: f5bb5224-06c0-4ecc-af3e-320b0c0b7b05
2008 Hibernate:
2009 select
2010 rr1_.id,
2011 rr1_.completed_at,
2012 rr1_.created_at,
2013 rr1_.customer_email,
2014 dl1_.id,
2015 dl1_.address,
2016 dl1_.city,
2017 dl1_.latitude,
2018 dl1_.longitude,
2019 rr1_.driver_email,
2020 rr1_.estimated_price,
2021 rr1_.final_price,
2022 pl1_.id,
2023 pl1_.address,
2024 pl1_.city,
2025 pl1_.latitude,
2026 pl1_.longitude,
2027 rr1_.status
2028 from
2029 ride_requests rr1_
2030 left join
2031 locations dl1_
2032 on dl1_.id=rr1_.destination_location_id
2033 left join
2034 locations pl1_
2035 on pl1_.id=rr1_.pickup_location_id
2036 where
2037 rr1_.id=?
2038 2025-05-26T15:11:05.583-04:00 INFO 48923 --- [
```

```
2038 customer-service] [ntainer#2-0-C-1] c.u.a.c.s.
 saga.CustomerPaymentSaga : Payment
 completed successfully for ride request: f5bb5224
 -06c0-4ecc-af3e-320b0c0b7b05
2039 2025-05-26T15:11:05.590-04:00 INFO 48923 --- [
 customer-service] [ntainer#2-0-C-1] c.u.a.c.s.
 saga.CustomerPaymentSaga : Driver request
 saved to outbox for saga: b735ed7c-c348-4eb4-90f4
 -9d669dbbd0ca
2040 Hibernate:
2041 insert
2042 into
2043 customer_outbox
2044 (created_at, event_type, payload,
 processed_at, saga_id, saga_status, status,
 version, id)
2045 values
2046 (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
2047 Hibernate:
2048 update
2049 ride_requests
2050 set
2051 completed_at=?,
2052 created_at=?,
2053 customer_email=?,
2054 destination_location_id=?,
2055 driver_email=?,
2056 estimated_price=?,
2057 final_price=?,
2058 pickup_location_id=?,
2059 status=?
2060 where
2061 id=?
2062 2025-05-26T15:11:05.593-04:00 INFO 48923 --- [
 customer-service] [ntainer#2-0-C-1] c.u.a.c.s.m.
 PaymentResponseListener : Payment response
 processed successfully for ride: f5bb5224-06c0-
 4ecc-af3e-320b0c0b7b05
```

```

2063 2025-05-26T15:11:05.593-04:00 INFO 48923 --- [customer-service] [Container#2-0-C-1] c.u.a.c.s.m.PaymentResponseListener : Received payment response: {"sagaId":"db87bdcb-c1cc-4ad5-ad97-c75231300178","rideRequestId":"270f9771-a2a0-42fb-a0b7-a286f1800b6b","customerEmail":"final2@example.com","amount":15.84023128050127,"status":"COMPLETED","failureReason":null}
2064 2025-05-26T15:11:05.593-04:00 INFO 48923 --- [customer-service] [Container#2-0-C-1] c.u.a.c.s.saga.CustomerPaymentSaga : Processing payment response for ride request: 270f9771-a2a0-42fb-a0b7-a286f1800b6b
2065 Hibernate:
2066 select
2067 rr1_.id,
2068 rr1_.completed_at,
2069 rr1_.created_at,
2070 rr1_.customer_email,
2071 dl1_.id,
2072 dl1_.address,
2073 dl1_.city,
2074 dl1_.latitude,
2075 dl1_.longitude,
2076 rr1_.driver_email,
2077 rr1_.estimated_price,
2078 rr1_.final_price,
2079 pl1_.id,
2080 pl1_.address,
2081 pl1_.city,
2082 pl1_.latitude,
2083 pl1_.longitude,
2084 rr1_.status
2085 from
2086 ride_requests rr1_
2087 left join
2088 locations dl1_
2089 on dl1_.id=rr1_.

```

```
2089 destination_location_id
2090 left join
2091 locations pl1_0
2092 on pl1_0.id=rr1_0.pickup_location_id
2093 where
2094 rr1_0.id=?
2095 2025-05-26T15:11:05.595-04:00 INFO 48923 --- [customer-service] [Container#2-0-C-1] c.u.a.c.s.saga.CustomerPaymentSaga : Payment completed successfully for ride request: 270f9771-a2a0-42fb-a0b7-a286f1800b6b
2096 2025-05-26T15:11:05.595-04:00 INFO 48923 --- [customer-service] [Container#2-0-C-1] c.u.a.c.s.saga.CustomerPaymentSaga : Driver request saved to outbox for saga: db87bdcb-c1cc-4ad5-ad97-c75231300178
2097 Hibernate:
2098 insert
2099 into
2100 customer_outbox
2101 (created_at, event_type, payload,
2102 processed_at, saga_id, saga_status, status,
2103 version, id)
2104 values
2105 (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
2106 Hibernate:
2107 update
2108 ride_requests
2109 set
2110 completed_at=?,
2111 created_at=?,
2112 customer_email=?,
2113 destination_location_id=?,
2114 driver_email=?,
2115 estimated_price=?,
2116 final_price=?,
2117 pickup_location_id=?,
2118 status=?
```

```
2117 where
2118 id=?
2119 2025-05-26T15:11:05.597-04:00 INFO 48923 --- [customer-service] [Container#2-0-C-1] c.u.a.c.s.m.PaymentResponseListener : Payment response processed successfully for ride: 270f9771-a2a0-42fb-a0b7-a286f1800b6b
2120 2025-05-26T15:11:05.597-04:00 INFO 48923 --- [customer-service] [Container#2-0-C-1] c.u.a.c.s.m.PaymentResponseListener : Received payment response: {"sagaId":"62f66a6d-254c-4e3c-9af6-2d087cbdf64a","rideRequestId":"3bf5e1ae-f30a-401d-906c-386d21d8365e","customerEmail":"final3@example.com","amount":15.84023128050127,"status":"COMPLETED","failureReason":null}
2121 2025-05-26T15:11:05.597-04:00 INFO 48923 --- [customer-service] [Container#2-0-C-1] c.u.a.c.s.saga.CustomerPaymentSaga : Processing payment response for ride request: 3bf5e1ae-f30a-401d-906c-386d21d8365e
2122 Hibernate:
2123 select
2124 rr1_0.id,
2125 rr1_0.completed_at,
2126 rr1_0.created_at,
2127 rr1_0.customer_email,
2128 dl1_0.id,
2129 dl1_0.address,
2130 dl1_0.city,
2131 dl1_0.latitude,
2132 dl1_0.longitude,
2133 rr1_0.driver_email,
2134 rr1_0.estimated_price,
2135 rr1_0.final_price,
2136 pl1_0.id,
2137 pl1_0.address,
2138 pl1_0.city,
2139 pl1_0.latitude,
```

```
2140 pl1_0.longitude,
2141 rr1_0.status
2142 from
2143 ride_requests rr1_0
2144 left join
2145 locations dl1_0
2146 on dl1_0.id=rr1_0.
2147 destination_location_id
2148 left join
2149 locations pl1_0
2150 on pl1_0.id=rr1_0.pickup_location_id
2150 where
2151 rr1_0.id=?
2152 2025-05-26T15:11:05.598-04:00 INFO 48923 --- [
2153 customer-service] [ntainer#2-0-C-1] c.u.a.c.s.
2154 saga.CustomerPaymentSaga : Payment
2155 completed successfully for ride request: 3bf5e1ae
2156 -f30a-401d-906c-386d21d8365e
2153 2025-05-26T15:11:05.598-04:00 INFO 48923 --- [
2154 customer-service] [ntainer#2-0-C-1] c.u.a.c.s.
2155 saga.CustomerPaymentSaga : Driver request
2156 saved to outbox for saga: 62f66a6d-254c-4e3c-9af6
2157 -2d087cbdf64a
2154 Hibernate:
2155 insert
2156 into
2157 customer_outbox
2158 (created_at, event_type, payload,
2159 processed_at, saga_id, saga_status, status,
2160 version, id)
2159 values
2160 (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
2161 Hibernate:
2162 update
2163 ride_requests
2164 set
2165 completed_at=?,
2166 created_at=?,
```

```
2167 customer_email=?,
2168 destination_location_id=?,
2169 driver_email=?,
2170 estimated_price=?,
2171 final_price=?,
2172 pickup_location_id=?,
2173 status=?
2174 where
2175 id=?
2176 2025-05-26T15:11:05.600-04:00 INFO 48923 --- [customer-service] [Container#2-0-C-1] c.u.a.c.s.m.PaymentResponseListener : Payment response processed successfully for ride: 3bf5e1ae-f30a-401d-906c-386d21d8365e
2177 2025-05-26T15:11:05.600-04:00 INFO 48923 --- [customer-service] [Container#2-0-C-1] c.u.a.c.s.m.PaymentResponseListener : Received payment response: {"sagaId":"9cfe8b43-91d0-47ad-b0c6-043f854fc569","rideRequestId":"3d658c02-f674-4e4c-a263-abebc492942a","customerEmail":"final4@example.com","amount":15.84023128050127,"status":"COMPLETED","failureReason":null}
2178 2025-05-26T15:11:05.600-04:00 INFO 48923 --- [customer-service] [Container#2-0-C-1] c.u.a.c.s.saga.CustomerPaymentSaga : Processing payment response for ride request: 3d658c02-f674-4e4c-a263-abebc492942a
2179 Hibernate:
2180 select
2181 rr1_0.id,
2182 rr1_0.completed_at,
2183 rr1_0.created_at,
2184 rr1_0.customer_email,
2185 dl1_0.id,
2186 dl1_0.address,
2187 dl1_0.city,
2188 dl1_0.latitude,
2189 dl1_0.longitude,
```

```
2190 rr1_0.driver_email,
2191 rr1_0.estimated_price,
2192 rr1_0.final_price,
2193 pl1_0.id,
2194 pl1_0.address,
2195 pl1_0.city,
2196 pl1_0.latitude,
2197 pl1_0.longitude,
2198 rr1_0.status
2199 from
2200 ride_requests rr1_0
2201 left join
2202 locations dl1_0
2203 on dl1_0.id=rr1_0.
2204 destination_location_id
2205 left join
2206 locations pl1_0
2207 on pl1_0.id=rr1_0.pickup_location_id
2208 where
2209 rr1_0.id=?
2209 2025-05-26T15:11:05.601-04:00 INFO 48923 --- [
2210 customer-service] [ntainer#2-0-C-1] c.u.a.c.s.
2211 saga.CustomerPaymentSaga : Payment
2212 completed successfully for ride request: 3d658c02
2213 -f674-4e4c-a263-abebc492942a
2210 2025-05-26T15:11:05.602-04:00 INFO 48923 --- [
2211 customer-service] [ntainer#2-0-C-1] c.u.a.c.s.
2212 saga.CustomerPaymentSaga : Driver request
2213 saved to outbox for saga: 9cfe8b43-91d0-47ad-b0c6
2214 -043f854fc569
2211 Hibernate:
2212 insert
2213 into
2214 customer_outbox
2215 (created_at, event_type, payload,
2216 processed_at, saga_id, saga_status, status,
2217 version, id)
2216 values
```

```
2217 (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
2218 Hibernate:
2219 update
2220 ride_requests
2221 set
2222 completed_at=?,
2223 created_at=?,
2224 customer_email=?,
2225 destination_location_id=?,
2226 driver_email=?,
2227 estimated_price=?,
2228 final_price=?,
2229 pickup_location_id=?,
2230 status=?
2231 where
2232 id=?
2233 2025-05-26T15:11:05.605-04:00 INFO 48923 --- [customer-service] [ntainer#2-0-C-1] c.u.a.c.s.m.PaymentResponseListener : Payment response processed successfully for ride: 3d658c02-f674-4e4c-a263-abebc492942a
2234 2025-05-26T15:11:05.605-04:00 INFO 48923 --- [customer-service] [ntainer#2-0-C-1] c.u.a.c.s.m.PaymentResponseListener : Received payment response: {"sagaId":"0decc834-3b71-4af7-9ef3-8172a058fcb4","rideRequestId":"83f0c34b-4848-4544-aa56-d07230dccf4e","customerEmail":"final5@example.com","amount":15.84023128050127,"status":"COMPLETED","failureReason":null}
2235 2025-05-26T15:11:05.605-04:00 INFO 48923 --- [customer-service] [ntainer#2-0-C-1] c.u.a.c.s.saga.CustomerPaymentSaga : Processing payment response for ride request: 83f0c34b-4848-4544-aa56-d07230dccf4e
2236 Hibernate:
2237 select
2238 rr1_0.id,
2239 rr1_0.completed_at,
```

```

2240 rr1_0.created_at,
2241 rr1_0.customer_email,
2242 dl1_0.id,
2243 dl1_0.address,
2244 dl1_0.city,
2245 dl1_0.latitude,
2246 dl1_0.longitude,
2247 rr1_0.driver_email,
2248 rr1_0.estimated_price,
2249 rr1_0.final_price,
2250 pl1_0.id,
2251 pl1_0.address,
2252 pl1_0.city,
2253 pl1_0.latitude,
2254 pl1_0.longitude,
2255 rr1_0.status
2256 from
2257 ride_requests rr1_0
2258 left join
2259 locations dl1_0
2260 on dl1_0.id=rr1_0.
2261 destination_location_id
2262 left join
2263 locations pl1_0
2264 on pl1_0.id=rr1_0.pickup_location_id
2265 where
2266 rr1_0.id=?
2266 2025-05-26T15:11:05.606-04:00 INFO 48923 --- [
2267 customer-service] [ntainer#2-0-C-1] c.u.a.c.s.
2268 saga.CustomerPaymentSaga : Payment
2269 completed successfully for ride request: 83f0c34b
2270 -4848-4544-aa56-d07230dccf4e
2267 2025-05-26T15:11:05.606-04:00 INFO 48923 --- [
2268 customer-service] [ntainer#2-0-C-1] c.u.a.c.s.
2269 saga.CustomerPaymentSaga : Driver request
2270 saved to outbox for saga: 0decc834-3b71-4af7-9ef3
2271 -8172a058fcb4
2268 Hibernate:

```

```
2269 insert
2270 into
2271 customer_outbox
2272 (created_at, event_type, payload,
2273 processed_at, saga_id, saga_status, status,
2274 version, id)
2275 values
2276 (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
2275 Hibernate:
2276 update
2277 ride_requests
2278 set
2279 completed_at=?,
2280 created_at=?,
2281 customer_email=?,
2282 destination_location_id=?,
2283 driver_email=?,
2284 estimated_price=?,
2285 final_price=?,
2286 pickup_location_id=?,
2287 status=?
2288 where
2289 id=?
2290 2025-05-26T15:11:05.608-04:00 INFO 48923 --- [
2291 customer-service] [Container#2-0-C-1] c.u.a.c.s.m.
2292 PaymentResponseListener : Payment response
2293 processed successfully for ride: 83f0c34b-4848-
2294 4544-aa56-d07230dccf4e
2291 2025-05-26T15:11:05.608-04:00 INFO 48923 --- [
2292 customer-service] [Container#2-0-C-1] c.u.a.c.s.m.
2293 PaymentResponseListener : Received payment
2294 response: {"sagaId":"92a428c9-c996-4c38-87fd-
2295 865ce11fed74","rideRequestId":"ae7dd9e9-2150-44aa
2296 -b738-107acb70a091","customerEmail":"final6@"
2297 example.com","amount":15.84023128050127,"status
2298 ":"COMPLETED","failureReason":null}
2292 2025-05-26T15:11:05.608-04:00 INFO 48923 --- [
2293 customer-service] [Container#2-0-C-1] c.u.a.c.s.
```

```
2292 saga.CustomerPaymentSaga : Processing
 payment response for ride request: ae7dd9e9-2150-
 44aa-b738-107acb70a091
2293 Hibernate:
2294 select
2295 rr1_0.id,
2296 rr1_0.completed_at,
2297 rr1_0.created_at,
2298 rr1_0.customer_email,
2299 dl1_0.id,
2300 dl1_0.address,
2301 dl1_0.city,
2302 dl1_0.latitude,
2303 dl1_0.longitude,
2304 rr1_0.driver_email,
2305 rr1_0.estimated_price,
2306 rr1_0.final_price,
2307 pl1_0.id,
2308 pl1_0.address,
2309 pl1_0.city,
2310 pl1_0.latitude,
2311 pl1_0.longitude,
2312 rr1_0.status
2313 from
2314 ride_requests rr1_0
2315 left join
2316 locations dl1_0
2317 on dl1_0.id=rr1_0.
destination_location_id
2318 left join
2319 locations pl1_0
2320 on pl1_0.id=rr1_0.pickup_location_id
2321 where
2322 rr1_0.id=?
2323 2025-05-26T15:11:05.609-04:00 INFO 48923 --- [
customer-service] [ntainer#2-0-C-1] c.u.a.c.s.
saga.CustomerPaymentSaga : Payment
completed successfully for ride request: ae7dd9e9
```

```
2323 -2150-44aa-b738-107acb70a091
2324 2025-05-26T15:11:05.609-04:00 INFO 48923 --- [customer-service] [ntainer#2-0-C-1] c.u.a.c.s.saga.CustomerPaymentSaga : Driver request saved to outbox for saga: 92a428c9-c996-4c38-87fd-865ce11fed74
2325 Hibernate:
2326 insert
2327 into
2328 customer_outbox
2329 (created_at, event_type, payload,
2330 processed_at, saga_id, saga_status, status,
2331 version, id)
2330 values
2331 (?, ?, ?, ?, ?, ?, ?, ?, ?)
2332 Hibernate:
2333 update
2334 ride_requests
2335 set
2336 completed_at=?,
2337 created_at=?,
2338 customer_email=?,
2339 destination_location_id=?,
2340 driver_email=?,
2341 estimated_price=?,
2342 final_price=?,
2343 pickup_location_id=?,
2344 status=?
2345 where
2346 id=?
2347 2025-05-26T15:11:05.611-04:00 INFO 48923 --- [customer-service] [ntainer#2-0-C-1] c.u.a.c.s.m.PaymentResponseListener : Payment response processed successfully for ride: ae7dd9e9-2150-44aa-b738-107acb70a091
2348 2025-05-26T15:11:06.305-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running
```

```
2348 aggressive queue processor...
2349 2025-05-26T15:11:06.311-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
2350 Hibernate:
2351 select
2352 qr1_0.id,
2353 qr1_0.customer_email,
2354 qr1_0.driver_request_payload,
2355 qr1_0.expires_at,
2356 qr1_0.queued_at,
2357 qr1_0.ride_request_id,
2358 qr1_0.saga_id,
2359 qr1_0.status,
2360 qr1_0.version
2361 from
2362 queued_requests qr1_0
2363 where
2364 qr1_0.status='QUEUED'
2365 order by
2366 qr1_0.queued_at
2367 2025-05-26T15:11:06.313-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
2368 2025-05-26T15:11:07.317-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
2369 2025-05-26T15:11:07.324-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
2370 Hibernate:
2371 select
2372 qr1_0.id,
2373 qr1_0.customer_email,
```

```
2374 qr1_0.driver_request_payload,
2375 qr1_0.expires_at,
2376 qr1_0.queued_at,
2377 qr1_0.ride_request_id,
2378 qr1_0.saga_id,
2379 qr1_0.status,
2380 qr1_0.version
2381 from
2382 queued_requests qr1_0
2383 where
2384 qr1_0.status='QUEUED'
2385 order by
2386 qr1_0.queued_at
2387 2025-05-26T15:11:07.329-04:00 DEBUG 48923 --- [
2388 customer-service] [scheduling-1] c.u.a.c.s.s.i
2389 .CustomerDomainServiceImpl : No queued requests
2390 to process
2391 2025-05-26T15:11:08.340-04:00 DEBUG 48923 --- [
2392 customer-service] [scheduling-1] c.u.a.c.s.s.
2393 QueueAndTimeoutScheduler : Running
2394 aggressive queue processor...
2395 2025-05-26T15:11:08.344-04:00 INFO 48923 --- [
2396 customer-service] [scheduling-1] c.u.a.c.s.s.i
2397 .CustomerDomainServiceImpl : === PROCESSING
2398 QUEUE ===
2399 Hibernate:
2400 select
2401 qr1_0.id,
2402 qr1_0.customer_email,
2403 qr1_0.driver_request_payload,
2404 qr1_0.expires_at,
2405 qr1_0.queued_at,
2406 qr1_0.ride_request_id,
2407 qr1_0.saga_id,
2408 qr1_0.status,
2409 qr1_0.version
2410 from
2411 queued_requests qr1_0
```

```
2403 where
2404 qr1_0.status='QUEUED'
2405 order by
2406 qr1_0.queued_at
2407 2025-05-26T15:11:08.348-04:00 DEBUG 48923 --- [
2408 customer-service] [scheduling-1] c.u.a.c.s.s.i
2409 .CustomerDomainServiceImpl : No queued requests
2410 to process
2411 Hibernate:
2412 select
2413 qr1_0.id,
2414 qr1_0.customer_email,
2415 qr1_0.driver_request_payload,
2416 qr1_0.expires_at,
2417 qr1_0.queued_at,
2418 qr1_0.ride_request_id,
2419 qr1_0.saga_id,
2420 qr1_0.status,
2421 qr1_0.version
2422 from
2423 queued_requests qr1_0
2424 where
2425 qr1_0.status=?
2426 and qr1_0.expires_at<?
2427 2025-05-26T15:11:08.748-04:00 INFO 48923 --- [
2428 customer-service] [scheduling-1] c.u.a.c.s.s.i
2429 .CustomerDomainServiceImpl : === PROCESSING 0
2430 EXPIRED REQUESTS ===
2431 Hibernate:
2432 select
2433 co1_0.id,
2434 co1_0.created_at,
```

```
2435 co1_0.version
2436 from
2437 customer_outbox co1_0
2438 where
2439 co1_0.status=?
2440 order by
2441 co1_0.created_at
2442 2025-05-26T15:11:08.963-04:00 INFO 48923 --- [
2443 customer-service] [scheduling-1] c.u.a.c.s.s.
2444 CustomerOutboxScheduler : Processing 6
2445 customer outbox events
2443 2025-05-26T15:11:08.981-04:00 INFO 48923 --- [
2444 customer-service] [scheduling-1] c.u.a.c.s.s.
2445 CustomerOutboxScheduler : Successfully sent
2446 event 8af15531-0013-49a2-b4be-0877b8ddcfac to
2447 topic driver-requests
2444 2025-05-26T15:11:08.982-04:00 INFO 48923 --- [
2445 customer-service] [scheduling-1] c.u.a.c.s.s.
2446 CustomerOutboxScheduler : Successfully sent
2447 event 3e033c27-b416-44c9-9a26-91b62a0866da to
2448 topic driver-requests
2445 2025-05-26T15:11:08.982-04:00 INFO 48923 --- [
2446 customer-service] [scheduling-1] c.u.a.c.s.s.
2447 CustomerOutboxScheduler : Successfully sent
2448 event eec38eff-50d7-422f-9140-81f58fe501d6 to
2449 topic driver-requests
2446 2025-05-26T15:11:08.982-04:00 INFO 48923 --- [
2447 customer-service] [scheduling-1] c.u.a.c.s.s.
2448 CustomerOutboxScheduler : Successfully sent
2449 event b35f70a7-36a2-4690-8f57-fa6def5539a1 to
2450 topic driver-requests
2447 2025-05-26T15:11:08.982-04:00 INFO 48923 --- [
2448 customer-service] [scheduling-1] c.u.a.c.s.s.
2449 CustomerOutboxScheduler : Successfully sent
2450 event fb3a7962-806c-4f86-9712-e5cab2af4878 to
2451 topic driver-requests
2448 2025-05-26T15:11:08.984-04:00 INFO 48923 --- [
2449 customer-service] [scheduling-1] c.u.a.c.s.s.
```

```
2448 CustomerOutboxScheduler : Successfully sent
 event fe816575-e174-43ba-b0a0-a255b5e2b4ed to
 topic driver-requests
2449 Hibernate:
2450 update
2451 customer_outbox
2452 set
2453 created_at=?,
2454 event_type=?,
2455 payload=?,
2456 processed_at=?,
2457 saga_id=?,
2458 saga_status=?,
2459 status=?,
2460 version=?
2461 where
2462 id=?
2463 and version=?
2464 Hibernate:
2465 update
2466 customer_outbox
2467 set
2468 created_at=?,
2469 event_type=?,
2470 payload=?,
2471 processed_at=?,
2472 saga_id=?,
2473 saga_status=?,
2474 status=?,
2475 version=?
2476 where
2477 id=?
2478 and version=?
2479 Hibernate:
2480 update
2481 customer_outbox
2482 set
2483 created_at=? ,
```

```
2484 event_type=?,
2485 payload=?,
2486 processed_at=?,
2487 saga_id=?,
2488 saga_status=?,
2489 status=?,
2490 version=?
2491 where
2492 id=?
2493 and version=?
2494 Hibernate:
2495 update
2496 customer_outbox
2497 set
2498 created_at=?,
2499 event_type=?,
2500 payload=?,
2501 processed_at=?,
2502 saga_id=?,
2503 saga_status=?,
2504 status=?,
2505 version=?
2506 where
2507 id=?
2508 and version=?
2509 Hibernate:
2510 update
2511 customer_outbox
2512 set
2513 created_at=?,
2514 event_type=?,
2515 payload=?,
2516 processed_at=?,
2517 saga_id=?,
2518 saga_status=?,
2519 status=?,
2520 version=?
2521 where
```

```
2522 id=?
2523 and version=?
2524 Hibernate:
2525 update
2526 customer_outbox
2527 set
2528 created_at=? ,
2529 event_type=? ,
2530 payload=? ,
2531 processed_at=? ,
2532 saga_id=? ,
2533 saga_status=? ,
2534 status=? ,
2535 version=?
2536 where
2537 id=?
2538 and version=?
2539 Hibernate:
2540 select
2541 oe1_0.id,
2542 oe1_0.created_at,
2543 oe1_0.event_type,
2544 oe1_0.payload,
2545 oe1_0.processed_at,
2546 oe1_0.saga_id,
2547 oe1_0.saga_status,
2548 oe1_0.status,
2549 oe1_0.version
2550 from
2551 outbox_events oe1_0
2552 where
2553 oe1_0.status=?
2554 order by
2555 oe1_0.created_at
2556 2025-05-26T15:11:09.001-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.api.
 shared.outbox.OutboxScheduler : Processing 0
 outbox events
```

```
2557 2025-05-26T15:11:09.354-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
2558 2025-05-26T15:11:09.354-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
2559 Hibernate:
2560 select
2561 qr1_.id,
2562 qr1_.customer_email,
2563 qr1_.driver_request_payload,
2564 qr1_.expires_at,
2565 qr1_.queued_at,
2566 qr1_.ride_request_id,
2567 qr1_.saga_id,
2568 qr1_.status,
2569 qr1_.version
2570 from
2571 queued_requests qr1_
2572 where
2573 qr1_.status='QUEUED'
2574 order by
2575 qr1_.queued_at
2576 2025-05-26T15:11:09.356-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
2577 2025-05-26T15:11:10.364-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
2578 2025-05-26T15:11:10.369-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
2579 Hibernate:
```

```
2580 select
2581 qr1_0.id,
2582 qr1_0.customer_email,
2583 qr1_0.driver_request_payload,
2584 qr1_0.expires_at,
2585 qr1_0.queued_at,
2586 qr1_0.ride_request_id,
2587 qr1_0.saga_id,
2588 qr1_0.status,
2589 qr1_0.version
2590 from
2591 queued_requests qr1_0
2592 where
2593 qr1_0.status='QUEUED'
2594 order by
2595 qr1_0.queued_at
2596 2025-05-26T15:11:10.373-04:00 DEBUG 48923 --- [
2597 customer-service] [scheduling-1] c.u.a.c.s.s.i
2598 .CustomerDomainServiceImpl : No queued requests
2599 to process
2600 2025-05-26T15:11:11.381-04:00 DEBUG 48923 --- [
2601 customer-service] [scheduling-1] c.u.a.c.s.s.
2602 QueueAndTimeoutScheduler : Running
2603 aggressive queue processor...
2604 2025-05-26T15:11:11.388-04:00 INFO 48923 --- [
2605 customer-service] [scheduling-1] c.u.a.c.s.s.i
2606 .CustomerDomainServiceImpl : === PROCESSING
2607 QUEUE ===
2608 Hibernate:
2609 select
2610 qr1_0.id,
2611 qr1_0.customer_email,
2612 qr1_0.driver_request_payload,
2613 qr1_0.expires_at,
2614 qr1_0.queued_at,
2615 qr1_0.ride_request_id,
2616 qr1_0.saga_id,
2617 qr1_0.status,
```

```
2609 qr1_0.version
2610 from
2611 queued_requests qr1_0
2612 where
2613 qr1_0.status='QUEUED'
2614 order by
2615 qr1_0.queued_at
2616 2025-05-26T15:11:11.398-04:00 DEBUG 48923 --- [
2617 customer-service] [scheduling-1] c.u.a.c.s.s.i
2618 .CustomerDomainServiceImpl : No queued requests
2619 to process
2620 2025-05-26T15:11:12.162-04:00 INFO 48923 --- [
2621 customer-service] [nio-8181-exec-1] c.u.a.c.s.
2622 controller.CustomerController : Completing ride
2623 for customer: final1@example.com
2624 2025-05-26T15:11:12.163-04:00 INFO 48923 --- [
2625 customer-service] [nio-8181-exec-1] c.u.a.c.s.s.i
2626 .CustomerDomainServiceImpl : === COMPLETING RIDE
2627 FOR: final1@example.com ===
2628 Hibernate:
2629 select
2630 rr1_0.id,
2631 rr1_0.completed_at,
2632 rr1_0.created_at,
2633 rr1_0.customer_email,
2634 rr1_0.destination_location_id,
2635 rr1_0.driver_email,
2636 rr1_0.estimated_price,
2637 rr1_0.final_price,
2638 rr1_0.pickup_location_id,
2639 rr1_0.status
2640 from
2641 ride_requests rr1_0
2642 where
2643 rr1_0.customer_email=?
2644 and rr1_0.status=?
2645 Hibernate:
2646 select
```

```
2638 rr1_0.id,
2639 rr1_0.completed_at,
2640 rr1_0.created_at,
2641 rr1_0.customer_email,
2642 rr1_0.destination_location_id,
2643 rr1_0.driver_email,
2644 rr1_0.estimated_price,
2645 rr1_0.final_price,
2646 rr1_0.pickup_location_id,
2647 rr1_0.status
2648 from
2649 ride_requests rr1_0
2650 where
2651 rr1_0.customer_email=?
2652 and rr1_0.status=?
2653 2025-05-26T15:11:12.179-04:00 ERROR 48923 --- [
2654 customer-service] [nio-8181-exec-1] c.u.a.c.s.
2655 controller.CustomerController : Error completing
2656 ride for customer: final1@example.com
2657
2658 java.lang.RuntimeException: No active ride found
2659 for customer: final1@example.com
2660
2661 at com.uber.api.customer.service.service.impl
2662 .CustomerDomainServiceImpl.lambda$completeRide$11
2663 (CustomerDomainServiceImpl.java:123) ~[classes/:na]
2664
2665 at java.base/java.util.Optional.orElseThrow(
2666 Optional.java:403) ~[na:na]
2667
2668 at com.uber.api.customer.service.service.impl
2669 .CustomerDomainServiceImpl.completeRide(
2670 CustomerDomainServiceImpl.java:123) ~[classes/:na]
2671
2672 at java.base/jdk.internal.reflect.
2673 DirectMethodHandleAccessor.invoke(
2674 DirectMethodHandleAccessor.java:103) ~[na:na]
2675
2676 at java.base/java.lang.reflect.Method.invoke(
2677 Method.java:580) ~[na:na]
2678
2679 at org.springframework.aop.support.AopUtils.
```

```
2661 invokeJoinpointUsingReflection(AopUtils.java:359
) ~[spring-aop-6.2.7.jar:6.2.7]
2662 at org.springframework.aop.framework.
ReflectiveMethodInvocation.invokeJoinpoint(
ReflectiveMethodInvocation.java:196) ~[spring-aop
-6.2.7.jar:6.2.7]
2663 at org.springframework.aop.framework.
ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:163) ~[spring-aop
-6.2.7.jar:6.2.7]
2664 at org.springframework.transaction.
interceptor.TransactionAspectSupport.
invokeWithinTransaction(TransactionAspectSupport.
java:380) ~[spring-tx-6.2.7.jar:6.2.7]
2665 at org.springframework.transaction.
interceptor.TransactionInterceptor.invoke(
TransactionInterceptor.java:119) ~[spring-tx-6.2.
7.jar:6.2.7]
2666 at org.springframework.aop.framework.
ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:184) ~[spring-aop
-6.2.7.jar:6.2.7]
2667 at org.springframework.aop.framework.
CglibAopProxy$DynamicAdvisedInterceptor.intercept(
CglibAopProxy.java:728) ~[spring-aop-6.2.7.jar:6
.2.7]
2668 at com.uber.api.customer.service.service.impl
.CustomerDomainServiceImpl$$SpringCGLIB$$0.
completeRide(<generated>) ~[classes/:na]
2669 at com.uber.api.customer.service.controller.
CustomerController.completeRide(
CustomerController.java:93) ~[classes/:na]
2670 at java.base/jdk.internal.reflect.
DirectMethodHandleAccessor.invoke(
DirectMethodHandleAccessor.java:103) ~[na:na]
2671 at java.base/java.lang.reflect.Method.invoke(
Method.java:580) ~[na:na]
2672 at org.springframework.web.method.support.
```

```
2672 InvocableHandlerMethod.doInvoke(
 InvocableHandlerMethod.java:258) ~[spring-web-6.2
 .7.jar:6.2.7]
2673 at org.springframework.web.method.support.
 InvocableHandlerMethod.invokeForRequest(
 InvocableHandlerMethod.java:191) ~[spring-web-6.2
 .7.jar:6.2.7]
2674 at org.springframework.web.servlet.mvc.method
 .annotation.ServletInvocableHandlerMethod.
 invokeAndHandle(ServletInvocableHandlerMethod.
 java:118) ~[spring-webmvc-6.2.7.jar:6.2.7]
2675 at org.springframework.web.servlet.mvc.method
 .annotation.RequestMappingHandlerAdapter.
 invokeHandlerMethod(RequestMappingHandlerAdapter.
 java:986) ~[spring-webmvc-6.2.7.jar:6.2.7]
2676 at org.springframework.web.servlet.mvc.method
 .annotation.RequestMappingHandlerAdapter.
 handleInternal(RequestMappingHandlerAdapter.java:
 891) ~[spring-webmvc-6.2.7.jar:6.2.7]
2677 at org.springframework.web.servlet.mvc.method
 .AbstractHandlerMethodAdapter.handle(
 AbstractHandlerMethodAdapter.java:87) ~[spring-
 webmvc-6.2.7.jar:6.2.7]
2678 at org.springframework.web.servlet.
 DispatcherServlet.doDispatch(DispatcherServlet.
 java:1089) ~[spring-webmvc-6.2.7.jar:6.2.7]
2679 at org.springframework.web.servlet.
 DispatcherServlet.doService(DispatcherServlet.
 java:979) ~[spring-webmvc-6.2.7.jar:6.2.7]
2680 at org.springframework.web.servlet.
 FrameworkServlet.processRequest(FrameworkServlet.
 java:1014) ~[spring-webmvc-6.2.7.jar:6.2.7]
2681 at org.springframework.web.servlet.
 FrameworkServlet.doPost(FrameworkServlet.java:914
) ~[spring-webmvc-6.2.7.jar:6.2.7]
2682 at jakarta.servlet.http.HttpServlet.service(
 HttpServlet.java:590) ~[tomcat-embed-core-10.1.41
 .jar:6.0]
```

```
2683 at org.springframework.web.servlet.
FrameworkServlet.service(FrameworkServlet.java:
885) ~[spring-webmvc-6.2.7.jar:6.2.7]
2684 at jakarta.servlet.http.HttpServlet.service(
HttpServlet.java:658) ~[tomcat-embed-core-10.1.41
.jar:6.0]
2685 at org.apache.catalina.core.
ApplicationFilterChain.internalDoFilter(
ApplicationFilterChain.java:195) ~[tomcat-embed-
core-10.1.41.jar:10.1.41]
2686 at org.apache.catalina.core.
ApplicationFilterChain.doFilter(
ApplicationFilterChain.java:140) ~[tomcat-embed-
core-10.1.41.jar:10.1.41]
2687 at org.apache.tomcat.websocket.server.
WsFilter.doFilter(WsFilter.java:51) ~[tomcat-
embed-websocket-10.1.41.jar:10.1.41]
2688 at org.apache.catalina.core.
ApplicationFilterChain.internalDoFilter(
ApplicationFilterChain.java:164) ~[tomcat-embed-
core-10.1.41.jar:10.1.41]
2689 at org.apache.catalina.core.
ApplicationFilterChain.doFilter(
ApplicationFilterChain.java:140) ~[tomcat-embed-
core-10.1.41.jar:10.1.41]
2690 at org.springframework.web.filter.
RequestContextFilter.doFilterInternal(
RequestContextFilter.java:100) ~[spring-web-6.2.7
.jar:6.2.7]
2691 at org.springframework.web.filter.
OncePerRequestFilter.doFilter(
OncePerRequestFilter.java:116) ~[spring-web-6.2.7
.jar:6.2.7]
2692 at org.apache.catalina.core.
ApplicationFilterChain.internalDoFilter(
ApplicationFilterChain.java:164) ~[tomcat-embed-
core-10.1.41.jar:10.1.41]
2693 at org.apache.catalina.core.
```

```
2693 ApplicationFilterChain.doFilter(
 ApplicationFilterChain.java:140) ~[tomcat-embed-
core-10.1.41.jar:10.1.41]
2694 at org.springframework.web.filter.
FormContentFilter.doFilterInternal(
 FormContentFilter.java:93) ~[spring-web-6.2.7.jar
:6.2.7]
2695 at org.springframework.web.filter.
OncePerRequestFilter.doFilter(
 OncePerRequestFilter.java:116) ~[spring-web-6.2.7
.jar:6.2.7]
2696 at org.apache.catalina.core.
ApplicationFilterChain.internalDoFilter(
 ApplicationFilterChain.java:164) ~[tomcat-embed-
core-10.1.41.jar:10.1.41]
2697 at org.apache.catalina.core.
ApplicationFilterChain.doFilter(
 ApplicationFilterChain.java:140) ~[tomcat-embed-
core-10.1.41.jar:10.1.41]
2698 at org.springframework.web.filter.
ServerHttpObservationFilter.doFilterInternal(
 ServerHttpObservationFilter.java:114) ~[spring-
web-6.2.7.jar:6.2.7]
2699 at org.springframework.web.filter.
OncePerRequestFilter.doFilter(
 OncePerRequestFilter.java:116) ~[spring-web-6.2.7
.jar:6.2.7]
2700 at org.apache.catalina.core.
ApplicationFilterChain.internalDoFilter(
 ApplicationFilterChain.java:164) ~[tomcat-embed-
core-10.1.41.jar:10.1.41]
2701 at org.apache.catalina.core.
ApplicationFilterChain.doFilter(
 ApplicationFilterChain.java:140) ~[tomcat-embed-
core-10.1.41.jar:10.1.41]
2702 at org.springframework.web.filter.
CharacterEncodingFilter.doFilterInternal(
 CharacterEncodingFilter.java:201) ~[spring-web-6.
```

```
2702 2.7.jar:6.2.7]
2703 at org.springframework.web.filter.
OncePerRequestFilter.doFilter(
OncePerRequestFilter.java:116) ~[spring-web-6.2.7
.jar:6.2.7]
2704 at org.apache.catalina.core.
ApplicationFilterChain.internalDoFilter(
ApplicationFilterChain.java:164) ~[tomcat-embed-
core-10.1.41.jar:10.1.41]
2705 at org.apache.catalina.core.
ApplicationFilterChain.doFilter(
ApplicationFilterChain.java:140) ~[tomcat-embed-
core-10.1.41.jar:10.1.41]
2706 at org.apache.catalina.core.
StandardWrapperValve.invoke(StandardWrapperValve.
java:167) ~[tomcat-embed-core-10.1.41.jar:10.1.41
]
2707 at org.apache.catalina.core.
StandardContextValve.invoke(StandardContextValve.
java:90) ~[tomcat-embed-core-10.1.41.jar:10.1.41]
2708 at org.apache.catalina.authenticator.
AuthenticatorBase.invoke(AuthenticatorBase.java:
483) ~[tomcat-embed-core-10.1.41.jar:10.1.41]
2709 at org.apache.catalina.core.StandardHostValve
.invoke(StandardHostValve.java:116) ~[tomcat-
embed-core-10.1.41.jar:10.1.41]
2710 at org.apache.catalina.valves.
ErrorReportValve.invoke(ErrorReportValve.java:93
) ~[tomcat-embed-core-10.1.41.jar:10.1.41]
2711 at org.apache.catalina.core.
StandardEngineValve.invoke(StandardEngineValve.
java:74) ~[tomcat-embed-core-10.1.41.jar:10.1.41]
2712 at org.apache.catalina.connector.
CoyoteAdapter.service(CoyoteAdapter.java:344) ~[
tomcat-embed-core-10.1.41.jar:10.1.41]
2713 at org.apache.coyote.http11.Http11Processor.
service(Http11Processor.java:398) ~[tomcat-embed-
core-10.1.41.jar:10.1.41]
```

```
2714 at org.apache.coyote.AbstractProcessorLight.
process(AbstractProcessorLight.java:63) ~[tomcat-
embed-core-10.1.41.jar:10.1.41]
2715 at org.apache.coyote.
AbstractProtocol$ConnectionHandler.process(
AbstractProtocol.java:903) ~[tomcat-embed-core-10
.1.41.jar:10.1.41]
2716 at org.apache.tomcat.util.net.
NioEndpoint$SocketProcessor.doRun(NioEndpoint.
java:1740) ~[tomcat-embed-core-10.1.41.jar:10.1.
41]
2717 at org.apache.tomcat.util.net.
SocketProcessorBase.run(SocketProcessorBase.java:
52) ~[tomcat-embed-core-10.1.41.jar:10.1.41]
2718 at org.apache.tomcat.util.threads.
ThreadPoolExecutor.runWorker(ThreadPoolExecutor.
java:1189) ~[tomcat-embed-core-10.1.41.jar:10.1.
41]
2719 at org.apache.tomcat.util.threads.
ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.
java:658) ~[tomcat-embed-core-10.1.41.jar:10.1.41
]
2720 at org.apache.tomcat.util.threads.
TaskThread$WrappingRunnable.run(TaskThread.java:
63) ~[tomcat-embed-core-10.1.41.jar:10.1.41]
2721 at java.base/java.lang.Thread.run(Thread.java
:1575) ~[na:na]
2722
2723 2025-05-26T15:11:12.403-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
2724 2025-05-26T15:11:12.404-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
2725 Hibernate:
2726 select
```

```
2727 qr1_0.id,
2728 qr1_0.customer_email,
2729 qr1_0.driver_request_payload,
2730 qr1_0.expires_at,
2731 qr1_0.queued_at,
2732 qr1_0.ride_request_id,
2733 qr1_0.saga_id,
2734 qr1_0.status,
2735 qr1_0.version
2736 from
2737 queued_requests qr1_0
2738 where
2739 qr1_0.status='QUEUED'
2740 order by
2741 qr1_0.queued_at
2742 2025-05-26T15:11:12.407-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
2743 2025-05-26T15:11:13.413-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
2744 2025-05-26T15:11:13.415-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
2745 Hibernate:
2746 select
2747 qr1_0.id,
2748 qr1_0.customer_email,
2749 qr1_0.driver_request_payload,
2750 qr1_0.expires_at,
2751 qr1_0.queued_at,
2752 qr1_0.ride_request_id,
2753 qr1_0.saga_id,
2754 qr1_0.status,
2755 qr1_0.version
```

```
2756 from
2757 queued_requests qr1_0
2758 where
2759 qr1_0.status='QUEUED'
2760 order by
2761 qr1_0.queued_at
2762 2025-05-26T15:11:13.416-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
2763 2025-05-26T15:11:13.466-04:00 INFO 48923 --- [customer-service] [ntainer#1-0-C-1] c.u.a.c.s.m.DriverResponseListener : Received driver response: {"sagaId":"b735ed7c-c348-4eb4-90f4-9d669dbbd0ca","rideRequestId":"f5bb5224-06c0-4ecc-af3e-320b0c0b7b05","driverEmail":"john.driver@uber.com","status":"BUSY","accepted":true,"rejectionReason":null}
2764 Hibernate:
2765 select
2766 rr1_0.id,
2767 rr1_0.completed_at,
2768 rr1_0.created_at,
2769 rr1_0.customer_email,
2770 dl1_0.id,
2771 dl1_0.address,
2772 dl1_0.city,
2773 dl1_0.latitude,
2774 dl1_0.longitude,
2775 rr1_0.driver_email,
2776 rr1_0.estimated_price,
2777 rr1_0.final_price,
2778 pl1_0.id,
2779 pl1_0.address,
2780 pl1_0.city,
2781 pl1_0.latitude,
2782 pl1_0.longitude,
2783 rr1_0.status
```

```
2784 from
2785 ride_requests rr1_0
2786 left join
2787 locations dl1_0
2788 on dl1_0.id=rr1_0.
2789 destination_location_id
2790 left join
2791 locations pl1_0
2792 on pl1_0.id=rr1_0.pickup_location_id
2793 where
2794 rr1_0.id=?
2794 2025-05-26T15:11:13.476-04:00 INFO 48923 --- [
2795 customer-service] [Container#1-0-C-1] c.u.a.c.s.m.
2796 DriverResponseListener : Driver john.driver
2797 @uber.com accepted ride request: f5bb5224-06c0-
2798 4ecc-af3e-320b0c0b7b05
2799 Hibernate:
2800 select
2801 c1_0.id,
2802 c1_0.current_ride_request_id,
2803 c1_0.email,
2804 c1_0.name,
2805 c1_0.phone,
2806 c1_0.status,
2807 c1_0.version
2808 from
2809 customers c1_0
2810 where
2811 c1_0.email=?
2812 2025-05-26T15:11:13.479-04:00 INFO 48923 --- [
2813 customer-service] [Container#1-0-C-1] c.u.a.c.s.m.
2814 DriverResponseListener : Driver response
2815 processed successfully for ride: f5bb5224-06c0-
2816 4ecc-af3e-320b0c0b7b05
2817 Hibernate:
2818 update
2819 ride_requests
2820 set
```

```
2813 completed_at=?,
2814 created_at=?,
2815 customer_email=?,
2816 destination_location_id=?,
2817 driver_email=?,
2818 estimated_price=?,
2819 final_price=?,
2820 pickup_location_id=?,
2821 status=?
2822 where
2823 id=?
2824 Hibernate:
2825 update
2826 customers
2827 set
2828 current_ride_request_id=?,
2829 email=?,
2830 name=?,
2831 phone=?,
2832 status=?,
2833 version=?
2834 where
2835 id=?
2836 and version=?
2837 2025-05-26T15:11:13.483-04:00 INFO 48923 --- [customer-service] [ntainer#1-0-C-1] c.u.a.c.s.m. DriverResponseListener : Received driver response: {"sagaId":"db87bdcb-c1cc-4ad5-ad97-c75231300178","rideRequestId":"270f9771-a2a0-42fb-a0b7-a286f1800b6b","driverEmail":"mike.driver@uber.com","status":"BUSY","accepted":true,"rejectionReason":null}
2838 Hibernate:
2839 select
2840 rr1_0.id,
2841 rr1_0.completed_at,
2842 rr1_0.created_at,
2843 rr1_0.customer_email,
```

```
2844 dl1_0.id,
2845 dl1_0.address,
2846 dl1_0.city,
2847 dl1_0.latitude,
2848 dl1_0.longitude,
2849 rr1_0.driver_email,
2850 rr1_0.estimated_price,
2851 rr1_0.final_price,
2852 pl1_0.id,
2853 pl1_0.address,
2854 pl1_0.city,
2855 pl1_0.latitude,
2856 pl1_0.longitude,
2857 rr1_0.status
2858 from
2859 ride_requests rr1_0
2860 left join
2861 locations dl1_0
2862 on dl1_0.id=rr1_0.
destination_location_id
2863 left join
2864 locations pl1_0
2865 on pl1_0.id=rr1_0.pickup_location_id
2866 where
2867 rr1_0.id=?
2868 2025-05-26T15:11:13.484-04:00 INFO 48923 --- [
customer-service] [ntainer#1-0-C-1] c.u.a.c.s.m.
DriverResponseListener : Driver mike.driver
@uber.com accepted ride request: 270f9771-a2a0-
42fb-a0b7-a286f1800b6b
2869 Hibernate:
2870 select
2871 c1_0.id,
2872 c1_0.current_ride_request_id,
2873 c1_0.email,
2874 c1_0.name,
2875 c1_0.phone,
2876 c1_0.status,
```

```
2877 c1_0.version
2878 from
2879 customers c1_0
2880 where
2881 c1_0.email=?
2882 2025-05-26T15:11:13.486-04:00 INFO 48923 --- [customer-service] [ntainer#1-0-C-1] c.u.a.c.s.m.DrivenResponseListener : Driver response processed successfully for ride: 270f9771-a2a0-42fb-a0b7-a286f1800b6b
2883 Hibernate:
2884 update
2885 ride_requests
2886 set
2887 completed_at=?,
2888 created_at=?,
2889 customer_email=?,
2890 destination_location_id=?,
2891 driver_email=?,
2892 estimated_price=?,
2893 final_price=?,
2894 pickup_location_id=?,
2895 status=?
2896 where
2897 id=?
2898 Hibernate:
2899 update
2900 customers
2901 set
2902 current_ride_request_id=?,
2903 email=?,
2904 name=?,
2905 phone=?,
2906 status=?,
2907 version=?
2908 where
2909 id=?
2910 and version=?
```

```
2911 2025-05-26T15:11:13.488-04:00 INFO 48923 --- [customer-service] [ntainer#1-0-C-1] c.u.a.c.s.m.
DriverResponseListener : Received driver
response: {"sagaId":"62f66a6d-254c-4e3c-9af6-
2d087cbdf64a","rideRequestId":"3bf5e1ae-f30a-401d
-906c-386d21d8365e","driverEmail":"jane.driver@
uber.com","status":"BUSY","accepted":true,"
rejectionReason":null}
2912 Hibernate:
2913 select
2914 rr1_.id,
2915 rr1_.completed_at,
2916 rr1_.created_at,
2917 rr1_.customer_email,
2918 dl1_.id,
2919 dl1_.address,
2920 dl1_.city,
2921 dl1_.latitude,
2922 dl1_.longitude,
2923 rr1_.driver_email,
2924 rr1_.estimated_price,
2925 rr1_.final_price,
2926 pl1_.id,
2927 pl1_.address,
2928 pl1_.city,
2929 pl1_.latitude,
2930 pl1_.longitude,
2931 rr1_.status
2932 from
2933 ride_requests rr1_
2934 left join
2935 locations dl1_
2936 on dl1_.id=rr1_.
destination_location_id
2937 left join
2938 locations pl1_
2939 on pl1_.id=rr1_.pickup_location_id
2940 where
```

```
2941 rr1_0.id=?
2942 2025-05-26T15:11:13.490-04:00 INFO 48923 --- [customer-service] [Container#1-0-C-1] c.u.a.c.s.m. DriverResponseListener : Driver jane.driver@uber.com accepted ride request: 3bf5e1ae-f30a-401d-906c-386d21d8365e
2943 Hibernate:
2944 select
2945 c1_0.id,
2946 c1_0.current_ride_request_id,
2947 c1_0.email,
2948 c1_0.name,
2949 c1_0.phone,
2950 c1_0.status,
2951 c1_0.version
2952 from
2953 customers c1_0
2954 where
2955 c1_0.email=?
2956 2025-05-26T15:11:13.491-04:00 INFO 48923 --- [customer-service] [Container#1-0-C-1] c.u.a.c.s.m. DriverResponseListener : Driver response processed successfully for ride: 3bf5e1ae-f30a-401d-906c-386d21d8365e
2957 Hibernate:
2958 update
2959 ride_requests
2960 set
2961 completed_at=?,
2962 created_at=?,
2963 customer_email=?,
2964 destination_location_id=?,
2965 driver_email=?,
2966 estimated_price=?,
2967 final_price=?,
2968 pickup_location_id=?,
2969 status=?
2970 where
```

```
2971 id=?
2972 Hibernate:
2973 update
2974 customers
2975 set
2976 current_ride_request_id=? ,
2977 email=? ,
2978 name=? ,
2979 phone=? ,
2980 status=? ,
2981 version=?
2982 where
2983 id=?
2984 and version=?
2985 Hibernate:
2986 select
2987 co1_0.id,
2988 co1_0.created_at,
2989 co1_0.event_type,
2990 co1_0.payload,
2991 co1_0.processed_at,
2992 co1_0.saga_id,
2993 co1_0.saga_status,
2994 co1_0.status,
2995 co1_0.version
2996 from
2997 customer_outbox co1_0
2998 where
2999 co1_0.status=?
3000 order by
3001 co1_0.created_at
3002 Hibernate:
3003 select
3004 oe1_0.id,
3005 oe1_0.created_at,
3006 oe1_0.event_type,
3007 oe1_0.payload,
3008 oe1_0.processed_at,
```

```
3009 oe1_0.saga_id,
3010 oe1_0.saga_status,
3011 oe1_0.status,
3012 oe1_0.version
3013 from
3014 outbox_events oe1_0
3015 where
3016 oe1_0.status=?
3017 order by
3018 oe1_0.created_at
3019 2025-05-26T15:11:14.022-04:00 INFO 48923 --- [
3020 customer-service] [scheduling-1] c.u.api.
3021 shared.outbox.OutboxScheduler : Processing 0
3022 outbox events
3023 2025-05-26T15:11:14.423-04:00 DEBUG 48923 --- [
3024 customer-service] [scheduling-1] c.u.a.c.s.s.
3025 QueueAndTimeoutScheduler : Running
3026 aggressive queue processor...
3027 2025-05-26T15:11:14.424-04:00 INFO 48923 --- [
3028 customer-service] [scheduling-1] c.u.a.c.s.s.i
3029 .CustomerDomainServiceImpl : === PROCESSING
3030 QUEUE ===
3031 Hibernate:
3032 select
3033 qr1_0.id,
3034 qr1_0.customer_email,
3035 qr1_0.driver_request_payload,
3036 qr1_0.expires_at,
3037 qr1_0.queued_at,
3038 qr1_0.ride_request_id,
3039 qr1_0.saga_id,
3040 qr1_0.status,
3041 qr1_0.version
3042 from
3043 queued_requests qr1_0
3044 where
3045 qr1_0.status='QUEUED'
3046 order by
```

```
3038 qr1_0.queued_at
3039 2025-05-26T15:11:14.428-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
3040 2025-05-26T15:11:15.436-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
3041 2025-05-26T15:11:15.440-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
3042 Hibernate:
3043 select
3044 qr1_0.id,
3045 qr1_0.customer_email,
3046 qr1_0.driver_request_payload,
3047 qr1_0.expires_at,
3048 qr1_0.queued_at,
3049 qr1_0.ride_request_id,
3050 qr1_0.saga_id,
3051 qr1_0.status,
3052 qr1_0.version
3053 from
3054 queued_requests qr1_0
3055 where
3056 qr1_0.status='QUEUED'
3057 order by
3058 qr1_0.queued_at
3059 2025-05-26T15:11:15.443-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
3060 2025-05-26T15:11:16.450-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
```

```
3061 2025-05-26T15:11:16.453-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
3062 Hibernate:
3063 select
3064 qr1_0.id,
3065 qr1_0.customer_email,
3066 qr1_0.driver_request_payload,
3067 qr1_0.expires_at,
3068 qr1_0.queued_at,
3069 qr1_0.ride_request_id,
3070 qr1_0.saga_id,
3071 qr1_0.status,
3072 qr1_0.version
3073 from
3074 queued_requests qr1_0
3075 where
3076 qr1_0.status='QUEUED'
3077 order by
3078 qr1_0.queued_at
3079 2025-05-26T15:11:16.455-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
3080 2025-05-26T15:11:17.460-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
3081 2025-05-26T15:11:17.463-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
3082 Hibernate:
3083 select
3084 qr1_0.id,
3085 qr1_0.customer_email,
3086 qr1_0.driver_request_payload,
```

```
3087 qr1_0.expires_at,
3088 qr1_0.queued_at,
3089 qr1_0.ride_request_id,
3090 qr1_0.saga_id,
3091 qr1_0.status,
3092 qr1_0.version
3093 from
3094 queued_requests qr1_0
3095 where
3096 qr1_0.status='QUEUED'
3097 order by
3098 qr1_0.queued_at
3099 2025-05-26T15:11:17.466-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
3100 2025-05-26T15:11:18.474-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
3101 2025-05-26T15:11:18.477-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
3102 Hibernate:
3103 select
3104 qr1_0.id,
3105 qr1_0.customer_email,
3106 qr1_0.driver_request_payload,
3107 qr1_0.expires_at,
3108 qr1_0.queued_at,
3109 qr1_0.ride_request_id,
3110 qr1_0.saga_id,
3111 qr1_0.status,
3112 qr1_0.version
3113 from
3114 queued_requests qr1_0
3115 where
```

```
3116 qr1_0.status='QUEUED'
3117 order by
3118 qr1_0.queued_at
3119 2025-05-26T15:11:18.480-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
3120 Hibernate:
3121 select
3122 co1_0.id,
3123 co1_0.created_at,
3124 co1_0.event_type,
3125 co1_0.payload,
3126 co1_0.processed_at,
3127 co1_0.saga_id,
3128 co1_0.saga_status,
3129 co1_0.status,
3130 co1_0.version
3131 from
3132 customer_outbox co1_0
3133 where
3134 co1_0.status=?
3135 order by
3136 co1_0.created_at
3137 Hibernate:
3138 select
3139 oe1_0.id,
3140 oe1_0.created_at,
3141 oe1_0.event_type,
3142 oe1_0.payload,
3143 oe1_0.processed_at,
3144 oe1_0.saga_id,
3145 oe1_0.saga_status,
3146 oe1_0.status,
3147 oe1_0.version
3148 from
3149 outbox_events oe1_0
3150 where
```

```
3151 oe1_0.status=?
3152 order by
3153 oe1_0.created_at
3154 2025-05-26T15:11:19.035-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.api.shared.outbox.OutboxScheduler : Processing 0 outbox events
3155 2025-05-26T15:11:19.484-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
3156 2025-05-26T15:11:19.486-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
3157 Hibernate:
3158 select
3159 qr1_0.id,
3160 qr1_0.customer_email,
3161 qr1_0.driver_request_payload,
3162 qr1_0.expires_at,
3163 qr1_0.queued_at,
3164 qr1_0.ride_request_id,
3165 qr1_0.saga_id,
3166 qr1_0.status,
3167 qr1_0.version
3168 from
3169 queued_requests qr1_0
3170 where
3171 qr1_0.status='QUEUED'
3172 order by
3173 qr1_0.queued_at
3174 2025-05-26T15:11:19.489-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
3175 2025-05-26T15:11:20.494-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.
```

```
3175 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
3176 2025-05-26T15:11:20.498-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
3177 Hibernate:
3178 select
3179 qr1_0.id,
3180 qr1_0.customer_email,
3181 qr1_0.driver_request_payload,
3182 qr1_0.expires_at,
3183 qr1_0.queued_at,
3184 qr1_0.ride_request_id,
3185 qr1_0.saga_id,
3186 qr1_0.status,
3187 qr1_0.version
3188 from
3189 queued_requests qr1_0
3190 where
3191 qr1_0.status='QUEUED'
3192 order by
3193 qr1_0.queued_at
3194 2025-05-26T15:11:20.501-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
3195 2025-05-26T15:11:21.504-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
3196 2025-05-26T15:11:21.508-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
3197 Hibernate:
3198 select
3199 qr1_0.id,
```

```
3200 qr1_0.customer_email,
3201 qr1_0.driver_request_payload,
3202 qr1_0.expires_at,
3203 qr1_0.queued_at,
3204 qr1_0.ride_request_id,
3205 qr1_0.saga_id,
3206 qr1_0.status,
3207 qr1_0.version
3208 from
3209 queued_requests qr1_0
3210 where
3211 qr1_0.status='QUEUED'
3212 order by
3213 qr1_0.queued_at
3214 2025-05-26T15:11:21.511-04:00 DEBUG 48923 --- [
3215 customer-service] [scheduling-1] c.u.a.c.s.s.i
3216 .CustomerDomainServiceImpl : No queued requests
3217 to process
3218 2025-05-26T15:11:22.518-04:00 DEBUG 48923 --- [
3219 customer-service] [scheduling-1] c.u.a.c.s.s.
3220 QueueAndTimeoutScheduler : Running
3221 aggressive queue processor...
3222 2025-05-26T15:11:22.522-04:00 INFO 48923 --- [
3223 customer-service] [scheduling-1] c.u.a.c.s.s.i
3224 .CustomerDomainServiceImpl : === PROCESSING
3225 QUEUE ===
3226 Hibernate:
3227 select
3228 qr1_0.id,
3229 qr1_0.customer_email,
3230 qr1_0.driver_request_payload,
3231 qr1_0.expires_at,
3232 qr1_0.queued_at,
3233 qr1_0.ride_request_id,
3234 qr1_0.saga_id,
3235 qr1_0.status,
3236 qr1_0.version
3237 from
```

```
3229 queued_requests qr1_0
3230 where
3231 qr1_0.status='QUEUED'
3232 order by
3233 qr1_0.queued_at
3234 2025-05-26T15:11:22.526-04:00 DEBUG 48923 --- [
3235 customer-service] [scheduling-1] c.u.a.c.s.s.i
3236 .CustomerDomainServiceImpl : No queued requests
3237 to process
3238
3239 select
3240 qr1_0.id,
3241 qr1_0.customer_email,
3242 qr1_0.driver_request_payload,
3243 qr1_0.expires_at,
3244 qr1_0.queued_at,
3245 qr1_0.ride_request_id,
3246 qr1_0.saga_id,
3247 qr1_0.status,
3248 qr1_0.version
3249 from
3250 queued_requests qr1_0
3251 where
3252 qr1_0.status='QUEUED'
3253 order by
3254 qr1_0.queued_at
3255 2025-05-26T15:11:23.533-04:00 DEBUG 48923 --- [
3256 customer-service] [scheduling-1] c.u.a.c.s.s.
3257 QueueAndTimeoutScheduler : Running
3258 aggressive queue processor...
3259
3260 Hibernate:
3261
3262 select
3263 qr1_0.id,
3264 qr1_0.customer_email,
3265 qr1_0.driver_request_payload,
3266 qr1_0.expires_at,
3267 qr1_0.queued_at,
3268 qr1_0.ride_request_id,
3269 qr1_0.saga_id,
3270 qr1_0.status,
3271 qr1_0.version
3272 from
3273 queued_requests qr1_0
3274 where
3275 qr1_0.status='QUEUED'
3276 order by
3277 qr1_0.queued_at
3278
3279 2025-05-26T15:11:23.540-04:00 INFO 48923 --- [
3280 customer-service] [scheduling-1] c.u.a.c.s.s.i
3281 .CustomerDomainServiceImpl : === PROCESSING
3282 QUEUE ===
```

```
3255 Hibernate:
3256 select
3257 co1_0.id,
3258 co1_0.created_at,
3259 co1_0.event_type,
3260 co1_0.payload,
3261 co1_0.processed_at,
3262 co1_0.saga_id,
3263 co1_0.saga_status,
3264 co1_0.status,
3265 co1_0.version
3266 from
3267 customer_outbox co1_0
3268 where
3269 co1_0.status=?
3270 order by
3271 co1_0.created_at
3272 Hibernate:
3273 select
3274 oe1_0.id,
3275 oe1_0.created_at,
3276 oe1_0.event_type,
3277 oe1_0.payload,
3278 oe1_0.processed_at,
3279 oe1_0.saga_id,
3280 oe1_0.saga_status,
3281 oe1_0.status,
3282 oe1_0.version
3283 from
3284 outbox_events oe1_0
3285 where
3286 oe1_0.status=?
3287 order by
3288 oe1_0.created_at
3289 2025-05-26T15:11:24.053-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.api.
 shared.outbox.OutboxScheduler : Processing 0
 outbox events
```

```
3290 2025-05-26T15:11:24.549-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
3291 2025-05-26T15:11:24.550-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
3292 Hibernate:
3293 select
3294 qr1_.id,
3295 qr1_.customer_email,
3296 qr1_.driver_request_payload,
3297 qr1_.expires_at,
3298 qr1_.queued_at,
3299 qr1_.ride_request_id,
3300 qr1_.saga_id,
3301 qr1_.status,
3302 qr1_.version
3303 from
3304 queued_requests qr1_
3305 where
3306 qr1_.status='QUEUED'
3307 order by
3308 qr1_.queued_at
3309 2025-05-26T15:11:24.555-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
3310 2025-05-26T15:11:25.558-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
3311 2025-05-26T15:11:25.563-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
3312 Hibernate:
```

```
3313 select
3314 qr1_0.id,
3315 qr1_0.customer_email,
3316 qr1_0.driver_request_payload,
3317 qr1_0.expires_at,
3318 qr1_0.queued_at,
3319 qr1_0.ride_request_id,
3320 qr1_0.saga_id,
3321 qr1_0.status,
3322 qr1_0.version
3323 from
3324 queued_requests qr1_0
3325 where
3326 qr1_0.status='QUEUED'
3327 order by
3328 qr1_0.queued_at
3329 2025-05-26T15:11:25.567-04:00 DEBUG 48923 --- [
3330 customer-service] [scheduling-1] c.u.a.c.s.s.i
3331 .CustomerDomainServiceImpl : No queued requests
3332 to process
3333 2025-05-26T15:11:26.570-04:00 INFO 48923 --- [
3334 customer-service] [nio-8181-exec-2] c.u.a.c.s.
3335 controller.CustomerController : Completing ride
3336 for customer: final1@example.com
3337 2025-05-26T15:11:26.572-04:00 DEBUG 48923 --- [
3338 customer-service] [scheduling-1] c.u.a.c.s.s.
3339 QueueAndTimeoutScheduler : Running
3340 aggressive queue processor...
3341 2025-05-26T15:11:26.575-04:00 INFO 48923 --- [
3342 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
3343 .CustomerDomainServiceImpl : === COMPLETING RIDE
3344 FOR: final1@example.com ===
3345 2025-05-26T15:11:26.577-04:00 INFO 48923 --- [
3346 customer-service] [scheduling-1] c.u.a.c.s.s.i
3347 .CustomerDomainServiceImpl : === PROCESSING
3348 QUEUE ===
3349 Hibernate:
3350 select
```

```
3336 qr1_0.id,
3337 qr1_0.customer_email,
3338 qr1_0.driver_request_payload,
3339 qr1_0.expires_at,
3340 qr1_0.queued_at,
3341 qr1_0.ride_request_id,
3342 qr1_0.saga_id,
3343 qr1_0.status,
3344 qr1_0.version
3345 from
3346 queued_requests qr1_0
3347 where
3348 qr1_0.status='QUEUED'
3349 order by
3350 qr1_0.queued_at
3351 Hibernate:
3352 select
3353 rr1_0.id,
3354 rr1_0.completed_at,
3355 rr1_0.created_at,
3356 rr1_0.customer_email,
3357 rr1_0.destination_location_id,
3358 rr1_0.driver_email,
3359 rr1_0.estimated_price,
3360 rr1_0.final_price,
3361 rr1_0.pickup_location_id,
3362 rr1_0.status
3363 from
3364 ride_requests rr1_0
3365 where
3366 rr1_0.customer_email=?
3367 and rr1_0.status=?
3368 Hibernate:
3369 select
3370 rr1_0.id,
3371 rr1_0.completed_at,
3372 rr1_0.created_at,
3373 rr1_0.customer_email,
```

```
3374 rr1_0.destination_location_id,
3375 rr1_0.driver_email,
3376 rr1_0.estimated_price,
3377 rr1_0.final_price,
3378 rr1_0.pickup_location_id,
3379 rr1_0.status
3380 from
3381 ride_requests rr1_0
3382 where
3383 rr1_0.customer_email=?
3384 and rr1_0.status=?
3385 Hibernate:
3386 select
3387 l1_0.id,
3388 l1_0.address,
3389 l1_0.city,
3390 l1_0.latitude,
3391 l1_0.longitude
3392 from
3393 locations l1_0
3394 where
3395 l1_0.id=?
3396 Hibernate:
3397 select
3398 l1_0.id,
3399 l1_0.address,
3400 l1_0.city,
3401 l1_0.latitude,
3402 l1_0.longitude
3403 from
3404 locations l1_0
3405 where
3406 l1_0.id=?
3407 2025-05-26T15:11:26.591-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
3408 Hibernate:
```

```

3409 select
3410 c1_0.id,
3411 c1_0.current_ride_request_id,
3412 c1_0.email,
3413 c1_0.name,
3414 c1_0.phone,
3415 c1_0.status,
3416 c1_0.version
3417 from
3418 customers c1_0
3419 where
3420 c1_0.email=?
3421 2025-05-26T15:11:26.599-04:00 INFO 48923 --- [
3422 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
3423 .CustomerDomainServiceImpl : Reset customer
3424 final1@example.com to AVAILABLE
3422 2025-05-26T15:11:26.599-04:00 INFO 48923 --- [
3423 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
3424 .CustomerDomainServiceImpl : RELEASING DRIVER
3425 john.driver@uber.com AFTER COMPLETION
3423 2025-05-26T15:11:26.603-04:00 INFO 48923 --- [
3424 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
3425 .CustomerDomainServiceImpl : SENT DRIVER
3426 RELEASE EVENT via SAGA for driver: john.driver@uber.com status: COMPLETED
3424 2025-05-26T15:11:26.603-04:00 INFO 48923 --- [
3425 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
3426 .CustomerDomainServiceImpl : TRIGGERING
3427 IMMEDIATE QUEUE PROCESSING AFTER COMPLETION
3425 2025-05-26T15:11:26.603-04:00 INFO 48923 --- [
3426 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
3427 .CustomerDomainServiceImpl : === PROCESSING
3428 QUEUE ===
3426 Hibernate:
3427 select
3428 qr1_0.id,
3429 qr1_0.customer_email,
3430 qr1_0.driver_request_payload,

```

```
3431 qr1_0.expires_at,
3432 qr1_0.queued_at,
3433 qr1_0.ride_request_id,
3434 qr1_0.saga_id,
3435 qr1_0.status,
3436 qr1_0.version
3437 from
3438 queued_requests qr1_0
3439 where
3440 qr1_0.status='QUEUED'
3441 order by
3442 qr1_0.queued_at
3443 2025-05-26T15:11:26.605-04:00 DEBUG 48923 --- [
 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
3444 2025-05-26T15:11:27.594-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
3445 2025-05-26T15:11:27.597-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
3446 Hibernate:
3447 select
3448 qr1_0.id,
3449 qr1_0.customer_email,
3450 qr1_0.driver_request_payload,
3451 qr1_0.expires_at,
3452 qr1_0.queued_at,
3453 qr1_0.ride_request_id,
3454 qr1_0.saga_id,
3455 qr1_0.status,
3456 qr1_0.version
3457 from
3458 queued_requests qr1_0
3459 where
```

```
3460 qr1_0.status='QUEUED'
3461 order by
3462 qr1_0.queued_at
3463 2025-05-26T15:11:27.600-04:00 DEBUG 48923 --- [
3464 customer-service] [scheduling-1] c.u.a.c.s.s.i
3465 .CustomerDomainServiceImpl : No queued requests
3466 to process
3467 2025-05-26T15:11:28.605-04:00 DEBUG 48923 --- [
3468 customer-service] [scheduling-1] c.u.a.c.s.s.
3469 QueueAndTimeoutScheduler : Running
3470 aggressive queue processor...
3471 2025-05-26T15:11:28.608-04:00 INFO 48923 --- [
3472 customer-service] [scheduling-1] c.u.a.c.s.s.i
3473 .CustomerDomainServiceImpl : === PROCESSING
3474 QUEUE ===
3475 Hibernate:
3476 select
3477 qr1_0.id,
3478 qr1_0.customer_email,
3479 qr1_0.driver_request_payload,
3480 qr1_0.expires_at,
3481 qr1_0.queued_at,
3482 qr1_0.ride_request_id,
3483 qr1_0.saga_id,
3484 qr1_0.status,
3485 qr1_0.version
3486 from
3487 queued_requests qr1_0
3488 where
3489 qr1_0.status='QUEUED'
3490 order by
3491 qr1_0.queued_at
3492 2025-05-26T15:11:28.610-04:00 INFO 48923 --- [
3493 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
3494 .CustomerDomainServiceImpl : SECOND QUEUE
3495 PROCESSING ATTEMPT
3496 2025-05-26T15:11:28.610-04:00 INFO 48923 --- [
3497 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
```

```
3484 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
3485 Hibernate:
3486 select
3487 qr1_0.id,
3488 qr1_0.customer_email,
3489 qr1_0.driver_request_payload,
3490 qr1_0.expires_at,
3491 qr1_0.queued_at,
3492 qr1_0.ride_request_id,
3493 qr1_0.saga_id,
3494 qr1_0.status,
3495 qr1_0.version
3496 from
3497 queued_requests qr1_0
3498 where
3499 qr1_0.status='QUEUED'
3500 order by
3501 qr1_0.queued_at
3502 2025-05-26T15:11:28.611-04:00 DEBUG 48923 --- [
3503 customer-service] [scheduling-1] c.u.a.c.s.s.i
3504 .CustomerDomainServiceImpl : No queued requests
3505 to process
3503 2025-05-26T15:11:28.612-04:00 DEBUG 48923 --- [
3504 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
3505 .CustomerDomainServiceImpl : No queued requests
3506 to process
3504 Hibernate:
3505 select
3506 co1_0.id,
3507 co1_0.created_at,
3508 co1_0.event_type,
3509 co1_0.payload,
3510 co1_0.processed_at,
3511 co1_0.saga_id,
3512 co1_0.saga_status,
3513 co1_0.status,
3514 co1_0.version
```

```
3515 from
3516 customer_outbox co1_0
3517 where
3518 co1_0.status=?
3519 order by
3520 co1_0.created_at
3521 Hibernate:
3522 select
3523 oe1_0.id,
3524 oe1_0.created_at,
3525 oe1_0.event_type,
3526 oe1_0.payload,
3527 oe1_0.processed_at,
3528 oe1_0.saga_id,
3529 oe1_0.saga_status,
3530 oe1_0.status,
3531 oe1_0.version
3532 from
3533 outbox_events oe1_0
3534 where
3535 oe1_0.status=?
3536 order by
3537 oe1_0.created_at
3538 2025-05-26T15:11:29.068-04:00 INFO 48923 --- [
3539 customer-service] [scheduling-1] c.u.api.
3540 shared.outbox.OutboxScheduler : Processing 0
3541 outbox events
3542 2025-05-26T15:11:29.618-04:00 DEBUG 48923 --- [
3543 customer-service] [scheduling-1] c.u.a.c.s.s.
3544 QueueAndTimeoutScheduler : Running
3545 aggressive queue processor...
3546 2025-05-26T15:11:29.622-04:00 INFO 48923 --- [
3547 customer-service] [scheduling-1] c.u.a.c.s.s.i
3548 .CustomerDomainServiceImpl : === PROCESSING
3549 QUEUE ===
3550 Hibernate:
3551 select
3552 qr1_0.id,
```

```
3544 qr1_0.customer_email,
3545 qr1_0.driver_request_payload,
3546 qr1_0.expires_at,
3547 qr1_0.queued_at,
3548 qr1_0.ride_request_id,
3549 qr1_0.saga_id,
3550 qr1_0.status,
3551 qr1_0.version
3552 from
3553 queued_requests qr1_0
3554 where
3555 qr1_0.status='QUEUED'
3556 order by
3557 qr1_0.queued_at
3558 2025-05-26T15:11:29.639-04:00 DEBUG 48923 --- [
3559 customer-service] [scheduling-1] c.u.a.c.s.s.i
3560 .CustomerDomainServiceImpl : No queued requests
3561 to process
3562 2025-05-26T15:11:30.645-04:00 DEBUG 48923 --- [
3563 customer-service] [scheduling-1] c.u.a.c.s.s.
3564 QueueAndTimeoutScheduler : Running
3565 aggressive queue processor...
3566 2025-05-26T15:11:30.649-04:00 INFO 48923 --- [
3567 customer-service] [scheduling-1] c.u.a.c.s.s.i
3568 .CustomerDomainServiceImpl : === PROCESSING
3569 QUEUE ===
3570 Hibernate:
3571 select
3572 qr1_0.id,
3573 qr1_0.customer_email,
3574 qr1_0.driver_request_payload,
3575 qr1_0.expires_at,
3576 qr1_0.queued_at,
3577 qr1_0.ride_request_id,
3578 qr1_0.saga_id,
3579 qr1_0.status,
3580 qr1_0.version
3581 from
```

```
3573 queued_requests qr1_0
3574 where
3575 qr1_0.status='QUEUED'
3576 order by
3577 qr1_0.queued_at
3578 2025-05-26T15:11:30.654-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
3579 2025-05-26T15:11:31.617-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : THIRD QUEUE
 PROCESSING ATTEMPT
3580 2025-05-26T15:11:31.618-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
3581 Hibernate:
3582 select
3583 qr1_0.id,
3584 qr1_0.customer_email,
3585 qr1_0.driver_request_payload,
3586 qr1_0.expires_at,
3587 qr1_0.queued_at,
3588 qr1_0.ride_request_id,
3589 qr1_0.saga_id,
3590 qr1_0.status,
3591 qr1_0.version
3592 from
3593 queued_requests qr1_0
3594 where
3595 qr1_0.status='QUEUED'
3596 order by
3597 qr1_0.queued_at
3598 2025-05-26T15:11:31.626-04:00 DEBUG 48923 --- [
 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
```

```
3599 2025-05-26T15:11:31.662-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
3600 2025-05-26T15:11:31.665-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
3601 Hibernate:
3602 select
3603 qr1_.id,
3604 qr1_.customer_email,
3605 qr1_.driver_request_payload,
3606 qr1_.expires_at,
3607 qr1_.queued_at,
3608 qr1_.ride_request_id,
3609 qr1_.saga_id,
3610 qr1_.status,
3611 qr1_.version
3612 from
3613 queued_requests qr1_
3614 where
3615 qr1_.status='QUEUED'
3616 order by
3617 qr1_.queued_at
3618 2025-05-26T15:11:31.669-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
3619 2025-05-26T15:11:32.673-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
3620 2025-05-26T15:11:32.679-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
3621 Hibernate:
```

```
3622 select
3623 qr1_0.id,
3624 qr1_0.customer_email,
3625 qr1_0.driver_request_payload,
3626 qr1_0.expires_at,
3627 qr1_0.queued_at,
3628 qr1_0.ride_request_id,
3629 qr1_0.saga_id,
3630 qr1_0.status,
3631 qr1_0.version
3632 from
3633 queued_requests qr1_0
3634 where
3635 qr1_0.status='QUEUED'
3636 order by
3637 qr1_0.queued_at
3638 2025-05-26T15:11:32.682-04:00 DEBUG 48923 --- [
3639 customer-service] [scheduling-1] c.u.a.c.s.s.i
3640 .CustomerDomainServiceImpl : No queued requests
3641 to process
3642 2025-05-26T15:11:33.690-04:00 DEBUG 48923 --- [
3643 customer-service] [scheduling-1] c.u.a.c.s.s.
3644 QueueAndTimeoutScheduler : Running
3645 aggressive queue processor...
3646 2025-05-26T15:11:33.694-04:00 INFO 48923 --- [
3647 customer-service] [scheduling-1] c.u.a.c.s.s.i
3648 .CustomerDomainServiceImpl : === PROCESSING
3649 QUEUE ===
3650 Hibernate:
3651 select
3652 qr1_0.id,
3653 qr1_0.customer_email,
3654 qr1_0.driver_request_payload,
3655 qr1_0.expires_at,
3656 qr1_0.queued_at,
3657 qr1_0.ride_request_id,
3658 qr1_0.saga_id,
3659 qr1_0.status,
```

```
3651 qr1_0.version
3652 from
3653 queued_requests qr1_0
3654 where
3655 qr1_0.status='QUEUED'
3656 order by
3657 qr1_0.queued_at
3658 2025-05-26T15:11:33.697-04:00 DEBUG 48923 --- [
3659 customer-service] [scheduling-1] c.u.a.c.s.s.i
3660 .CustomerDomainServiceImpl : No queued requests
3661 to process
3662 Hibernate:
3663 select
3664 co1_0.id,
3665 co1_0.created_at,
3666 co1_0.event_type,
3667 co1_0.payload,
3668 co1_0.processed_at,
3669 co1_0.saga_id,
3670 co1_0.saga_status,
3671 co1_0.status,
3672 co1_0.version
3673 from
3674 customer_outbox co1_0
3675 where
3676 co1_0.status=?
3677 order by
3678 co1_0.created_at
3679 Hibernate:
3680 select
3681 oe1_0.id,
3682 oe1_0.created_at,
3683 oe1_0.event_type,
3684 oe1_0.payload,
3685 oe1_0.processed_at,
3686 oe1_0.saga_id,
3687 oe1_0.saga_status,
3688 oe1_0.status,
```

```
3686 oe1_0.version
3687 from
3688 outbox_events oe1_0
3689 where
3690 oe1_0.status=?
3691 order by
3692 oe1_0.created_at
3693 2025-05-26T15:11:34.085-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.api.shared.outbox.OutboxScheduler : Processing 0 outbox events
3694 2025-05-26T15:11:34.705-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
3695 2025-05-26T15:11:34.709-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
3696 Hibernate:
3697 select
3698 qr1_0.id,
3699 qr1_0.customer_email,
3700 qr1_0.driver_request_payload,
3701 qr1_0.expires_at,
3702 qr1_0.queued_at,
3703 qr1_0.ride_request_id,
3704 qr1_0.saga_id,
3705 qr1_0.status,
3706 qr1_0.version
3707 from
3708 queued_requests qr1_0
3709 where
3710 qr1_0.status='QUEUED'
3711 order by
3712 qr1_0.queued_at
3713 2025-05-26T15:11:34.713-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i
```

```
3713 .CustomerDomainServiceImpl : No queued requests
 to process
3714 2025-05-26T15:11:35.719-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
3715 2025-05-26T15:11:35.723-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
3716 Hibernate:
3717 select
3718 qr1_0.id,
3719 qr1_0.customer_email,
3720 qr1_0.driver_request_payload,
3721 qr1_0.expires_at,
3722 qr1_0.queued_at,
3723 qr1_0.ride_request_id,
3724 qr1_0.saga_id,
3725 qr1_0.status,
3726 qr1_0.version
3727 from
3728 queued_requests qr1_0
3729 where
3730 qr1_0.status='QUEUED'
3731 order by
3732 qr1_0.queued_at
3733 2025-05-26T15:11:35.727-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
3734 2025-05-26T15:11:36.630-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : FOURTH QUEUE
 PROCESSING ATTEMPT
3735 2025-05-26T15:11:36.631-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
```

```
3735 QUEUE ===
3736 Hibernate:
3737 select
3738 qr1_0.id,
3739 qr1_0.customer_email,
3740 qr1_0.driver_request_payload,
3741 qr1_0.expires_at,
3742 qr1_0.queued_at,
3743 qr1_0.ride_request_id,
3744 qr1_0.saga_id,
3745 qr1_0.status,
3746 qr1_0.version
3747 from
3748 queued_requests qr1_0
3749 where
3750 qr1_0.status='QUEUED'
3751 order by
3752 qr1_0.queued_at
3753 2025-05-26T15:11:36.637-04:00 DEBUG 48923 --- [
3754 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
3755 .CustomerDomainServiceImpl : No queued requests
3756 to process
3757 2025-05-26T15:11:36.637-04:00 INFO 48923 --- [
3758 customer-service] [nio-8181-exec-2] c.u.a.c.s.s.i
3759 .CustomerDomainServiceImpl : RIDE COMPLETED
3760 for customer: final1@example.com
3761 Hibernate:
3762 insert
3763 into
3764 customer_outbox
3765 (created_at, event_type, payload,
3766 processed_at, saga_id, saga_status, status,
3767 version, id)
3768 values
3769 (?, ?, ?, ?, ?, ?, ?, ?, ?)
3770 Hibernate:
3771 update
3772 ride_requests
```

```
3765 set
3766 completed_at=?,
3767 created_at=?,
3768 customer_email=?,
3769 destination_location_id=?,
3770 driver_email=?,
3771 estimated_price=?,
3772 final_price=?,
3773 pickup_location_id=?,
3774 status=?
3775 where
3776 id=?
3777 Hibernate:
3778 update
3779 customers
3780 set
3781 current_ride_request_id=?,
3782 email=?,
3783 name=?,
3784 phone=?,
3785 status=?,
3786 version=?
3787 where
3788 id=?
3789 and version=?
3790 2025-05-26T15:11:36.733-04:00 DEBUG 48923 --- [
3791 customer-service] [scheduling-1] c.u.a.c.s.s.
3792 QueueAndTimeoutScheduler : Running
3793 aggressive queue processor...
3794
3795 2025-05-26T15:11:36.736-04:00 INFO 48923 --- [
3796 customer-service] [scheduling-1] c.u.a.c.s.s.i
3797 .CustomerDomainServiceImpl : === PROCESSING
3798 QUEUE ===
3799 Hibernate:
3800 select
3801 qr1_0.id,
3802 qr1_0.customer_email,
3803 qr1_0.driver_request_payload,
```

```
3797 qr1_0.expires_at,
3798 qr1_0.queued_at,
3799 qr1_0.ride_request_id,
3800 qr1_0.saga_id,
3801 qr1_0.status,
3802 qr1_0.version
3803 from
3804 queued_requests qr1_0
3805 where
3806 qr1_0.status='QUEUED'
3807 order by
3808 qr1_0.queued_at
3809 2025-05-26T15:11:36.739-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
3810 2025-05-26T15:11:37.746-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
3811 2025-05-26T15:11:37.750-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
3812 Hibernate:
3813 select
3814 qr1_0.id,
3815 qr1_0.customer_email,
3816 qr1_0.driver_request_payload,
3817 qr1_0.expires_at,
3818 qr1_0.queued_at,
3819 qr1_0.ride_request_id,
3820 qr1_0.saga_id,
3821 qr1_0.status,
3822 qr1_0.version
3823 from
3824 queued_requests qr1_0
3825 where
```

```
3826 qr1_0.status='QUEUED'
3827 order by
3828 qr1_0.queued_at
3829 2025-05-26T15:11:37.756-04:00 DEBUG 48923 --- [
3830 customer-service] [scheduling-1] c.u.a.c.s.s.i
3831 .CustomerDomainServiceImpl : No queued requests
3832 to process
3833 Hibernate:
3834 select
3835 qr1_0.id,
3836 qr1_0.customer_email,
3837 qr1_0.driver_request_payload,
3838 qr1_0.expires_at,
3839 qr1_0.queued_at,
3840 qr1_0.ride_request_id,
3841 qr1_0.saga_id,
3842 qr1_0.status,
3843 qr1_0.version
3844 from
3845 queued_requests qr1_0
3846 where
3847 qr1_0.status=?
3848 and qr1_0.expires_at<?
3849 2025-05-26T15:11:38.779-04:00 INFO 48923 --- [
3850 customer-service] [scheduling-1] c.u.a.c.s.s.i
3851 .CustomerDomainServiceImpl : === PROCESSING 0
3852 EXPIRED REQUESTS ===
3853 2025-05-26T15:11:38.784-04:00 DEBUG 48923 --- [
3854 customer-service] [scheduling-1] c.u.a.c.s.s.
3855 QueueAndTimeoutScheduler : Running
3856 aggressive queue processor...
3857 2025-05-26T15:11:38.784-04:00 INFO 48923 --- [
3858 customer-service] [scheduling-1] c.u.a.c.s.s.i
3859 .CustomerDomainServiceImpl : === PROCESSING
3860 QUEUE ===
3861 Hibernate:
3862 select
3863 qr1_0.id,
```

```
3852 qr1_0.customer_email,
3853 qr1_0.driver_request_payload,
3854 qr1_0.expires_at,
3855 qr1_0.queued_at,
3856 qr1_0.ride_request_id,
3857 qr1_0.saga_id,
3858 qr1_0.status,
3859 qr1_0.version
3860 from
3861 queued_requests qr1_0
3862 where
3863 qr1_0.status='QUEUED'
3864 order by
3865 qr1_0.queued_at
3866 2025-05-26T15:11:38.787-04:00 DEBUG 48923 --- [
3867 customer-service] [scheduling-1] c.u.a.c.s.s.i
3868 .CustomerDomainServiceImpl : No queued requests
3869 to process
3870
3871 Hibernate:
3872
3873 select
3874 co1_0.id,
3875 co1_0.created_at,
3876 co1_0.event_type,
3877 co1_0.payload,
3878 co1_0.processed_at,
3879 co1_0.saga_id,
3880 co1_0.saga_status,
3881 co1_0.status,
3882 co1_0.version
3883 from
3884 customer_outbox co1_0
3885 where
3886 co1_0.status=?
3887 order by
3888 co1_0.created_at
3889
3890 2025-05-26T15:11:39.093-04:00 INFO 48923 --- [
3891 customer-service] [scheduling-1] c.u.a.c.s.s.
3892 CustomerOutboxScheduler : Processing 1
```

```
3884 customer outbox events
3885 2025-05-26T15:11:39.099-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 CustomerOutboxScheduler : Successfully sent
 event f6328d94-0127-46dc-88c9-40a273c39fb to
 topic driver-completion
3886 Hibernate:
3887 update
3888 customer_outbox
3889 set
3890 created_at=?,
3891 event_type=?,
3892 payload=?,
3893 processed_at=?,
3894 saga_id=?,
3895 saga_status=?,
3896 status=?,
3897 version=?
3898 where
3899 id=?
3900 and version=?
3901 Hibernate:
3902 select
3903 oe1_0.id,
3904 oe1_0.created_at,
3905 oe1_0.event_type,
3906 oe1_0.payload,
3907 oe1_0.processed_at,
3908 oe1_0.saga_id,
3909 oe1_0.saga_status,
3910 oe1_0.status,
3911 oe1_0.version
3912 from
3913 outbox_events oe1_0
3914 where
3915 oe1_0.status=?
3916 order by
3917 oe1_0.created_at
```

```
3918 2025-05-26T15:11:39.115-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.api.shared.outbox.OutboxScheduler : Processing 0 outbox events
3919 2025-05-26T15:11:39.153-04:00 INFO 48923 --- [customer-service] [ntainer#0-0-C-1] c.u.a.c.s.m.DriverAvailableListener : DRIVER AVAILABLE EVENT RECEIVED: john.driver@uber.com
3920 2025-05-26T15:11:39.153-04:00 INFO 48923 --- [customer-service] [ntainer#0-0-C-1] c.u.a.c.s.service.RideMatchingService : Driver became available - no action needed (all requests process immediately)
3921 2025-05-26T15:11:39.154-04:00 INFO 48923 --- [customer-service] [ntainer#0-0-C-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
3922 Hibernate:
3923 select
3924 qr1_0.id,
3925 qr1_0.customer_email,
3926 qr1_0.driver_request_payload,
3927 qr1_0.expires_at,
3928 qr1_0.queued_at,
3929 qr1_0.ride_request_id,
3930 qr1_0.saga_id,
3931 qr1_0.status,
3932 qr1_0.version
3933 from
3934 queued_requests qr1_0
3935 where
3936 qr1_0.status='QUEUED'
3937 order by
3938 qr1_0.queued_at
3939 2025-05-26T15:11:39.156-04:00 DEBUG 48923 --- [customer-service] [ntainer#0-0-C-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
```

```
3940 2025-05-26T15:11:39.794-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
3941 2025-05-26T15:11:39.813-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
3942 Hibernate:
3943 select
3944 qr1_.id,
3945 qr1_.customer_email,
3946 qr1_.driver_request_payload,
3947 qr1_.expires_at,
3948 qr1_.queued_at,
3949 qr1_.ride_request_id,
3950 qr1_.saga_id,
3951 qr1_.status,
3952 qr1_.version
3953 from
3954 queued_requests qr1_
3955 where
3956 qr1_.status='QUEUED'
3957 order by
3958 qr1_.queued_at
3959 2025-05-26T15:11:39.882-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
3960 2025-05-26T15:11:40.164-04:00 INFO 48923 --- [customer-service] [ntainer#0-0-C-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
3961 Hibernate:
3962 select
3963 qr1_.id,
3964 qr1_.customer_email,
3965 qr1_.driver_request_payload,
```

```
3966 qr1_0.expires_at,
3967 qr1_0.queued_at,
3968 qr1_0.ride_request_id,
3969 qr1_0.saga_id,
3970 qr1_0.status,
3971 qr1_0.version
3972 from
3973 queued_requests qr1_0
3974 where
3975 qr1_0.status='QUEUED'
3976 order by
3977 qr1_0.queued_at
3978 2025-05-26T15:11:40.166-04:00 DEBUG 48923 --- [
 customer-service] [ntainer#0-0-C-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
3979 2025-05-26T15:11:40.892-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
3980 2025-05-26T15:11:40.898-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
3981 Hibernate:
3982 select
3983 qr1_0.id,
3984 qr1_0.customer_email,
3985 qr1_0.driver_request_payload,
3986 qr1_0.expires_at,
3987 qr1_0.queued_at,
3988 qr1_0.ride_request_id,
3989 qr1_0.saga_id,
3990 qr1_0.status,
3991 qr1_0.version
3992 from
3993 queued_requests qr1_0
3994 where
```

```
3995 qr1_0.status='QUEUED'
3996 order by
3997 qr1_0.queued_at
3998 2025-05-26T15:11:40.911-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
3999 2025-05-26T15:11:41.171-04:00 INFO 48923 --- [
 customer-service] [ntainer#0-0-C-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
4000 Hibernate:
4001 select
4002 qr1_0.id,
4003 qr1_0.customer_email,
4004 qr1_0.driver_request_payload,
4005 qr1_0.expires_at,
4006 qr1_0.queued_at,
4007 qr1_0.ride_request_id,
4008 qr1_0.saga_id,
4009 qr1_0.status,
4010 qr1_0.version
4011 from
4012 queued_requests qr1_0
4013 where
4014 qr1_0.status='QUEUED'
4015 order by
4016 qr1_0.queued_at
4017 2025-05-26T15:11:41.174-04:00 DEBUG 48923 --- [
 customer-service] [ntainer#0-0-C-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
4018 2025-05-26T15:11:41.917-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
4019 2025-05-26T15:11:41.921-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
```

```
4019 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
4020 Hibernate:
4021 select
4022 qr1_0.id,
4023 qr1_0.customer_email,
4024 qr1_0.driver_request_payload,
4025 qr1_0.expires_at,
4026 qr1_0.queued_at,
4027 qr1_0.ride_request_id,
4028 qr1_0.saga_id,
4029 qr1_0.status,
4030 qr1_0.version
4031 from
4032 queued_requests qr1_0
4033 where
4034 qr1_0.status='QUEUED'
4035 order by
4036 qr1_0.queued_at
4037 2025-05-26T15:11:41.926-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
4038 2025-05-26T15:11:42.180-04:00 INFO 48923 --- [
 customer-service] [ntainer#0-0-C-1] c.u.a.c.s.m.
 DriverAvailableListener : Queue
 processing triggered by driver available event
4039 2025-05-26T15:11:42.933-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
4040 2025-05-26T15:11:42.939-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
4041 Hibernate:
4042 select
4043 qr1_0.id,
```

```
4044 qr1_0.customer_email,
4045 qr1_0.driver_request_payload,
4046 qr1_0.expires_at,
4047 qr1_0.queued_at,
4048 qr1_0.ride_request_id,
4049 qr1_0.saga_id,
4050 qr1_0.status,
4051 qr1_0.version
4052 from
4053 queued_requests qr1_0
4054 where
4055 qr1_0.status='QUEUED'
4056 order by
4057 qr1_0.queued_at
4058 2025-05-26T15:11:42.944-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
4059 2025-05-26T15:11:43.946-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
4060 2025-05-26T15:11:43.951-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
4061 Hibernate:
4062 select
4063 qr1_0.id,
4064 qr1_0.customer_email,
4065 qr1_0.driver_request_payload,
4066 qr1_0.expires_at,
4067 qr1_0.queued_at,
4068 qr1_0.ride_request_id,
4069 qr1_0.saga_id,
4070 qr1_0.status,
4071 qr1_0.version
4072 from
```

```
4073 queued_requests qr1_0
4074 where
4075 qr1_0.status='QUEUED'
4076 order by
4077 qr1_0.queued_at
4078 2025-05-26T15:11:43.954-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
4079 Hibernate:
4080 select
4081 co1_0.id,
4082 co1_0.created_at,
4083 co1_0.event_type,
4084 co1_0.payload,
4085 co1_0.processed_at,
4086 co1_0.saga_id,
4087 co1_0.saga_status,
4088 co1_0.status,
4089 co1_0.version
4090 from
4091 customer_outbox co1_0
4092 where
4093 co1_0.status=?
4094 order by
4095 co1_0.created_at
4096 Hibernate:
4097 select
4098 oe1_0.id,
4099 oe1_0.created_at,
4100 oe1_0.event_type,
4101 oe1_0.payload,
4102 oe1_0.processed_at,
4103 oe1_0.saga_id,
4104 oe1_0.saga_status,
4105 oe1_0.status,
4106 oe1_0.version
4107 from
```

```
4108 outbox_events oe1_0
4109 where
4110 oe1_0.status=?
4111 order by
4112 oe1_0.created_at
4113 2025-05-26T15:11:44.140-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.api.shared.outbox.OutboxScheduler : Processing 0 outbox events
4114 2025-05-26T15:11:44.963-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
4115 2025-05-26T15:11:44.967-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
4116 Hibernate:
4117 select
4118 qr1_0.id,
4119 qr1_0.customer_email,
4120 qr1_0.driver_request_payload,
4121 qr1_0.expires_at,
4122 qr1_0.queued_at,
4123 qr1_0.ride_request_id,
4124 qr1_0.saga_id,
4125 qr1_0.status,
4126 qr1_0.version
4127 from
4128 queued_requests qr1_0
4129 where
4130 qr1_0.status='QUEUED'
4131 order by
4132 qr1_0.queued_at
4133 2025-05-26T15:11:44.970-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
```

```
4134 2025-05-26T15:11:45.976-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
4135 2025-05-26T15:11:45.978-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
4136 Hibernate:
4137 select
4138 qr1_.id,
4139 qr1_.customer_email,
4140 qr1_.driver_request_payload,
4141 qr1_.expires_at,
4142 qr1_.queued_at,
4143 qr1_.ride_request_id,
4144 qr1_.saga_id,
4145 qr1_.status,
4146 qr1_.version
4147 from
4148 queued_requests qr1_
4149 where
4150 qr1_.status='QUEUED'
4151 order by
4152 qr1_.queued_at
4153 2025-05-26T15:11:45.980-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
4154 2025-05-26T15:11:46.987-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
4155 2025-05-26T15:11:46.996-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
4156 Hibernate:
```

```
4157 select
4158 qr1_0.id,
4159 qr1_0.customer_email,
4160 qr1_0.driver_request_payload,
4161 qr1_0.expires_at,
4162 qr1_0.queued_at,
4163 qr1_0.ride_request_id,
4164 qr1_0.saga_id,
4165 qr1_0.status,
4166 qr1_0.version
4167 from
4168 queued_requests qr1_0
4169 where
4170 qr1_0.status='QUEUED'
4171 order by
4172 qr1_0.queued_at
4173 2025-05-26T15:11:47.002-04:00 DEBUG 48923 --- [
4174 customer-service] [scheduling-1] c.u.a.c.s.s.i
4175 .CustomerDomainServiceImpl : No queued requests
4176 to process
4177 2025-05-26T15:11:48.011-04:00 DEBUG 48923 --- [
4178 customer-service] [scheduling-1] c.u.a.c.s.s.
4179 QueueAndTimeoutScheduler : Running
4180 aggressive queue processor...
4181 2025-05-26T15:11:48.015-04:00 INFO 48923 --- [
4182 customer-service] [scheduling-1] c.u.a.c.s.s.i
4183 .CustomerDomainServiceImpl : === PROCESSING
4184 QUEUE ===
4185 Hibernate:
4186 select
4187 qr1_0.id,
4188 qr1_0.customer_email,
4189 qr1_0.driver_request_payload,
4190 qr1_0.expires_at,
4191 qr1_0.queued_at,
4192 qr1_0.ride_request_id,
4193 qr1_0.saga_id,
4194 qr1_0.status,
```

```
4186 qr1_0.version
4187 from
4188 queued_requests qr1_0
4189 where
4190 qr1_0.status='QUEUED'
4191 order by
4192 qr1_0.queued_at
4193 2025-05-26T15:11:48.018-04:00 DEBUG 48923 --- [
4194 customer-service] [scheduling-1] c.u.a.c.s.s.i
4195 .CustomerDomainServiceImpl : No queued requests
4196 to process
4197 2025-05-26T15:11:49.021-04:00 DEBUG 48923 --- [
4198 customer-service] [scheduling-1] c.u.a.c.s.s.
4199 QueueAndTimeoutScheduler : Running
4200 aggressive queue processor...
4201 2025-05-26T15:11:49.024-04:00 INFO 48923 --- [
4202 customer-service] [scheduling-1] c.u.a.c.s.s.i
4203 .CustomerDomainServiceImpl : === PROCESSING
4204 QUEUE ===
4205 Hibernate:
4206 select
4207 qr1_0.id,
4208 qr1_0.customer_email,
4209 qr1_0.driver_request_payload,
4210 qr1_0.expires_at,
4211 qr1_0.queued_at,
4212 qr1_0.ride_request_id,
4213 qr1_0.saga_id,
4214 qr1_0.status,
4215 qr1_0.version
4216 from
4217 queued_requests qr1_0
4218 where
4219 qr1_0.status='QUEUED'
4220 order by
4221 qr1_0.queued_at
4222 2025-05-26T15:11:49.026-04:00 DEBUG 48923 --- [
4223 customer-service] [scheduling-1] c.u.a.c.s.s.i
```

```
4213 .CustomerDomainServiceImpl : No queued requests
 to process
4214 Hibernate:
4215 select
4216 co1_0.id,
4217 co1_0.created_at,
4218 co1_0.event_type,
4219 co1_0.payload,
4220 co1_0.processed_at,
4221 co1_0.saga_id,
4222 co1_0.saga_status,
4223 co1_0.status,
4224 co1_0.version
4225 from
4226 customer_outbox co1_0
4227 where
4228 co1_0.status=?
4229 order by
4230 co1_0.created_at
4231 Hibernate:
4232 select
4233 oe1_0.id,
4234 oe1_0.created_at,
4235 oe1_0.event_type,
4236 oe1_0.payload,
4237 oe1_0.processed_at,
4238 oe1_0.saga_id,
4239 oe1_0.saga_status,
4240 oe1_0.status,
4241 oe1_0.version
4242 from
4243 outbox_events oe1_0
4244 where
4245 oe1_0.status=?
4246 order by
4247 oe1_0.created_at
4248 2025-05-26T15:11:49.154-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.api.
```

```
4248 shared.outbox.OutboxScheduler : Processing 0
 outbox events
4249 2025-05-26T15:11:50.028-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running
 aggressive queue processor...
4250 2025-05-26T15:11:50.030-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
4251 Hibernate:
4252 select
4253 qr1_0.id,
4254 qr1_0.customer_email,
4255 qr1_0.driver_request_payload,
4256 qr1_0.expires_at,
4257 qr1_0.queued_at,
4258 qr1_0.ride_request_id,
4259 qr1_0.saga_id,
4260 qr1_0.status,
4261 qr1_0.version
4262 from
4263 queued_requests qr1_0
4264 where
4265 qr1_0.status='QUEUED'
4266 order by
4267 qr1_0.queued_at
4268 2025-05-26T15:11:50.032-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests
 to process
4269 2025-05-26T15:11:51.038-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running
 aggressive queue processor...
4270 2025-05-26T15:11:51.041-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING
```

```
4270 QUEUE ===
4271 Hibernate:
4272 select
4273 qr1_0.id,
4274 qr1_0.customer_email,
4275 qr1_0.driver_request_payload,
4276 qr1_0.expires_at,
4277 qr1_0.queued_at,
4278 qr1_0.ride_request_id,
4279 qr1_0.saga_id,
4280 qr1_0.status,
4281 qr1_0.version
4282 from
4283 queued_requests qr1_0
4284 where
4285 qr1_0.status='QUEUED'
4286 order by
4287 qr1_0.queued_at
4288 2025-05-26T15:11:51.044-04:00 DEBUG 48923 --- [
4289 customer-service] [scheduling-1] c.u.a.c.s.s.i
4290 .CustomerDomainServiceImpl : No queued requests
4291 to process
4292 2025-05-26T15:11:52.047-04:00 DEBUG 48923 --- [
4293 customer-service] [scheduling-1] c.u.a.c.s.s.
4294 QueueAndTimeoutScheduler : Running
4295 aggressive queue processor...
4296 2025-05-26T15:11:52.052-04:00 INFO 48923 --- [
4297 customer-service] [scheduling-1] c.u.a.c.s.s.i
4298 .CustomerDomainServiceImpl : === PROCESSING
4299 QUEUE ===
4300 Hibernate:
4301 select
4302 qr1_0.id,
4303 qr1_0.customer_email,
4304 qr1_0.driver_request_payload,
4305 qr1_0.expires_at,
4306 qr1_0.queued_at,
4307 qr1_0.ride_request_id,
```

```
4299 qr1_0.saga_id,
4300 qr1_0.status,
4301 qr1_0.version
4302 from
4303 queued_requests qr1_0
4304 where
4305 qr1_0.status='QUEUED'
4306 order by
4307 qr1_0.queued_at
4308 2025-05-26T15:11:52.056-04:00 DEBUG 48923 --- [
4309 customer-service] [scheduling-1] c.u.a.c.s.s.i
4310 .CustomerDomainServiceImpl : No queued requests
4311 to process
4309 2025-05-26T15:11:53.064-04:00 DEBUG 48923 --- [
4310 customer-service] [scheduling-1] c.u.a.c.s.s.
4311 QueueAndTimeoutScheduler : Running
4312 aggressive queue processor...
4310 2025-05-26T15:11:53.067-04:00 INFO 48923 --- [
4311 customer-service] [scheduling-1] c.u.a.c.s.s.i
4312 .CustomerDomainServiceImpl : === PROCESSING
4313 QUEUE ===
4311 Hibernate:
4312 select
4313 qr1_0.id,
4314 qr1_0.customer_email,
4315 qr1_0.driver_request_payload,
4316 qr1_0.expires_at,
4317 qr1_0.queued_at,
4318 qr1_0.ride_request_id,
4319 qr1_0.saga_id,
4320 qr1_0.status,
4321 qr1_0.version
4322 from
4323 queued_requests qr1_0
4324 where
4325 qr1_0.status='QUEUED'
4326 order by
4327 qr1_0.queued_at
```

```
4328 2025-05-26T15:11:53.071-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
4329 2025-05-26T15:11:54.074-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
4330 2025-05-26T15:11:54.078-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
4331 Hibernate:
4332 select
4333 qr1_.id,
4334 qr1_.customer_email,
4335 qr1_.driver_request_payload,
4336 qr1_.expires_at,
4337 qr1_.queued_at,
4338 qr1_.ride_request_id,
4339 qr1_.saga_id,
4340 qr1_.status,
4341 qr1_.version
4342 from
4343 queued_requests qr1_
4344 where
4345 qr1_.status='QUEUED'
4346 order by
4347 qr1_.queued_at
4348 2025-05-26T15:11:54.082-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
4349 Hibernate:
4350 select
4351 co1_.id,
4352 co1_.created_at,
4353 co1_.event_type,
```

```
4354 co1_0.payload,
4355 co1_0.processed_at,
4356 co1_0.saga_id,
4357 co1_0.saga_status,
4358 co1_0.status,
4359 co1_0.version
4360 from
4361 customer_outbox co1_0
4362 where
4363 co1_0.status=?
4364 order by
4365 co1_0.created_at
4366 Hibernate:
4367 select
4368 oe1_0.id,
4369 oe1_0.created_at,
4370 oe1_0.event_type,
4371 oe1_0.payload,
4372 oe1_0.processed_at,
4373 oe1_0.saga_id,
4374 oe1_0.saga_status,
4375 oe1_0.status,
4376 oe1_0.version
4377 from
4378 outbox_events oe1_0
4379 where
4380 oe1_0.status=?
4381 order by
4382 oe1_0.created_at
4383 2025-05-26T15:11:54.168-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.api.
 shared.outbox.OutboxScheduler : Processing 0
 outbox events
4384 2025-05-26T15:11:55.089-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
4385 2025-05-26T15:11:55.093-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Aggressive queue processor initialized
```

```
4385 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
4386 Hibernate:
4387 select
4388 qr1_0.id,
4389 qr1_0.customer_email,
4390 qr1_0.driver_request_payload,
4391 qr1_0.expires_at,
4392 qr1_0.queued_at,
4393 qr1_0.ride_request_id,
4394 qr1_0.saga_id,
4395 qr1_0.status,
4396 qr1_0.version
4397 from
4398 queued_requests qr1_0
4399 where
4400 qr1_0.status='QUEUED'
4401 order by
4402 qr1_0.queued_at
4403 2025-05-26T15:11:55.096-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
4404 2025-05-26T15:11:56.098-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
4405 2025-05-26T15:11:56.102-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
4406 Hibernate:
4407 select
4408 qr1_0.id,
4409 qr1_0.customer_email,
4410 qr1_0.driver_request_payload,
4411 qr1_0.expires_at,
```

```
4412 qr1_0.queued_at,
4413 qr1_0.ride_request_id,
4414 qr1_0.saga_id,
4415 qr1_0.status,
4416 qr1_0.version
4417 from
4418 queued_requests qr1_0
4419 where
4420 qr1_0.status='QUEUED'
4421 order by
4422 qr1_0.queued_at
4423 2025-05-26T15:11:56.105-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
4424 2025-05-26T15:11:57.113-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
4425 2025-05-26T15:11:57.118-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
4426 Hibernate:
4427 select
4428 qr1_0.id,
4429 qr1_0.customer_email,
4430 qr1_0.driver_request_payload,
4431 qr1_0.expires_at,
4432 qr1_0.queued_at,
4433 qr1_0.ride_request_id,
4434 qr1_0.saga_id,
4435 qr1_0.status,
4436 qr1_0.version
4437 from
4438 queued_requests qr1_0
4439 where
4440 qr1_0.status='QUEUED'
```

```
4441 order by
4442 qr1_0.queued_at
4443 2025-05-26T15:11:57.123-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
4444 2025-05-26T15:11:58.131-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
4445 2025-05-26T15:11:58.135-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
4446 Hibernate:
4447 select
4448 qr1_0.id,
4449 qr1_0.customer_email,
4450 qr1_0.driver_request_payload,
4451 qr1_0.expires_at,
4452 qr1_0.queued_at,
4453 qr1_0.ride_request_id,
4454 qr1_0.saga_id,
4455 qr1_0.status,
4456 qr1_0.version
4457 from
4458 queued_requests qr1_0
4459 where
4460 qr1_0.status='QUEUED'
4461 order by
4462 qr1_0.queued_at
4463 2025-05-26T15:11:58.139-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
4464 2025-05-26T15:11:59.142-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running
```

```
4464 aggressive queue processor...
4465 2025-05-26T15:11:59.146-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
4466 Hibernate:
4467 select
4468 qr1_0.id,
4469 qr1_0.customer_email,
4470 qr1_0.driver_request_payload,
4471 qr1_0.expires_at,
4472 qr1_0.queued_at,
4473 qr1_0.ride_request_id,
4474 qr1_0.saga_id,
4475 qr1_0.status,
4476 qr1_0.version
4477 from
4478 queued_requests qr1_0
4479 where
4480 qr1_0.status='QUEUED'
4481 order by
4482 qr1_0.queued_at
4483 2025-05-26T15:11:59.150-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
4484 Hibernate:
4485 select
4486 co1_0.id,
4487 co1_0.created_at,
4488 co1_0.event_type,
4489 co1_0.payload,
4490 co1_0.processed_at,
4491 co1_0.saga_id,
4492 co1_0.saga_status,
4493 co1_0.status,
4494 co1_0.version
4495 from
```

```
4496 customer_outbox co1_0
4497 where
4498 co1_0.status=?
4499 order by
4500 co1_0.created_at
4501 Hibernate:
4502 select
4503 oe1_0.id,
4504 oe1_0.created_at,
4505 oe1_0.event_type,
4506 oe1_0.payload,
4507 oe1_0.processed_at,
4508 oe1_0.saga_id,
4509 oe1_0.saga_status,
4510 oe1_0.status,
4511 oe1_0.version
4512 from
4513 outbox_events oe1_0
4514 where
4515 oe1_0.status=?
4516 order by
4517 oe1_0.created_at
4518 2025-05-26T15:11:59.180-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.api.shared.outbox.OutboxScheduler : Processing 0 outbox events
4519 2025-05-26T15:12:00.157-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
4520 2025-05-26T15:12:00.160-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
4521 Hibernate:
4522 select
4523 qr1_0.id,
4524 qr1_0.customer_email,
```

```
4525 qr1_0.driver_request_payload,
4526 qr1_0.expires_at,
4527 qr1_0.queued_at,
4528 qr1_0.ride_request_id,
4529 qr1_0.saga_id,
4530 qr1_0.status,
4531 qr1_0.version
4532 from
4533 queued_requests qr1_0
4534 where
4535 qr1_0.status='QUEUED'
4536 order by
4537 qr1_0.queued_at
4538 2025-05-26T15:12:00.162-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
4539 2025-05-26T15:12:01.168-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
4540 2025-05-26T15:12:01.171-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
4541 Hibernate:
4542 select
4543 qr1_0.id,
4544 qr1_0.customer_email,
4545 qr1_0.driver_request_payload,
4546 qr1_0.expires_at,
4547 qr1_0.queued_at,
4548 qr1_0.ride_request_id,
4549 qr1_0.saga_id,
4550 qr1_0.status,
4551 qr1_0.version
4552 from
4553 queued_requests qr1_0
```

```
4554 where
4555 qr1_0.status='QUEUED'
4556 order by
4557 qr1_0.queued_at
4558 2025-05-26T15:12:01.174-04:00 DEBUG 48923 --- [
4559 customer-service] [scheduling-1] c.u.a.c.s.s.i
4560 .CustomerDomainServiceImpl : No queued requests
4561 to process
4559 2025-05-26T15:12:02.183-04:00 DEBUG 48923 --- [
4560 customer-service] [scheduling-1] c.u.a.c.s.s.
4561 QueueAndTimeoutScheduler : Running
4562 aggressive queue processor...
4560 2025-05-26T15:12:02.187-04:00 INFO 48923 --- [
4561 customer-service] [scheduling-1] c.u.a.c.s.s.i
4562 .CustomerDomainServiceImpl : === PROCESSING
4563 QUEUE ===
4561 Hibernate:
4562 select
4563 qr1_0.id,
4564 qr1_0.customer_email,
4565 qr1_0.driver_request_payload,
4566 qr1_0.expires_at,
4567 qr1_0.queued_at,
4568 qr1_0.ride_request_id,
4569 qr1_0.saga_id,
4570 qr1_0.status,
4571 qr1_0.version
4572 from
4573 queued_requests qr1_0
4574 where
4575 qr1_0.status='QUEUED'
4576 order by
4577 qr1_0.queued_at
4578 2025-05-26T15:12:02.190-04:00 DEBUG 48923 --- [
4579 customer-service] [scheduling-1] c.u.a.c.s.s.i
4580 .CustomerDomainServiceImpl : No queued requests
4581 to process
4579 2025-05-26T15:12:03.197-04:00 DEBUG 48923 --- [
```

```
4579 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
4580 2025-05-26T15:12:03.202-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
4581 Hibernate:
4582 select
4583 qr1_0.id,
4584 qr1_0.customer_email,
4585 qr1_0.driver_request_payload,
4586 qr1_0.expires_at,
4587 qr1_0.queued_at,
4588 qr1_0.ride_request_id,
4589 qr1_0.saga_id,
4590 qr1_0.status,
4591 qr1_0.version
4592 from
4593 queued_requests qr1_0
4594 where
4595 qr1_0.status='QUEUED'
4596 order by
4597 qr1_0.queued_at
4598 2025-05-26T15:12:03.216-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
4599 Hibernate:
4600 select
4601 co1_0.id,
4602 co1_0.created_at,
4603 co1_0.event_type,
4604 co1_0.payload,
4605 co1_0.processed_at,
4606 co1_0.saga_id,
4607 co1_0.saga_status,
4608 co1_0.status,
```

```
4609 co1_0.version
4610 from
4611 customer_outbox co1_0
4612 where
4613 co1_0.status=?
4614 order by
4615 co1_0.created_at
4616 Hibernate:
4617 select
4618 oe1_0.id,
4619 oe1_0.created_at,
4620 oe1_0.event_type,
4621 oe1_0.payload,
4622 oe1_0.processed_at,
4623 oe1_0.saga_id,
4624 oe1_0.saga_status,
4625 oe1_0.status,
4626 oe1_0.version
4627 from
4628 outbox_events oe1_0
4629 where
4630 oe1_0.status=?
4631 order by
4632 oe1_0.created_at
4633 2025-05-26T15:12:04.198-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.api.shared.outbox.OutboxScheduler : Processing 0 outbox events
4634 2025-05-26T15:12:04.222-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
4635 2025-05-26T15:12:04.223-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
4636 Hibernate:
4637 select
```

```
4638 qr1_0.id,
4639 qr1_0.customer_email,
4640 qr1_0.driver_request_payload,
4641 qr1_0.expires_at,
4642 qr1_0.queued_at,
4643 qr1_0.ride_request_id,
4644 qr1_0.saga_id,
4645 qr1_0.status,
4646 qr1_0.version
4647 from
4648 queued_requests qr1_0
4649 where
4650 qr1_0.status='QUEUED'
4651 order by
4652 qr1_0.queued_at
4653 2025-05-26T15:12:04.226-04:00 DEBUG 48923 --- [
4654 customer-service] [scheduling-1] c.u.a.c.s.s.i
4655 .CustomerDomainServiceImpl : No queued requests
4656 to process
4657 2025-05-26T15:12:05.229-04:00 DEBUG 48923 --- [
4658 customer-service] [scheduling-1] c.u.a.c.s.s.
4659 QueueAndTimeoutScheduler : Running
4660 aggressive queue processor...
4661 2025-05-26T15:12:05.232-04:00 INFO 48923 --- [
4662 customer-service] [scheduling-1] c.u.a.c.s.s.i
4663 .CustomerDomainServiceImpl : === PROCESSING
4664 QUEUE ===
4665 Hibernate:
4666 select
4667 qr1_0.id,
4668 qr1_0.customer_email,
4669 qr1_0.driver_request_payload,
4670 qr1_0.expires_at,
4671 qr1_0.queued_at,
4672 qr1_0.ride_request_id,
4673 qr1_0.saga_id,
4674 qr1_0.status,
4675 qr1_0.version
```

```
4667 from
4668 queued_requests qr1_0
4669 where
4670 qr1_0.status='QUEUED'
4671 order by
4672 qr1_0.queued_at
4673 2025-05-26T15:12:05.235-04:00 DEBUG 48923 --- [
4674 customer-service] [scheduling-1] c.u.a.c.s.s.i
4675 .CustomerDomainServiceImpl : No queued requests
4676 to process
4677 2025-05-26T15:12:06.244-04:00 DEBUG 48923 --- [
4678 customer-service] [scheduling-1] c.u.a.c.s.s.
4679 QueueAndTimeoutScheduler : Running
4680 aggressive queue processor...
4681 2025-05-26T15:12:06.249-04:00 INFO 48923 --- [
4682 customer-service] [scheduling-1] c.u.a.c.s.s.i
4683 .CustomerDomainServiceImpl : === PROCESSING
4684 QUEUE ===
4685 Hibernate:
4686 select
4687 qr1_0.id,
4688 qr1_0.customer_email,
4689 qr1_0.driver_request_payload,
4690 qr1_0.expires_at,
4691 qr1_0.queued_at,
4692 qr1_0.ride_request_id,
4693 qr1_0.saga_id,
4694 qr1_0.status,
4695 qr1_0.version
4696 from
4697 queued_requests qr1_0
4698 where
4699 qr1_0.status='QUEUED'
4700 order by
4701 qr1_0.queued_at
4702 2025-05-26T15:12:06.256-04:00 DEBUG 48923 --- [
4703 customer-service] [scheduling-1] c.u.a.c.s.s.i
4704 .CustomerDomainServiceImpl : No queued requests
```

```
4693 to process
4694 2025-05-26T15:12:07.266-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
4695 2025-05-26T15:12:07.268-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
4696 Hibernate:
4697 select
4698 qr1_0.id,
4699 qr1_0.customer_email,
4700 qr1_0.driver_request_payload,
4701 qr1_0.expires_at,
4702 qr1_0.queued_at,
4703 qr1_0.ride_request_id,
4704 qr1_0.saga_id,
4705 qr1_0.status,
4706 qr1_0.version
4707 from
4708 queued_requests qr1_0
4709 where
4710 qr1_0.status='QUEUED'
4711 order by
4712 qr1_0.queued_at
4713 2025-05-26T15:12:07.270-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
4714 2025-05-26T15:12:07.285-04:00 INFO 48923 --- [customer-service] [nio-8181-exec-3] c.u.a.c.s.controller.CustomerController : Getting ride status for customer: final4@example.com
4715 2025-05-26T15:12:07.285-04:00 INFO 48923 --- [customer-service] [nio-8181-exec-3] c.u.a.c.s.s.i.CustomerDomainServiceImpl : Getting ride status for customer: final4@example.com
```

```
4716 Hibernate:
4717 select
4718 rr1_0.id,
4719 rr1_0.completed_at,
4720 rr1_0.created_at,
4721 rr1_0.customer_email,
4722 rr1_0.destination_location_id,
4723 rr1_0.driver_email,
4724 rr1_0.estimated_price,
4725 rr1_0.final_price,
4726 rr1_0.pickup_location_id,
4727 rr1_0.status
4728 from
4729 ride_requests rr1_0
4730 where
4731 rr1_0.customer_email=?
4732 and rr1_0.status=?
4733 Hibernate:
4734 select
4735 rr1_0.id,
4736 rr1_0.completed_at,
4737 rr1_0.created_at,
4738 rr1_0.customer_email,
4739 rr1_0.destination_location_id,
4740 rr1_0.driver_email,
4741 rr1_0.estimated_price,
4742 rr1_0.final_price,
4743 rr1_0.pickup_location_id,
4744 rr1_0.status
4745 from
4746 ride_requests rr1_0
4747 where
4748 rr1_0.customer_email=?
4749 and rr1_0.status=?
4750 Hibernate:
4751 select
4752 rr1_0.id,
4753 rr1_0.completed_at,
```

```
4754 rr1_0.created_at,
4755 rr1_0.customer_email,
4756 rr1_0.destination_location_id,
4757 rr1_0.driver_email,
4758 rr1_0.estimated_price,
4759 rr1_0.final_price,
4760 rr1_0.pickup_location_id,
4761 rr1_0.status
4762 from
4763 ride_requests rr1_0
4764 where
4765 rr1_0.customer_email=?
4766 and rr1_0.status=?
4767 Hibernate:
4768 select
4769 l1_0.id,
4770 l1_0.address,
4771 l1_0.city,
4772 l1_0.latitude,
4773 l1_0.longitude
4774 from
4775 locations l1_0
4776 where
4777 l1_0.id=?
4778 Hibernate:
4779 select
4780 l1_0.id,
4781 l1_0.address,
4782 l1_0.city,
4783 l1_0.latitude,
4784 l1_0.longitude
4785 from
4786 locations l1_0
4787 where
4788 l1_0.id=?
4789 2025-05-26T15:12:08.276-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
```

```
4789 aggressive queue processor...
4790 2025-05-26T15:12:08.280-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
4791 Hibernate:
4792 select
4793 qr1_0.id,
4794 qr1_0.customer_email,
4795 qr1_0.driver_request_payload,
4796 qr1_0.expires_at,
4797 qr1_0.queued_at,
4798 qr1_0.ride_request_id,
4799 qr1_0.saga_id,
4800 qr1_0.status,
4801 qr1_0.version
4802 from
4803 queued_requests qr1_0
4804 where
4805 qr1_0.status='QUEUED'
4806 order by
4807 qr1_0.queued_at
4808 2025-05-26T15:12:08.283-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
4809 Hibernate:
4810 select
4811 qr1_0.id,
4812 qr1_0.customer_email,
4813 qr1_0.driver_request_payload,
4814 qr1_0.expires_at,
4815 qr1_0.queued_at,
4816 qr1_0.ride_request_id,
4817 qr1_0.saga_id,
4818 qr1_0.status,
4819 qr1_0.version
4820 from
```

```
4821 queued_requests qr1_0
4822 where
4823 qr1_0.status=?
4824 and qr1_0.expires_at<?
4825 2025-05-26T15:12:08.813-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING 0
 EXPIRED REQUESTS ===
4826 Hibernate:
4827 select
4828 co1_0.id,
4829 co1_0.created_at,
4830 co1_0.event_type,
4831 co1_0.payload,
4832 co1_0.processed_at,
4833 co1_0.saga_id,
4834 co1_0.saga_status,
4835 co1_0.status,
4836 co1_0.version
4837 from
4838 customer_outbox co1_0
4839 where
4840 co1_0.status=?
4841 order by
4842 co1_0.created_at
4843 Hibernate:
4844 select
4845 oe1_0.id,
4846 oe1_0.created_at,
4847 oe1_0.event_type,
4848 oe1_0.payload,
4849 oe1_0.processed_at,
4850 oe1_0.saga_id,
4851 oe1_0.saga_status,
4852 oe1_0.status,
4853 oe1_0.version
4854 from
4855 outbox_events oe1_0
```

```
4856 where
4857 oe1_0.status=?
4858 order by
4859 oe1_0.created_at
4860 2025-05-26T15:12:09.212-04:00 INFO 48923 --- [
4861 customer-service] [scheduling-1] c.u.api.
4862 shared.outbox.OutboxScheduler : Processing 0
4863 outbox events
4864 2025-05-26T15:12:09.290-04:00 DEBUG 48923 --- [
4865 customer-service] [scheduling-1] c.u.a.c.s.s.
4866 QueueAndTimeoutScheduler : Running
4867 aggressive queue processor...
4868 2025-05-26T15:12:09.292-04:00 INFO 48923 --- [
4869 customer-service] [scheduling-1] c.u.a.c.s.s.i
4870 .CustomerDomainServiceImpl : === PROCESSING
4871 QUEUE ===
4872 Hibernate:
4873 select
4874 qr1_0.id,
4875 qr1_0.customer_email,
4876 qr1_0.driver_request_payload,
4877 qr1_0.expires_at,
4878 qr1_0.queued_at,
4879 qr1_0.ride_request_id,
4880 qr1_0.saga_id,
4881 qr1_0.status,
4882 qr1_0.version
4883 from
4884 queued_requests qr1_0
4885 where
4886 qr1_0.status='QUEUED'
4887 order by
4888 qr1_0.queued_at
4889 2025-05-26T15:12:09.295-04:00 DEBUG 48923 --- [
4890 customer-service] [scheduling-1] c.u.a.c.s.s.i
4891 .CustomerDomainServiceImpl : No queued requests
4892 to process
4893 2025-05-26T15:12:10.302-04:00 DEBUG 48923 --- [
```

```
4881 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
4882 2025-05-26T15:12:10.304-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
4883 Hibernate:
4884 select
4885 qr1_0.id,
4886 qr1_0.customer_email,
4887 qr1_0.driver_request_payload,
4888 qr1_0.expires_at,
4889 qr1_0.queued_at,
4890 qr1_0.ride_request_id,
4891 qr1_0.saga_id,
4892 qr1_0.status,
4893 qr1_0.version
4894 from
4895 queued_requests qr1_0
4896 where
4897 qr1_0.status='QUEUED'
4898 order by
4899 qr1_0.queued_at
4900 2025-05-26T15:12:10.306-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
4901 2025-05-26T15:12:11.308-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
4902 2025-05-26T15:12:11.312-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
4903 Hibernate:
4904 select
```

```
4905 qr1_0.id,
4906 qr1_0.customer_email,
4907 qr1_0.driver_request_payload,
4908 qr1_0.expires_at,
4909 qr1_0.queued_at,
4910 qr1_0.ride_request_id,
4911 qr1_0.saga_id,
4912 qr1_0.status,
4913 qr1_0.version
4914 from
4915 queued_requests qr1_0
4916 where
4917 qr1_0.status='QUEUED'
4918 order by
4919 qr1_0.queued_at
4920 2025-05-26T15:12:11.316-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
4921 2025-05-26T15:12:12.321-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
4922 2025-05-26T15:12:12.323-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
4923 Hibernate:
4924 select
4925 qr1_0.id,
4926 qr1_0.customer_email,
4927 qr1_0.driver_request_payload,
4928 qr1_0.expires_at,
4929 qr1_0.queued_at,
4930 qr1_0.ride_request_id,
4931 qr1_0.saga_id,
4932 qr1_0.status,
4933 qr1_0.version
```

```
4934 from
4935 queued_requests qr1_0
4936 where
4937 qr1_0.status='QUEUED'
4938 order by
4939 qr1_0.queued_at
4940 2025-05-26T15:12:326-04:00 DEBUG 48923 --- [
4941 customer-service] [scheduling-1] c.u.a.c.s.s.i
4942 .CustomerDomainServiceImpl : No queued requests
4943 to process
4944 2025-05-26T15:12:13.330-04:00 DEBUG 48923 --- [
4945 customer-service] [scheduling-1] c.u.a.c.s.s.
4946 QueueAndTimeoutScheduler : Running
4947 aggressive queue processor...
4948 2025-05-26T15:12:13.332-04:00 INFO 48923 --- [
4949 customer-service] [scheduling-1] c.u.a.c.s.s.i
4950 .CustomerDomainServiceImpl : === PROCESSING
4951 QUEUE ===
4952 Hibernate:
4953 select
4954 qr1_0.id,
4955 qr1_0.customer_email,
4956 qr1_0.driver_request_payload,
4957 qr1_0.expires_at,
4958 qr1_0.queued_at,
4959 qr1_0.ride_request_id,
4960 qr1_0.saga_id,
4961 qr1_0.status,
4962 qr1_0.version
4963 from
4964 queued_requests qr1_0
4965 where
4966 qr1_0.status='QUEUED'
4967 order by
4968 qr1_0.queued_at
4969 2025-05-26T15:12:13.335-04:00 DEBUG 48923 --- [
4970 customer-service] [scheduling-1] c.u.a.c.s.s.i
4971 .CustomerDomainServiceImpl : No queued requests
```

```
4960 to process
4961 Hibernate:
4962 select
4963 co1_0.id,
4964 co1_0.created_at,
4965 co1_0.event_type,
4966 co1_0.payload,
4967 co1_0.processed_at,
4968 co1_0.saga_id,
4969 co1_0.saga_status,
4970 co1_0.status,
4971 co1_0.version
4972 from
4973 customer_outbox co1_0
4974 where
4975 co1_0.status=?
4976 order by
4977 co1_0.created_at
4978 Hibernate:
4979 select
4980 oe1_0.id,
4981 oe1_0.created_at,
4982 oe1_0.event_type,
4983 oe1_0.payload,
4984 oe1_0.processed_at,
4985 oe1_0.saga_id,
4986 oe1_0.saga_status,
4987 oe1_0.status,
4988 oe1_0.version
4989 from
4990 outbox_events oe1_0
4991 where
4992 oe1_0.status=?
4993 order by
4994 oe1_0.created_at
4995 2025-05-26T15:12:14.220-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.api.
 shared.outbox.OutboxScheduler : Processing 0
```

```
4995 outbox events
4996 2025-05-26T15:12:14.341-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
4997 2025-05-26T15:12:14.342-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
4998 Hibernate:
4999 select
5000 qr1_0.id,
5001 qr1_0.customer_email,
5002 qr1_0.driver_request_payload,
5003 qr1_0.expires_at,
5004 qr1_0.queued_at,
5005 qr1_0.ride_request_id,
5006 qr1_0.saga_id,
5007 qr1_0.status,
5008 qr1_0.version
5009 from
5010 queued_requests qr1_0
5011 where
5012 qr1_0.status='QUEUED'
5013 order by
5014 qr1_0.queued_at
5015 2025-05-26T15:12:14.346-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
5016 2025-05-26T15:12:15.353-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
5017 2025-05-26T15:12:15.355-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
```

```
5018 Hibernate:
5019 select
5020 qr1_0.id,
5021 qr1_0.customer_email,
5022 qr1_0.driver_request_payload,
5023 qr1_0.expires_at,
5024 qr1_0.queued_at,
5025 qr1_0.ride_request_id,
5026 qr1_0.saga_id,
5027 qr1_0.status,
5028 qr1_0.version
5029 from
5030 queued_requests qr1_0
5031 where
5032 qr1_0.status='QUEUED'
5033 order by
5034 qr1_0.queued_at
5035 2025-05-26T15:12:15.359-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
5036 2025-05-26T15:12:16.365-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
5037 2025-05-26T15:12:16.365-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
5038 Hibernate:
5039 select
5040 qr1_0.id,
5041 qr1_0.customer_email,
5042 qr1_0.driver_request_payload,
5043 qr1_0.expires_at,
5044 qr1_0.queued_at,
5045 qr1_0.ride_request_id,
5046 qr1_0.saga_id,
```

```
5047 qr1_0.status,
5048 qr1_0.version
5049 from
5050 queued_requests qr1_0
5051 where
5052 qr1_0.status='QUEUED'
5053 order by
5054 qr1_0.queued_at
5055 2025-05-26T15:12:16.367-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
5056 2025-05-26T15:12:17.164-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-5] c.u.a.c.s.
 controller.CustomerController : Getting ride
 status for customer: final4@example.com
5057 2025-05-26T15:12:17.164-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-5] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : Getting ride status
 for customer: final4@example.com
5058 Hibernate:
5059 select
5060 rr1_0.id,
5061 rr1_0.completed_at,
5062 rr1_0.created_at,
5063 rr1_0.customer_email,
5064 rr1_0.destination_location_id,
5065 rr1_0.driver_email,
5066 rr1_0.estimated_price,
5067 rr1_0.final_price,
5068 rr1_0.pickup_location_id,
5069 rr1_0.status
5070 from
5071 ride_requests rr1_0
5072 where
5073 rr1_0.customer_email=?
5074 and rr1_0.status=?
5075 Hibernate:
```

```
5076 select
5077 rr1_0.id,
5078 rr1_0.completed_at,
5079 rr1_0.created_at,
5080 rr1_0.customer_email,
5081 rr1_0.destination_location_id,
5082 rr1_0.driver_email,
5083 rr1_0.estimated_price,
5084 rr1_0.final_price,
5085 rr1_0.pickup_location_id,
5086 rr1_0.status
5087 from
5088 ride_requests rr1_0
5089 where
5090 rr1_0.customer_email=?
5091 and rr1_0.status=?
5092 Hibernate:
5093 select
5094 rr1_0.id,
5095 rr1_0.completed_at,
5096 rr1_0.created_at,
5097 rr1_0.customer_email,
5098 rr1_0.destination_location_id,
5099 rr1_0.driver_email,
5100 rr1_0.estimated_price,
5101 rr1_0.final_price,
5102 rr1_0.pickup_location_id,
5103 rr1_0.status
5104 from
5105 ride_requests rr1_0
5106 where
5107 rr1_0.customer_email=?
5108 and rr1_0.status=?
5109 Hibernate:
5110 select
5111 l1_0.id,
5112 l1_0.address,
5113 l1_0.city,
```

```
5114 l1_0.latitude,
5115 l1_0.longitude
5116 from
5117 locations l1_0
5118 where
5119 l1_0.id=?
5120 Hibernate:
5121 select
5122 l1_0.id,
5123 l1_0.address,
5124 l1_0.city,
5125 l1_0.latitude,
5126 l1_0.longitude
5127 from
5128 locations l1_0
5129 where
5130 l1_0.id=?
5131 2025-05-26T15:12:17.372-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
5132 2025-05-26T15:12:17.374-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
5133 Hibernate:
5134 select
5135 qr1_0.id,
5136 qr1_0.customer_email,
5137 qr1_0.driver_request_payload,
5138 qr1_0.expires_at,
5139 qr1_0.queued_at,
5140 qr1_0.ride_request_id,
5141 qr1_0.saga_id,
5142 qr1_0.status,
5143 qr1_0.version
5144 from
5145 queued_requests qr1_0
```

```
5146 where
5147 qr1_0.status='QUEUED'
5148 order by
5149 qr1_0.queued_at
5150 2025-05-26T15:12:17.376-04:00 DEBUG 48923 --- [
5151 customer-service] [scheduling-1] c.u.a.c.s.s.i
5152 .CustomerDomainServiceImpl : No queued requests
5153 to process
5154 2025-05-26T15:12:18.379-04:00 DEBUG 48923 --- [
5155 customer-service] [scheduling-1] c.u.a.c.s.s.
5156 QueueAndTimeoutScheduler : Running
5157 aggressive queue processor...
5158 2025-05-26T15:12:18.381-04:00 INFO 48923 --- [
5159 customer-service] [scheduling-1] c.u.a.c.s.s.i
5160 .CustomerDomainServiceImpl : === PROCESSING
5161 QUEUE ===
5162 Hibernate:
5163
5164 select
5165 qr1_0.id,
5166 qr1_0.customer_email,
5167 qr1_0.driver_request_payload,
5168 qr1_0.expires_at,
5169 qr1_0.queued_at,
5170 qr1_0.ride_request_id,
5171 qr1_0.saga_id,
5172 qr1_0.status,
5173 qr1_0.version
5174 from
5175 queued_requests qr1_0
5176 where
5177 qr1_0.status='QUEUED'
5178 order by
5179 qr1_0.queued_at
5180 2025-05-26T15:12:18.384-04:00 DEBUG 48923 --- [
5181 customer-service] [scheduling-1] c.u.a.c.s.s.i
5182 .CustomerDomainServiceImpl : No queued requests
5183 to process
5184 Hibernate:
```

```
5172 select
5173 co1_0.id,
5174 co1_0.created_at,
5175 co1_0.event_type,
5176 co1_0.payload,
5177 co1_0.processed_at,
5178 co1_0.saga_id,
5179 co1_0.saga_status,
5180 co1_0.status,
5181 co1_0.version
5182 from
5183 customer_outbox co1_0
5184 where
5185 co1_0.status=?
5186 order by
5187 co1_0.created_at
5188 Hibernate:
5189 select
5190 oe1_0.id,
5191 oe1_0.created_at,
5192 oe1_0.event_type,
5193 oe1_0.payload,
5194 oe1_0.processed_at,
5195 oe1_0.saga_id,
5196 oe1_0.saga_status,
5197 oe1_0.status,
5198 oe1_0.version
5199 from
5200 outbox_events oe1_0
5201 where
5202 oe1_0.status=?
5203 order by
5204 oe1_0.created_at
5205 2025-05-26T15:12:19.235-04:00 INFO 48923 --- [
5206 customer-service] [scheduling-1] c.u.api.
5207 shared.outbox.OutboxScheduler : Processing 0
5208 outbox events
5209 2025-05-26T15:12:19.388-04:00 DEBUG 48923 --- [
5210
```

```
5206 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
5207 2025-05-26T15:12:19.388-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
5208 Hibernate:
5209 select
5210 qr1_0.id,
5211 qr1_0.customer_email,
5212 qr1_0.driver_request_payload,
5213 qr1_0.expires_at,
5214 qr1_0.queued_at,
5215 qr1_0.ride_request_id,
5216 qr1_0.saga_id,
5217 qr1_0.status,
5218 qr1_0.version
5219 from
5220 queued_requests qr1_0
5221 where
5222 qr1_0.status='QUEUED'
5223 order by
5224 qr1_0.queued_at
5225 2025-05-26T15:12:19.390-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
5226 2025-05-26T15:12:19.836-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-7] c.u.a.c.s.
 controller.CustomerController : Getting ride
 status for customer: final4@example.com
5227 2025-05-26T15:12:19.837-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-7] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : Getting ride status
 for customer: final4@example.com
5228 Hibernate:
5229 select
```

```
5230 rr1_0.id,
5231 rr1_0.completed_at,
5232 rr1_0.created_at,
5233 rr1_0.customer_email,
5234 rr1_0.destination_location_id,
5235 rr1_0.driver_email,
5236 rr1_0.estimated_price,
5237 rr1_0.final_price,
5238 rr1_0.pickup_location_id,
5239 rr1_0.status
5240 from
5241 ride_requests rr1_0
5242 where
5243 rr1_0.customer_email=?
5244 and rr1_0.status=?
5245 Hibernate:
5246 select
5247 rr1_0.id,
5248 rr1_0.completed_at,
5249 rr1_0.created_at,
5250 rr1_0.customer_email,
5251 rr1_0.destination_location_id,
5252 rr1_0.driver_email,
5253 rr1_0.estimated_price,
5254 rr1_0.final_price,
5255 rr1_0.pickup_location_id,
5256 rr1_0.status
5257 from
5258 ride_requests rr1_0
5259 where
5260 rr1_0.customer_email=?
5261 and rr1_0.status=?
5262 Hibernate:
5263 select
5264 rr1_0.id,
5265 rr1_0.completed_at,
5266 rr1_0.created_at,
5267 rr1_0.customer_email,
```

```
5268 rr1_0.destination_location_id,
5269 rr1_0.driver_email,
5270 rr1_0.estimated_price,
5271 rr1_0.final_price,
5272 rr1_0.pickup_location_id,
5273 rr1_0.status
5274 from
5275 ride_requests rr1_0
5276 where
5277 rr1_0.customer_email=?
5278 and rr1_0.status=?
5279 Hibernate:
5280 select
5281 l1_0.id,
5282 l1_0.address,
5283 l1_0.city,
5284 l1_0.latitude,
5285 l1_0.longitude
5286 from
5287 locations l1_0
5288 where
5289 l1_0.id=?
5290 Hibernate:
5291 select
5292 l1_0.id,
5293 l1_0.address,
5294 l1_0.city,
5295 l1_0.latitude,
5296 l1_0.longitude
5297 from
5298 locations l1_0
5299 where
5300 l1_0.id=?
5301 2025-05-26T15:12:20.397-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
5302 2025-05-26T15:12:20.399-04:00 INFO 48923 --- [
```

```
5302 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
5303 Hibernate:
5304 select
5305 qr1_0.id,
5306 qr1_0.customer_email,
5307 qr1_0.driver_request_payload,
5308 qr1_0.expires_at,
5309 qr1_0.queued_at,
5310 qr1_0.ride_request_id,
5311 qr1_0.saga_id,
5312 qr1_0.status,
5313 qr1_0.version
5314 from
5315 queued_requests qr1_0
5316 where
5317 qr1_0.status='QUEUED'
5318 order by
5319 qr1_0.queued_at
5320 2025-05-26T15:12:20.402-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
5321 2025-05-26T15:12:21.406-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
5322 2025-05-26T15:12:21.410-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
5323 Hibernate:
5324 select
5325 qr1_0.id,
5326 qr1_0.customer_email,
5327 qr1_0.driver_request_payload,
5328 qr1_0.expires_at,
```

```
5329 qr1_0.queued_at,
5330 qr1_0.ride_request_id,
5331 qr1_0.saga_id,
5332 qr1_0.status,
5333 qr1_0.version
5334 from
5335 queued_requests qr1_0
5336 where
5337 qr1_0.status='QUEUED'
5338 order by
5339 qr1_0.queued_at
5340 2025-05-26T15:12:21.412-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
5341 2025-05-26T15:12:22.177-04:00 INFO 48923 --- [
customer-service] [nio-8181-exec-9] c.u.a.c.s.
controller.CustomerController : Getting ride
status for customer: final4@example.com
5342 2025-05-26T15:12:22.177-04:00 INFO 48923 --- [
customer-service] [nio-8181-exec-9] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : Getting ride status
for customer: final4@example.com
5343 Hibernate:
5344 select
5345 rr1_0.id,
5346 rr1_0.completed_at,
5347 rr1_0.created_at,
5348 rr1_0.customer_email,
5349 rr1_0.destination_location_id,
5350 rr1_0.driver_email,
5351 rr1_0.estimated_price,
5352 rr1_0.final_price,
5353 rr1_0.pickup_location_id,
5354 rr1_0.status
5355 from
5356 ride_requests rr1_0
5357 where
```

```
5358 rr1_0.customer_email=?
5359 and rr1_0.status=?
5360 Hibernate:
5361 select
5362 rr1_0.id,
5363 rr1_0.completed_at,
5364 rr1_0.created_at,
5365 rr1_0.customer_email,
5366 rr1_0.destination_location_id,
5367 rr1_0.driver_email,
5368 rr1_0.estimated_price,
5369 rr1_0.final_price,
5370 rr1_0.pickup_location_id,
5371 rr1_0.status
5372 from
5373 ride_requests rr1_0
5374 where
5375 rr1_0.customer_email=?
5376 and rr1_0.status=?
5377 Hibernate:
5378 select
5379 rr1_0.id,
5380 rr1_0.completed_at,
5381 rr1_0.created_at,
5382 rr1_0.customer_email,
5383 rr1_0.destination_location_id,
5384 rr1_0.driver_email,
5385 rr1_0.estimated_price,
5386 rr1_0.final_price,
5387 rr1_0.pickup_location_id,
5388 rr1_0.status
5389 from
5390 ride_requests rr1_0
5391 where
5392 rr1_0.customer_email=?
5393 and rr1_0.status=?
5394 Hibernate:
5395 select
```

```
5396 l1_0.id,
5397 l1_0.address,
5398 l1_0.city,
5399 l1_0.latitude,
5400 l1_0.longitude
5401 from
5402 locations l1_0
5403 where
5404 l1_0.id=?
5405 Hibernate:
5406 select
5407 l1_0.id,
5408 l1_0.address,
5409 l1_0.city,
5410 l1_0.latitude,
5411 l1_0.longitude
5412 from
5413 locations l1_0
5414 where
5415 l1_0.id=?
5416 2025-05-26T15:12:22.415-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
5417 2025-05-26T15:12:22.424-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
5418 Hibernate:
5419 select
5420 qr1_0.id,
5421 qr1_0.customer_email,
5422 qr1_0.driver_request_payload,
5423 qr1_0.expires_at,
5424 qr1_0.queued_at,
5425 qr1_0.ride_request_id,
5426 qr1_0.saga_id,
5427 qr1_0.status,
```

```
5428 qr1_0.version
5429 from
5430 queued_requests qr1_0
5431 where
5432 qr1_0.status='QUEUED'
5433 order by
5434 qr1_0.queued_at
5435 2025-05-26T15:12:22.426-04:00 DEBUG 48923 --- [
5436 customer-service] [scheduling-1] c.u.a.c.s.s.i
5437 .CustomerDomainServiceImpl : No queued requests
5438 to process
5439 2025-05-26T15:12:23.434-04:00 DEBUG 48923 --- [
5440 customer-service] [scheduling-1] c.u.a.c.s.s.
5441 QueueAndTimeoutScheduler : Running
5442 aggressive queue processor...
5443 2025-05-26T15:12:23.436-04:00 INFO 48923 --- [
5444 customer-service] [scheduling-1] c.u.a.c.s.s.i
5445 .CustomerDomainServiceImpl : === PROCESSING
5446 QUEUE ===
5447 Hibernate:
5448 select
5449 qr1_0.id,
5450 qr1_0.customer_email,
5451 qr1_0.driver_request_payload,
5452 qr1_0.expires_at,
5453 qr1_0.queued_at,
5454 qr1_0.ride_request_id,
5455 qr1_0.saga_id,
5456 qr1_0.status,
5457 qr1_0.version
5458 from
5459 queued_requests qr1_0
5460 where
5461 qr1_0.status='QUEUED'
5462 order by
5463 qr1_0.queued_at
5464 2025-05-26T15:12:23.440-04:00 DEBUG 48923 --- [
5465 customer-service] [scheduling-1] c.u.a.c.s.s.i
```

```
5455 .CustomerDomainServiceImpl : No queued requests
 to process
5456 2025-05-26T15:12:23.933-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-1] c.u.a.c.s.
 controller.CustomerController : Getting ride
 status for customer: final4@example.com
5457 2025-05-26T15:12:23.934-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : Getting ride status
 for customer: final4@example.com
5458 Hibernate:
5459 select
5460 rr1_0.id,
5461 rr1_0.completed_at,
5462 rr1_0.created_at,
5463 rr1_0.customer_email,
5464 rr1_0.destination_location_id,
5465 rr1_0.driver_email,
5466 rr1_0.estimated_price,
5467 rr1_0.final_price,
5468 rr1_0.pickup_location_id,
5469 rr1_0.status
5470 from
5471 ride_requests rr1_0
5472 where
5473 rr1_0.customer_email=?
5474 and rr1_0.status=?
5475 Hibernate:
5476 select
5477 rr1_0.id,
5478 rr1_0.completed_at,
5479 rr1_0.created_at,
5480 rr1_0.customer_email,
5481 rr1_0.destination_location_id,
5482 rr1_0.driver_email,
5483 rr1_0.estimated_price,
5484 rr1_0.final_price,
5485 rr1_0.pickup_location_id,
```

```
5486 rr1_0.status
5487 from
5488 ride_requests rr1_0
5489 where
5490 rr1_0.customer_email=?
5491 and rr1_0.status=?
5492 Hibernate:
5493 select
5494 rr1_0.id,
5495 rr1_0.completed_at,
5496 rr1_0.created_at,
5497 rr1_0.customer_email,
5498 rr1_0.destination_location_id,
5499 rr1_0.driver_email,
5500 rr1_0.estimated_price,
5501 rr1_0.final_price,
5502 rr1_0.pickup_location_id,
5503 rr1_0.status
5504 from
5505 ride_requests rr1_0
5506 where
5507 rr1_0.customer_email=?
5508 and rr1_0.status=?
5509 Hibernate:
5510 select
5511 l1_0.id,
5512 l1_0.address,
5513 l1_0.city,
5514 l1_0.latitude,
5515 l1_0.longitude
5516 from
5517 locations l1_0
5518 where
5519 l1_0.id=?
5520 Hibernate:
5521 select
5522 l1_0.id,
5523 l1_0.address,
```

```
5524 l1_0.city,
5525 l1_0.latitude,
5526 l1_0.longitude
5527 from
5528 locations l1_0
5529 where
5530 l1_0.id=?
5531 Hibernate:
5532 select
5533 co1_0.id,
5534 co1_0.created_at,
5535 co1_0.event_type,
5536 co1_0.payload,
5537 co1_0.processed_at,
5538 co1_0.saga_id,
5539 co1_0.saga_status,
5540 co1_0.status,
5541 co1_0.version
5542 from
5543 customer_outbox co1_0
5544 where
5545 co1_0.status=?
5546 order by
5547 co1_0.created_at
5548 Hibernate:
5549 select
5550 oe1_0.id,
5551 oe1_0.created_at,
5552 oe1_0.event_type,
5553 oe1_0.payload,
5554 oe1_0.processed_at,
5555 oe1_0.saga_id,
5556 oe1_0.saga_status,
5557 oe1_0.status,
5558 oe1_0.version
5559 from
5560 outbox_events oe1_0
5561 where
```

```
5562 oe1_0.status=?
5563 order by
5564 oe1_0.created_at
5565 2025-05-26T15:12:24.248-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.api.shared.outbox.OutboxScheduler : Processing 0 outbox events
5566 2025-05-26T15:12:24.445-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
5567 2025-05-26T15:12:24.445-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
5568 Hibernate:
5569 select
5570 qr1_0.id,
5571 qr1_0.customer_email,
5572 qr1_0.driver_request_payload,
5573 qr1_0.expires_at,
5574 qr1_0.queued_at,
5575 qr1_0.ride_request_id,
5576 qr1_0.saga_id,
5577 qr1_0.status,
5578 qr1_0.version
5579 from
5580 queued_requests qr1_0
5581 where
5582 qr1_0.status='QUEUED'
5583 order by
5584 qr1_0.queued_at
5585 2025-05-26T15:12:24.447-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
5586 2025-05-26T15:12:25.454-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.
```

```
5586 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
5587 2025-05-26T15:12:25.456-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
5588 Hibernate:
5589 select
5590 qr1_0.id,
5591 qr1_0.customer_email,
5592 qr1_0.driver_request_payload,
5593 qr1_0.expires_at,
5594 qr1_0.queued_at,
5595 qr1_0.ride_request_id,
5596 qr1_0.saga_id,
5597 qr1_0.status,
5598 qr1_0.version
5599 from
5600 queued_requests qr1_0
5601 where
5602 qr1_0.status='QUEUED'
5603 order by
5604 qr1_0.queued_at
5605 2025-05-26T15:12:25.460-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
5606 2025-05-26T15:12:25.610-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-3] c.u.a.c.s.
 controller.CustomerController : Getting ride
 status for customer: final4@example.com
5607 2025-05-26T15:12:25.610-04:00 INFO 48923 --- [
 customer-service] [nio-8181-exec-3] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : Getting ride status
 for customer: final4@example.com
5608 Hibernate:
5609 select
5610 rr1_0.id,
```

```
5611 rr1_0.completed_at,
5612 rr1_0.created_at,
5613 rr1_0.customer_email,
5614 rr1_0.destination_location_id,
5615 rr1_0.driver_email,
5616 rr1_0.estimated_price,
5617 rr1_0.final_price,
5618 rr1_0.pickup_location_id,
5619 rr1_0.status
5620 from
5621 ride_requests rr1_0
5622 where
5623 rr1_0.customer_email=?
5624 and rr1_0.status=?
5625 Hibernate:
5626 select
5627 rr1_0.id,
5628 rr1_0.completed_at,
5629 rr1_0.created_at,
5630 rr1_0.customer_email,
5631 rr1_0.destination_location_id,
5632 rr1_0.driver_email,
5633 rr1_0.estimated_price,
5634 rr1_0.final_price,
5635 rr1_0.pickup_location_id,
5636 rr1_0.status
5637 from
5638 ride_requests rr1_0
5639 where
5640 rr1_0.customer_email=?
5641 and rr1_0.status=?
5642 Hibernate:
5643 select
5644 rr1_0.id,
5645 rr1_0.completed_at,
5646 rr1_0.created_at,
5647 rr1_0.customer_email,
5648 rr1_0.destination_location_id,
```

```
5649 rr1_0.driver_email,
5650 rr1_0.estimated_price,
5651 rr1_0.final_price,
5652 rr1_0.pickup_location_id,
5653 rr1_0.status
5654 from
5655 ride_requests rr1_0
5656 where
5657 rr1_0.customer_email=?
5658 and rr1_0.status=?
5659 Hibernate:
5660 select
5661 l1_0.id,
5662 l1_0.address,
5663 l1_0.city,
5664 l1_0.latitude,
5665 l1_0.longitude
5666 from
5667 locations l1_0
5668 where
5669 l1_0.id=?
5670 Hibernate:
5671 select
5672 l1_0.id,
5673 l1_0.address,
5674 l1_0.city,
5675 l1_0.latitude,
5676 l1_0.longitude
5677 from
5678 locations l1_0
5679 where
5680 l1_0.id=?
5681 2025-05-26T15:12:26.482-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
5682 2025-05-26T15:12:26.488-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
```

```
5682 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
5683 Hibernate:
5684 select
5685 qr1_0.id,
5686 qr1_0.customer_email,
5687 qr1_0.driver_request_payload,
5688 qr1_0.expires_at,
5689 qr1_0.queued_at,
5690 qr1_0.ride_request_id,
5691 qr1_0.saga_id,
5692 qr1_0.status,
5693 qr1_0.version
5694 from
5695 queued_requests qr1_0
5696 where
5697 qr1_0.status='QUEUED'
5698 order by
5699 qr1_0.queued_at
5700 2025-05-26T15:12:26.495-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
5701 2025-05-26T15:12:27.497-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
5702 2025-05-26T15:12:27.499-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
5703 Hibernate:
5704 select
5705 qr1_0.id,
5706 qr1_0.customer_email,
5707 qr1_0.driver_request_payload,
5708 qr1_0.expires_at,
5709 qr1_0.queued_at,
```

```
5710 qr1_0.ride_request_id,
5711 qr1_0.saga_id,
5712 qr1_0.status,
5713 qr1_0.version
5714 from
5715 queued_requests qr1_0
5716 where
5717 qr1_0.status='QUEUED'
5718 order by
5719 qr1_0.queued_at
5720 2025-05-26T15:12:27.502-04:00 DEBUG 48923 --- [
5721 customer-service] [scheduling-1] c.u.a.c.s.s.i
5722 .CustomerDomainServiceImpl : No queued requests
5723 to process
5724 2025-05-26T15:12:28.506-04:00 DEBUG 48923 --- [
5725 customer-service] [scheduling-1] c.u.a.c.s.s.
5726 QueueAndTimeoutScheduler : Running
5727 aggressive queue processor...
5728 2025-05-26T15:12:28.510-04:00 INFO 48923 --- [
5729 customer-service] [scheduling-1] c.u.a.c.s.s.i
5730 .CustomerDomainServiceImpl : === PROCESSING
5731 QUEUE ===
5732 Hibernate:
5733 select
5734 qr1_0.id,
5735 qr1_0.customer_email,
5736 qr1_0.driver_request_payload,
5737 qr1_0.expires_at,
5738 qr1_0.queued_at,
5739 qr1_0.ride_request_id,
5740 qr1_0.saga_id,
5741 qr1_0.status,
5742 qr1_0.version
5743 from
5744 queued_requests qr1_0
5745 where
5746 qr1_0.status='QUEUED'
5747 order by
```

```
5739 qr1_0.queued_at
5740 2025-05-26T15:12:28.515-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
5741 Hibernate:
5742 select
5743 co1_0.id,
5744 co1_0.created_at,
5745 co1_0.event_type,
5746 co1_0.payload,
5747 co1_0.processed_at,
5748 co1_0.saga_id,
5749 co1_0.saga_status,
5750 co1_0.status,
5751 co1_0.version
5752 from
5753 customer_outbox co1_0
5754 where
5755 co1_0.status=?
5756 order by
5757 co1_0.created_at
5758 Hibernate:
5759 select
5760 oe1_0.id,
5761 oe1_0.created_at,
5762 oe1_0.event_type,
5763 oe1_0.payload,
5764 oe1_0.processed_at,
5765 oe1_0.saga_id,
5766 oe1_0.saga_status,
5767 oe1_0.status,
5768 oe1_0.version
5769 from
5770 outbox_events oe1_0
5771 where
5772 oe1_0.status=?
5773 order by
```

```
5774 oe1_0.created_at
5775 2025-05-26T15:12:29.262-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.api.shared.outbox.OutboxScheduler : Processing 0 outbox events
5776 2025-05-26T15:12:29.522-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
5777 2025-05-26T15:12:29.523-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
5778 Hibernate:
5779 select
5780 qr1_0.id,
5781 qr1_0.customer_email,
5782 qr1_0.driver_request_payload,
5783 qr1_0.expires_at,
5784 qr1_0.queued_at,
5785 qr1_0.ride_request_id,
5786 qr1_0.saga_id,
5787 qr1_0.status,
5788 qr1_0.version
5789 from
5790 queued_requests qr1_0
5791 where
5792 qr1_0.status='QUEUED'
5793 order by
5794 qr1_0.queued_at
5795 2025-05-26T15:12:29.526-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
5796 2025-05-26T15:12:30.531-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
```

```
5797 2025-05-26T15:12:30.533-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
5798 Hibernate:
5799 select
5800 qr1_0.id,
5801 qr1_0.customer_email,
5802 qr1_0.driver_request_payload,
5803 qr1_0.expires_at,
5804 qr1_0.queued_at,
5805 qr1_0.ride_request_id,
5806 qr1_0.saga_id,
5807 qr1_0.status,
5808 qr1_0.version
5809 from
5810 queued_requests qr1_0
5811 where
5812 qr1_0.status='QUEUED'
5813 order by
5814 qr1_0.queued_at
5815 2025-05-26T15:12:30.536-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
5816 2025-05-26T15:12:31.543-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
5817 2025-05-26T15:12:31.549-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
5818 Hibernate:
5819 select
5820 qr1_0.id,
5821 qr1_0.customer_email,
5822 qr1_0.driver_request_payload,
```

```
5823 qr1_0.expires_at,
5824 qr1_0.queued_at,
5825 qr1_0.ride_request_id,
5826 qr1_0.saga_id,
5827 qr1_0.status,
5828 qr1_0.version
5829 from
5830 queued_requests qr1_0
5831 where
5832 qr1_0.status='QUEUED'
5833 order by
5834 qr1_0.queued_at
5835 2025-05-26T15:12:31.552-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
5836 2025-05-26T15:12:32.557-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
.QueueAndTimeoutScheduler : Running
aggressive queue processor...
5837 2025-05-26T15:12:32.560-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
5838 Hibernate:
5839 select
5840 qr1_0.id,
5841 qr1_0.customer_email,
5842 qr1_0.driver_request_payload,
5843 qr1_0.expires_at,
5844 qr1_0.queued_at,
5845 qr1_0.ride_request_id,
5846 qr1_0.saga_id,
5847 qr1_0.status,
5848 qr1_0.version
5849 from
5850 queued_requests qr1_0
5851 where
```

```
5852 qr1_0.status='QUEUED'
5853 order by
5854 qr1_0.queued_at
5855 2025-05-26T15:12:32.565-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
5856 2025-05-26T15:12:33.281-04:00 INFO 48923 --- [customer-service] [nio-8181-exec-5] c.u.a.c.s.controller.CustomerController : Getting ride status for customer: final5@example.com
5857 2025-05-26T15:12:33.281-04:00 INFO 48923 --- [customer-service] [nio-8181-exec-5] c.u.a.c.s.s.i.CustomerDomainServiceImpl : Getting ride status for customer: final5@example.com
5858 Hibernate:
5859 select
5860 rr1_0.id,
5861 rr1_0.completed_at,
5862 rr1_0.created_at,
5863 rr1_0.customer_email,
5864 rr1_0.destination_location_id,
5865 rr1_0.driver_email,
5866 rr1_0.estimated_price,
5867 rr1_0.final_price,
5868 rr1_0.pickup_location_id,
5869 rr1_0.status
5870 from
5871 ride_requests rr1_0
5872 where
5873 rr1_0.customer_email=?
5874 and rr1_0.status=?
5875 Hibernate:
5876 select
5877 rr1_0.id,
5878 rr1_0.completed_at,
5879 rr1_0.created_at,
5880 rr1_0.customer_email,
```

```
5881 rr1_0.destination_location_id,
5882 rr1_0.driver_email,
5883 rr1_0.estimated_price,
5884 rr1_0.final_price,
5885 rr1_0.pickup_location_id,
5886 rr1_0.status
5887 from
5888 ride_requests rr1_0
5889 where
5890 rr1_0.customer_email=?
5891 and rr1_0.status=?
5892 Hibernate:
5893 select
5894 rr1_0.id,
5895 rr1_0.completed_at,
5896 rr1_0.created_at,
5897 rr1_0.customer_email,
5898 rr1_0.destination_location_id,
5899 rr1_0.driver_email,
5900 rr1_0.estimated_price,
5901 rr1_0.final_price,
5902 rr1_0.pickup_location_id,
5903 rr1_0.status
5904 from
5905 ride_requests rr1_0
5906 where
5907 rr1_0.customer_email=?
5908 and rr1_0.status=?
5909 Hibernate:
5910 select
5911 l1_0.id,
5912 l1_0.address,
5913 l1_0.city,
5914 l1_0.latitude,
5915 l1_0.longitude
5916 from
5917 locations l1_0
5918 where
```

```
5919 l1_0.id=?
5920 Hibernate:
5921 select
5922 l1_0.id,
5923 l1_0.address,
5924 l1_0.city,
5925 l1_0.latitude,
5926 l1_0.longitude
5927 from
5928 locations l1_0
5929 where
5930 l1_0.id=?
5931 2025-05-26T15:12:33.568-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
5932 2025-05-26T15:12:33.573-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
5933 Hibernate:
5934 select
5935 qr1_0.id,
5936 qr1_0.customer_email,
5937 qr1_0.driver_request_payload,
5938 qr1_0.expires_at,
5939 qr1_0.queued_at,
5940 qr1_0.ride_request_id,
5941 qr1_0.saga_id,
5942 qr1_0.status,
5943 qr1_0.version
5944 from
5945 queued_requests qr1_0
5946 where
5947 qr1_0.status='QUEUED'
5948 order by
5949 qr1_0.queued_at
5950 2025-05-26T15:12:33.575-04:00 DEBUG 48923 --- [
```

```
5950 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
5951 Hibernate:
5952 select
5953 co1_0.id,
5954 co1_0.created_at,
5955 co1_0.event_type,
5956 co1_0.payload,
5957 co1_0.processed_at,
5958 co1_0.saga_id,
5959 co1_0.saga_status,
5960 co1_0.status,
5961 co1_0.version
5962 from
5963 customer_outbox co1_0
5964 where
5965 co1_0.status=?
5966 order by
5967 co1_0.created_at
5968 Hibernate:
5969 select
5970 oe1_0.id,
5971 oe1_0.created_at,
5972 oe1_0.event_type,
5973 oe1_0.payload,
5974 oe1_0.processed_at,
5975 oe1_0.saga_id,
5976 oe1_0.saga_status,
5977 oe1_0.status,
5978 oe1_0.version
5979 from
5980 outbox_events oe1_0
5981 where
5982 oe1_0.status=?
5983 order by
5984 oe1_0.created_at
5985 2025-05-26T15:12:34.286-04:00 INFO 48923 --- [
```

```
5985 customer-service] [scheduling-1] c.u.api.
shared.outbox.OutboxScheduler : Processing 0
outbox events
5986 2025-05-26T15:12:34.579-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
5987 2025-05-26T15:12:34.580-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
5988 Hibernate:
5989 select
5990 qr1_0.id,
5991 qr1_0.customer_email,
5992 qr1_0.driver_request_payload,
5993 qr1_0.expires_at,
5994 qr1_0.queued_at,
5995 qr1_0.ride_request_id,
5996 qr1_0.saga_id,
5997 qr1_0.status,
5998 qr1_0.version
5999 from
6000 queued_requests qr1_0
6001 where
6002 qr1_0.status='QUEUED'
6003 order by
6004 qr1_0.queued_at
6005 2025-05-26T15:12:34.584-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
6006 2025-05-26T15:12:35.591-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
6007 2025-05-26T15:12:35.594-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
```

```
6007 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
6008 Hibernate:
6009 select
6010 qr1_0.id,
6011 qr1_0.customer_email,
6012 qr1_0.driver_request_payload,
6013 qr1_0.expires_at,
6014 qr1_0.queued_at,
6015 qr1_0.ride_request_id,
6016 qr1_0.saga_id,
6017 qr1_0.status,
6018 qr1_0.version
6019 from
6020 queued_requests qr1_0
6021 where
6022 qr1_0.status='QUEUED'
6023 order by
6024 qr1_0.queued_at
6025 2025-05-26T15:12:35.595-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
6026 2025-05-26T15:12:36.602-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
6027 2025-05-26T15:12:36.607-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
6028 Hibernate:
6029 select
6030 qr1_0.id,
6031 qr1_0.customer_email,
6032 qr1_0.driver_request_payload,
6033 qr1_0.expires_at,
6034 qr1_0.queued_at,
```

```
6035 qr1_0.ride_request_id,
6036 qr1_0.saga_id,
6037 qr1_0.status,
6038 qr1_0.version
6039 from
6040 queued_requests qr1_0
6041 where
6042 qr1_0.status='QUEUED'
6043 order by
6044 qr1_0.queued_at
6045 2025-05-26T15:12:36.611-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
6046 2025-05-26T15:12:37.618-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
6047 2025-05-26T15:12:37.621-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
6048 Hibernate:
6049 select
6050 qr1_0.id,
6051 qr1_0.customer_email,
6052 qr1_0.driver_request_payload,
6053 qr1_0.expires_at,
6054 qr1_0.queued_at,
6055 qr1_0.ride_request_id,
6056 qr1_0.saga_id,
6057 qr1_0.status,
6058 qr1_0.version
6059 from
6060 queued_requests qr1_0
6061 where
6062 qr1_0.status='QUEUED'
6063 order by
```

```
6064 qr1_0.queued_at
6065 2025-05-26T15:12:37.623-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
6066 2025-05-26T15:12:38.625-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
6067 2025-05-26T15:12:38.626-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
6068 Hibernate:
6069 select
6070 qr1_0.id,
6071 qr1_0.customer_email,
6072 qr1_0.driver_request_payload,
6073 qr1_0.expires_at,
6074 qr1_0.queued_at,
6075 qr1_0.ride_request_id,
6076 qr1_0.saga_id,
6077 qr1_0.status,
6078 qr1_0.version
6079 from
6080 queued_requests qr1_0
6081 where
6082 qr1_0.status='QUEUED'
6083 order by
6084 qr1_0.queued_at
6085 2025-05-26T15:12:38.628-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
6086 Hibernate:
6087 select
6088 qr1_0.id,
6089 qr1_0.customer_email,
```

```
6090 qr1_0.driver_request_payload,
6091 qr1_0.expires_at,
6092 qr1_0.queued_at,
6093 qr1_0.ride_request_id,
6094 qr1_0.saga_id,
6095 qr1_0.status,
6096 qr1_0.version
6097 from
6098 queued_requests qr1_0
6099 where
6100 qr1_0.status=?
6101 and qr1_0.expires_at<?
6102 2025-05-26T15:12:38.820-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING 0
 EXPIRED REQUESTS ===
6103 Hibernate:
6104 select
6105 co1_0.id,
6106 co1_0.created_at,
6107 co1_0.event_type,
6108 co1_0.payload,
6109 co1_0.processed_at,
6110 co1_0.saga_id,
6111 co1_0.saga_status,
6112 co1_0.status,
6113 co1_0.version
6114 from
6115 customer_outbox co1_0
6116 where
6117 co1_0.status=?
6118 order by
6119 co1_0.created_at
6120 Hibernate:
6121 select
6122 oe1_0.id,
6123 oe1_0.created_at,
6124 oe1_0.event_type,
```

```
6125 oe1_0.payload,
6126 oe1_0.processed_at,
6127 oe1_0.saga_id,
6128 oe1_0.saga_status,
6129 oe1_0.status,
6130 oe1_0.version
6131 from
6132 outbox_events oe1_0
6133 where
6134 oe1_0.status=?
6135 order by
6136 oe1_0.created_at
6137 2025-05-26T15:12:39.301-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.api.
shared.outbox.OutboxScheduler : Processing 0
outbox events
6138 2025-05-26T15:12:39.630-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
6139 2025-05-26T15:12:39.631-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
6140 Hibernate:
6141 select
6142 qr1_0.id,
6143 qr1_0.customer_email,
6144 qr1_0.driver_request_payload,
6145 qr1_0.expires_at,
6146 qr1_0.queued_at,
6147 qr1_0.ride_request_id,
6148 qr1_0.saga_id,
6149 qr1_0.status,
6150 qr1_0.version
6151 from
6152 queued_requests qr1_0
6153 where
```

```
6154 qr1_0.status='QUEUED'
6155 order by
6156 qr1_0.queued_at
6157 2025-05-26T15:12:39.633-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
6158 2025-05-26T15:12:39.989-04:00 INFO 48923 --- [customer-service] [nio-8181-exec-7] c.u.a.c.s.controller.CustomerController : Getting ride status for customer: final6@example.com
6159 2025-05-26T15:12:39.989-04:00 INFO 48923 --- [customer-service] [nio-8181-exec-7] c.u.a.c.s.s.i.CustomerDomainServiceImpl : Getting ride status for customer: final6@example.com
6160 Hibernate:
6161 select
6162 rr1_0.id,
6163 rr1_0.completed_at,
6164 rr1_0.created_at,
6165 rr1_0.customer_email,
6166 rr1_0.destination_location_id,
6167 rr1_0.driver_email,
6168 rr1_0.estimated_price,
6169 rr1_0.final_price,
6170 rr1_0.pickup_location_id,
6171 rr1_0.status
6172 from
6173 ride_requests rr1_0
6174 where
6175 rr1_0.customer_email=?
6176 and rr1_0.status=?
6177 Hibernate:
6178 select
6179 rr1_0.id,
6180 rr1_0.completed_at,
6181 rr1_0.created_at,
6182 rr1_0.customer_email,
```

```
6183 rr1_0.destination_location_id,
6184 rr1_0.driver_email,
6185 rr1_0.estimated_price,
6186 rr1_0.final_price,
6187 rr1_0.pickup_location_id,
6188 rr1_0.status
6189 from
6190 ride_requests rr1_0
6191 where
6192 rr1_0.customer_email=?
6193 and rr1_0.status=?
6194 Hibernate:
6195 select
6196 rr1_0.id,
6197 rr1_0.completed_at,
6198 rr1_0.created_at,
6199 rr1_0.customer_email,
6200 rr1_0.destination_location_id,
6201 rr1_0.driver_email,
6202 rr1_0.estimated_price,
6203 rr1_0.final_price,
6204 rr1_0.pickup_location_id,
6205 rr1_0.status
6206 from
6207 ride_requests rr1_0
6208 where
6209 rr1_0.customer_email=?
6210 and rr1_0.status=?
6211 Hibernate:
6212 select
6213 l1_0.id,
6214 l1_0.address,
6215 l1_0.city,
6216 l1_0.latitude,
6217 l1_0.longitude
6218 from
6219 locations l1_0
6220 where
```

```
6221 l1_0.id=?
6222 Hibernate:
6223 select
6224 l1_0.id,
6225 l1_0.address,
6226 l1_0.city,
6227 l1_0.latitude,
6228 l1_0.longitude
6229 from
6230 locations l1_0
6231 where
6232 l1_0.id=?
6233 2025-05-26T15:12:40.640-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
6234 2025-05-26T15:12:40.644-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
6235 Hibernate:
6236 select
6237 qr1_0.id,
6238 qr1_0.customer_email,
6239 qr1_0.driver_request_payload,
6240 qr1_0.expires_at,
6241 qr1_0.queued_at,
6242 qr1_0.ride_request_id,
6243 qr1_0.saga_id,
6244 qr1_0.status,
6245 qr1_0.version
6246 from
6247 queued_requests qr1_0
6248 where
6249 qr1_0.status='QUEUED'
6250 order by
6251 qr1_0.queued_at
6252 2025-05-26T15:12:40.647-04:00 DEBUG 48923 --- [
```

```
6252 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
6253 2025-05-26T15:12:41.655-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
6254 2025-05-26T15:12:41.659-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
6255 Hibernate:
6256 select
6257 qr1_0.id,
6258 qr1_0.customer_email,
6259 qr1_0.driver_request_payload,
6260 qr1_0.expires_at,
6261 qr1_0.queued_at,
6262 qr1_0.ride_request_id,
6263 qr1_0.saga_id,
6264 qr1_0.status,
6265 qr1_0.version
6266 from
6267 queued_requests qr1_0
6268 where
6269 qr1_0.status='QUEUED'
6270 order by
6271 qr1_0.queued_at
6272 2025-05-26T15:12:41.663-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
6273 2025-05-26T15:12:42.671-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
6274 2025-05-26T15:12:42.674-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
```

```
6274 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
6275 Hibernate:
6276 select
6277 qr1_0.id,
6278 qr1_0.customer_email,
6279 qr1_0.driver_request_payload,
6280 qr1_0.expires_at,
6281 qr1_0.queued_at,
6282 qr1_0.ride_request_id,
6283 qr1_0.saga_id,
6284 qr1_0.status,
6285 qr1_0.version
6286 from
6287 queued_requests qr1_0
6288 where
6289 qr1_0.status='QUEUED'
6290 order by
6291 qr1_0.queued_at
6292 2025-05-26T15:12:42.678-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
6293 2025-05-26T15:12:43.681-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
6294 2025-05-26T15:12:43.686-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
6295 Hibernate:
6296 select
6297 qr1_0.id,
6298 qr1_0.customer_email,
6299 qr1_0.driver_request_payload,
6300 qr1_0.expires_at,
6301 qr1_0.queued_at,
```

```
6302 qr1_0.ride_request_id,
6303 qr1_0.saga_id,
6304 qr1_0.status,
6305 qr1_0.version
6306 from
6307 queued_requests qr1_0
6308 where
6309 qr1_0.status='QUEUED'
6310 order by
6311 qr1_0.queued_at
6312 2025-05-26T15:12:43.691-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
6313 Hibernate:
6314 select
6315 co1_0.id,
6316 co1_0.created_at,
6317 co1_0.event_type,
6318 co1_0.payload,
6319 co1_0.processed_at,
6320 co1_0.saga_id,
6321 co1_0.saga_status,
6322 co1_0.status,
6323 co1_0.version
6324 from
6325 customer_outbox co1_0
6326 where
6327 co1_0.status=?
6328 order by
6329 co1_0.created_at
6330 Hibernate:
6331 select
6332 oe1_0.id,
6333 oe1_0.created_at,
6334 oe1_0.event_type,
6335 oe1_0.payload,
6336 oe1_0.processed_at,
```

```
6337 oe1_0.saga_id,
6338 oe1_0.saga_status,
6339 oe1_0.status,
6340 oe1_0.version
6341 from
6342 outbox_events oe1_0
6343 where
6344 oe1_0.status=?
6345 order by
6346 oe1_0.created_at
6347 2025-05-26T15:12:44.324-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.api.
 shared.outbox.OutboxScheduler : Processing 0
 outbox events
6348 2025-05-26T15:12:44.696-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
6349 2025-05-26T15:12:44.698-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
6350 Hibernate:
6351 select
6352 qr1_0.id,
6353 qr1_0.customer_email,
6354 qr1_0.driver_request_payload,
6355 qr1_0.expires_at,
6356 qr1_0.queued_at,
6357 qr1_0.ride_request_id,
6358 qr1_0.saga_id,
6359 qr1_0.status,
6360 qr1_0.version
6361 from
6362 queued_requests qr1_0
6363 where
6364 qr1_0.status='QUEUED'
6365 order by
```

```
6366 qr1_0.queued_at
6367 2025-05-26T15:12:44.699-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
6368 2025-05-26T15:12:45.705-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
6369 2025-05-26T15:12:45.706-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
6370 Hibernate:
6371 select
6372 qr1_0.id,
6373 qr1_0.customer_email,
6374 qr1_0.driver_request_payload,
6375 qr1_0.expires_at,
6376 qr1_0.queued_at,
6377 qr1_0.ride_request_id,
6378 qr1_0.saga_id,
6379 qr1_0.status,
6380 qr1_0.version
6381 from
6382 queued_requests qr1_0
6383 where
6384 qr1_0.status='QUEUED'
6385 order by
6386 qr1_0.queued_at
6387 2025-05-26T15:12:45.707-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
6388 2025-05-26T15:12:46.709-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
```

```
6389 2025-05-26T15:12:46.713-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
6390 Hibernate:
6391 select
6392 qr1_0.id,
6393 qr1_0.customer_email,
6394 qr1_0.driver_request_payload,
6395 qr1_0.expires_at,
6396 qr1_0.queued_at,
6397 qr1_0.ride_request_id,
6398 qr1_0.saga_id,
6399 qr1_0.status,
6400 qr1_0.version
6401 from
6402 queued_requests qr1_0
6403 where
6404 qr1_0.status='QUEUED'
6405 order by
6406 qr1_0.queued_at
6407 2025-05-26T15:12:46.716-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
6408 2025-05-26T15:12:47.721-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
6409 2025-05-26T15:12:47.725-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
6410 Hibernate:
6411 select
6412 qr1_0.id,
6413 qr1_0.customer_email,
6414 qr1_0.driver_request_payload,
```

```
6415 qr1_0.expires_at,
6416 qr1_0.queued_at,
6417 qr1_0.ride_request_id,
6418 qr1_0.saga_id,
6419 qr1_0.status,
6420 qr1_0.version
6421 from
6422 queued_requests qr1_0
6423 where
6424 qr1_0.status='QUEUED'
6425 order by
6426 qr1_0.queued_at
6427 2025-05-26T15:12:47.728-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
6428 2025-05-26T15:12:48.735-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
.QueueAndTimeoutScheduler : Running
aggressive queue processor...
6429 2025-05-26T15:12:48.738-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
6430 Hibernate:
6431 select
6432 qr1_0.id,
6433 qr1_0.customer_email,
6434 qr1_0.driver_request_payload,
6435 qr1_0.expires_at,
6436 qr1_0.queued_at,
6437 qr1_0.ride_request_id,
6438 qr1_0.saga_id,
6439 qr1_0.status,
6440 qr1_0.version
6441 from
6442 queued_requests qr1_0
6443 where
```

```
6444 qr1_0.status='QUEUED'
6445 order by
6446 qr1_0.queued_at
6447 2025-05-26T15:12:48.741-04:00 DEBUG 48923 --- [
6448 customer-service] [scheduling-1] c.u.a.c.s.s.i
6449 .CustomerDomainServiceImpl : No queued requests
6450 to process
6451 Hibernate:
6452 select
6453 co1_0.id,
6454 co1_0.created_at,
6455 co1_0.event_type,
6456 co1_0.payload,
6457 co1_0.processed_at,
6458 co1_0.saga_id,
6459 co1_0.saga_status,
6460 co1_0.status,
6461 co1_0.version
6462 from
6463 customer_outbox co1_0
6464 where
6465 co1_0.status=?
6466 order by
6467 co1_0.created_at
6468 Hibernate:
6469 select
6470 oe1_0.id,
6471 oe1_0.created_at,
6472 oe1_0.event_type,
6473 oe1_0.payload,
6474 oe1_0.processed_at,
6475 oe1_0.saga_id,
6476 oe1_0.saga_status,
6477 oe1_0.status,
6478 oe1_0.version
6479 from
6480 outbox_events oe1_0
6481 where
```

```
6479 oe1_0.status=?
6480 order by
6481 oe1_0.created_at
6482 2025-05-26T15:12:49.349-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.api.shared.outbox.OutboxScheduler : Processing 0 outbox events
6483 2025-05-26T15:12:49.748-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
6484 2025-05-26T15:12:49.748-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
6485 Hibernate:
6486 select
6487 qr1_0.id,
6488 qr1_0.customer_email,
6489 qr1_0.driver_request_payload,
6490 qr1_0.expires_at,
6491 qr1_0.queued_at,
6492 qr1_0.ride_request_id,
6493 qr1_0.saga_id,
6494 qr1_0.status,
6495 qr1_0.version
6496 from
6497 queued_requests qr1_0
6498 where
6499 qr1_0.status='QUEUED'
6500 order by
6501 qr1_0.queued_at
6502 2025-05-26T15:12:49.751-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
6503 2025-05-26T15:12:50.753-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.
```

```
6503 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
6504 2025-05-26T15:12:50.758-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
6505 Hibernate:
6506 select
6507 qr1_0.id,
6508 qr1_0.customer_email,
6509 qr1_0.driver_request_payload,
6510 qr1_0.expires_at,
6511 qr1_0.queued_at,
6512 qr1_0.ride_request_id,
6513 qr1_0.saga_id,
6514 qr1_0.status,
6515 qr1_0.version
6516 from
6517 queued_requests qr1_0
6518 where
6519 qr1_0.status='QUEUED'
6520 order by
6521 qr1_0.queued_at
6522 2025-05-26T15:12:50.761-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
6523 2025-05-26T15:12:51.769-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
6524 2025-05-26T15:12:51.778-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
6525 Hibernate:
6526 select
6527 qr1_0.id,
```

```
6528 qr1_0.customer_email,
6529 qr1_0.driver_request_payload,
6530 qr1_0.expires_at,
6531 qr1_0.queued_at,
6532 qr1_0.ride_request_id,
6533 qr1_0.saga_id,
6534 qr1_0.status,
6535 qr1_0.version
6536 from
6537 queued_requests qr1_0
6538 where
6539 qr1_0.status='QUEUED'
6540 order by
6541 qr1_0.queued_at
6542 2025-05-26T15:12:51.781-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
6543 2025-05-26T15:12:52.786-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
6544 2025-05-26T15:12:52.795-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
6545 Hibernate:
6546 select
6547 qr1_0.id,
6548 qr1_0.customer_email,
6549 qr1_0.driver_request_payload,
6550 qr1_0.expires_at,
6551 qr1_0.queued_at,
6552 qr1_0.ride_request_id,
6553 qr1_0.saga_id,
6554 qr1_0.status,
6555 qr1_0.version
6556 from
```

```
6557 queued_requests qr1_0
6558 where
6559 qr1_0.status='QUEUED'
6560 order by
6561 qr1_0.queued_at
6562 2025-05-26T15:12:52.798-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
6563 2025-05-26T15:12:53.800-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
6564 2025-05-26T15:12:53.803-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
6565 Hibernate:
6566 select
6567 qr1_0.id,
6568 qr1_0.customer_email,
6569 qr1_0.driver_request_payload,
6570 qr1_0.expires_at,
6571 qr1_0.queued_at,
6572 qr1_0.ride_request_id,
6573 qr1_0.saga_id,
6574 qr1_0.status,
6575 qr1_0.version
6576 from
6577 queued_requests qr1_0
6578 where
6579 qr1_0.status='QUEUED'
6580 order by
6581 qr1_0.queued_at
6582 2025-05-26T15:12:53.813-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
```

```
6583 Hibernate:
6584 select
6585 co1_0.id,
6586 co1_0.created_at,
6587 co1_0.event_type,
6588 co1_0.payload,
6589 co1_0.processed_at,
6590 co1_0.saga_id,
6591 co1_0.saga_status,
6592 co1_0.status,
6593 co1_0.version
6594 from
6595 customer_outbox co1_0
6596 where
6597 co1_0.status=?
6598 order by
6599 co1_0.created_at
6600 Hibernate:
6601 select
6602 oe1_0.id,
6603 oe1_0.created_at,
6604 oe1_0.event_type,
6605 oe1_0.payload,
6606 oe1_0.processed_at,
6607 oe1_0.saga_id,
6608 oe1_0.saga_status,
6609 oe1_0.status,
6610 oe1_0.version
6611 from
6612 outbox_events oe1_0
6613 where
6614 oe1_0.status=?
6615 order by
6616 oe1_0.created_at
6617 2025-05-26T15:12:54.375-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.api.
 shared.outbox.OutboxScheduler : Processing 0
 outbox events
```

```
6618 2025-05-26T15:12:54.818-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
6619 2025-05-26T15:12:54.819-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
6620 Hibernate:
6621 select
6622 qr1_.id,
6623 qr1_.customer_email,
6624 qr1_.driver_request_payload,
6625 qr1_.expires_at,
6626 qr1_.queued_at,
6627 qr1_.ride_request_id,
6628 qr1_.saga_id,
6629 qr1_.status,
6630 qr1_.version
6631 from
6632 queued_requests qr1_
6633 where
6634 qr1_.status='QUEUED'
6635 order by
6636 qr1_.queued_at
6637 2025-05-26T15:12:54.822-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
6638 2025-05-26T15:12:55.828-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
6639 2025-05-26T15:12:55.841-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
6640 Hibernate:
```

```
6641 select
6642 qr1_0.id,
6643 qr1_0.customer_email,
6644 qr1_0.driver_request_payload,
6645 qr1_0.expires_at,
6646 qr1_0.queued_at,
6647 qr1_0.ride_request_id,
6648 qr1_0.saga_id,
6649 qr1_0.status,
6650 qr1_0.version
6651 from
6652 queued_requests qr1_0
6653 where
6654 qr1_0.status='QUEUED'
6655 order by
6656 qr1_0.queued_at
6657 2025-05-26T15:12:55.848-04:00 DEBUG 48923 --- [
6658 customer-service] [scheduling-1] c.u.a.c.s.s.i
6659 .CustomerDomainServiceImpl : No queued requests
6660 to process
6661 aggressive queue processor...
6662 Hibernate:
6663 select
6664 qr1_0.id,
6665 qr1_0.customer_email,
6666 qr1_0.driver_request_payload,
6667 qr1_0.expires_at,
6668 qr1_0.queued_at,
6669 qr1_0.ride_request_id,
```

```
6670 qr1_0.version
6671 from
6672 queued_requests qr1_0
6673 where
6674 qr1_0.status='QUEUED'
6675 order by
6676 qr1_0.queued_at
6677 2025-05-26T15:12:56.871-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
6678 2025-05-26T15:12:57.877-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
6679 2025-05-26T15:12:57.879-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
6680 Hibernate:
6681 select
6682 qr1_0.id,
6683 qr1_0.customer_email,
6684 qr1_0.driver_request_payload,
6685 qr1_0.expires_at,
6686 qr1_0.queued_at,
6687 qr1_0.ride_request_id,
6688 qr1_0.saga_id,
6689 qr1_0.status,
6690 qr1_0.version
6691 from
6692 queued_requests qr1_0
6693 where
6694 qr1_0.status='QUEUED'
6695 order by
6696 qr1_0.queued_at
6697 2025-05-26T15:12:57.882-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
```

```
6697 .CustomerDomainServiceImpl : No queued requests
 to process
6698 2025-05-26T15:12:58.889-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
6699 2025-05-26T15:12:58.892-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
6700 Hibernate:
6701 select
6702 qr1_0.id,
6703 qr1_0.customer_email,
6704 qr1_0.driver_request_payload,
6705 qr1_0.expires_at,
6706 qr1_0.queued_at,
6707 qr1_0.ride_request_id,
6708 qr1_0.saga_id,
6709 qr1_0.status,
6710 qr1_0.version
6711 from
6712 queued_requests qr1_0
6713 where
6714 qr1_0.status='QUEUED'
6715 order by
6716 qr1_0.queued_at
6717 2025-05-26T15:12:58.901-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
6718 Hibernate:
6719 select
6720 co1_0.id,
6721 co1_0.created_at,
6722 co1_0.event_type,
6723 co1_0.payload,
6724 co1_0.processed_at,
```

```
6725 co1_0.saga_id,
6726 co1_0.saga_status,
6727 co1_0.status,
6728 co1_0.version
6729 from
6730 customer_outbox co1_0
6731 where
6732 co1_0.status=?
6733 order by
6734 co1_0.created_at
6735 Hibernate:
6736 select
6737 oe1_0.id,
6738 oe1_0.created_at,
6739 oe1_0.event_type,
6740 oe1_0.payload,
6741 oe1_0.processed_at,
6742 oe1_0.saga_id,
6743 oe1_0.saga_status,
6744 oe1_0.status,
6745 oe1_0.version
6746 from
6747 outbox_events oe1_0
6748 where
6749 oe1_0.status=?
6750 order by
6751 oe1_0.created_at
6752 2025-05-26T15:12:59.394-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.api.
 shared.outbox.OutboxScheduler : Processing 0
 outbox events
6753 2025-05-26T15:12:59.908-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
6754 2025-05-26T15:12:59.910-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
```

```
6754 QUEUE ===
6755 Hibernate:
6756 select
6757 qr1_0.id,
6758 qr1_0.customer_email,
6759 qr1_0.driver_request_payload,
6760 qr1_0.expires_at,
6761 qr1_0.queued_at,
6762 qr1_0.ride_request_id,
6763 qr1_0.saga_id,
6764 qr1_0.status,
6765 qr1_0.version
6766 from
6767 queued_requests qr1_0
6768 where
6769 qr1_0.status='QUEUED'
6770 order by
6771 qr1_0.queued_at
6772 2025-05-26T15:12:59.912-04:00 DEBUG 48923 --- [
6773 customer-service] [scheduling-1] c.u.a.c.s.s.i
6774 .CustomerDomainServiceImpl : No queued requests
6775 to process
6773 2025-05-26T15:13:00.916-04:00 DEBUG 48923 --- [
6774 customer-service] [scheduling-1] c.u.a.c.s.s.
6775 QueueAndTimeoutScheduler : Running
6776 aggressive queue processor...
6774 2025-05-26T15:13:00.918-04:00 INFO 48923 --- [
6775 customer-service] [scheduling-1] c.u.a.c.s.s.i
6776 .CustomerDomainServiceImpl : === PROCESSING
6777 QUEUE ===
6775 Hibernate:
6776 select
6777 qr1_0.id,
6778 qr1_0.customer_email,
6779 qr1_0.driver_request_payload,
6780 qr1_0.expires_at,
6781 qr1_0.queued_at,
6782 qr1_0.ride_request_id,
```

```
6783 qr1_0.saga_id,
6784 qr1_0.status,
6785 qr1_0.version
6786 from
6787 queued_requests qr1_0
6788 where
6789 qr1_0.status='QUEUED'
6790 order by
6791 qr1_0.queued_at
6792 2025-05-26T15:13:00.922-04:00 DEBUG 48923 --- [
6793 customer-service] [scheduling-1] c.u.a.c.s.s.i
6794 .CustomerDomainServiceImpl : No queued requests
6795 to process
6793 2025-05-26T15:13:01.927-04:00 DEBUG 48923 --- [
6794 customer-service] [scheduling-1] c.u.a.c.s.s.
6795 QueueAndTimeoutScheduler : Running
6796 aggressive queue processor...
6794 2025-05-26T15:13:01.930-04:00 INFO 48923 --- [
6795 customer-service] [scheduling-1] c.u.a.c.s.s.i
6796 .CustomerDomainServiceImpl : === PROCESSING
6797 QUEUE ===
6795 Hibernate:
6796 select
6797 qr1_0.id,
6798 qr1_0.customer_email,
6799 qr1_0.driver_request_payload,
6800 qr1_0.expires_at,
6801 qr1_0.queued_at,
6802 qr1_0.ride_request_id,
6803 qr1_0.saga_id,
6804 qr1_0.status,
6805 qr1_0.version
6806 from
6807 queued_requests qr1_0
6808 where
6809 qr1_0.status='QUEUED'
6810 order by
6811 qr1_0.queued_at
```

```
6812 2025-05-26T15:13:01.936-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
6813 2025-05-26T15:13:02.949-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
6814 2025-05-26T15:13:02.962-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
6815 Hibernate:
6816 select
6817 qr1_.id,
6818 qr1_.customer_email,
6819 qr1_.driver_request_payload,
6820 qr1_.expires_at,
6821 qr1_.queued_at,
6822 qr1_.ride_request_id,
6823 qr1_.saga_id,
6824 qr1_.status,
6825 qr1_.version
6826 from
6827 queued_requests qr1_
6828 where
6829 qr1_.status='QUEUED'
6830 order by
6831 qr1_.queued_at
6832 2025-05-26T15:13:02.968-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
6833 2025-05-26T15:13:03.975-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
6834 2025-05-26T15:13:03.977-04:00 INFO 48923 --- [
```

```
6834 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
6835 Hibernate:
6836 select
6837 qr1_0.id,
6838 qr1_0.customer_email,
6839 qr1_0.driver_request_payload,
6840 qr1_0.expires_at,
6841 qr1_0.queued_at,
6842 qr1_0.ride_request_id,
6843 qr1_0.saga_id,
6844 qr1_0.status,
6845 qr1_0.version
6846 from
6847 queued_requests qr1_0
6848 where
6849 qr1_0.status='QUEUED'
6850 order by
6851 qr1_0.queued_at
6852 2025-05-26T15:13:03.978-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
6853 Hibernate:
6854 select
6855 co1_0.id,
6856 co1_0.created_at,
6857 co1_0.event_type,
6858 co1_0.payload,
6859 co1_0.processed_at,
6860 co1_0.saga_id,
6861 co1_0.saga_status,
6862 co1_0.status,
6863 co1_0.version
6864 from
6865 customer_outbox co1_0
6866 where
```

```
6867 co1_0.status=?
6868 order by
6869 co1_0.created_at
6870 Hibernate:
6871 select
6872 oe1_0.id,
6873 oe1_0.created_at,
6874 oe1_0.event_type,
6875 oe1_0.payload,
6876 oe1_0.processed_at,
6877 oe1_0.saga_id,
6878 oe1_0.saga_status,
6879 oe1_0.status,
6880 oe1_0.version
6881 from
6882 outbox_events oe1_0
6883 where
6884 oe1_0.status=?
6885 order by
6886 oe1_0.created_at
6887 2025-05-26T15:13:04.406-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.api.shared.outbox.OutboxScheduler : Processing 0 outbox events
6888 2025-05-26T15:13:04.982-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
6889 2025-05-26T15:13:04.985-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
6890 Hibernate:
6891 select
6892 qr1_0.id,
6893 qr1_0.customer_email,
6894 qr1_0.driver_request_payload,
6895 qr1_0.expires_at,
```

```
6896 qr1_0.queued_at,
6897 qr1_0.ride_request_id,
6898 qr1_0.saga_id,
6899 qr1_0.status,
6900 qr1_0.version
6901 from
6902 queued_requests qr1_0
6903 where
6904 qr1_0.status='QUEUED'
6905 order by
6906 qr1_0.queued_at
6907 2025-05-26T15:13:04.988-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
6908 2025-05-26T15:13:05.991-04:00 DEBUG 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
6909 2025-05-26T15:13:05.995-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
6910 Hibernate:
6911 select
6912 qr1_0.id,
6913 qr1_0.customer_email,
6914 qr1_0.driver_request_payload,
6915 qr1_0.expires_at,
6916 qr1_0.queued_at,
6917 qr1_0.ride_request_id,
6918 qr1_0.saga_id,
6919 qr1_0.status,
6920 qr1_0.version
6921 from
6922 queued_requests qr1_0
6923 where
6924 qr1_0.status='QUEUED'
```

```
6925 order by
6926 qr1_0.queued_at
6927 2025-05-26T15:13:05.999-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
6928 2025-05-26T15:13:07.013-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
6929 2025-05-26T15:13:07.026-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
6930 Hibernate:
6931 select
6932 qr1_0.id,
6933 qr1_0.customer_email,
6934 qr1_0.driver_request_payload,
6935 qr1_0.expires_at,
6936 qr1_0.queued_at,
6937 qr1_0.ride_request_id,
6938 qr1_0.saga_id,
6939 qr1_0.status,
6940 qr1_0.version
6941 from
6942 queued_requests qr1_0
6943 where
6944 qr1_0.status='QUEUED'
6945 order by
6946 qr1_0.queued_at
6947 2025-05-26T15:13:07.039-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
6948 2025-05-26T15:13:08.044-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running
```

```
6948 aggressive queue processor...
6949 2025-05-26T15:13:08.057-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
6950 Hibernate:
6951 select
6952 qr1_0.id,
6953 qr1_0.customer_email,
6954 qr1_0.driver_request_payload,
6955 qr1_0.expires_at,
6956 qr1_0.queued_at,
6957 qr1_0.ride_request_id,
6958 qr1_0.saga_id,
6959 qr1_0.status,
6960 qr1_0.version
6961 from
6962 queued_requests qr1_0
6963 where
6964 qr1_0.status='QUEUED'
6965 order by
6966 qr1_0.queued_at
6967 2025-05-26T15:13:08.070-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
6968 Hibernate:
6969 select
6970 qr1_0.id,
6971 qr1_0.customer_email,
6972 qr1_0.driver_request_payload,
6973 qr1_0.expires_at,
6974 qr1_0.queued_at,
6975 qr1_0.ride_request_id,
6976 qr1_0.saga_id,
6977 qr1_0.status,
6978 qr1_0.version
6979 from
```

```
6980 queued_requests qr1_0
6981 where
6982 qr1_0.status=?
6983 and qr1_0.expires_at<?
6984 2025-05-26T15:13:08.856-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING 0
 EXPIRED REQUESTS ===
6985 2025-05-26T15:13:09.074-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
6986 2025-05-26T15:13:09.075-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
6987 Hibernate:
6988 select
6989 qr1_0.id,
6990 qr1_0.customer_email,
6991 qr1_0.driver_request_payload,
6992 qr1_0.expires_at,
6993 qr1_0.queued_at,
6994 qr1_0.ride_request_id,
6995 qr1_0.saga_id,
6996 qr1_0.status,
6997 qr1_0.version
6998 from
6999 queued_requests qr1_0
7000 where
7001 qr1_0.status='QUEUED'
7002 order by
7003 qr1_0.queued_at
7004 2025-05-26T15:13:09.077-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
7005 Hibernate:
```

```
7006 select
7007 co1_0.id,
7008 co1_0.created_at,
7009 co1_0.event_type,
7010 co1_0.payload,
7011 co1_0.processed_at,
7012 co1_0.saga_id,
7013 co1_0.saga_status,
7014 co1_0.status,
7015 co1_0.version
7016 from
7017 customer_outbox co1_0
7018 where
7019 co1_0.status=?
7020 order by
7021 co1_0.created_at
7022 Hibernate:
7023 select
7024 oe1_0.id,
7025 oe1_0.created_at,
7026 oe1_0.event_type,
7027 oe1_0.payload,
7028 oe1_0.processed_at,
7029 oe1_0.saga_id,
7030 oe1_0.saga_status,
7031 oe1_0.status,
7032 oe1_0.version
7033 from
7034 outbox_events oe1_0
7035 where
7036 oe1_0.status=?
7037 order by
7038 oe1_0.created_at
7039 2025-05-26T15:13:09.426-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.api.
 shared.outbox.OutboxScheduler : Processing 0
 outbox events
7040 2025-05-26T15:13:10.083-04:00 DEBUG 48923 --- [
```

```
7040 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
7041 2025-05-26T15:13:10.085-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
7042 Hibernate:
7043 select
7044 qr1_0.id,
7045 qr1_0.customer_email,
7046 qr1_0.driver_request_payload,
7047 qr1_0.expires_at,
7048 qr1_0.queued_at,
7049 qr1_0.ride_request_id,
7050 qr1_0.saga_id,
7051 qr1_0.status,
7052 qr1_0.version
7053 from
7054 queued_requests qr1_0
7055 where
7056 qr1_0.status='QUEUED'
7057 order by
7058 qr1_0.queued_at
7059 2025-05-26T15:13:10.087-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
7060 2025-05-26T15:13:11.094-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
7061 2025-05-26T15:13:11.097-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
7062 Hibernate:
7063 select
```

```
7064 qr1_0.id,
7065 qr1_0.customer_email,
7066 qr1_0.driver_request_payload,
7067 qr1_0.expires_at,
7068 qr1_0.queued_at,
7069 qr1_0.ride_request_id,
7070 qr1_0.saga_id,
7071 qr1_0.status,
7072 qr1_0.version
7073 from
7074 queued_requests qr1_0
7075 where
7076 qr1_0.status='QUEUED'
7077 order by
7078 qr1_0.queued_at
7079 2025-05-26T15:13:11.100-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
7080 2025-05-26T15:13:12.105-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
7081 2025-05-26T15:13:12.112-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
7082 Hibernate:
7083 select
7084 qr1_0.id,
7085 qr1_0.customer_email,
7086 qr1_0.driver_request_payload,
7087 qr1_0.expires_at,
7088 qr1_0.queued_at,
7089 qr1_0.ride_request_id,
7090 qr1_0.saga_id,
7091 qr1_0.status,
7092 qr1_0.version
```

```
7093 from
7094 queued_requests qr1_0
7095 where
7096 qr1_0.status='QUEUED'
7097 order by
7098 qr1_0.queued_at
7099 2025-05-26T15:13:12.117-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
7100 2025-05-26T15:13:13.121-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
7101 2025-05-26T15:13:13.130-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
7102 Hibernate:
7103 select
7104 qr1_0.id,
7105 qr1_0.customer_email,
7106 qr1_0.driver_request_payload,
7107 qr1_0.expires_at,
7108 qr1_0.queued_at,
7109 qr1_0.ride_request_id,
7110 qr1_0.saga_id,
7111 qr1_0.status,
7112 qr1_0.version
7113 from
7114 queued_requests qr1_0
7115 where
7116 qr1_0.status='QUEUED'
7117 order by
7118 qr1_0.queued_at
7119 2025-05-26T15:13:13.131-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
```

```
7119 to process
7120 2025-05-26T15:13:14.134-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
7121 2025-05-26T15:13:14.136-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
7122 Hibernate:
7123 select
7124 qr1_0.id,
7125 qr1_0.customer_email,
7126 qr1_0.driver_request_payload,
7127 qr1_0.expires_at,
7128 qr1_0.queued_at,
7129 qr1_0.ride_request_id,
7130 qr1_0.saga_id,
7131 qr1_0.status,
7132 qr1_0.version
7133 from
7134 queued_requests qr1_0
7135 where
7136 qr1_0.status='QUEUED'
7137 order by
7138 qr1_0.queued_at
7139 2025-05-26T15:13:14.139-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
7140 Hibernate:
7141 select
7142 co1_0.id,
7143 co1_0.created_at,
7144 co1_0.event_type,
7145 co1_0.payload,
7146 co1_0.processed_at,
7147 co1_0.saga_id,
```

```
7148 co1_0.saga_status,
7149 co1_0.status,
7150 co1_0.version
7151 from
7152 customer_outbox co1_0
7153 where
7154 co1_0.status=?
7155 order by
7156 co1_0.created_at
7157 Hibernate:
7158 select
7159 oe1_0.id,
7160 oe1_0.created_at,
7161 oe1_0.event_type,
7162 oe1_0.payload,
7163 oe1_0.processed_at,
7164 oe1_0.saga_id,
7165 oe1_0.saga_status,
7166 oe1_0.status,
7167 oe1_0.version
7168 from
7169 outbox_events oe1_0
7170 where
7171 oe1_0.status=?
7172 order by
7173 oe1_0.created_at
7174 2025-05-26T15:13:14.436-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.api.
 shared.outbox.OutboxScheduler : Processing 0
 outbox events
7175 2025-05-26T15:13:15.145-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
7176 2025-05-26T15:13:15.147-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
```

```
7177 Hibernate:
7178 select
7179 qr1_0.id,
7180 qr1_0.customer_email,
7181 qr1_0.driver_request_payload,
7182 qr1_0.expires_at,
7183 qr1_0.queued_at,
7184 qr1_0.ride_request_id,
7185 qr1_0.saga_id,
7186 qr1_0.status,
7187 qr1_0.version
7188 from
7189 queued_requests qr1_0
7190 where
7191 qr1_0.status='QUEUED'
7192 order by
7193 qr1_0.queued_at
7194 2025-05-26T15:13:15.149-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
7195 2025-05-26T15:13:16.154-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
7196 2025-05-26T15:13:16.156-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
7197 Hibernate:
7198 select
7199 qr1_0.id,
7200 qr1_0.customer_email,
7201 qr1_0.driver_request_payload,
7202 qr1_0.expires_at,
7203 qr1_0.queued_at,
7204 qr1_0.ride_request_id,
7205 qr1_0.saga_id,
```

```
7206 qr1_0.status,
7207 qr1_0.version
7208 from
7209 queued_requests qr1_0
7210 where
7211 qr1_0.status='QUEUED'
7212 order by
7213 qr1_0.queued_at
7214 2025-05-26T15:13:16.159-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : No queued requests
to process
7215 2025-05-26T15:13:17.161-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
QueueAndTimeoutScheduler : Running
aggressive queue processor...
7216 2025-05-26T15:13:17.167-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
.CustomerDomainServiceImpl : === PROCESSING
QUEUE ===
7217 Hibernate:
7218 select
7219 qr1_0.id,
7220 qr1_0.customer_email,
7221 qr1_0.driver_request_payload,
7222 qr1_0.expires_at,
7223 qr1_0.queued_at,
7224 qr1_0.ride_request_id,
7225 qr1_0.saga_id,
7226 qr1_0.status,
7227 qr1_0.version
7228 from
7229 queued_requests qr1_0
7230 where
7231 qr1_0.status='QUEUED'
7232 order by
7233 qr1_0.queued_at
7234 2025-05-26T15:13:17.172-04:00 DEBUG 48923 --- [
```

```
7234 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
7235 2025-05-26T15:13:18.177-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
7236 2025-05-26T15:13:18.180-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
7237 Hibernate:
7238 select
7239 qr1_0.id,
7240 qr1_0.customer_email,
7241 qr1_0.driver_request_payload,
7242 qr1_0.expires_at,
7243 qr1_0.queued_at,
7244 qr1_0.ride_request_id,
7245 qr1_0.saga_id,
7246 qr1_0.status,
7247 qr1_0.version
7248 from
7249 queued_requests qr1_0
7250 where
7251 qr1_0.status='QUEUED'
7252 order by
7253 qr1_0.queued_at
7254 2025-05-26T15:13:18.182-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
7255 2025-05-26T15:13:19.194-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
7256 2025-05-26T15:13:19.199-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
```

```
7256 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
7257 Hibernate:
7258 select
7259 qr1_0.id,
7260 qr1_0.customer_email,
7261 qr1_0.driver_request_payload,
7262 qr1_0.expires_at,
7263 qr1_0.queued_at,
7264 qr1_0.ride_request_id,
7265 qr1_0.saga_id,
7266 qr1_0.status,
7267 qr1_0.version
7268 from
7269 queued_requests qr1_0
7270 where
7271 qr1_0.status='QUEUED'
7272 order by
7273 qr1_0.queued_at
7274 2025-05-26T15:13:19.204-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
7275 Hibernate:
7276 select
7277 co1_0.id,
7278 co1_0.created_at,
7279 co1_0.event_type,
7280 co1_0.payload,
7281 co1_0.processed_at,
7282 co1_0.saga_id,
7283 co1_0.saga_status,
7284 co1_0.status,
7285 co1_0.version
7286 from
7287 customer_outbox co1_0
7288 where
7289 co1_0.status=?
```

```
7290 order by
7291 co1_0.created_at
7292 Hibernate:
7293 select
7294 oe1_0.id,
7295 oe1_0.created_at,
7296 oe1_0.event_type,
7297 oe1_0.payload,
7298 oe1_0.processed_at,
7299 oe1_0.saga_id,
7300 oe1_0.saga_status,
7301 oe1_0.status,
7302 oe1_0.version
7303 from
7304 outbox_events oe1_0
7305 where
7306 oe1_0.status=?
7307 order by
7308 oe1_0.created_at
7309 2025-05-26T15:13:19.447-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.api.
 shared.outbox.OutboxScheduler : Processing 0
 outbox events
7310 2025-05-26T15:13:20.212-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
7311 2025-05-26T15:13:20.215-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
7312 Hibernate:
7313 select
7314 qr1_0.id,
7315 qr1_0.customer_email,
7316 qr1_0.driver_request_payload,
7317 qr1_0.expires_at,
7318 qr1_0.queued_at,
```

```
7319 qr1_0.ride_request_id,
7320 qr1_0.saga_id,
7321 qr1_0.status,
7322 qr1_0.version
7323 from
7324 queued_requests qr1_0
7325 where
7326 qr1_0.status='QUEUED'
7327 order by
7328 qr1_0.queued_at
7329 2025-05-26T15:13:20.220-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
7330 2025-05-26T15:13:21.225-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
7331 2025-05-26T15:13:21.230-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
7332 Hibernate:
7333 select
7334 qr1_0.id,
7335 qr1_0.customer_email,
7336 qr1_0.driver_request_payload,
7337 qr1_0.expires_at,
7338 qr1_0.queued_at,
7339 qr1_0.ride_request_id,
7340 qr1_0.saga_id,
7341 qr1_0.status,
7342 qr1_0.version
7343 from
7344 queued_requests qr1_0
7345 where
7346 qr1_0.status='QUEUED'
7347 order by
```

```
7348 qr1_0.queued_at
7349 2025-05-26T15:13:21.234-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
7350 2025-05-26T15:13:22.244-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
7351 2025-05-26T15:13:22.253-04:00 INFO 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : === PROCESSING
 QUEUE ===
7352 Hibernate:
7353 select
7354 qr1_0.id,
7355 qr1_0.customer_email,
7356 qr1_0.driver_request_payload,
7357 qr1_0.expires_at,
7358 qr1_0.queued_at,
7359 qr1_0.ride_request_id,
7360 qr1_0.saga_id,
7361 qr1_0.status,
7362 qr1_0.version
7363 from
7364 queued_requests qr1_0
7365 where
7366 qr1_0.status='QUEUED'
7367 order by
7368 qr1_0.queued_at
7369 2025-05-26T15:13:22.264-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
7370 2025-05-26T15:13:23.271-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.
 QueueAndTimeoutScheduler : Running
 aggressive queue processor...
```

```
7371 2025-05-26T15:13:23.279-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
7372 Hibernate:
7373 select
7374 qr1_0.id,
7375 qr1_0.customer_email,
7376 qr1_0.driver_request_payload,
7377 qr1_0.expires_at,
7378 qr1_0.queued_at,
7379 qr1_0.ride_request_id,
7380 qr1_0.saga_id,
7381 qr1_0.status,
7382 qr1_0.version
7383 from
7384 queued_requests qr1_0
7385 where
7386 qr1_0.status='QUEUED'
7387 order by
7388 qr1_0.queued_at
7389 2025-05-26T15:13:23.285-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : No queued requests to process
7390 2025-05-26T15:13:24.288-04:00 DEBUG 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.QueueAndTimeoutScheduler : Running aggressive queue processor...
7391 2025-05-26T15:13:24.290-04:00 INFO 48923 --- [customer-service] [scheduling-1] c.u.a.c.s.s.i.CustomerDomainServiceImpl : === PROCESSING QUEUE ===
7392 Hibernate:
7393 select
7394 qr1_0.id,
7395 qr1_0.customer_email,
7396 qr1_0.driver_request_payload,
```

```
7397 qr1_0.expires_at,
7398 qr1_0.queued_at,
7399 qr1_0.ride_request_id,
7400 qr1_0.saga_id,
7401 qr1_0.status,
7402 qr1_0.version
7403 from
7404 queued_requests qr1_0
7405 where
7406 qr1_0.status='QUEUED'
7407 order by
7408 qr1_0.queued_at
7409 2025-05-26T15:13:24.292-04:00 DEBUG 48923 --- [
 customer-service] [scheduling-1] c.u.a.c.s.s.i
 .CustomerDomainServiceImpl : No queued requests
 to process
7410 Hibernate:
7411 select
7412 co1_0.id,
7413 co1_0.created_at,
7414 co1_0.event_type,
7415 co1_0.payload,
7416 co1_0.processed_at,
7417 co1_0.saga_id,
7418 co1_0.saga_status,
7419 co1_0.status,
7420 co1_0.version
7421 from
7422 customer_outbox co1_0
7423 where
7424 co1_0.status=?
7425 order by
7426 co1_0.created_at
7427 Hibernate:
7428 select
7429 oe1_0.id,
7430 oe1_0.created_at,
7431 oe1_0.event_type,
```

```
7432 oe1_0.payload,
7433 oe1_0.processed_at,
7434 oe1_0.saga_id,
7435 oe1_0.saga_status,
7436 oe1_0.status,
7437 oe1_0.version
7438 from
7439 outbox_events oe1_0
7440 where
7441 oe1_0.status=?
7442 order by
7443 oe1_0.created_at
7444 2025-05-26T15:13:24.463-04:00 INFO 48923 --- [
customer-service] [scheduling-1] c.u.api.
shared.outbox.OutboxScheduler : Processing 0
outbox events
7445
```