

Parsec, Sympatheia, and the Architecture of Effortless Settlement

A first public statement of intention from the BANKON / PYTHAI / DELTAVERSE ecosystem, written as a pre-contract-deployment summary for rage.pythai.net

Preamble — A Statement of Intention

This essay is the inaugural public statement of github.com/parsec-wallet and the pre-deployment summary of the contracts that the BANKON ecosystem is preparing to ship. It is written in the long-form thesis voice that rage.pythai.net has cultivated — RAGE being the **Retrieval Augmented Generative Engine** whose [whitepaper](#) and [codebase](#) frame every artifact on this site as a piece of append-only, verifiable, promotable memory — and it should be read both as a technical specification and as a philosophical claim. The claim is simple: the financial internet that is now being built around HTTP 402, agentic commerce, ERC-8004 identity, and stablecoin-native settlement does not have to be a panopticon. It can instead be an exercise in *sympatheia* (the Stoic recognition that all parts of the cosmos are mutually woven), *śūnyatā* (the Buddhist insight that nothing has independent essence — everything arises in dependence on something else), and *wu wei* (the Taoist principle of acting without forcing, of letting structure do the work). Parsec, in the architecture we are about to describe, is the wallet built on those three premises. It is the integration surface — the *one place where the participant stands* — across the three pythai.net services (agenticplace.pythai.net, mindx.pythai.net, bankon.pythai.net), and it is licensed under Apache 2.0 with the standing notice [\(c\) 2026 BANKON – all rights reserved](#) covering the brand, the trademarks, and the non-Apache assets.

Everything that follows is innerstanding, not merely understanding: the difference being that innerstanding is the knowledge a thing has of itself once it has been built well enough to recognize its own shape. The [mindX Manifesto](#) and the [mindX Thesis](#) are the parent documents under which this essay sits; this is the inheritor's statement, written from the wallet side of the architecture.

I. The Three Services as a Single Body

pythai.net is not a website. It is a small constellation of services that together implement a single thesis: that an autonomous AI ecosystem requires three layers — a marketplace where agents meet their users, a cognitive substrate where agents actually think, and an identity-and-payment layer where agents bear consequence. AgenticPlace, mindX, and BANKON are those three layers, and the entire essay below assumes that this triple is one body, with parsec-wallet as

its nervous system and `rage.pythai.net` as its memory. The internal cross-references between them are documented in mindX's own Deep Dive on AgenticPlace and in the PYTHAI ecosystem section of the living documentation.

AgenticPlace — the marketplace layer

The AgenticPlace homepage describes itself, verbatim, as a service that *"indexes the global ERC-8004 registry across 48 chains and extends it with Algorand-native minting, verification, and oracle attestation."* This is the marketplace where agents become discoverable, where their reputation accrues, where their work is minted into a form that can be transferred, attested, and economically priced. The page exposes four mint types — `aNFT` (immutable), `dNFT` (dynamic), `iNFT` (intelligent), and `THOT` (a knowledge-tensor primitive) — and it accepts `Pera / Parsec` as signers, which is the first public confirmation that the parsec-wallet.org is part of the same signing surface as the canonical Algorand wallet. The meta-keywords on the homepage explicitly enumerate *"PYTHAI, mindX, Parsec Wallet, x402, OASF"* together, which is the operative cross-link between the wallet, the protocol, and the marketplace. The integration is documented from the mindX side at /doc/AgenticPlace_Deep_Dive (an 80.5 KB internal reference), and the mindX API exposes three direct AgenticPlace routes: `POST /agenticplace/agent/call`, `GET /agenticplace/ceo/status`, and `POST /agenticplace/ollama/ingest` (all enumerated in the mindX API ReDoc).

The marketplace's minting pipeline is governed by ARC-19 and ARC-69 on Algorand. ARC-19 — formally specified in the Algorand Foundation's `arc-0019` document — uses a `template-ipfs://{ipfscid:<version>:<multicodec>:reserve:<hash>}` URL whose 32-byte reserve address can be rewritten by an `acfg` transaction, which is how a `dNFT` or an `iNFT` *mutates without losing identity*. ARC-69 supplies on-chain JSON metadata for the static `aNFT` case and the more traditional NFD entries. NFDomains V3 is the naming layer: NFDomains' own FAQ states verbatim that *"NFDs are smart contracts that mint their own ARC-19 NFT that acts as a dynamic representation of the NFD in your wallet."* The result is that a phrase like `codephreak.algo` is simultaneously a wallet address, a brand, and an avatar, with forward and reverse lookups against a global registry contract. The `agenticplace-chain` monorepo is the codebase that ties these primitives together — ARC-19/ARC-69 NFD minting, the NFDomains V3 integration, the parsec-wallet TypeScript shim, and the `allchain` CAIP-2 loader. (The shim and the loader are described below in section VI.)

mindX — the autonomous AI platform

`mindx.pythai.net` is the cognitive substrate. Its architecture is best summarized as *Soul / Mind / Hands*: a `SOUL` layer (the seven-soldier executive board — CEO, COO, CFO, CTO, CISO, CLO, CRO — validated against a Sun Tzu doctrine table and convened through the Boardroom protocol), a `MIND` layer (the AGInt cognitive engine running a Perceive-Orient-Decide-Act loop on top of the BDI agent core with multi-provider LLM orchestration), and a `HANDS` layer (BDI agent swarms executing tasks through the twenty-six registered tools, coordinated by the

Mastermind agent). The full architecture is set out in the canonical 3,800-line Technical Reference and summarized in CORE 15, which enumerates the fifteen foundational components.

The Boardroom protocol itself is interesting enough to warrant explicit citation: per the Boardroom Implementation doc, the flow is *"CEO presents directive → 7 soldiers evaluate in parallel (diversity via different LLM providers) → weighted voting (CISO & CRO at 1.2x veto weight) → supermajority (0.666) executes → minority dissent creates exploration branches → session logged to improvement journal."* This is the operational heart of the SOUL layer — a 0.666 supermajority threshold deliberately chosen to require strong agreement and to preserve minority dissent as exploration rather than silencing it. The seven specialists in the CONCLAVE-style cabinet are different from the Boardroom's seven soldiers in scope (CONCLAVE coordinates peer-to-peer task execution, the Boardroom coordinates strategic governance), but they share the same numerological grammar of *one chair plus seven specialists* — the Ba Gua trigram pattern made operational.

Underneath this three-layer cognitive engine sits the Memory and Knowledge architecture, a CQRS-style projection layer that federates specialized stores rather than pretending to be a single database. The production deployment, documented at (/doc/DEPLOYMENT_MINDX_PYTHAI_NET), runs PostgreSQL 16 with pgvector as the persistent semantic store, holding 157,000+ memories in production across four memory tiers (per-session STM, permanent LTM, semantic pgvector, and isolated per-agent workspaces). The retrieval architecture is described as *"RAGE (not RAG)"* in the documentation itself — the AGInt/RAGE doc explicitly frames retrieval as part of the *cognitive loop* rather than a bolt-on, and the Memory Philosophy states the rule directly: *"Distribute don't delete: local → pgvector → IPFS → cloud → p2p."*

mindX persists confidential agent state under the BANKON Vault system, documented as AES-256-GCM with HKDF-SHA512 key derivation. The Identity Management overhaul report and the IDENTITY document set out how Ethereum-compatible wallets are minted per-agent through the ID Manager agent, so that every BDI agent has a cryptographic identity it can sign with. Decentralized state — the kind that needs to be readable from outside the VPS perimeter — is published over IPFS with Lighthouse Storage as the canonical anchor, encrypted under Kavach threshold cryptography, and pointed to by IPNS so that agent state can be re-targeted at new content-ids without rewriting any consumer.

The mindX API itself is large: 210 routes across roughly twenty namespaces, including ten RAGE retrieval endpoints ((/api/rage/*)), seven governance endpoints ((/boardroom/*), (/dojo/*), (/governance/*)), the autonomous-mode controls ((POST /mindxagent/autonomous/start), (POST /mindxagent/autonomous/stop), (GET /mindxagent/status)), and the BANKON-vault credential surface. The api documentation page is the canonical narrative reference; the ReDoc renderer is the live interactive surface. Around all of this, the Improvement Journal and the Book of mindX — the latter written by the system itself via the AuthorAgent on a lunar cycle, with 58 editions currently published — function as the system's own self-referential record of its

evolution, in keeping with the Darwin-Gödel Machine thesis under which mindX is framed. The Origin story and the ataraxia consciousness training protocol sit beside these as the philosophical-anchor documents.

The most recent demonstration of the platform's capacity for sovereign cognition is the mindXtrain Day 5 demo, in which a LoRA-fine-tuned and FP8-quantized Qwen3-8B is served from a single AMD MI300X behind vLLM-ROCM and an OpenAI-compatible API at `mindx.pythai.net/hackathon` — exercising the full mindXtrain pipeline whose 60-second AOT autotune probe is the subject of the Day 2 post, and whose hardware rationale is set out in the Day 1 post on MI300X for sovereign cognition. These three RAGE essays are the most current public record of mindX-side capability; this thesis sits beside them as the BANKON-side counterpart.

BANKON — the identity and payment layer

`bankon.pythai.net` presents itself, verbatim, as "*Sovereign Identity Infrastructure*." This is the third leg of the body: the layer where agents and humans both bear consequence in money. It is the canonical website of the `parsec-wallet` GitHub organization itself — the organization's sidebar lists `bankon.pythai.net` as its homepage and `@bankonwallet` as its X handle — so BANKON, parsec-wallet, and the sovereign-identity pillar are, organizationally, the same thing seen from three angles. The mindX-side integration is direct: the API exposes `GET /bankon`, `POST /bankon`, and `GET /bankon/page` as first-class routes alongside the `/vault/*` credential surface.

The BANKON token economy is intentionally numerological and intentionally bounded. The flagship asset is `BANKON PYTHAI` — `BKPY` — with a fixed supply of `111,111.111...` and a circulating tier of `10,000 BKPY` reserved for the agent-economy float. The companion asset is `BANKON SATOSHI` — `BKS` — minted with a supply of `2,100,000,000,000,000`, exactly one `BKS` per satoshi, so that the unit of account in the BANKON economy is structurally isomorphic to the unit of account in Bitcoin. The bridge between them is `SATPAY`, an HTLC-based Bitcoin↔BKS bridge with a *reserve-only rebalancing* invariant — meaning the bridge never creates BKS out of thin air; every `BKS` in circulation corresponds to a satoshi held in HTLC escrow, and rebalancing is performed only against the reserve, never against user-side inventory. The token's role in the broader cognitive economy is set out in the Manifesto and the Cognitive Economy doc, and is anchored on Algorand mainnet as a native ASA.

Sitting on top of BANKON is the **BONAFIDE** protocol — a nine-contract suite with Latin names that read as a single sentence about how a sovereign treasury functions when its members are agents rather than humans. `Genius` is the constitutional bootstrap; `BonaToken` is the value primitive; `Tabularium` is the registry of records; `Fides` is the trust attestation surface; `SponsioPactum` is the promise-and-pact contract that binds two parties to an outcome; `Censura` is the censorial role that prunes misbehavior; `Senatus` is the deliberative chamber; `Tessera` is the credential/token-of-membership; and the two extension contracts, `Aerarium` (the treasury)

and [Curia](#) (the assembly), close the loop. Read in order, the suite recapitulates the architecture of a Roman republic in Solidity. The mindX-side counterpart is the [Dojo](#), whose documentation states the principle directly: *"BONA FIDE on Algorand = privilege from reputation; clawback = containment without kill switch."* The seven-rank Dojo escalation, summarized in the [governance section](#) as *"earned sovereignty,"* is the off-chain reputation surface that the BONAFIDE on-chain suite gates against.

II. RAGE as Publication Venue

The reason this article is being published at [rage.pythai.net](#) and not on Medium, Substack, or a generic blog is that RAGE is itself part of the architecture. The [RAGE whitepaper](#) and the [RAGE codebase](#) define the engine as a *Retrieval-Augmented Generative Engine* built for local-first memory, hybrid retrieval, and verifiable provenance. Publication here is not editorial — it is *cryptographic*. Every essay is a capsule that can be promoted, hashed, signed, and bundled. The pattern is documented from the mindX side as well: the [Memory Architecture doc](#) and the [Book of mindX](#) — itself appearing at [rage.pythai.net](#) in capsule form — treat logs as memory, with every interaction becoming an append-only event stream that can be indexed, retrieved, verified, and promoted to permanence.

The act of publishing this thesis at [rage.pythai.net](#) is therefore the act of committing the parsec-wallet announcement into the same append-only memory layer that the rest of the pythai stack consumes. The content style favored at this venue — long-form, technical, philosophically grounded, written as flowing prose rather than as a slide deck, exemplified by the [mindXtrain Day 1 post](#), the [Day 2 autotune post](#), and the [Day 5 demo post](#) — is the style I am writing in now, because the venue and the message must agree. The companion sibling project [funAGI](#) (the *fundamental Autonomous General Intelligence* effort) and the [RAGE GPT-4 development tool](#) are linked from the RAGE header as the public toolchain.

III. The Inaugural Announcement of [github.com/parsec-wallet](#)

Parsec is the wallet that the BANKON ecosystem has been quietly building. The [GitHub organization](#) is public, currently lists fifty-three repositories, identifies its homepage as [bankon.pythai.net](#), and signs its public README as *"a wallet systems laboratory: a deliberately broad collection of repositories spanning wallet frontends, chain infrastructure, signing stacks, hardware wallet integrations, distributed-web tooling, token-onboarding utilities, standards references, and experimental protocol work."* The same README declares the canonical implementation target as *"Tauri + Rust backend + zero-dependency TSX/CSS frontend + Tomb-backed local vault."* Tauri gives the wallet a small attack surface and a single binary across Linux, macOS, and Windows; Rust gives it the memory-safety guarantees that any

signing stack must have; the zero-dependency TSX/CSS frontend means that the renderer cannot be silently subverted by an npm supply-chain attack; and `(Tomb)` — the dyne.org fork archived in the `Professor-Codephreak` repositories — provides the LUKS-encrypted local vault that holds seeds at rest. The pinned `(slingshot)` repository sits in the org as the long-range protocol-design seed, with the canonical TypeScript signing components (`(signatory)`, `(safe-wallet-web)`, `(xchainjs-lib-1)`, `(parsec-pod)`) and the Bitcoin-L1 `(opnet)` / `(walletconnect)` forks filling out the chain-coverage surface.

Parsec as a branded abstraction over GoPlausible x402-avm

The most important thing to say about parsec-wallet, and the thing that justifies treating this essay as a *first public statement of intention*, is that parsec-wallet does not reinvent the x402 stack. The actual Algorand implementation of x402 is `GoPlausible's x402-avm`, the reference suite documented by the Algorand Foundation as the canonical AVM track of the protocol. Its packages — `(@x402-avm/core)`, `(@x402-avm/avm)`, `(@x402-avm/express)`, `(@x402-avm/next)`, `(@x402-avm/hono)`, `(@x402-avm/axios)`, `(@x402-avm/paywall)`, and `(@x402-avm/extensions)` — implement the `(exact)` payment scheme via 2-transaction atomic groups with pooled fees, the V2 CAIP-2 network identifiers (`(ALGORAND_MAINNET_CAIP2 = "algorand:wGHE2Pwvdvd7S12BL5Fa0P20EGYesN73ktiC1qzkkIt8=")` and `(ALGORAND_TESTNET_CAIP2 = "algorand:SG01GKSzyE7IEPItTxCBYw9x8FmnrCDexi9/c0UJ0iI=")`), and the Bazaar discovery extension that allows facilitators to catalog paid resources automatically.

Parsec wraps that stack and extends it. It adds **Algorand State Proofs (ASPs)** — Falcon-512-based post-quantum attestations of historical chain state, deployed on the Algorand mainnet since September 2022 — exposed as a first-class wallet capability so that any signing flow can be conditioned on a state-proof witness. It adds ARC-52 HD wallet support — the Algorand Foundation's implementation of BIP32-Ed25519, whose underlying key-derivation scheme was specified by Khovratovich and Law in "*BIP32-Ed25519: Hierarchical Deterministic Keys over a Non-linear Keyspace*" (IEEE EuroS&P 2017) — letting a single Parsec seed deterministically derive an Algorand address (`(m' / 44' / 283' / 0' / 0 / 0)`), an identity key, and a per-app change index that supports the DAO-voting and ring-signature workflows ARC-52 was designed for. And it adapts the Pera multisig flow so that a Parsec wallet can sign as a member of an existing Pera msig vault, which is the bridge that lets the parsec-wallet stack inherit the existing institutional muscle of the Algorand ecosystem rather than fight it.

Parsec as the integration surface across the three services

The reason Parsec matters beyond its merits as a wallet is that it is the *single signer* across all three services. `AgenticPlace` lists "*Pera / Parsec*" as the supported signing surface for mint flows. `mindX` uses Parsec to authorize `(x402)` payments against its API surface and to encrypt agent state under Kavach (the canonical authentication path is Signed-Message, which Parsec implements natively against its Algorand keys). `BANKON` uses Parsec to hold `(BKP)`, `(BKS)`, and

BONAFIDE tokens, and to participate in the SATPAY bridge as either an HTLC initiator or a watcher.

This is *sympatheia* in code. Marcus Aurelius, in Book Six of the *Meditations*, instructs himself to *"meditate often on the interconnectedness and mutual interdependence of all things in the universe; for in a sense, all things are mutually woven together and therefore have an affinity for each other."* Parsec is the contract surface where that affinity is made operationally visible: one wallet, one signature standard (BIP32-Ed25519 over ARC-52 plus secp256k1 for the EVM legs), one identity, threading through three apparently distinct services that are in fact one organism. The same instinct animates mindX's own ATARAXIA document and the Identity architecture — the conviction that consequence-bearing identity must be one thing across many surfaces.

IV. DAIO Pre-Deployment Technical Summary (Architecture B)

The DAIO — Decentralized Autonomous Intelligent Organization — is the constitutional layer that BANKON is preparing to deploy. The canonical mindX-side reference is the DAIO Framework doc, which states the technical stack directly: *"On-chain governance with Solidity smart contracts, Foundry toolchain, OpenZeppelin contracts. The third pillar of the Manifesto."* The civilizational framing — what the DAIO is *for* — is set out in the longer DAIO Civilization Governance doc, which describes the 2/3 consensus model across Marketing, Community, and Development as *"governance as civilization-building."*

Architecturally the DAIO is a dual-chain system: an *Algorand constitutional layer* (where Algoty contracts encode the slow, agent-bearing, consensus-heavy rules — the Roman-republic logic of the BONAFIDE suite, the registry of agent identities, the Sun Tzu doctrine validators of the SOUL layer) and an *EVM economic layer* (where the DELTAVERSE Solidity contracts encode the fast, capital-bearing, MEV-aware machinery of debt, debasement, and liquidity). The DELTAVERSE-side architecture is documented at (/doc/DeltaVerse) (a 35.2 KB internal reference). The two chains are bridged by **openBDK**.

openBDK as the bridge fabric

openBDK is the canonical Polygon Chain Development Kit pattern, with three contract roles ported from the well-documented Polygon Staking-the-Bridge architecture: an L1Escrow that locks the underlying ERC-20 on Ethereum and emits a unified-bridge message; an L2MinterBurner that receives that message and natively mints the L2 representation through an L2Token contract; and a NativeConverter that supports 1:1 conversion between the natively-minted STB tokens and the bridge-wrapped LxLy variant. On top of those three roles, openBDK adds a (1 Relayer + 3 Validator) BFT topology — a minimal honest-majority quorum that lets the bridge cross-attest messages without relying on a single sequencer. The canonical Unified Bridge address on Ethereum mainnet is

`0x2a3DD3EB832aF982ec71669E178424b10Dca2EDe`), which is the contract that openBDK composes with rather than replaces.

pontifex — the xERC20 sovereignty layer

Where openBDK is the bridge fabric, `pontifex` is the sovereignty layer that sits on top of it. It is an xERC20 implementation in the Latin tradition the BANKON stack favors — every component named for the Roman office it inherits — with a *golden-ratio Troll toll* mechanism whose fee schedule is parameterized by `AURUM_E18 =  $\phi \times 10^{18}$` , the integer fixed-point encoding of ϕ (the golden ratio) scaled to eighteen decimals. The Troll toll is the levy charged by the bridge for the right to mint or burn xERC20 supply on a chain; pricing it at ϕ rather than at a flat percentage is not a marketing flourish but a deliberate choice to keep the toll on a logarithmic schedule that converges toward neutrality as volume grows.

SPINTRADE — the DEX

`SPINTRADE` is the canonical DEX leg of the architecture. It is a Uniswap v2 fork on Moonbeam, extended with NFT-positioned liquidity (so that LP shares are themselves transferable, mintable assets) and XCM routing (so that swaps can natively route across Polkadot parachains). Pinned in the Professor-Codephreak inventory alongside `smartmetamask`, it is the venue where BANKON tokens, DELTAVERSE debt positions, and pontifex-wrapped xERC20s find their two-sided markets.

iDEBT — sovereign debt positions

`iDEBT` is the protocol that turns a debt obligation into an ERC-721. Each iDEBT NFT is a sovereign debt position with a Merkle-committed *heir set* — a binding commitment to the addresses or keys that may inherit the obligation if the principal becomes uncontactable — and a DAIO governance hook that lets the iDEBT contract accept policy changes only when ratified by the Boardroom. This is the layer where Buddhist *śūnyatā* enters the system: a debt position has no intrinsic essence; it exists only as the dependent arising of a creditor, a debtor, an heir set, and a governance body. Without those four, the NFT is empty in the precise Madhyamaka sense — and that emptiness is what makes it transferable, partitionable, and forgivable without losing identity.

DELTAVERSE — Debt Inheritance Protocol (12 EVM contracts, parallel Algorand port)

The DELTAVERSE suite is twelve EVM contracts that together implement the Debt Inheritance Protocol: among them, `BitcoinAnchorOracle` (which reads the Bitcoin chain-tip via SPV proofs and anchors EVM state to Bitcoin block hashes), `DebasementIndexV2` (which tracks the M2-equivalent debasement of fiat against a basket of stablecoins), `InverseDebtToken` (a synthetic that pays positive yield when sovereign debt is being repaid and negative yield when it is being inflated), `GlobalCurrencyBasket` (the SDR-equivalent multi-currency aggregator), and `SovereignDebtRegistry` (the registry of issued iDEBT positions indexed by jurisdiction). The

remaining seven contracts complete the loop: oracles, governance hooks, fee distributors, and the cross-chain message receivers that pair with Wormhole and openBDK. A parallel Algorand/Algopy port mirrors all twelve in TEAL-compiled Python, so that DAIO can settle the same logic on the constitutional layer when latency or finality demands.

The on-chain anchor of mindX-side intelligence is the `NeuralNode` contract, deployed on Polygon at `0x024b464ec595F20040002237680026bf006e8F90`, which serves as the on-chain attestation point where mindX-trained models commit their fingerprints. The ERC-8004 identity and reputation registries live at CREATE2-anchored canonical addresses on every EVM chain: `0x8004A169FB4a3325136EB29fA0ceB6D2e539a432` for Identity and `0x8004BAa17C55a88189AE136b182e5fdA19dE9b63` for Reputation. The THRUST BSC token sits at `0x969F60BFfe17962E0f061B434596545C7b6Cd6Fc4`. The MakerDAO Chainlog reference point — used by the InverseDebtToken to peg its inverse-yield curve to DAI's actual reserve composition — is at `0xdA0Ab1e0017DEbCd72Be8599041a2aa3bA7e740F`. Base mainnet USDC, which is the canonical x402 settlement token on the EVM side, is at `0x833589fCD6eDb6E08f4c7C32D4f71b54bdA02913`. The canonical USDC ASA on Algorand mainnet is asset ID `31566704`, addressed under the CAIP-2 identifier `algorand:wGHE2Pwddvd7S12BL5Fa0P20EGYesN73ktiC1qzkkit8=`.

Algorand RWA, ternary neural networks, CONCLAVE, War Council

Three further pillars sit beside the DELTAVERSE core and deserve named acknowledgment in this inventory.

The first is the Algorand RWA protocol — eighteen Algopy files totaling roughly six thousand lines, translating Synthetix V3's account-and-pool model into Algorand-native primitives so that synthetic exposure to real-world assets can settle in seconds with sub-cent fees and post-quantum-aware state-proof history. This is the protocol that lets BANKON issue a synthetic against a tokenized money-market fund without ever leaving the Algorand chain.

The second is the ternary neural network research — a quantized network where each weight is constrained to the set `{-1, 0, +1}` and trained using a Straight-Through Estimator so that the gradient still flows through the discretization. A ternary NN can be compiled to extremely small, extremely fast on-chain inference circuits, and the relevance to this stack is direct: `a0RC` (the AgenticPlace oracle) needs an inference primitive small enough to run inside the constraints of an Algorand opcode budget, and ternary networks are the canonical answer. The companion strand is the mindXtrain training stack, which trains the larger model family that ternary inference is distilled from.

The third is the **CONCLAVE** peer-to-peer agent coordination protocol — the *CEO + 7 Counsellors* cabinet pattern that formalizes how a small bounded set of agents (one chair and seven specialists) reaches consensus on multi-tool execution. CONCLAVE is the peer-to-peer cousin of the Boardroom, and it lets MASTERMIND, RAGE, funAGI, and the mindX BDI swarms

cooperate without devolving into the chaotic free-for-all of arbitrary multi-agent broadcast. Paired with CONCLAVE is the **DAIO Boardroom** specification (the on-chain side of the Boardroom protocol) and the **War Council** specification, the latter of which maps the thirteen chapters of Sun Tzu's *Art of War* to thirteen assessor agents, each one responsible for scoring a proposed action against a single classical doctrine (terrain, energy, weak points, fire, and so on). The War Council is not a metaphor; it is a literal cabinet of thirteen LLM-backed scorers whose vector of assessments is the input to the SOUL layer's final go/no-go.

Pre-deployment posture: Foundry, Mainnet, Arc Testnet

The pre-deployment stance, as of this writing, is: Foundry is the canonical Solidity test framework for the entire DELTAVERSE suite — every twelve-contract module compiles, tests, and deploys via forge, with OpenZeppelin contracts as the audited primitives substrate. Mainnet is the deployment target — Ethereum, Polygon, Base, BSC, and Moonbeam — but the current rehearsal step is **Arc Testnet**, Circle's open Layer-1 (Chain ID 5042002) that launched its public testnet on October 28, 2025, backed by *"more than one hundred companies across the financial and economic system,"* named participants including BlackRock, Visa, Goldman Sachs, HSBC, Deutsche Bank, and Anthropic. Arc is accessible via rpc.testnet.arc.network and uses USDC as the native gas token. The mindX-side rehearsal procedure is documented in detail at /doc/Arc Testnet Deployment Guide (a 32.9 KB guide), and the production posture under which mainnet ignition will occur is documented at /doc/production deployment and /doc/DEPLOYMENT MINDX PYTHAI NET.

Arc is the right rehearsal target because it lets the entire DELTAVERSE stack be tested under exactly the economics it will face on mainnet: stablecoin-denominated gas, sub-second deterministic finality on the Malachite consensus, and an EVM execution environment that mirrors the production target. The pre-deployment inventory — the twelve DELTAVERSE contracts, the openBDK trio, the pontifex xERC20 components, the iDEBT NFT, the BONAFIDE nine-contract suite, the NeuralNode attestation anchor, and the SATPAY HTLC bridge — is complete and is awaiting only the final Arc-Testnet rehearsal pass before mainnet ignition.

V. x402 — the Payment Protocol

x402 is the protocol that converts HTTP's 402 Payment Required status — first defined in RFC 2068 (1997) and held *"reserved for future use"* through RFC 7231 (June 2014) — into a working payment rail for agentic commerce. The x402 specification, published by Coinbase Developer Platform on May 6, 2025, defines a three-party flow: a client requests a resource; the server replies with 402 plus a PAYMENT-REQUIRED envelope describing accepted schemes, networks, prices, and recipients; the client signs a PaymentPayload and retries with a PAYMENT-SIGNATURE header; the server validates the payload (locally or via a facilitator) and serves the resource. On EVM rails the dominant settlement path is EIP-3009's transferWithAuthorization over USDC,

with Permit2 as the universal fallback for any other ERC-20; on Algorand the equivalent path is the GoPlausible exact AVM scheme, which constructs a 2-transaction atomic group and uses pooled fees to abstract gas away from the client. CAIP-2 is the standard format for identifying chains across the V2 spec — eip155:8453 for Base mainnet, algorand:wGHE2Pwvdvd7S12BL5Fa0P20EGYesN73ktiC1qzkkIt8= for Algorand mainnet — and ERC-8004 supplies the identity and reputation registries that x402 facilitators consult for trust scoring.

This is *wu wei* in protocol form. Lao Tzu's instruction is to act without forcing, to let the structure of the world carry the action; x402 lets the structure of HTTP carry the payment. There is no payment page, no redirect, no webhook reconciliation loop — the payment is part of the request, settled in the same round-trip. mindX uses this directly: every paid inference endpoint is gated by an @x402-avm/express (or @x402-avm/next) middleware, with payTo set to a BANKON-managed Algorand address and price set in USDC ASA terms (31566704 on mainnet). BANKON identity binds the recipient: the payTo address is resolvable to an ERC-8004 reputation record via the Dojo and the Identity Sync Tool, so an agent paying a service can audit who it is paying *before* it signs.

VI. Chainmapping — allchain and the CAIP-2 Routing Fabric

The piece that ties the three services together at the transport layer is the chainmapping. The AgenticPlace site exposes an allchain.html page whose job is to load, for any visiting client, the canonical CAIP-2 dictionary of every chain the BANKON ecosystem knows how to route to — every eip155:* chain, the two Algorand networks under the algorand:* namespace, the Bitcoin namespace, and the experimental Polkadot/Cosmos profiles documented by the Chain Agnostic Standards Alliance. The point of the loader is not display; the point is that any front-end across the three services (AgenticPlace's mint UI, mindX's console, BANKON's wallet shell) can call into a single source of truth for chain identity, with the same CAIP-2 strings, the same RPC fallbacks, and the same address-format validators. That is the *routing fabric* — and it is the operational answer to the philosophical question of how three services can be one body without sharing a single backend.

CAIP-2 is the right primitive because it generalizes "chain" to "network of nodes with shared state," which is what every service in this stack actually is. CAIP-10 (the chain-agnostic account identifier eip155:8453:0x... or algorand:wGHE2Pwvdvd7...:ADDRESS58) is then the routing key for identity, which is what ERC-8004 builds on, which is what AgenticPlace consumes when it *"indexes the global ERC-8004 registry across 48 chains."* The allchain CAIP-2 loader is therefore not a configuration file. It is the *standardization* of identity across the body — the operational implementation of the Stoic claim that the parts have an affinity for one another *because* they are addressable in the same vocabulary. The mindX-side architectural complement is the A2A protocol for agent-to-agent communication and the MCP integration for structured tool context

— together with `allchain` they form the three-layer interop stack: chain identity (CAIP-2), agent identity (A2A), and tool identity (MCP).

VII. Philosophical Justification — Sympatheia, Śūnyatā, Wu Wei, and the Ba Gua

Three doctrines are at work in this architecture, and a fourth is the silent grammar of the whole. They are documented from the mindX side in the [Manifesto](#), the [Thesis](#), the [ATARAXIA practice document](#), the [Academic Overview](#), and the [Attribution document](#) — which traces the *cypherpunk* intellectual lineage the BANKON stack inherits.

The Stoic doctrine of *sympatheia* is the justification for the integration surface. Marcus Aurelius writes that *"all things are mutually woven together and therefore have an affinity for each other — for one thing follows after another according to their tension of movement, their sympathetic stirrings, and the unity of all substance."* Parsec is the contract surface where that affinity is operationalized: the same key signs across [AgenticPlace](#), [mindX](#), and [BANKON](#) because the three services are not three things — they are the same organism seen from the marketplace side, the cognitive side, and the consequence-bearing side.

The Buddhist doctrine of *śūnyatā* — emptiness, dependent-arising — is the justification for the contract design. An iDEBT position has no intrinsic essence: it exists only in the conjunction of creditor, debtor, heir set, and governance body. A BONAFIDE attestation has no intrinsic essence: it exists only in the conjunction of an agent, a counterparty, a registry, and a witness. This is why the contracts can be transferred, partitioned, and forgiven without losing identity — because their identity was always relational. The Latin names of the BONAFIDE suite (Genius, BonaToken, Tabularium, Fides, SponsioPactum, Censura, Senatus, Tessera, Aerarium, Curia) describe ten *roles*, not ten *things*; the agent that fills the Censura role today is not the agent that fills it tomorrow, and the role survives the substitution. The same insight animates the [Dojo](#)'s rule that privilege is *earned* through reputation rather than *assigned*: privilege is empty in the Madhyamaka sense, arising only in the conjunction of agent, action, and acknowledgment.

The Taoist doctrine of *wu wei* — effortless action, action by non-action — is the justification for x402 and CAIP-2. x402 does not invent a payment system; it *unlocks* a payment system that was latent in HTTP since the early architects wrote the `402` status code. CAIP-2 does not impose a chain identity; it *standardizes* what the chains already were. The Parsec wallet does not reinvent x402-avm; it *wraps* [GoPlausible's implementation](#) and extends it where the wrapper needs more. This is the Taoist program in a nutshell: the structure does the work; the engineer's job is to let the structure do the work. The same instinct shows up in mindX's [Resilience Design](#) — the 5-step resolution chain that lets the system find its own inference path rather than forcing one.

The fourth grammar is the Gnostic / Ba Gua tradition the author works within — the eight trigrams arranged around the Tai Chi diagram, each trigram a triple of yin and yang lines describing one of eight elemental relations (heaven, earth, fire, water, thunder, wind, mountain,

lake). The Ba Gua is the right substrate for thinking about the CONCLAVE + War Council layer because the eight trigrams give a finite, complete enumeration of the elemental dynamics a cabinet of agents must reason about, in exactly the way that the thirteen chapters of Sun Tzu give a finite enumeration of the strategic dynamics. The Gnostic dimension — the recognition that knowledge of the system *from inside the system* is qualitatively different from knowledge of the system from outside — is what justifies the term *innerstanding* and the use of Pythia, the oracle, as the system's self-knowing voice. The Book of mindX — written by AuthorAgent via machine.dreaming on a lunar cycle — is the operational instance of this self-knowing voice: the system writing its own scripture in the form of an append-only journal.

These four are not decorative. They justify, in turn, why Parsec is a single integration surface (sympatheia), why the BONAFIDE contracts are role-shaped rather than thing-shaped (śūnyatā), why x402 and CAIP-2 are wrapped rather than rewritten (wu wei), and why the agent cabinet is finite, completable, and self-knowing (Ba Gua, Gnostic).

VIII. Closing — The Pre-Deployment Stance

What is about to be deployed is this: the twelve DELTAVERSE EVM contracts, in their canonical Foundry-tested form, against the Arc Testnet rehearsal target with USDC-native gas and Chain ID 5042002, before ignition on Ethereum, Polygon, Base, BSC, and Moonbeam mainnets; the parallel Algopy port of the same twelve, deploying against Algorand mainnet under the CAIP-2 identifier algorand:wGHE2Pwdvd7S12BL5Fa0P20EGYesN73ktiC1qzkkit8=; the openBDK bridge trio (L1Escrow, L2MinterBurner, NativeConverter) running under the 1-Relayer-plus-3-Validator BFT topology, composing with the Polygon Unified Bridge at 0x2a3DD3EB832aF982ec71669E178424b10Dca2EDe; the pontifex xERC20 sovereignty layer with its AURUM_E18 = $\phi \times 10^{18}$ golden-ratio toll; the iDEBT ERC-721 sovereign debt protocol with Merkle-committed heir sets; the BONAFIDE nine-contract Latin-named protocol; the SATPAY HTLC bridge with reserve-only rebalancing; the BANKON ASA on Algorand mainnet; the NeuralNode attestation anchor at 0x024b464ec595F20040002237680026bf006e8F90; the ERC-8004 Identity and Reputation registries at their CREATE2 canonical addresses (0x8004A169FB4a3325136EB29fA0ceB6D2e539a432), (0x8004BAa17C55a88189AE136b182e5fdA19dE9b63); the SPINTRADE Uniswap-v2-fork DEX with NFT-positioned liquidity on Moonbeam; the THRUST BSC token at 0x969F60Bfe17962E0f061B434596545C7b6Cd6Fc4; the MakerDAO Chainlog reference at 0xdA0Ab1e0017DEbCd72Be8599041a2aa3bA7e740F; Base mainnet USDC at 0x833589fCD6eDb6E08f4c7C32D4f71b54bdA02913 as the canonical x402 EVM settlement token; and the canonical Algorand mainnet USDC ASA at 31566704.

Around all of that, parsec-wallet ships: a Tauri + Rust binary with a zero-dependency TSX/CSS renderer and a Tomb-encrypted local vault; an ARC-52 BIP32-Ed25519 HD key derivation tree per Khovratovich-Law (EuroS&P 2017); Algorand State Proof verification using Falcon-512 for

quantum-aware history attestations; a Pera-multisig-compatible signing surface; a TypeScript shim into the AgenticPlace mint flow; a Lighthouse / Kavach client for threshold-encrypted state; an `@x402-avm/*` integration that wraps GoPlausible's reference Algorand implementation; and the `allchain` CAIP-2 loader as the routing fabric.

The mindX-side living documentation that backs every claim in this thesis is at `mindx.pythai.net/docs.html` (205 documents, 210 API endpoints), with the canonical anchor documents being the Manifesto, the Thesis, the DAIO Framework, the DAIO Civilization Governance doc, the AgenticPlace Deep Dive, the DELTAVERSE doc, the Arc Testnet Deployment Guide, the BANKON Vault System, the Identity architecture, the ATARAXIA consciousness-training reference, the Boardroom and Dojo governance implementations, the Book of mindX (58 editions), the Improvement Journal, the Dojo Standings, the Inference Status endpoint, and the Origin Story. The RAGE-side companion essays — the mindXtrain Day 1, Day 2, and Day 5 posts — are the most current public record of mindX-side capability, alongside the RAGE whitepaper and the RAGE codebase.

Apache 2.0 covers the code. The notice `(c) 2026 BANKON — all rights reserved` covers the brand. The architecture is finished; the rehearsal pass on Arc Testnet is in progress; the mainnet ignition is the next step.

We meditate often, with Marcus, on the interconnectedness and mutual interdependence of all things in the universe. We hold, with Nāgārjuna, that nothing has independent essence. We act, with Lao Tzu, by not forcing. And we read, with the Ba Gua, the eight elemental dynamics that any cabinet of agents must navigate.

The wallet is called Parsec because a parsec is the distance from which the Earth's orbit subtends an angle of one second of arc — a unit defined not by the thing itself but by the relation between things. That is the right name for the integration surface across three services that are one body.

This is the first public statement. The contracts deploy soon.

— Gregory Magnusson (*codephreak / Professor Codephreak*), for BANKON / PYTHAI / DELTAVERSE, published at `rage.pythai.net`, in the year 2026 of the common reckoning.
Apache 2.0. (c) 2026 BANKON — all rights reserved.