INTERNSHIP REPORT

PFE - Final Year Project

SPRINT 10

Drupal 10 — Composer Install Issue

Full Name : AYOUB BARAHAL

Duration : 1 Week

Status : In Progress

"Résolution du blocage 'composer install' sur Drupal 10."

Table des matières

1 Résolution du blocage `composer install` sur Drupal 10 **2**
1.1 Présentation du Problème 2
1.2 Raisonnement 2
1.3 La Solution 3

2 Issue 1 : Config Dependency Analysis **4**

3 Issue 2 : Memory Limit — Module Uninstall Failure **6**

4 Issue 3 : Page creation is broken **8**

5 Issue 4 : Troubleshooting Views and Migration Configuration **11**

6 Issue 5 : Broken Views — Twig Components Problem **16**

1 Résolution du blocage `composer install` sur Drupal 10

1.1 Présentation du Problème

Après avoir cloné le projet **vactory8** (Drupal 10.2.3) depuis Gitbucket, la commande `composer install` se bloquait indéfiniment sans jamais se terminer.

Le blocage se produisait toujours au même endroit :

```
patch '-p1' --no-backup-if-mismatch -d 'core' < '/tmp/69ca352c9c880.patch'
File to patch:           ← bloqué ici, attend indéfiniment
```

1.2 Raisonnement

Étape 1 — Comprendre qui appelle quoi

On a d'abord identifié les acteurs en lisant composer.json et composer.patches.json :

- `cweagans/composer-patches` est le plugin qui applique les patches
- Il construit et exécute la commande `patch` lui-même
- Les patches cibles `drupal/core` installé dans `core/`

Étape 2 — Comprendre le problème de chemin

En inspectant le contenu du fichier patch :

```
curl -s "https://www.drupal.org/files/.../2751269-106.patch" | head -5
diff --git a/core/modules/comment/src/CommentForm.php
--- a/core/modules/comment/src/CommentForm.php
```

On a découvert le double `core/` :

```
Patch path    : a/core/modules/comment/src/CommentForm.php
Avec -p1      : core/modules/comment/src/CommentForm.php
Avec -d core  : cherche dans core/ → core/core/modules/...   INEXISTANT
Avec -p2      : modules/comment/src/CommentForm.php
Avec -d core  : cherche dans core/ → core/modules/...        CORRECT
```

Étape 3 — Découverte de la contrainte v1.7.x

`cweagans/composer-patches` v1.7.x hardcode `-p1` dans son code source. Impossible de le changer via la configuration.

Étape 4 — Les solutions écartées

Solution tentée	Pourquoi écartée
Supprimer le patch stale	Rejeté — le patch est nécessaire au projet
patches-options : strip-levels : 2	Ignoré par v1.7.x, non supporté
brew install gpatch + PATH seul	gpatch patch, BSD restait prioritaire
Wrapper global -p1→-p2	Cassait les patches des modules contrib
Upgrade vers v2.0.0	Problèmes de compatibilité Drupal 10 rapportés

1.3 La Solution

Principe

Créer un wrapper script nommé `patch` qui :

1. Intercepte tous les appels de `composer install` vers `patch`
2. Détecte si on patche `drupal/core` (via l'argument `d 'core'`)
3. Si oui → remplace `p1` par `p2` puis délègue à GNU patch (`gpatch`)
4. Si non → passe les arguments tels quels à GNU patch

usr > local > bin > patch

```bash
#!/bin/bash
# Only convert -p1 to -p2 when patching drupal/core (identified by -d 'core')
patching_core=false
for arg in "$@"; do
  if [ "$arg" = "core" ]; then
    patching_core=true
    break
  fi
done

if [ "$patching_core" = "true" ]; then
  args=()
  for arg in "$@"; do
    if [ "$arg" = "-p1" ]; then
      args+=("-p2")
    else
      args+=("$arg")
    fi
  done
  exec /usr/local/bin/gpatch "${args[@]}"
else
  exec /usr/local/bin/gpatch "$@"
fi
```

Intégration dans le projet via composer.json

```
"scripts": {
  "setup": "sudo cp scripts/patch-wrapper.sh /usr/local/bin/patch && sudo chmod
}
```

2 Issue 1 : Config Dependency Analysis

During the installation of **Vactory Starter Kit** (a Drupal contrib profile), the installer crashes after finishing the module installation step with the following error :

Error Message

RuntimeException : Adding non-existent permissions to a role is not allowed.
The incorrect permissions are :

- "use editorial transition archive"
- "use editorial transition create_new_draft"
- "use editorial transition publish"
- "use editorial transition archived_published"
- "use editorial transition archived_draft"

in Drupal\user->calculateDependencies() (Line 207)

2. Investigation — Finding the Root Cause

Which config file is causing the issue ?

By reading the stack trace :

```
ConfigInstaller->installDefaultConfig('module', 'vactory_starter_kit')
```

We identified the broken file :

```
profiles/contrib/vactory_starter_kit/config/install/user.role.webmaster.yml
```

This file defines the **Webmaster role** and assigns it permissions like `use editorial transition publish` — but those permissions didn't exist yet at install time.

Which module defines these permissions ? What is the missing config ?

The permissions `use editorial transition *` are **dynamically generated** by the `content_moderation` module — but only **after** reading a Workflow config.

The missing config dependency was :

```
workflows.workflow.editorial
```

Located at :

```
profiles/contrib/vactory_starter_kit/config/install/workflows.workflow.editorial.yml
```

Why does the crash happen ?

Drupal installs config files in dependency order. Without an explicit dependency declared, `user.role.webmaster` was installed **before** `workflows.workflow.editorial`, so the permissions generated by the workflow didn't exist yet.

> Without fix :
> user.role.webmaster → installed FIRST
> workflows.workflow.editorial → installed AFTER
> Result : permissions don't exist yet → CRASH
> With fix :
> workflows.workflow.editorial → installed FIRST (dependency respected)
> user.role.webmaster → installed AFTER
> Result : permissions exist → OK

3. The Fix

What to add ?

In `user.role.webmaster.yml`, add `workflows.workflow.editorial` under `dependencies.config` :

> dependencies :
> config :
> - filter.format.basic_html
> - filter.format.full_html
> - workflows.workflow.editorial

This tells Drupal : *"install the editorial workflow before this role"*.

Why not modify the file directly ?

`vactory_starter_kit` is a **contrib package** managed by Composer. Any direct modification would be **overwritten** on the next `composer install`. The correct approach is a **patch**.

4. The Solution — Creating a Patch

Step 1 — create the GitHub Gist

Step 3 — Register the patch in `composer.patches.json`

```
composer.patches.json > ...
You, 2 hours ago | 6 authors (Brahim KHOUY and others)
1 {
2   "patches": {
3     "voidagency/vactory_starter_kit": {
4       "Fix: add editorial workflow dependency to webmaster role to prevent install error": "https://gist.githubusercontent.com/abarahal/3d9ecf
5     },
6     "drupal/core": {
7       "Fix submitting a comment always redirects to the default language": "https://www.drupal.org/files/issues/2021-11-29/2751269-106.patch",
8       "modules/jsonapi: Fix response generation when uploading a file with file_entity module enabled": "https://gist.githubusercontent.com/is
9       "Invalid config structures can result in exceptions when saving a config entity": "https://www.drupal.org/files/issues/2021-11-29/292589
```

3 Issue 2 : Memory Limit — Module Uninstall Failure

✔ Problem Description

Running `drush pmu vactory_decoupled` on a Drupal 10 project fails with a fatal PHP memory exhaustion error. The `vactory_decoupled` module and its sub-modules (headless/decoupled components) require more than the default 128MB PHP memory limit to uninstall.

```
Fatal error: Allowed memory size of 134217728 bytes exhausted (tried to allocate 20480 bytes) in /Users/void/vactory8/vendor/symfo
ny/yaml/Parser.php on line 1048
→  vactory8 git:(b394b05d7) ✗
```

✔ Root Cause

PHP's default `memory_limit` of 128MB (set in `php.ini`) is insufficient for the Drush module-uninstall process, which loads all module dependencies and runs cleanup hooks.

```
→  vactory8 git:(b394b05d7) ✗ php -r 'echo ini_get("memory_limit") . PHP_EOL;'

128M
→  vactory8 git:(b394b05d7) ✗
```

Constraint

The `php.ini` file cannot be modified.

✔ Solution

PHP's CLI `-d` flag allows overriding any `php.ini` directive at process launch time without modifying the file

```
→  vactory8 git:(b394b05d7) ✗ php -d memory_limit=-1 vendor/bin/drush pmu vactory_decoupled

The following extensions will be uninstalled: vactory_decoupled, vactory_decoupled_theme_switcher, vactory_private_files_decoupled
, vactory_decoupled_webform, vactory_decoupled_espace_prive, vactory_decoupled_router

 Do you want to continue? (yes/no) [yes]:
 > yes

[INFO] [system] [2026-03-29T00:41:51] vactory_decoupled_router module uninstalled. | uid: 0 | request-uri: http://default/ | refer
:  | ip:  127.0.0.1 | link:
[INFO] [system] [2026-03-29T00:41:52] vactory_decoupled_espace_prive module uninstalled. | uid: 0 | request-uri: http://default/ |
 refer:  | ip:  127.0.0.1 | link:
[INFO] [system] [2026-03-29T00:41:53] vactory_decoupled_webform module uninstalled. | uid: 0 | request-uri: http://default/ | refe
r:  | ip:  127.0.0.1 | link:
[INFO] [system] [2026-03-29T00:41:54] vactory_private_files_decoupled module uninstalled. | uid: 0 | request-uri: http://default/
| refer:  | ip:  127.0.0.1 | link:
[INFO] [system] [2026-03-29T00:41:56] vactory_decoupled module uninstalled. | uid: 0 | request-uri: http://default/ | refer:  | ip
:  127.0.0.1 | link:
[INFO] [system] [2026-03-29T00:41:57] vactory_decoupled_theme_switcher module uninstalled. | uid: 0 | request-uri: http://default/
 | refer:  | ip:  127.0.0.1 | link:
 [success] Successfully uninstalled: vactory_decoupled, vactory_decoupled_theme_switcher, vactory_private_files_decoupled, vactory
_decoupled_webform, vactory_decoupled_espace_prive, vactory_decoupled_router
→  vactory8 git:(b394b05d7) ✗
```

This removes the memory limit for that single execution only, with no permanent configuration changes.

✔ Steps Taken

1. Verified current memory limit :

```
→  vactory8 git:(b394b05d7) ✗ php -r 'echo ini_get("memory_limit") . PHP_EOL;'

128M
→  vactory8 git:(b394b05d7) ✗
```

2. Created database backup :

forget the screen

3. Reproduce the error :

```
Fatal error: Allowed memory size of 134217728 bytes exhausted (tried to allocate 20480 bytes) in /Users/void/vactory8/vendor/symfo
ny/yaml/Parser.php on line 1048
→  vactory8 git:(b394b05d7) ✗
```

4. Applied fix :

```
→  vactory8 git:(b394b05d7) ✗ php -d memory_limit=-1 vendor/bin/drush pmu vactory_decoupled

The following extensions will be uninstalled: vactory_decoupled, vactory_decoupled_theme_switcher, vactory_private_files_decoupled
, vactory_decoupled_webform, vactory_decoupled_espace_prive, vactory_decoupled_router

 Do you want to continue? (yes/no) [yes]:
 > yes

[INFO] [system] [2026-03-29T00:41:51] vactory_decoupled_router module uninstalled. | uid: 0 | request-uri: http://default/ | refer
:  | ip:  127.0.0.1 | link:
[INFO] [system] [2026-03-29T00:41:52] vactory_decoupled_espace_prive module uninstalled. | uid: 0 | request-uri: http://default/ |
 refer:  | ip:  127.0.0.1 | link:
[INFO] [system] [2026-03-29T00:41:53] vactory_decoupled_webform module uninstalled. | uid: 0 | request-uri: http://default/ | refe
r:  | ip:  127.0.0.1 | link:
[INFO] [system] [2026-03-29T00:41:54] vactory_private_files_decoupled module uninstalled. | uid: 0 | request-uri: http://default/
| refer:  | ip:  127.0.0.1 | link:
[INFO] [system] [2026-03-29T00:41:56] vactory_decoupled module uninstalled. | uid: 0 | request-uri: http://default/ | refer:  | ip
:  127.0.0.1 | link:
[INFO] [system] [2026-03-29T00:41:57] vactory_decoupled_theme_switcher module uninstalled. | uid: 0 | request-uri: http://default/
 | refer:  | ip:  127.0.0.1 | link:
 [success] Successfully uninstalled: vactory_decoupled, vactory_decoupled_theme_switcher, vactory_private_files_decoupled, vactory
_decoupled_webform, vactory_decoupled_espace_prive, vactory_decoupled_router
→  vactory8 git:(b394b05d7) ✗
```

✔ Final Result

✔ Module `vactory_decoupled` and all its sub-modules were successfully uninstalled. No `php.ini` modifications were made.

4 Issue 3 : Page creation is broken

✔ 1. Le symptôme : qu'est-ce qu'on voyait ?

Quand on clique sur **"Choose Template"** lors de la création d'une page → rien ne se passe.

Dans la console du navigateur :

```
Failed to load resource : 403 Forbidden
vendor/jaypan/jquery-colorpicker/js/colorpicker.js
```

✔ 2. Comment on a analysé le problème

Étape 1 — Lire l'erreur console

Le fichier en erreur :

```
vendor/jaypan/jquery-colorpicker/js/colorpicker.js
```

Étape 2 — Comprendre pourquoi vendor/ est bloqué

Dans :

```
vendor/.htaccess
```

```
Require all denied
```

→ Bloque tout accès HTTP (sécurité Drupal)

Étape 3 — Trouver où le fichier est référencé

modules/contrib/jquery$_{c}olorpicker/jquery_{c}olorpicker.libraries.yml$

```
js:
  vendor://jaypan/jquery-colorpicker/js/colorpicker.js: {}
```

Étape 4 — Comprendre la chaîne complète

```
Navigateur clique "Choose Template"
→ Drupal charge jquery_colorpicker
→ Lit libraries.yml
```

→ Génère <script src="/vendor/...">
→ Apache bloque via .htaccess
→ 403 Forbidden

✔ 4. La solution — ce qu'on a changé

Changement 1 : Copier vers libraries/

vendor/jaypan/jquery-colorpicker/
↓
libraries/jquery-colorpicker/

Pourquoi : `libraries/` est public (accessible navigateur)

Changement 2 : create the gist

Changement 4 : composer.patches.json

✔ 5. La contrainte

> Impossible de modifier Apache (et ce n'est pas une bonne pratique).

✔ Résultat final

✔ Le bouton "Choose Template" fonctionne correctement, plus aucune erreur 403, et la solution est maintenable via Composer.

http://localhost:8000/vendor/jaypan/jquery-colorpicker/js/colorpicker.js

GET http://localhost:8000/vendor/jaypan/jquery-colorpicker/js/colorpicker.js

Docs Params Authorization Headers (8) Body Scripts Settings

Query Params

Key	Value	Description

Body Cookies Headers (5) Test Results 2

JS JavaScript Preview Visualize

```
8   */
9   (function ($) {
10      var ColorPicker = function () {
11          var
12              ids = {},
13              inAction,
14              charMin = 65,
15              visible,
16              tpl = '<div class="colorpicker"><div class="colorpicker_color"><div><div></div></div></div><div class="colorpicker_hue"><div
                    class="colorpicker_new_color"></div><div class="colorpicker_current_color"></div><div class="colorpicker_hex"><input type
                    size="6" /></div><div class="colorpicker_rgb_r colorpicker_field"><input type="text" maxlength="3" size="3" /><span></sp
                    class="colorpicker_rgb_g colorpicker_field"><input type="text" maxlength="3" size="3" /><span></span></div><div class="c
                    colorpicker_field"><input type="text" maxlength="3" size="3" /><span></span></div><div class="colorpicker_hsb_h colorpic
                    maxlength="3" size="3" /><span></span></div><div class="colorpicker_hsb_s colorpicker_field"><input type="text" maxlengt
                    span></div><div class="colorpicker_hsb_b colorpicker_field"><input type="text" maxlength="3" size="3" /><span></span></d
                    class="colorpicker_submit"></div></div>',
17              defaults = {
18                  eventName: 'click',
19                  onShow: function () { },
20                  onBeforeShow: function () { },
21                  onHide: function () { },
22                  onChange: function () { },
```

5 Issue 4 : Troubleshooting Views and Migration Configuration

✔ Part 1 : PHP Memory Limit

What is it ?

PHP has a memory limit — the maximum RAM it can use per request. Heavy operations like module installation or migrations require more memory.

Goal : Ensure it is set to `512MB`.

```
php.ini M ×
.docker > php > 8.1 > rhel > php.ini
1  short_open_tag = Off
2  realpath_cache_size=4096K
3  realpath_cache_ttl=3600
4
5  max_execution_time=30
6  max_input_time=120
7  max_input_vars=2000
8  memory_limit=512M
9  zend.detect_unicode=Off        ismailboulaanait, 2 y
10 session.gc_probability=0
11 upload_max_filesize=20M
12 [Date]
13 date.timezone="UTC"
14
```

✔ Part 2 : Install vactory_news and vactory_news_migrate

```
→  vactory8 git:(b394b05d7) ✗ ./vendor/bin/drush en vactory_news vactory_news_migrate -y

 [notice] Already enabled: vactory_news, vactory_news_migrate
→  vactory8 git:(b394b05d7) ✗
```

✔ Part 3 : Views 404 — Root Cause

What is a View ?

Une View est une page de listing dynamique (requête configurable).

Problème

Accès à :

/admin/structure/views/view/vactory$_{n}ews$

→ retourne **404**



Cause

Dépendance manquante :

better_exposed_filters

Fix

```
drush en better_exposed_filters -y
drush cr
```

La View est correctement créée et accessible

Part 4 : Migration Error — Re-enable Issue

Problème

Après uninstall + reinstall :

```
➜  vactory8 git:(b394b05d7) ✗ ./vendor/bin/drush pmu vactory_news_migrate
[INFO] [system] [2026-03-29T18:36:56] vactory_news_migrate module uninstalled. | uid: 0 | request-uri: http://default/ | refer:  |
 ip:  127.0.0.1 | link:
 [success] Successfully uninstalled: vactory_news_migrate
➜  vactory8 git:(b394b05d7) ✗ ./vendor/bin/drush en vactory_news_migrate

In PreExistingConfigException.php line 65:

  Configuration objects (migrate_plus.migration.news_ar, migrate_plus.migration.news_fr) provided by vactory_news_migrate alrea
  dy exist in active configuration
```

Fix

```
drush config:delete migrate_plus.migration.news_fr
drush config:delete migrate_plus.migration.news_ar
drush config:delete migrate_plus.migration.news_theme
drush config:delete migrate_plus.migration.news_theme_ar
```

Puis :

```
drush en vactory_news_migrate -y
```

Module réinstallé sans erreur

```
→  vactory8 git:(b394b05d7) ✗ ./vendor/bin/drush config:delete migrate_plus.migration.news_fr

→  vactory8 git:(b394b05d7) ✗ ./vendor/bin/drush config:delete migrate_plus.migration.news_ar
```

```
→  vactory8 git:(b394b05d7) ✗ ./vendor/bin/drush en vactory_news_migrate -y

[INFO] [system] [2026-03-29T18:42:08] vactory_news_migrate module installed. | uid: 0 | request-uri: http://default/ | refer:  | i
p:  127.0.0.1 | link:
>  [notice] The configuration was successfully updated. 358 configuration objects updated.
>  [notice] Message: The configuration was successfully updated. There are /358/ configuration
> objects updated.
>
 [success] Successfully enabled: vactory_news_migrate
→  vactory8 git:(b394b05d7) ✗
```

Part 5 : Run Migrations

Lister les migrations

```
→  vactory8 git:(b394b05d7) ✗ ./vendor/bin/drush migrate:status

 ------------------- --------------- -------- ------- ---------- ------------- --------------- ---------------
  Group               Migration ID    Status   Total   Imported   Unprocessed   Message Count   Last Imported
 ------------------- --------------- -------- ------- ---------- ------------- --------------- ---------------
  vactory (vactory)   news_ar         Idle     7       0          7             0
  vactory (vactory)   news_fr         Idle     7       0          7             0
  vactory (vactory)   news_theme      Idle     4       0          4             0
  vactory (vactory)   news_theme_ar   Idle     4       0          4             0
 ------------------- --------------- -------- ------- ---------- ------------- --------------- ---------------
→  vactory8 git:(b394b05d7) ✗
```

Exécuter

```
drush migrate:import --all
```

Résultat : contenus News importés (FR + AR)



✔ Part 6 : Delete "News page"

Objectif :

- Garder les News nodes
- Supprimer uniquement la page "News page" (type Page)

Accès :

```
/admin/content
```



✔ Part 7 : Update Homepage

- Aller sur le node Homepage
- Supprimer le paragraphe **Template**
- Passer de Draft → Published

Challenge: Impossible de publier directement
Solution: Changer explicitement l'état via workflow



6 Issue 5 : Broken Views — Twig Components Problem

✔ 1. Le symptôme

Accès à la vue :

```
/admin/structure/views/view/vactory_news
```

Résultat :

```
Oops, something went wrong. Check your browser's developer console for more details.
```

✔ 2. Analyse du problème

Étape 1 — Vérifier les logs

L'erreur indique que Twig ne trouve pas un template :

```
Template "@twigComponents/article/article.twig" not found
```

Étape 2 — Indice : rechercher "twigComponents"

En explorant le dossier `themes/`, on trouve :

- Le namespace `@twigComponents` est défini dans le thème **vactory**

Étape 3 — Comprendre le vrai problème

Le comportement du module :

- Charge les templates uniquement pour le thème actif

Cas Frontend :
- Thème actif = `vactory`
- `@twigComponents` existe → OK

Cas Admin :
- Thème actif = `claro`
- Le thème `vactory` n'est pas chargé
- `@twigComponents` n'existe pas → ERREUR

✔ 3. Root Cause

```
Le module utilise des templates Twig dépendants d'un namespace défini dans un thème
non actif en admin.
```

✔ 4. Solution

Étape 1 — Trouver le patch

Un patch existe sur Drupal.org qui corrige ce problème côté module (gestion du namespace Twig en admin).

Étape 2 — Ajouter dans composer.patches.json

```
{} composer.patches.json > {} patches > {} drupal/jquery_colorpicker
You, 4 days ago | 6 authors (You and others)
1 {
2   "patches": {
3     "drupal/components": {
4       "Fix template undefined error on admin pages ": "https://www.drupal.org/files/issues/2023-11-15/components-template_u
5     },
```

Étape 3 — Appliquer le patch

```
composer install
drush cr
```

✔ 5. Résultat

La vue `vactory_news` fonctionne correctement en admin. Plus d'erreur Twig, et le namespace `@twigComponents` est correctement pris en charge.

✔ Conclusion

Ce sprint a permis non seulement de résoudre des blocages techniques complexes, mais aussi d'acquérir une meilleure maîtrise de l'écosystème Drupal et de ses outils. Les solutions mises en place respectent les bonnes pratiques (notamment l'utilisation de patches via Composer), garantissant ainsi la stabilité et la maintenabilité du projet sur le long terme.

Tous les problèmes critiques ont été résolus avec succès, permettant un environnement de développement stable et fonctionnel.