

ENTERPRISE DATA AND AI CLOUD SERVICES AGREEMENT

**Committed Consumption Order, Cloud Services Terms, Support SLA,
Security, Data Processing, AI Terms, Workload Schedule, and
Professional Services**

Contract ID	SHG-SAAS-DATA-2027-003
Parties	SkyHarbor Global Airlines Group and AeroLake Data Cloud, Inc.
Effective Date	April 1, 2027
Initial Term	Three years; renewal subject to written order
Annual Run Rate / Commitment	\$6,800,000 annual committed consumption plus support; \$20,400,000 initial commitment
Authenticity	Synthetic demonstration agreement; no real party or obligation

EXECUTION-STYLE SYNTHETIC VERSION

This document is intentionally extensive and contract-like so that Abarva Source can demonstrate ingestion, clause extraction, service-level analysis, pricing analysis, volume normalization, risk identification, and negotiation insight. It is not legal advice and must not be executed.

Document Structure

1. 1. Cloud Services Agreement
2. 2. Committed Consumption Order
3. 3. Support and Availability
4. 4. Security and Data Processing
5. 5. Data, AI and Model Terms
6. 6. Consumption and Cost Controls
7. 7. Workload and Account Topology
8. 8. Professional Services
9. 9. Data Portability and Exit
10. 10. Technical and Operational Schedules

Schedules and appendices are integral to the Agreement. In the event of conflict, the order of precedence set out in the General Terms applies.

1. Cloud Service

AeroLake will provide a managed Data and AI cloud service enabling ingestion, storage, processing, analytics, data sharing, machine learning, generative-AI inference, model operations, governance, and administrative capabilities. Customer may create accounts, workspaces, warehouses, clusters, notebooks, jobs, catalogs, shares, models, agents, and integrations in accordance with the Order and documentation.

Customer controls its data, workloads, access, configuration, query logic, and use cases. AeroLake operates the underlying service and is responsible for platform availability, security, support, and service functionality within its control.

2. Annual Commitment

Customer commits to purchase six million eight hundred thousand dollars of service consumption per Contract Year. Consumption is drawn down against the commitment at the applicable unit prices. Unused commitment of up to ten percent may roll forward for ninety days into the next Contract Year; all other unused commitment expires.

Consumption above the annual commitment is charged quarterly at the then-current contracted unit rate plus a twelve-percent overage premium unless Customer purchases additional committed capacity before the quarter closes.

3. Price Protection

Contracted unit prices are fixed during Contract Year 1. Annual increases for like-for-like services are capped at three percent. New services and materially changed service units may be priced separately, but Customer is not required to adopt them.

AeroLake will provide a consumption table showing service type, meter, unit, contracted rate, list rate, discount, region, and effective date. Billing must be reproducible from account-usage records.

4. Availability

The production control plane and query service will have 99.95% monthly availability. Other generally available services will have 99.90% monthly availability unless a specific schedule states otherwise. Credits range from five to fifteen percent of affected monthly service fees depending on severity.

If a covered production service falls below 99.00% in any month or below 99.50% in three months of a rolling six-month period, Customer may terminate the affected service and receive a refund of unused committed fees reasonably attributable to that service.

5. Support

Premier Support includes 24x7 Severity 1 and Severity 2 support, a named technical account manager, quarterly architecture reviews, release advisories, escalation management, and service-health reporting. Severity 1 initial response is fifteen minutes; Severity 2 is thirty minutes.

AeroLake will provide root-cause analysis for Severity 1 incidents within five business days unless the Parties agree an extension based on investigation complexity.

6. Security and Privacy

AeroLake will maintain technical and organizational controls for identity, encryption, network isolation, vulnerability management, secure development, logging, incident response, backup, resilience, personnel, subprocessors, and data deletion. Customer may use private connectivity, customer-managed keys, role-based access, and network policies where ordered.

AeroLake acts as processor for personal data. Customer selects regions and is responsible for lawful use and data classification. AeroLake will not move Customer Data outside the selected regions except for support metadata or with Customer approval and applicable transfer safeguards.

7. AI Services

AI Services include model inference, embedding, retrieval, model hosting, agent tools, and approved third-party model access. AI usage is metered separately as AI Consumption Units. Customer may disable model providers, restrict data access, configure retention, and require human approval for agent actions.

AeroLake will not train a general-purpose model on Customer Content unless Customer expressly opts in through a separate written addendum. Customer remains responsible for use-case approval, output review, safety controls, and regulated decision-making.

8. Usage Data

AeroLake may collect service usage, performance, configuration, and support telemetry to operate, secure, and improve the service. Usage Data will not include Customer query result content except as necessary for support and only under controlled access.

Customer will have access to account-usage and billing views sufficient to reconcile consumption by account, workspace, service type, user or service principal where available, region, tag, and reporting period.

9. Portability and Exit

Customer may export Customer Data at any time using documented interfaces and standard formats. For sixty days after expiration, AeroLake will maintain read-only access if Customer pays applicable consumption and support charges. At Customer request, AeroLake will provide export assistance under a Statement of Work.

AeroLake will delete remaining Customer Data after the retention period and provide a deletion certificate. Customer is responsible for initiating exports before expiration and for third-party cloud egress fees, except where termination results from AeroLake's uncured material breach.

10. Legal Terms

The Agreement includes confidentiality, intellectual-property ownership, warranties, acceptable use, suspension, audit, indemnity, liability, insurance, compliance, taxes, assignment, force majeure, dispute resolution, governing law, notices, and entire-agreement provisions.

AeroLake may suspend only the affected use where reasonably necessary to address a security threat, unlawful use, or material nonpayment, and will provide advance notice when practicable. Suspension will be limited in scope and duration.

Signatures

The Parties have caused this Agreement to be executed by their duly authorized representatives as of the Effective Date. The names below are role placeholders and are not individuals.

SKYHARBOR GLOBAL AIRLINES GROUP	AEROLAKE DATA CLOUD, INC.
By: _____	By: _____
Title: Chief Information Officer	Title: Executive Vice President, Client Services
Date: _____	Date: _____
By: _____	By: _____
Title: Chief Procurement Officer	Title: General Counsel
Date: _____	Date: _____

Schedule A - Committed Consumption Order

This Schedule defines the annual commitment, unit pricing, support, professional services, and consumption governance.

Meter	Contract Rate	Notes
Compute credit	\$2.15 / credit	All standard compute services
Serverless processing unit	\$2.65 / unit	Managed serverless workloads
AI inference unit	\$0.00042 / unit	Model inference and tools
Storage - standard	\$24 / TB-month	Compressed managed storage
Storage - archive	\$9 / TB-month	Archive tier
Cross-region replication	\$44 / TB-month	Replicated data volume
Data egress	Third-party cloud pass-through	No AeroLake markup
Premier Support	\$680,000 annually	Included in \$6.8M commitment only to the extent stated in Order

The annual committed consumption is \$6,800,000. Premier Support is separately invoiced at \$680,000 but may be credited against the commitment after Customer consumes at least 90% of the annual commitment. This design creates a commercial issue that Source should identify and evaluate.

Schedule B - Workload Profiles

The baseline workload inventory supports sizing, cost forecasting, architecture review, support, and consumption analysis.

SYNTHETIC DEMO - NOT A REAL CONTRACT - FOR ABARVA SOURCE DEMONSTRATION ONLY

ID	Domain	Workload	Daily Queries	Monthly Credits	Storage TB	Criticality	Freshness	Users	AI Units
DW-001	Customer	Customer 360 Workload 01	1230	3710	32	Tier 2	15 minutes	49	0
DW-002	Revenue	Revenue Forecasting Workload 02	1460	3920	39	Tier 3	Hourly	58	0
DW-003	Loyalty	Loyalty Analytics Workload 03	1690	4130	46	Tier 1	Daily	67	0
DW-004	Finance	Finance Close Workload 04	1920	4340	53	Tier 2	Real-time	76	70000
DW-005	Maintenance	Predictive Maintenance Workload 05	2150	4550	60	Tier 3	15 minutes	85	0
DW-006	Cargo	Cargo Yield Workload 06	2380	4760	67	Tier 1	Hourly	94	0
DW-007	HR	Workforce Planning Workload 07	2610	4970	74	Tier 2	Daily	103	0
DW-008	Operations	Operational Events Workload 08	2840	5180	81	Tier 3	Real-time	112	90000
DW-009	Customer	Customer 360 Workload 09	3070	5390	88	Tier 1	15 minutes	121	0
DW-010	Revenue	Revenue Forecasting Workload 10	3300	5600	95	Tier 2	Hourly	130	0

ID	Domain	Workload	Daily Queries	Monthly Credits	Storage TB	Criticality	Freshness	Users	AI Units
DW-011	Loyalty	Loyalty Analytics Workload 11	3530	5810	102	Tier 3	Daily	139	0
DW-012	Finance	Finance Close Workload 12	3760	6020	109	Tier 1	Real-time	148	110000
DW-013	Maintenance	Predictive Maintenance Workload 13	3990	6230	116	Tier 2	15 minutes	157	0
DW-014	Cargo	Cargo Yield Workload 14	4220	6440	123	Tier 3	Hourly	166	0
DW-015	HR	Workforce Planning Workload 15	4450	6650	130	Tier 1	Daily	175	0
DW-016	Operations	Operational Events Workload 16	4680	6860	137	Tier 2	Real-time	184	130000
DW-017	Customer	Customer 360 Workload 17	4910	7070	144	Tier 3	15 minutes	193	0
DW-018	Revenue	Revenue Forecasting Workload 18	5140	7280	151	Tier 1	Hourly	202	0
DW-019	Loyalty	Loyalty Analytics Workload 19	5370	7490	158	Tier 2	Daily	211	0
DW-020	Finance	Finance Close Workload 20	5600	7700	165	Tier 3	Real-time	220	150000

ID	Domain	Workload	Daily Queries	Monthly Credits	Storage TB	Criticality	Freshness	Users	AI Units
DW-021	Maintenance	Predictive Maintenance Workload 21	5830	7910	172	Tier 1	15 minutes	229	0
DW-022	Cargo	Cargo Yield Workload 22	6060	8120	179	Tier 2	Hourly	238	0
DW-023	HR	Workforce Planning Workload 23	6290	8330	186	Tier 3	Daily	247	0
DW-024	Operations	Operational Events Workload 24	6520	8540	193	Tier 1	Real-time	256	170000
DW-025	Customer	Customer 360 Workload 25	6750	8750	200	Tier 2	15 minutes	265	0
DW-026	Revenue	Revenue Forecasting Workload 26	6980	8960	207	Tier 3	Hourly	274	0
DW-027	Loyalty	Loyalty Analytics Workload 27	7210	9170	214	Tier 1	Daily	283	0
DW-028	Finance	Finance Close Workload 28	7440	9380	221	Tier 2	Real-time	292	190000
DW-029	Maintenance	Predictive Maintenance Workload 29	7670	9590	228	Tier 3	15 minutes	301	0
DW-030	Cargo	Cargo Yield Workload 30	7900	9800	235	Tier 1	Hourly	310	0

ID	Domain	Workload	Daily Queries	Monthly Credits	Storage TB	Criticality	Freshness	Users	AI Units
DW-031	HR	Workforce Planning Workload 31	8130	10010	242	Tier 2	Daily	319	0
DW-032	Operations	Operational Events Workload 32	8360	10220	249	Tier 3	Real-time	328	210000
DW-033	Customer	Customer 360 Workload 33	8590	10430	256	Tier 1	15 minutes	337	0
DW-034	Revenue	Revenue Forecasting Workload 34	8820	10640	263	Tier 2	Hourly	346	0
DW-035	Loyalty	Loyalty Analytics Workload 35	9050	10850	270	Tier 3	Daily	355	0
DW-036	Finance	Finance Close Workload 36	9280	11060	277	Tier 1	Real-time	364	230000
DW-037	Maintenance	Predictive Maintenance Workload 37	9510	11270	284	Tier 2	15 minutes	373	0
DW-038	Cargo	Cargo Yield Workload 38	9740	11480	291	Tier 3	Hourly	382	0
DW-039	HR	Workforce Planning Workload 39	9970	11690	298	Tier 1	Daily	391	0
DW-040	Operations	Operational Events Workload 40	10200	11900	305	Tier 2	Real-time	400	250000

Schedule C - Account, Workspace, and Region Topology

Customer will use an enterprise organization with production, pre-production, development, data-science, and regulated-data account groups.

Account	Purpose	Region	Domain	Workspaces	Users
ACCT-01	Pre-production	AWS us-east-1	Customer	9	48
ACCT-02	Development	Azure West Europe	Revenue	10	51
ACCT-03	Data Science	Google us-central1	Loyalty	11	54
ACCT-04	Sandbox	Azure East US 2	Finance	12	57
ACCT-05	Regulated	AWS us-east-1	Maintenance	13	60
ACCT-06	Production	Azure West Europe	Cargo	14	63
ACCT-07	Pre-production	Google us-central1	HR	8	66
ACCT-08	Development	Azure East US 2	Operations	9	69
ACCT-09	Data Science	AWS us-east-1	Customer	10	72
ACCT-10	Sandbox	Azure West Europe	Revenue	11	75
ACCT-11	Regulated	Google us-central1	Loyalty	12	78
ACCT-12	Production	Azure East US 2	Finance	13	81
ACCT-13	Pre-production	AWS us-east-1	Maintenance	14	84
ACCT-14	Development	Azure West Europe	Cargo	8	87
ACCT-15	Data Science	Google us-central1	HR	9	90
ACCT-16	Sandbox	Azure East US 2	Operations	10	93
ACCT-17	Regulated	AWS us-east-1	Customer	11	96
ACCT-18	Production	Azure West Europe	Revenue	12	99
ACCT-19	Pre-production	Google us-central1	Loyalty	13	102
ACCT-20	Development	Azure East US 2	Finance	14	105
ACCT-21	Data Science	AWS us-east-1	Maintenance	8	108
ACCT-22	Sandbox	Azure West Europe	Cargo	9	111
ACCT-23	Regulated	Google us-central1	HR	10	114
ACCT-24	Production	Azure East US 2	Operations	11	117

Schedule D - Service Levels and Support

AeroLake will measure availability and support against service telemetry. Credits apply to affected monthly service fees.

Measure	Target	Remedy
Control plane availability	99.95% monthly	5%-15%
Query service availability	99.95% monthly	5%-15%
Ingestion service availability	99.90% monthly	5%-12%
AI inference service availability	99.90% monthly	5%-12%
Severity 1 response	15 minutes	Escalation and service credit
Severity 2 response	30 minutes	Escalation
RCA for Severity 1	5 business days	Executive escalation
Security incident notice	Within 1 hour of confirmation	Not limited by credit cap

Schedule E - Professional Services and Rate Card

Technical services may include migration planning, architecture, optimization, governance, workload onboarding, security, AI enablement, and training.

Role	Hourly Rate
Principal Architect	\$325
Data Platform Architect	\$285
AI Architect	\$315
Migration Lead	\$265
Senior Data Engineer	\$225
Data Engineer	\$185
ML Engineer	\$245
FinOps Specialist	\$225
Security Architect	\$255
Technical Project Manager	\$205
Trainer	\$155

Schedule F - Data Processing and Security Controls

The following detailed controls support enterprise and regulated airline workloads.

Control F-01: Organization and risk

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for organization and risk. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-02: Identity and federation

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for identity and federation. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-03: Privileged access

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for privileged access. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-04: Network isolation

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for network isolation. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-05: Private connectivity

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for private connectivity. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-06: Encryption at rest

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for encryption at rest. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-07: Encryption in transit

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for encryption in transit. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-08: Customer-managed keys

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for customer-managed keys. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-09: Secrets management

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for secrets management. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-10: Audit logging

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for audit logging. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-11: Threat detection

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for threat detection. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-12: Vulnerability management

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for vulnerability management. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-13: Secure development

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for secure development. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-14: Penetration testing

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for penetration testing. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-15: Incident response

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for incident response. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-16: Backup

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for backup. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-17: Disaster recovery

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for disaster recovery. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-18: Subprocessor control

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for subprocessor control. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-19: Personnel security

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for personnel security. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-20: Data retention

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for data retention. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-21: Data deletion

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for data deletion. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-22: Cross-border transfer

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for cross-border transfer. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-23: Privacy assistance

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for privacy assistance. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-24: Regulatory cooperation

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for regulatory cooperation. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-25: Support access

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for support access. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-26: Customer security configuration

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for customer security configuration. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-27: Data sharing controls

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for data sharing controls. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-28: Marketplace controls

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for marketplace controls. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-29: AI model provider controls

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for ai model provider controls. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Control F-30: AI prompt and output retention

AeroLake will maintain documented design, implementation, monitoring, testing, exception, and remediation evidence for ai prompt and output retention. Customer retains responsibility for configuration choices expressly allocated to Customer in the shared-responsibility matrix.

Control Attribute	Requirement
Scope	Production service, supporting systems, personnel, subprocessors, and relevant customer-configurable controls.
Evidence	Policy, configuration, automated report, independent assessment, test result, incident record, or remediation record.
Test Frequency	At least annually and after a material change, or continuously where automated.
Exception	Documented risk, compensating control, owner, approval, target date, and expiration.
Customer Visibility	Trust portal, audit report, account telemetry, support response, or contractually approved evidence review.

Schedule G - Workload Onboarding and Operations Procedures

The following procedures govern workload design, onboarding, change, cost management, reliability, and retirement.

Procedure G-01: Workload intake

This procedure defines the minimum steps, decision rights, evidence, and controls for workload intake. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-02: Architecture review

This procedure defines the minimum steps, decision rights, evidence, and controls for architecture review. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-03: Cost estimate

This procedure defines the minimum steps, decision rights, evidence, and controls for cost estimate. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-04: Security classification

This procedure defines the minimum steps, decision rights, evidence, and controls for security classification. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-05: Region selection

This procedure defines the minimum steps, decision rights, evidence, and controls for region selection. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-06: Account provisioning

This procedure defines the minimum steps, decision rights, evidence, and controls for account provisioning. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-07: Workspace provisioning

This procedure defines the minimum steps, decision rights, evidence, and controls for workspace provisioning. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-08: Network integration

This procedure defines the minimum steps, decision rights, evidence, and controls for network integration. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-09: Identity integration

This procedure defines the minimum steps, decision rights, evidence, and controls for identity integration. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-10: Data ingestion onboarding

This procedure defines the minimum steps, decision rights, evidence, and controls for data ingestion onboarding. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-11: Pipeline deployment

This procedure defines the minimum steps, decision rights, evidence, and controls for pipeline deployment. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-12: Query workload onboarding

This procedure defines the minimum steps, decision rights, evidence, and controls for query workload onboarding. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-13: Model deployment

This procedure defines the minimum steps, decision rights, evidence, and controls for model deployment. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-14: AI agent approval

This procedure defines the minimum steps, decision rights, evidence, and controls for ai agent approval. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-15: Performance testing

This procedure defines the minimum steps, decision rights, evidence, and controls for performance testing. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-16: Cost guardrail configuration

This procedure defines the minimum steps, decision rights, evidence, and controls for cost guardrail configuration. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-17: Tagging and allocation

This procedure defines the minimum steps, decision rights, evidence, and controls for tagging and allocation. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-18: Release management

This procedure defines the minimum steps, decision rights, evidence, and controls for release management. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-19: Incident management

This procedure defines the minimum steps, decision rights, evidence, and controls for incident management. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-20: Problem management

This procedure defines the minimum steps, decision rights, evidence, and controls for problem management. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-21: Capacity review

This procedure defines the minimum steps, decision rights, evidence, and controls for capacity review. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-22: Consumption forecast

This procedure defines the minimum steps, decision rights, evidence, and controls for consumption forecast. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-23: Commitment drawdown review

This procedure defines the minimum steps, decision rights, evidence, and controls for commitment drawdown review. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-24: Optimization review

This procedure defines the minimum steps, decision rights, evidence, and controls for optimization review. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-25: Data sharing approval

This procedure defines the minimum steps, decision rights, evidence, and controls for data sharing approval. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-26: External model approval

This procedure defines the minimum steps, decision rights, evidence, and controls for external model approval. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-27: Backup and recovery

This procedure defines the minimum steps, decision rights, evidence, and controls for backup and recovery. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-28: DR test

This procedure defines the minimum steps, decision rights, evidence, and controls for dr test. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-29: Data export

This procedure defines the minimum steps, decision rights, evidence, and controls for data export. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Procedure G-30: Workload retirement

This procedure defines the minimum steps, decision rights, evidence, and controls for workload retirement. It is designed to support repeatable operations across Customer domains while preserving workload-specific requirements.

- Record scope, owner, environment, data classification, service levels, dependencies, expected consumption, and approval.
- Capture pre- and post-change evidence and any deviation from standard architecture.
- Update catalog, cost allocation, monitoring, support, and exit information before closure.

Schedule H - Detailed Workload Operating Cards

These cards define the baseline architecture, scale, service level, support, cost and governance expectations for representative workloads. They are not a table-level data inventory.

Workload H-01: Customer 360 Workload 01

Domain: Customer. This workload is classified as Tier 2 and requires 15 minutes data freshness.

Attribute	Baseline
Workload ID	DW-001
Daily Queries	1230
Monthly Compute Credits	3710
Storage	32 TB
Users	49
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-02: Revenue Forecasting Workload 02

Domain: Revenue. This workload is classified as Tier 3 and requires Hourly data freshness.

Attribute	Baseline
Workload ID	DW-002
Daily Queries	1460
Monthly Compute Credits	3920
Storage	39 TB
Users	58
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-03: Loyalty Analytics Workload 03

Domain: Loyalty. This workload is classified as Tier 1 and requires Daily data freshness.

Attribute	Baseline
Workload ID	DW-003
Daily Queries	1690
Monthly Compute Credits	4130
Storage	46 TB
Users	67
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-04: Finance Close Workload 04

Domain: Finance. This workload is classified as Tier 2 and requires Real-time data freshness.

Attribute	Baseline
Workload ID	DW-004
Daily Queries	1920
Monthly Compute Credits	4340
Storage	53 TB
Users	76
AI Inference Units	70000
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-05: Predictive Maintenance Workload 05

Domain: Maintenance. This workload is classified as Tier 3 and requires 15 minutes data freshness.

Attribute	Baseline
Workload ID	DW-005
Daily Queries	2150
Monthly Compute Credits	4550
Storage	60 TB
Users	85
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-06: Cargo Yield Workload 06

Domain: Cargo. This workload is classified as Tier 1 and requires Hourly data freshness.

Attribute	Baseline
Workload ID	DW-006
Daily Queries	2380
Monthly Compute Credits	4760
Storage	67 TB
Users	94
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-07: Workforce Planning Workload 07

Domain: HR. This workload is classified as Tier 2 and requires Daily data freshness.

Attribute	Baseline
Workload ID	DW-007
Daily Queries	2610
Monthly Compute Credits	4970
Storage	74 TB
Users	103
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-08: Operational Events Workload 08

Domain: Operations. This workload is classified as Tier 3 and requires Real-time data freshness.

Attribute	Baseline
Workload ID	DW-008
Daily Queries	2840
Monthly Compute Credits	5180
Storage	81 TB
Users	112
AI Inference Units	90000
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-09: Customer 360 Workload 09

Domain: Customer. This workload is classified as Tier 1 and requires 15 minutes data freshness.

Attribute	Baseline
Workload ID	DW-009
Daily Queries	3070
Monthly Compute Credits	5390
Storage	88 TB
Users	121
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-10: Revenue Forecasting Workload 10

Domain: Revenue. This workload is classified as Tier 2 and requires Hourly data freshness.

Attribute	Baseline
Workload ID	DW-010
Daily Queries	3300
Monthly Compute Credits	5600
Storage	95 TB
Users	130
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-11: Loyalty Analytics Workload 11

Domain: Loyalty. This workload is classified as Tier 3 and requires Daily data freshness.

Attribute	Baseline
Workload ID	DW-011
Daily Queries	3530
Monthly Compute Credits	5810
Storage	102 TB
Users	139
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-12: Finance Close Workload 12

Domain: Finance. This workload is classified as Tier 1 and requires Real-time data freshness.

Attribute	Baseline
Workload ID	DW-012
Daily Queries	3760
Monthly Compute Credits	6020
Storage	109 TB
Users	148
AI Inference Units	110000
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-13: Predictive Maintenance Workload 13

Domain: Maintenance. This workload is classified as Tier 2 and requires 15 minutes data freshness.

Attribute	Baseline
Workload ID	DW-013
Daily Queries	3990
Monthly Compute Credits	6230
Storage	116 TB
Users	157
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-14: Cargo Yield Workload 14

Domain: Cargo. This workload is classified as Tier 3 and requires Hourly data freshness.

Attribute	Baseline
Workload ID	DW-014
Daily Queries	4220
Monthly Compute Credits	6440
Storage	123 TB
Users	166
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-15: Workforce Planning Workload 15

Domain: HR. This workload is classified as Tier 1 and requires Daily data freshness.

Attribute	Baseline
Workload ID	DW-015
Daily Queries	4450
Monthly Compute Credits	6650
Storage	130 TB
Users	175
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-16: Operational Events Workload 16

Domain: Operations. This workload is classified as Tier 2 and requires Real-time data freshness.

Attribute	Baseline
Workload ID	DW-016
Daily Queries	4680
Monthly Compute Credits	6860
Storage	137 TB
Users	184
AI Inference Units	130000
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-17: Customer 360 Workload 17

Domain: Customer. This workload is classified as Tier 3 and requires 15 minutes data freshness.

Attribute	Baseline
Workload ID	DW-017
Daily Queries	4910
Monthly Compute Credits	7070
Storage	144 TB
Users	193
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-18: Revenue Forecasting Workload 18

Domain: Revenue. This workload is classified as Tier 1 and requires Hourly data freshness.

Attribute	Baseline
Workload ID	DW-018
Daily Queries	5140
Monthly Compute Credits	7280
Storage	151 TB
Users	202
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-19: Loyalty Analytics Workload 19

Domain: Loyalty. This workload is classified as Tier 2 and requires Daily data freshness.

Attribute	Baseline
Workload ID	DW-019
Daily Queries	5370
Monthly Compute Credits	7490
Storage	158 TB
Users	211
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-20: Finance Close Workload 20

Domain: Finance. This workload is classified as Tier 3 and requires Real-time data freshness.

Attribute	Baseline
Workload ID	DW-020
Daily Queries	5600
Monthly Compute Credits	7700
Storage	165 TB
Users	220
AI Inference Units	150000
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-21: Predictive Maintenance Workload 21

Domain: Maintenance. This workload is classified as Tier 1 and requires 15 minutes data freshness.

Attribute	Baseline
Workload ID	DW-021
Daily Queries	5830
Monthly Compute Credits	7910
Storage	172 TB
Users	229
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-22: Cargo Yield Workload 22

Domain: Cargo. This workload is classified as Tier 2 and requires Hourly data freshness.

Attribute	Baseline
Workload ID	DW-022
Daily Queries	6060
Monthly Compute Credits	8120
Storage	179 TB
Users	238
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-23: Workforce Planning Workload 23

Domain: HR. This workload is classified as Tier 3 and requires Daily data freshness.

Attribute	Baseline
Workload ID	DW-023
Daily Queries	6290
Monthly Compute Credits	8330
Storage	186 TB
Users	247
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-24: Operational Events Workload 24

Domain: Operations. This workload is classified as Tier 1 and requires Real-time data freshness.

Attribute	Baseline
Workload ID	DW-024
Daily Queries	6520
Monthly Compute Credits	8540
Storage	193 TB
Users	256
AI Inference Units	170000
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-25: Customer 360 Workload 25

Domain: Customer. This workload is classified as Tier 2 and requires 15 minutes data freshness.

Attribute	Baseline
Workload ID	DW-025
Daily Queries	6750
Monthly Compute Credits	8750
Storage	200 TB
Users	265
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-26: Revenue Forecasting Workload 26

Domain: Revenue. This workload is classified as Tier 3 and requires Hourly data freshness.

Attribute	Baseline
Workload ID	DW-026
Daily Queries	6980
Monthly Compute Credits	8960
Storage	207 TB
Users	274
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-27: Loyalty Analytics Workload 27

Domain: Loyalty. This workload is classified as Tier 1 and requires Daily data freshness.

Attribute	Baseline
Workload ID	DW-027
Daily Queries	7210
Monthly Compute Credits	9170
Storage	214 TB
Users	283
AI Inference Units	0
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Workload H-28: Finance Close Workload 28

Domain: Finance. This workload is classified as Tier 2 and requires Real-time data freshness.

Attribute	Baseline
Workload ID	DW-028
Daily Queries	7440
Monthly Compute Credits	9380
Storage	221 TB
Users	292
AI Inference Units	190000
Architecture	Approved ingestion, storage, transformation, semantic, BI/AI, observability, security and cost-allocation pattern.
Service Objectives	Documented freshness, availability, recovery, performance, capacity and support requirements.
Cost Controls	Budget, forecast, tags, resource monitors, query/workload controls, anomaly alerts and optimization review.
Operations	Owner, runbook, alerts, support team, escalation, incident/problem/change, backup and recovery.
Governance	Data owner, steward, classification, quality controls, lineage, retention, access and approved AI use.

Any material deviation from the baseline architecture or forecast requires review. The Parties will distinguish service-platform cost, cloud-provider pass-through, AI inference, storage, replication, and professional-services charges.

Schedule I - Consumption and Commercial Scenario Cards

These scenarios define how commitment, overage, support, price protection, expiration, and portability apply under representative usage outcomes.

Scenario I-01: Under-consumption at 70%

Only 10% of unused commitment rolls for 90 days; the remaining unused amount expires. Premier Support does not receive the 90%-consumption credit.

Commercial Control	Required Treatment
Consumption Evidence	Account-level usage, meter, region, tags, unit price, discount, period and invoice reconciliation.
Forecast	Monthly forecast, variance, projected exhaustion or expiration, owner and corrective action.
Approval	Documented approval for commitment change, overage purchase, new service, region, AI model or professional services.
Risk	Expiration, overage premium, double-spend, egress, lock-in, performance, security and operating-model implications.
Source Insight	Source should identify the clause, quantify the exposure using available usage, and propose negotiation or operating action.

Scenario I-02: Under-consumption at 89%

Unused commitment above the 10% rollover allowance expires; support remains separately invoiced.

Commercial Control	Required Treatment
Consumption Evidence	Account-level usage, meter, region, tags, unit price, discount, period and invoice reconciliation.
Forecast	Monthly forecast, variance, projected exhaustion or expiration, owner and corrective action.
Approval	Documented approval for commitment change, overage purchase, new service, region, AI model or professional services.
Risk	Expiration, overage premium, double-spend, egress, lock-in, performance, security and operating-model implications.
Source Insight	Source should identify the clause, quantify the exposure using available usage, and propose negotiation or operating action.

Scenario I-03: Consumption at 90%

The Premier Support credit becomes available subject to invoice and reconciliation mechanics.

Commercial Control	Required Treatment
Consumption Evidence	Account-level usage, meter, region, tags, unit price, discount, period and invoice reconciliation.
Forecast	Monthly forecast, variance, projected exhaustion or expiration, owner and corrective action.
Approval	Documented approval for commitment change, overage purchase, new service, region, AI model or professional services.
Risk	Expiration, overage premium, double-spend, egress, lock-in, performance, security and operating-model implications.
Source Insight	Source should identify the clause, quantify the exposure using available usage, and propose negotiation or operating action.

Scenario I-04: Consumption at 100%

Annual commitment is fully consumed with no unused balance and no overage premium.

Commercial Control	Required Treatment
Consumption Evidence	Account-level usage, meter, region, tags, unit price, discount, period and invoice reconciliation.
Forecast	Monthly forecast, variance, projected exhaustion or expiration, owner and corrective action.
Approval	Documented approval for commitment change, overage purchase, new service, region, AI model or professional services.
Risk	Expiration, overage premium, double-spend, egress, lock-in, performance, security and operating-model implications.
Source Insight	Source should identify the clause, quantify the exposure using available usage, and propose negotiation or operating action.

Scenario I-05: Over-consumption at 110%

Usage beyond commitment is subject to the 12% premium unless additional commitment is purchased before quarter close.

Commercial Control	Required Treatment
Consumption Evidence	Account-level usage, meter, region, tags, unit price, discount, period and invoice reconciliation.
Forecast	Monthly forecast, variance, projected exhaustion or expiration, owner and corrective action.
Approval	Documented approval for commitment change, overage purchase, new service, region, AI model or professional services.
Risk	Expiration, overage premium, double-spend, egress, lock-in, performance, security and operating-model implications.
Source Insight	Source should identify the clause, quantify the exposure using available usage, and propose negotiation or operating action.

Scenario I-06: AI inference spike

AI units may accelerate commitment drawdown; per-user and workload guardrails should be configured.

Commercial Control	Required Treatment
Consumption Evidence	Account-level usage, meter, region, tags, unit price, discount, period and invoice reconciliation.
Forecast	Monthly forecast, variance, projected exhaustion or expiration, owner and corrective action.
Approval	Documented approval for commitment change, overage purchase, new service, region, AI model or professional services.
Risk	Expiration, overage premium, double-spend, egress, lock-in, performance, security and operating-model implications.
Source Insight	Source should identify the clause, quantify the exposure using available usage, and propose negotiation or operating action.

Scenario I-07: Cross-region replication growth

Replication and storage can increase independently of query demand and require separate forecasting.

Commercial Control	Required Treatment
Consumption Evidence	Account-level usage, meter, region, tags, unit price, discount, period and invoice reconciliation.
Forecast	Monthly forecast, variance, projected exhaustion or expiration, owner and corrective action.
Approval	Documented approval for commitment change, overage purchase, new service, region, AI model or professional services.
Risk	Expiration, overage premium, double-spend, egress, lock-in, performance, security and operating-model implications.
Source Insight	Source should identify the clause, quantify the exposure using available usage, and propose negotiation or operating action.

Scenario I-08: Data egress event

Third-party cloud egress is passed through unless caused by termination for AeroLake uncured breach.

Commercial Control	Required Treatment
Consumption Evidence	Account-level usage, meter, region, tags, unit price, discount, period and invoice reconciliation.
Forecast	Monthly forecast, variance, projected exhaustion or expiration, owner and corrective action.
Approval	Documented approval for commitment change, overage purchase, new service, region, AI model or professional services.
Risk	Expiration, overage premium, double-spend, egress, lock-in, performance, security and operating-model implications.
Source Insight	Source should identify the clause, quantify the exposure using available usage, and propose negotiation or operating action.

Scenario I-09: Early termination for vendor breach

Unused attributable commitment is refundable; reasonable export and egress support is included.

Commercial Control	Required Treatment
Consumption Evidence	Account-level usage, meter, region, tags, unit price, discount, period and invoice reconciliation.
Forecast	Monthly forecast, variance, projected exhaustion or expiration, owner and corrective action.
Approval	Documented approval for commitment change, overage purchase, new service, region, AI model or professional services.
Risk	Expiration, overage premium, double-spend, egress, lock-in, performance, security and operating-model implications.
Source Insight	Source should identify the clause, quantify the exposure using available usage, and propose negotiation or operating action.

Scenario I-10: Customer convenience termination

Unused commitment is generally nonrefundable and exit consumption continues to draw down.

Commercial Control	Required Treatment
Consumption Evidence	Account-level usage, meter, region, tags, unit price, discount, period and invoice reconciliation.
Forecast	Monthly forecast, variance, projected exhaustion or expiration, owner and corrective action.
Approval	Documented approval for commitment change, overage purchase, new service, region, AI model or professional services.
Risk	Expiration, overage premium, double-spend, egress, lock-in, performance, security and operating-model implications.
Source Insight	Source should identify the clause, quantify the exposure using available usage, and propose negotiation or operating action.

Scenario I-11: Renewal expansion

New order should reset commitment, price tiers, support credit and rollover rather than auto-renewing silently.

Commercial Control	Required Treatment
Consumption Evidence	Account-level usage, meter, region, tags, unit price, discount, period and invoice reconciliation.
Forecast	Monthly forecast, variance, projected exhaustion or expiration, owner and corrective action.
Approval	Documented approval for commitment change, overage purchase, new service, region, AI model or professional services.
Risk	Expiration, overage premium, double-spend, egress, lock-in, performance, security and operating-model implications.
Source Insight	Source should identify the clause, quantify the exposure using available usage, and propose negotiation or operating action.

Scenario I-12: New service introduction

New service units may be separately priced; Customer is not required to adopt them.

Commercial Control	Required Treatment
Consumption Evidence	Account-level usage, meter, region, tags, unit price, discount, period and invoice reconciliation.
Forecast	Monthly forecast, variance, projected exhaustion or expiration, owner and corrective action.
Approval	Documented approval for commitment change, overage purchase, new service, region, AI model or professional services.
Risk	Expiration, overage premium, double-spend, egress, lock-in, performance, security and operating-model implications.
Source Insight	Source should identify the clause, quantify the exposure using available usage, and propose negotiation or operating action.