

ENTERPRISE SERVICE MANAGEMENT, CMDB, AND AI OPERATIONS CLOUD SUBSCRIPTION AGREEMENT

Master Subscription Agreement, Order Form, SLA, Support, Security,
Data Processing, AI Addendum, and Implementation SOW

Contract ID	SHG-SAAS-ITSM-2027-002
Parties	SkyHarbor Global Airlines Group and NimbusWorks Cloud, Inc.
Effective Date	March 1, 2027
Initial Term	Three years; automatic one-year renewal unless notice is given 90 days before expiration
Annual Run Rate / Commitment	\$4,920,000 annual subscription and support; \$14,760,000 initial subscription commitment
Authenticity	Synthetic demonstration agreement; no real party or obligation

EXECUTION-STYLE SYNTHETIC VERSION

This document is intentionally extensive and contract-like so that Abarva Source can demonstrate ingestion, clause extraction, service-level analysis, pricing analysis, volume normalization, risk identification, and negotiation insight. It is not legal advice and must not be executed.

Document Structure

1. 1. Subscription Agreement
2. 2. Order Form and Entitlements
3. 3. Availability and Support
4. 4. Data Protection and Security
5. 5. AI Features Addendum
6. 6. Implementation Services
7. 7. Usage, Overage and Pricing
8. 8. Renewal, Termination and Data Return
9. 9. Module and Integration Schedules
10. 10. Operational and Security Control Schedules

Schedules and appendices are integral to the Agreement. In the event of conflict, the order of precedence set out in the General Terms applies.

1. Subscription Rights

NimbusWorks grants Customer a non-exclusive, non-transferable right during the Subscription Term to access and use the subscribed cloud services for Customer's internal business operations. Authorized Users include employees, contractors, airline affiliates, airport service partners, and approved service providers acting for Customer, subject to Customer responsibility and role-based access.

Customer may configure workflows, data models, integrations, reports, dashboards, virtual agents, and AI skills within documented product limits. Customer retains ownership of Customer Data, configurations, and Customer-specific process content.

2. Restrictions

Customer will not reverse engineer the service, interfere with platform integrity, use the service to violate law, or make it available as a service bureau to unrelated third parties. These restrictions do not prevent Customer from extracting its data, using documented APIs, or developing interoperable systems.

NimbusWorks will not materially reduce the security, availability, audit, data-export, or core functionality of a subscribed production module during the paid term.

3. Fees and Orders

The annual subscription and premium support fee is four million nine hundred twenty thousand dollars. Fees are invoiced annually in advance. Professional services are invoiced monthly as performed. Overage fees are invoiced quarterly in arrears.

Annual subscription price increases during the Initial Term are limited to zero. Renewal increases are capped at five percent unless Customer materially expands scope. Taxes and pre-approved pass-through expenses are additional.

4. Availability

NimbusWorks will provide 99.90% monthly production availability, excluding approved maintenance, Customer-caused unavailability, and force majeure only to the extent those exclusions directly cause the unavailability. Scheduled maintenance exceeding four hours in a month is included as downtime unless Customer approved it.

Credits are five percent of monthly subscription fees for availability below 99.90% but at least 99.50%, ten percent below 99.50% but at least 99.00%, and fifteen percent below 99.00%. If availability falls below 97.00% in one month or below 99.50% in three months of a rolling six-month period, Customer may terminate the affected production service.

5. Support

Premium Support is available 24x7 for Severity 1 and Severity 2 cases. Severity 1 response is fifteen minutes and continuous effort; Severity 2 response is thirty minutes; Severity 3 response is four business hours; Severity 4 response is one business day.

NimbusWorks will maintain a support portal, named escalation contacts, major incident communications, root-cause analysis, maintenance notices, known-error information, and quarterly service reviews.

6. Security

NimbusWorks will maintain an information-security program aligned to recognized standards, including independent assurance reports, vulnerability management, encryption, identity and access controls, secure development, logging, incident response, business continuity, personnel security, and subcontractor controls.

NimbusWorks will notify Customer of a confirmed Security Incident affecting Customer Data without undue delay and no later than one hour after confirmation. Notification will include known scope, affected data, containment, investigation, recovery, and required customer actions.

7. Data Processing

NimbusWorks acts as processor for personal data submitted to the service and will process it only to provide, secure, support, and maintain the service, comply with documented instructions, or meet legal obligations. The Data Processing Addendum includes audit, subprocessor, transfer, deletion, and assistance obligations.

Production data will be hosted in approved United States regions with encrypted backup replication to an approved secondary region. Customer may require selected European airline-affiliate records to remain in an approved European region under a separate order.

8. AI Features

AI features may summarize tickets, recommend knowledge, classify requests, generate workflow content, and support approved agents. Customer may enable or disable AI features by environment and use case. AI outputs are assistive and require Customer-configured controls and human review where appropriate.

NimbusWorks will not use Customer Content to train a general-purpose model available to other customers. Service telemetry may be used in aggregated and de-identified form. Customer is responsible for approved use cases, access, and review of AI-generated actions.

9. Data Return and Exit

During the Term, Customer may export Customer Data using standard APIs and export functions. On termination, NimbusWorks will provide one complete export in documented formats, including relational extracts, attachments, configuration packages, audit data, and integration metadata.

Standard termination export assistance is included. A complex historical export, dedicated migration environment, or extended hosting beyond sixty days may be charged under the professional-services rate card. The fixed price for the optional full-service exit package is one hundred twenty-five thousand dollars.

10. Liability and Indemnity

Each party's aggregate liability is capped at twelve months of fees, except for confidentiality, data-protection, intellectual-property indemnity, fraud, willful misconduct, and amounts owed. NimbusWorks will defend Customer against claims that the subscribed service infringes third-party intellectual-property rights.

Neither party is liable for indirect damages except for third-party indemnified claims and excluded matters. Service credits are Customer's sole monetary remedy for ordinary availability failure but do not limit termination, security, indemnity, or audit rights.

Signatures

The Parties have caused this Agreement to be executed by their duly authorized representatives as of the Effective Date. The names below are role placeholders and are not individuals.

SKYHARBOR GLOBAL AIRLINES GROUP	NIMBUSWORKS CLOUD, INC.
By: _____	By: _____
Title: Chief Information Officer	Title: Executive Vice President, Client Services
Date: _____	Date: _____
By: _____	By: _____
Title: Chief Procurement Officer	Title: General Counsel
Date: _____	Date: _____

Schedule A - Order Form and Commercial Summary

This Order Form identifies subscribed modules, entitlements, environments, fees, and renewal terms.

Module	Entitlement	Scope
Incident Management	1,200 fulfiller users	Global
Problem Management	650 fulfiller users	Global
Change Enablement	900 fulfiller users	Global
Service Request Management	42,000 requester users	Global
CMDB	280,000 configuration items	Global
Discovery	18,500 discovered hosts/endpoints	Global
Service Mapping	420 business/application services	Global
IT Asset Management	165,000 hardware/software assets	Global
Strategic Portfolio Management	1,500 portfolio users	Global
Security Operations	350 analysts	Global
AI Operations	50 production agent skills	Global
Virtual Agent	42,000 entitled users	Global
Charge	Amount	Basis
Platform subscription and premium support	\$3,950,000	Annual
AI Operations and Virtual Agent	\$590,000	Annual
Strategic Portfolio Management	\$230,000	Annual
Security Operations	\$150,000	Annual
Total recurring	\$4,920,000	Annual
Implementation services	\$2,150,000	Fixed fee, milestone-based

Schedule B - Service Level Agreement

Availability and support commitments apply to production service. Credits require a claim within thirty days after the monthly report, but NimbusWorks will identify apparent credits in its service report.

Measure	Target	Remedy	Notes
Production availability	99.90% monthly	5%-15% of monthly fee	Chronic failure termination
Severity 1 response	15 minutes	1% per qualifying failure, capped	Continuous effort
Severity 2 response	30 minutes	0.5% per qualifying failure, capped	24x7
Critical security notice	Within 1 hour of confirmation	Not limited to service-credit cap	Event-based
Backup restoration test	Quarterly successful test	Remediation plan and credit	Quarterly
Data export request	Standard export within 5 business days	Escalation and credit	Per request

Schedule C - Usage and Overage

The following units define ordinary entitlements and overage charges.

Unit	Included	Overage
Fulfiller user	1,200	\$125/user/month
Requester user	42,000	\$4/user/month
Discovered endpoint	18,500	\$2.10/endpoint/month
Configuration item	280,000	\$0.11/CI/month above entitlement
Business/application service	420	\$185/service/month
AI agent skill	50	\$1,850/skill/month
AI action pack	12 million actions/year	\$0.035/action above entitlement
Log ingestion	12 TB/month	\$95/TB above entitlement

Schedule D - Implementation Statement of Work

NimbusWorks will configure and deploy the subscribed modules through phased discovery, design, build, data migration, integration, testing, training, cutover, and stabilization.

Phase	Name	Weeks	Payment	Acceptance
P1	Mobilization and discovery	4	10%	Objective deliverables and acceptance tests
P2	Foundation and security	6	15%	Objective deliverables and acceptance tests
P3	ITSM process implementation	10	20%	Objective deliverables and acceptance tests
P4	CMDB and discovery	12	20%	Objective deliverables and acceptance tests
P5	Integrations and data migration	14	15%	Objective deliverables and acceptance tests
P6	AI features and virtual agent	10	10%	Objective deliverables and acceptance tests
P7	Testing, training and cutover	8	5%	Objective deliverables and acceptance tests
P8	Stabilization	6	5%	Objective deliverables and acceptance tests

Schedule E - Professional Services Rate Card

Rates apply only to approved change orders and exclude services included in subscription or implementation fixed fees.

Role	Hourly Rate
Engagement Partner	\$325
Program Director	\$285
Lead Architect	\$265
Solution Architect	\$235
Senior Consultant	\$195
Consultant	\$165
Technical Developer	\$175
Integration Specialist	\$185
Data Migration Specialist	\$180
AI Workflow Specialist	\$225
Trainer	\$145
Project Coordinator	\$115

Schedule F - Detailed Module and Process Descriptions

The following pages describe the baseline functional scope and associated operational records for each module.

Module F-01: Incident Management

Purpose: provide the configured incident management capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-02: Problem Management

Purpose: provide the configured problem management capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-03: Change Enablement

Purpose: provide the configured change enablement capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-04: Service Request Management

Purpose: provide the configured service request management capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-05: CMDB

Purpose: provide the configured cmdb capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-06: Discovery

Purpose: provide the configured discovery capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-07: Service Mapping

Purpose: provide the configured service mapping capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-08: IT Asset Management

Purpose: provide the configured it asset management capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-09: Strategic Portfolio Management

Purpose: provide the configured strategic portfolio management capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-10: Security Operations

Purpose: provide the configured security operations capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-11: AI Operations

Purpose: provide the configured ai operations capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-12: Virtual Agent

Purpose: provide the configured virtual agent capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-13: Knowledge Management

Purpose: provide the configured knowledge management capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-14: Major Incident Management

Purpose: provide the configured major incident management capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-15: Service Level Management

Purpose: provide the configured service level management capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-16: Event Management

Purpose: provide the configured event management capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-17: Cloud Observability Integration

Purpose: provide the configured cloud observability integration capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-18: Vendor Management

Purpose: provide the configured vendor management capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-19: Contract Management

Purpose: provide the configured contract management capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-20: Mobile Experience

Purpose: provide the configured mobile experience capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-21: Employee Center

Purpose: provide the configured employee center capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-22: Integration Hub

Purpose: provide the configured integration hub capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-23: Performance Analytics

Purpose: provide the configured performance analytics capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-24: Process Mining

Purpose: provide the configured process mining capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-25: Data Certification

Purpose: provide the configured data certification capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-26: Audit Management

Purpose: provide the configured audit management capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-27: Risk and Compliance

Purpose: provide the configured risk and compliance capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-28: Agent Workspace

Purpose: provide the configured agent workspace capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-29: Operations Workspace

Purpose: provide the configured operations workspace capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-30: Executive Dashboard

Purpose: provide the configured executive dashboard capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-31: API Management

Purpose: provide the configured api management capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Module F-32: Data Export and Portability

Purpose: provide the configured data export and portability capability for SkyHarbor's enterprise technology and selected business operations. Configuration will use documented data definitions, roles, workflow states, approvals, audit history, reporting, and integration behavior.

Design Area	Baseline Requirement
Users and roles	Role-based access, delegated administration, least privilege, and periodic access review.
Data model	Documented tables, relationships, mandatory fields, retention, audit history, and import/export format.
Workflow	States, approvals, timers, escalations, exception handling, notifications, and closure criteria.
Integrations	Documented API, event, file, identity, monitoring, CMDB, and reporting integrations as applicable.
Reporting	Operational dashboards, management reports, source-to-measure definitions, filters, and drill-through.
Controls	Segregation of duties, logging, security, data quality, reconciliation, and evidence requirements.
Acceptance	Functional, security, performance, integration, data migration, accessibility, and operational readiness tests.

Any deviation from the baseline must be documented as a design decision with impact, owner, approval, and remediation or target-state disposition.

Schedule G - Security and Data Processing Controls

NimbusWorks will maintain the following minimum controls and evidence.

Control G-01: Security governance

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for security governance. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-02: Risk assessment

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for risk assessment. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-03: Access control

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for access control. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-04: Privileged access

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for privileged access. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-05: Authentication and SSO

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for authentication and sso. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-06: Encryption

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for encryption. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-07: Key management

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for key management. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-08: Network protection

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for network protection. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-09: Secure development

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for secure development. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-10: Vulnerability management

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for vulnerability management. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-11: Penetration testing

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for penetration testing. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-12: Logging and monitoring

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for logging and monitoring. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-13: Incident response

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for incident response. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-14: Business continuity

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for business continuity. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-15: Disaster recovery

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for disaster recovery. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-16: Subprocessor governance

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for subprocessor governance. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-17: Personnel security

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for personnel security. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-18: Data retention

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for data retention. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-19: Data deletion

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for data deletion. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-20: Privacy rights support

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for privacy rights support. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-21: Cross-border transfers

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for cross-border transfers. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-22: AI model governance

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for ai model governance. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-23: AI output logging

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for ai output logging. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-24: Customer-managed configuration controls

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for customer-managed configuration controls. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Control G-25: Audit and assurance

NimbusWorks will maintain documented policies, procedures, technical controls, assigned ownership, testing, and remediation for audit and assurance. Evidence will be available through the trust portal or provided under reasonable confidentiality controls.

- Control scope and implementation status must be identifiable.
- Material deficiencies require a corrective-action plan and target date.
- Customer may request evidence supporting use of the service in a regulated airline environment.

Schedule H - Integration Interface Cards

These interface cards document the baseline integration obligations. Each card is intended to be discoverable by Source as a discrete scope, dependency, security, support, and volume record.

Integration H-01: Enterprise Identity Federation

NimbusWorks will configure, test, document, monitor, and support the enterprise identity federation integration between the Service and Microsoft Entra ID.

Attribute	Requirement
Integration Pattern	SAML/OIDC/SCIM
Data Scope	User, group, role and lifecycle synchronization
Frequency / Latency	Near real-time
Accountable Customer Role	Identity and Access Management
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	7,100 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-02: HR Worker Feed

NimbusWorks will configure, test, document, monitor, and support the hr worker feed integration between the Service and Workday.

Attribute	Requirement
Integration Pattern	REST/API and encrypted file
Data Scope	Worker, manager, location, employment status and cost center
Frequency / Latency	Daily
Accountable Customer Role	Human Resources Technology
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	9,200 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-03: ERP Finance Integration

NimbusWorks will configure, test, document, monitor, and support the erp finance integration integration between the Service and SAP S/4HANA.

Attribute	Requirement
Integration Pattern	API and batch
Data Scope	Cost center, project, vendor, purchase order and financial reference data
Frequency / Latency	Hourly/Daily
Accountable Customer Role	Corporate Applications
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	11,300 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-04: Monitoring Event Integration

NimbusWorks will configure, test, document, monitor, and support the monitoring event integration integration between the Service and Enterprise observability platform.

Attribute	Requirement
Integration Pattern	Webhook/event
Data Scope	Events, alerts, service context and correlation keys
Frequency / Latency	Real-time
Accountable Customer Role	Cloud and Infrastructure
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	13,400 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-05: Cloud Inventory - Azure

NimbusWorks will configure, test, document, monitor, and support the cloud inventory - azure integration between the Service and Azure Resource Graph.

Attribute	Requirement
Integration Pattern	API
Data Scope	Subscriptions, resources, tags, policy and ownership
Frequency / Latency	Daily
Accountable Customer Role	Cloud Platform Engineering
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	15,500 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-06: Cloud Inventory - AWS

NimbusWorks will configure, test, document, monitor, and support the cloud inventory - aws integration between the Service and AWS Organizations and inventory.

Attribute	Requirement
Integration Pattern	API
Data Scope	Accounts, resources, tags and service metadata
Frequency / Latency	Daily
Accountable Customer Role	Cloud Platform Engineering
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	17,600 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-07: Cloud Inventory - GCP

NimbusWorks will configure, test, document, monitor, and support the cloud inventory - gcp integration between the Service and Cloud Asset Inventory.

Attribute	Requirement
Integration Pattern	API
Data Scope	Projects, assets, policies and labels
Frequency / Latency	Daily
Accountable Customer Role	Cloud Platform Engineering
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	19,700 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-08: Source Control and DevOps

NimbusWorks will configure, test, document, monitor, and support the source control and devops integration between the Service and GitHub Enterprise.

Attribute	Requirement
Integration Pattern	Webhook/API
Data Scope	Repositories, deployments, changes and ownership
Frequency / Latency	Near real-time
Accountable Customer Role	Developer Platform
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	21,800 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-09: Email and Collaboration

NimbusWorks will configure, test, document, monitor, and support the email and collaboration integration between the Service and Microsoft 365.

Attribute	Requirement
Integration Pattern	Graph API
Data Scope	Notifications, approvals and collaboration records
Frequency / Latency	Near real-time
Accountable Customer Role	Workplace Technology
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	23,900 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-10: Telephony and Contact Center

NimbusWorks will configure, test, document, monitor, and support the telephony and contact center integration between the Service and Cloud contact center.

Attribute	Requirement
Integration Pattern	API
Data Scope	Interaction context, incident escalation and callback requests
Frequency / Latency	Near real-time
Accountable Customer Role	Customer Technology
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	26,000 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-11: Application Performance Monitoring

NimbusWorks will configure, test, document, monitor, and support the application performance monitoring integration between the Service and APM platform.

Attribute	Requirement
Integration Pattern	API/event
Data Scope	Application health, traces, incidents and topology
Frequency / Latency	Real-time
Accountable Customer Role	Application Operations
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	28,100 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-12: Vulnerability Management

NimbusWorks will configure, test, document, monitor, and support the vulnerability management integration between the Service and Enterprise vulnerability platform.

Attribute	Requirement
Integration Pattern	API
Data Scope	Assets, findings, severity, remediation and exceptions
Frequency / Latency	Daily
Accountable Customer Role	Cybersecurity
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	30,200 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-13: Endpoint Management

NimbusWorks will configure, test, document, monitor, and support the endpoint management integration between the Service and Enterprise endpoint platform.

Attribute	Requirement
Integration Pattern	API
Data Scope	Device inventory, compliance, patch and ownership
Frequency / Latency	Daily
Accountable Customer Role	Workplace Technology
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	32,300 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-14: Network Management

NimbusWorks will configure, test, document, monitor, and support the network management integration between the Service and Network monitoring platform.

Attribute	Requirement
Integration Pattern	API/event
Data Scope	Devices, circuits, availability, performance and incidents
Frequency / Latency	Real-time
Accountable Customer Role	Network Operations
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	34,400 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-15: Data Platform Operations

NimbusWorks will configure, test, document, monitor, and support the data platform operations integration between the Service and Enterprise data platform.

Attribute	Requirement
Integration Pattern	API/event
Data Scope	Pipeline failures, workload health, incidents and owners
Frequency / Latency	Real-time
Accountable Customer Role	Data and AI
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	36,500 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-16: Airline Operations Alerting

NimbusWorks will configure, test, document, monitor, and support the airline operations alerting integration between the Service and Operations control platform.

Attribute	Requirement
Integration Pattern	API/event
Data Scope	Critical operational events and service context
Frequency / Latency	Real-time
Accountable Customer Role	Operations Technology
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	38,600 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-17: Vendor and Contract Feed

NimbusWorks will configure, test, document, monitor, and support the vendor and contract feed integration between the Service and Procurement platform.

Attribute	Requirement
Integration Pattern	API/file
Data Scope	Vendors, contracts, renewals, owners and obligations
Frequency / Latency	Daily
Accountable Customer Role	Technology Finance and Procurement
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	40,700 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-18: Project Portfolio Feed

NimbusWorks will configure, test, document, monitor, and support the project portfolio feed integration between the Service and Portfolio management platform.

Attribute	Requirement
Integration Pattern	API
Data Scope	Initiatives, milestones, budget, risk and status
Frequency / Latency	Daily
Accountable Customer Role	Technology PMO
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	42,800 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-19: Knowledge Import

NimbusWorks will configure, test, document, monitor, and support the knowledge import integration between the Service and Legacy knowledge repositories.

Attribute	Requirement
Integration Pattern	Bulk import/API
Data Scope	Articles, categories, owners, versions and attachments
Frequency / Latency	One-time + weekly
Accountable Customer Role	Service Management
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	44,900 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Integration H-20: Data Export and Archive

NimbusWorks will configure, test, document, monitor, and support the data export and archive integration between the Service and Customer data lake.

Attribute	Requirement
Integration Pattern	Encrypted export
Data Scope	Tickets, audit records, attachments, CMDB and configuration history
Frequency / Latency	Daily/On demand
Accountable Customer Role	Data Governance
Security	Approved credentials, least privilege, encryption, secrets rotation, logging, and failure alerting.
Operational Support	Runbook, monitoring, retry, reconciliation, incident routing, ownership, and escalation.
Acceptance	Successful functional, performance, security, failure, recovery, and data-reconciliation tests.
Volume Baseline	47,000 records or events per day; 25% burst tolerance.

Material changes to source schema, volume, authentication, or business logic require documented impact assessment and an approved change order only where the change is outside the contracted baseline.

Schedule I - Operational Scenario Cards

The scenarios below define business outcomes, control points, and acceptance evidence for representative enterprise service management use cases.

Scenario I-01: P1 Airline Operations Outage

This scenario governs the process when a p1 airline operations outage affects or may affect SkyHarbor operations, customers, employees, financial reporting, regulatory obligations, or technology resilience.

Scenario Element	Baseline
Trigger	Defined event, monitoring threshold, user report, security alert, or leadership declaration.
Initial Response	Create or correlate records, assign severity, identify service and business impact, engage accountable roles, and begin communication.
Decision Rights	Customer incident commander retains business and safety decisions; NimbusWorks coordinates technical and platform actions.
Evidence	Timeline, alerts, records, communications, decisions, changes, recovery evidence, affected services and users.
Closure	Service restored, validation completed, stakeholders informed, residual risk recorded, and follow-up actions assigned.
Measurement	Response time, restoration time, communications, recurrence, business impact and SLA performance.

The scenario must be testable in non-production or tabletop form. Any critical gap identified during testing requires an owner and remediation date.

Scenario I-02: Passenger Processing Degradation

This scenario governs the process when a passenger processing degradation affects or may affect SkyHarbor operations, customers, employees, financial reporting, regulatory obligations, or technology resilience.

Scenario Element	Baseline
Trigger	Defined event, monitoring threshold, user report, security alert, or leadership declaration.
Initial Response	Create or correlate records, assign severity, identify service and business impact, engage accountable roles, and begin communication.
Decision Rights	Customer incident commander retains business and safety decisions; NimbusWorks coordinates technical and platform actions.
Evidence	Timeline, alerts, records, communications, decisions, changes, recovery evidence, affected services and users.
Closure	Service restored, validation completed, stakeholders informed, residual risk recorded, and follow-up actions assigned.
Measurement	Response time, restoration time, communications, recurrence, business impact and SLA performance.

The scenario must be testable in non-production or tabletop form. Any critical gap identified during testing requires an owner and remediation date.

Scenario I-03: Crew Application Incident

This scenario governs the process when a crew application incident affects or may affect SkyHarbor operations, customers, employees, financial reporting, regulatory obligations, or technology resilience.

Scenario Element	Baseline
Trigger	Defined event, monitoring threshold, user report, security alert, or leadership declaration.
Initial Response	Create or correlate records, assign severity, identify service and business impact, engage accountable roles, and begin communication.
Decision Rights	Customer incident commander retains business and safety decisions; NimbusWorks coordinates technical and platform actions.
Evidence	Timeline, alerts, records, communications, decisions, changes, recovery evidence, affected services and users.
Closure	Service restored, validation completed, stakeholders informed, residual risk recorded, and follow-up actions assigned.
Measurement	Response time, restoration time, communications, recurrence, business impact and SLA performance.

The scenario must be testable in non-production or tabletop form. Any critical gap identified during testing requires an owner and remediation date.

Scenario I-04: Airport Station Technology Incident

This scenario governs the process when a airport station technology incident affects or may affect SkyHarbor operations, customers, employees, financial reporting, regulatory obligations, or technology resilience.

Scenario Element	Baseline
Trigger	Defined event, monitoring threshold, user report, security alert, or leadership declaration.
Initial Response	Create or correlate records, assign severity, identify service and business impact, engage accountable roles, and begin communication.
Decision Rights	Customer incident commander retains business and safety decisions; NimbusWorks coordinates technical and platform actions.
Evidence	Timeline, alerts, records, communications, decisions, changes, recovery evidence, affected services and users.
Closure	Service restored, validation completed, stakeholders informed, residual risk recorded, and follow-up actions assigned.
Measurement	Response time, restoration time, communications, recurrence, business impact and SLA performance.

The scenario must be testable in non-production or tabletop form. Any critical gap identified during testing requires an owner and remediation date.

Scenario I-05: Major Cybersecurity Incident

This scenario governs the process when a major cybersecurity incident affects or may affect SkyHarbor operations, customers, employees, financial reporting, regulatory obligations, or technology resilience.

Scenario Element	Baseline
Trigger	Defined event, monitoring threshold, user report, security alert, or leadership declaration.
Initial Response	Create or correlate records, assign severity, identify service and business impact, engage accountable roles, and begin communication.
Decision Rights	Customer incident commander retains business and safety decisions; NimbusWorks coordinates technical and platform actions.
Evidence	Timeline, alerts, records, communications, decisions, changes, recovery evidence, affected services and users.
Closure	Service restored, validation completed, stakeholders informed, residual risk recorded, and follow-up actions assigned.
Measurement	Response time, restoration time, communications, recurrence, business impact and SLA performance.

The scenario must be testable in non-production or tabletop form. Any critical gap identified during testing requires an owner and remediation date.

Scenario I-06: Critical Change Blackout

This scenario governs the process when a critical change blackout affects or may affect SkyHarbor operations, customers, employees, financial reporting, regulatory obligations, or technology resilience.

Scenario Element	Baseline
Trigger	Defined event, monitoring threshold, user report, security alert, or leadership declaration.
Initial Response	Create or correlate records, assign severity, identify service and business impact, engage accountable roles, and begin communication.
Decision Rights	Customer incident commander retains business and safety decisions; NimbusWorks coordinates technical and platform actions.
Evidence	Timeline, alerts, records, communications, decisions, changes, recovery evidence, affected services and users.
Closure	Service restored, validation completed, stakeholders informed, residual risk recorded, and follow-up actions assigned.
Measurement	Response time, restoration time, communications, recurrence, business impact and SLA performance.

The scenario must be testable in non-production or tabletop form. Any critical gap identified during testing requires an owner and remediation date.

Scenario I-07: Failed Production Deployment

This scenario governs the process when a failed production deployment affects or may affect SkyHarbor operations, customers, employees, financial reporting, regulatory obligations, or technology resilience.

Scenario Element	Baseline
Trigger	Defined event, monitoring threshold, user report, security alert, or leadership declaration.
Initial Response	Create or correlate records, assign severity, identify service and business impact, engage accountable roles, and begin communication.
Decision Rights	Customer incident commander retains business and safety decisions; NimbusWorks coordinates technical and platform actions.
Evidence	Timeline, alerts, records, communications, decisions, changes, recovery evidence, affected services and users.
Closure	Service restored, validation completed, stakeholders informed, residual risk recorded, and follow-up actions assigned.
Measurement	Response time, restoration time, communications, recurrence, business impact and SLA performance.

The scenario must be testable in non-production or tabletop form. Any critical gap identified during testing requires an owner and remediation date.

Scenario I-08: Batch Processing Failure

This scenario governs the process when a batch processing failure affects or may affect SkyHarbor operations, customers, employees, financial reporting, regulatory obligations, or technology resilience.

Scenario Element	Baseline
Trigger	Defined event, monitoring threshold, user report, security alert, or leadership declaration.
Initial Response	Create or correlate records, assign severity, identify service and business impact, engage accountable roles, and begin communication.
Decision Rights	Customer incident commander retains business and safety decisions; NimbusWorks coordinates technical and platform actions.
Evidence	Timeline, alerts, records, communications, decisions, changes, recovery evidence, affected services and users.
Closure	Service restored, validation completed, stakeholders informed, residual risk recorded, and follow-up actions assigned.
Measurement	Response time, restoration time, communications, recurrence, business impact and SLA performance.

The scenario must be testable in non-production or tabletop form. Any critical gap identified during testing requires an owner and remediation date.

Scenario I-09: Cloud Cost Anomaly

This scenario governs the process when a cloud cost anomaly affects or may affect SkyHarbor operations, customers, employees, financial reporting, regulatory obligations, or technology resilience.

Scenario Element	Baseline
Trigger	Defined event, monitoring threshold, user report, security alert, or leadership declaration.
Initial Response	Create or correlate records, assign severity, identify service and business impact, engage accountable roles, and begin communication.
Decision Rights	Customer incident commander retains business and safety decisions; NimbusWorks coordinates technical and platform actions.
Evidence	Timeline, alerts, records, communications, decisions, changes, recovery evidence, affected services and users.
Closure	Service restored, validation completed, stakeholders informed, residual risk recorded, and follow-up actions assigned.
Measurement	Response time, restoration time, communications, recurrence, business impact and SLA performance.

The scenario must be testable in non-production or tabletop form. Any critical gap identified during testing requires an owner and remediation date.

Scenario I-10: Data-Quality Incident

This scenario governs the process when a data-quality incident affects or may affect SkyHarbor operations, customers, employees, financial reporting, regulatory obligations, or technology resilience.

Scenario Element	Baseline
Trigger	Defined event, monitoring threshold, user report, security alert, or leadership declaration.
Initial Response	Create or correlate records, assign severity, identify service and business impact, engage accountable roles, and begin communication.
Decision Rights	Customer incident commander retains business and safety decisions; NimbusWorks coordinates technical and platform actions.
Evidence	Timeline, alerts, records, communications, decisions, changes, recovery evidence, affected services and users.
Closure	Service restored, validation completed, stakeholders informed, residual risk recorded, and follow-up actions assigned.
Measurement	Response time, restoration time, communications, recurrence, business impact and SLA performance.

The scenario must be testable in non-production or tabletop form. Any critical gap identified during testing requires an owner and remediation date.

Scenario I-11: Vendor Service Degradation

This scenario governs the process when a vendor service degradation affects or may affect SkyHarbor operations, customers, employees, financial reporting, regulatory obligations, or technology resilience.

Scenario Element	Baseline
Trigger	Defined event, monitoring threshold, user report, security alert, or leadership declaration.
Initial Response	Create or correlate records, assign severity, identify service and business impact, engage accountable roles, and begin communication.
Decision Rights	Customer incident commander retains business and safety decisions; NimbusWorks coordinates technical and platform actions.
Evidence	Timeline, alerts, records, communications, decisions, changes, recovery evidence, affected services and users.
Closure	Service restored, validation completed, stakeholders informed, residual risk recorded, and follow-up actions assigned.
Measurement	Response time, restoration time, communications, recurrence, business impact and SLA performance.

The scenario must be testable in non-production or tabletop form. Any critical gap identified during testing requires an owner and remediation date.

Scenario I-12: Cmdb Relationship Dispute

This scenario governs the process when a cmdb relationship dispute affects or may affect SkyHarbor operations, customers, employees, financial reporting, regulatory obligations, or technology resilience.

Scenario Element	Baseline
Trigger	Defined event, monitoring threshold, user report, security alert, or leadership declaration.
Initial Response	Create or correlate records, assign severity, identify service and business impact, engage accountable roles, and begin communication.
Decision Rights	Customer incident commander retains business and safety decisions; NimbusWorks coordinates technical and platform actions.
Evidence	Timeline, alerts, records, communications, decisions, changes, recovery evidence, affected services and users.
Closure	Service restored, validation completed, stakeholders informed, residual risk recorded, and follow-up actions assigned.
Measurement	Response time, restoration time, communications, recurrence, business impact and SLA performance.

The scenario must be testable in non-production or tabletop form. Any critical gap identified during testing requires an owner and remediation date.

Scenario I-13: Emergency Access Request

This scenario governs the process when a emergency access request affects or may affect SkyHarbor operations, customers, employees, financial reporting, regulatory obligations, or technology resilience.

Scenario Element	Baseline
Trigger	Defined event, monitoring threshold, user report, security alert, or leadership declaration.
Initial Response	Create or correlate records, assign severity, identify service and business impact, engage accountable roles, and begin communication.
Decision Rights	Customer incident commander retains business and safety decisions; NimbusWorks coordinates technical and platform actions.
Evidence	Timeline, alerts, records, communications, decisions, changes, recovery evidence, affected services and users.
Closure	Service restored, validation completed, stakeholders informed, residual risk recorded, and follow-up actions assigned.
Measurement	Response time, restoration time, communications, recurrence, business impact and SLA performance.

The scenario must be testable in non-production or tabletop form. Any critical gap identified during testing requires an owner and remediation date.

Scenario I-14: Disaster Recovery Invocation

This scenario governs the process when a disaster recovery invocation affects or may affect SkyHarbor operations, customers, employees, financial reporting, regulatory obligations, or technology resilience.

Scenario Element	Baseline
Trigger	Defined event, monitoring threshold, user report, security alert, or leadership declaration.
Initial Response	Create or correlate records, assign severity, identify service and business impact, engage accountable roles, and begin communication.
Decision Rights	Customer incident commander retains business and safety decisions; NimbusWorks coordinates technical and platform actions.
Evidence	Timeline, alerts, records, communications, decisions, changes, recovery evidence, affected services and users.
Closure	Service restored, validation completed, stakeholders informed, residual risk recorded, and follow-up actions assigned.
Measurement	Response time, restoration time, communications, recurrence, business impact and SLA performance.

The scenario must be testable in non-production or tabletop form. Any critical gap identified during testing requires an owner and remediation date.

Scenario I-15: Executive Service Review

This scenario governs the process when a executive service review affects or may affect SkyHarbor operations, customers, employees, financial reporting, regulatory obligations, or technology resilience.

Scenario Element	Baseline
Trigger	Defined event, monitoring threshold, user report, security alert, or leadership declaration.
Initial Response	Create or correlate records, assign severity, identify service and business impact, engage accountable roles, and begin communication.
Decision Rights	Customer incident commander retains business and safety decisions; NimbusWorks coordinates technical and platform actions.
Evidence	Timeline, alerts, records, communications, decisions, changes, recovery evidence, affected services and users.
Closure	Service restored, validation completed, stakeholders informed, residual risk recorded, and follow-up actions assigned.
Measurement	Response time, restoration time, communications, recurrence, business impact and SLA performance.

The scenario must be testable in non-production or tabletop form. Any critical gap identified during testing requires an owner and remediation date.