

نماذج الاختبارات الشهرية

تجميع :

نور الجفري & فاطمة عاشور



(B)

Subject : Programming I

Level : 1stSem. 1st Course : CS & IT

Duration : 50 minutes.

1. Represents the While output in flowcharts?

- a)
- b)
- c)
- d) none of the mentioned above

2. In python a variable named " my_number", can be assigned as following:

- a) my_number= "20"
- b) my number = 20
- c) my_Number = '20'
- d) All of the above

3. In programming, the concept of variable is:

- a) a location in the computer memory
- b) a number or string
- c) an operator
- d) an expression

4. What is the output of the below code?

```
a, b = 4, 3
if a > b:
    print(b, 'is maximum')
elif a == b:
    print(a, 'is equal to', b)
else:
    print(a, 'is maximum')
```

- a) 3 is maximum
- b) 3 is equal to 4
- c) 4 is maximum
- d) Error in line number 1

5. The for keyword is used to:

- a) repeat statement(s)
- b) print the output
- c) read input
- d) make decision

6. in python language which one of the following biggest in size (memory storage)?

- a) int b) float c) bool d) all variables are of the same size

7. Which of the following values **cannot** be used with bool variables – if X is Boolean variable:

- a) X=True b) X=-9999 c) X="True" d) Both b & c

8. What is the output of the below program?

```
y=3
r = 1
for i in range(y):
    r = r * x
print (r)
```

*Handwritten calculation: 1 * 3 = 3, 3 * 3 = 9, 9 * 3 = 27*

- a) 32 b) 9 c) 27 d) None of the mentioned
9. What is the output of the following code?

```
example = "snow\\nworld"
print ('example')
```

- a) example
- b) snow world
- c) Error
- d) snow\nworld

10. Rules of naming variables (identifiers) in python:

- a) only characters can be used a-z, A-Z
- b) Doesn't not start with Capital Letter or a number
- c) it cannot be python keyword
- d) does not contain numbers

11. Algorithms must be written using:

- a) No specific language
- b) Python language
- c) C language
- d) Any Programming Language

12. What is the output of the following piece of code?

```
a=5
a=a+b
b=3
a=b
```

Handwritten calculation: a=5, b=5, a=10, b=3, a=3

- a) no output b) 5 only c) 8 (3+5) d) 3 only

13. Operators with the same precedence نفس الأولوية are evaluated in which manner?

- a) Left to Right
- b) Right to Left
- c) no difference either 'a' or 'b'
- d) ** first, then *, /, and %



(B)

Subject : Programming I

Level : 1stSem. 1st Course : CS & IT

Duration : 50 minutes.

14. 2.

```
for x in range(2,3,4):
    print("HI",end="")
```

will give output as:

a) No output

b) HIHI

c) HI

d) HIHIHIHIHI.... infinite غير منتهي

15. which of the following loops is infinite loop :

a) while(-999): print("")

b) if (True): print("")]

c) for i in range (5,4,1): print("")

d) none of the above.

16. Carefully observe the code and select line numbers that contain syntax errors:

1. x=10

2. if x > 10:

3. z=x-y]

4. else:

5. y=x

6. else:

7. print(x)

a) lines 3,5,6 and 7]

b) lines 3,5 and 7]

c) lines 6, and 7

d) lines 3 and 6

17. What is the average value when code executed ?

grade1=80

grade2= 90

average = int(grade1 + grade2) / 2

a) 85

b) 85.1

c) 95

d) 95.1

18. Which one of these is float division?

a) ! b) // c) % d) None of the mentioned

13. What is answer of this expression, 2//((12+1) % 3) is?

a) 0 b) 1 c) 0.0 d) None of the above 2 // 13 % 3

19. correct input statement to read integer:

a) x=input(int)

b) x=int(input())]

c) x=int(input)

d) int(input())=x

20. What is the output when following code is executed,

x=5

while(x):

x=x-2 3

print(x-1,end="") 2

a) 5 3 1 -1 مالا نهائي

b) 3 1 -1 مالا نهائي

c) 3 1 -1

d) none of the above

21. What is the final value of x when the code is run:

for x in range (0,10,1) : print (" * ")

print(x) #outside the loop

a) 10

b) 9

c) 0

d) *

22. What is the output of the following code ?

x=10

while (x<=15):

if (x%2==0 and x>10):

print (x,end=" ")

else:

print (" ",end=" ")

x=x+1

a) nothing b) 10 12 14 c) 10 d) 12 14

23. What is the output when following code is executed?

for i in range(1,3,1): 2 3 4

print(" ")

for j in range(1,1,1):

print(j,end=" ")

a) 1 12 123 b) 1 c) 123 d) 1 12 3 4 5

24. which Program can be written without using if else

a) print even numbers between 1 and 10]

b) check prime number]

c) print grade of student

d) print maximum of N numbers]

25. What is the final value of x when the code is run:

for x in range (0,10,1) : print (" * ")

print(x) #outside the loop

a) 10

b) 9

c) 0

d) *



(A)

Subject : Programming I

Level : 1stSem. 1st Course : CS & IT

Duration : 50 minutes.

1. Represents the While Loop in flowcharts?



d) none of the mentioned above

2. Algorithms must be written using:

- a) No specific language
b) Python language
c) C language
d) Any Programming Language

3. if else is used in programming languages to:

- a) repeat statements
b) print the output
c) read input
d) make decision

4. What is the output of the below code?

```
a,b=3,4
if a > b:
    print(b, 'is maximum')
elif a == b:
    print(a, 'is equal to', b)
else:
    print(a, 'is maximum')
```

- a) 3 is maximum
b) 3 is equal to 4
c) 4 is maximum
d) Error in line number 1

5. In programming, the concept of variable is:

- a) a location in the computer memory
b) a number or string
c) an operator
d) an expression

6. In python language which one of the following biggest in size (memory storage)?

- a) int b) float c) bool d) all are of the same size

7. Which of the following values **cannot** be used with

bool variables – if X is Boolean variable:

- a) X=True b) X=-9999 c) X="True" d) Both b & c

8. What is the output of the below program?

```
y=3
r=1
for i in range(y):
    r=r*x
print (r)
```

- a) 32 b) 9 c) 27 d) None of the mentioned

9. Rules of naming variables (identifiers) in python:

- a) only characters can be used a-z, A-Z
b) Doesn't not start with Capital Letter or a number
c) it cannot be python keyword
d) does not contain numbers

10. What is the output of the following code?

```
example = "snow\\nworld"
print ('example')
```

- a) example
b) snow
world
c) Error
d) snow\nworld

11. In python a variable named " my_number" , can be assigned as following:

- a) my_number= "20"
b) my number = 20
c) my_Number = '20'
d) All of the above

12. Which one of these is float division?

- a) ! b) // c) % d) None of the mentioned

13. What is answer of this expression, 2/(12+1) % 3
is? 2//13063

- a) 0 b) 1 c) 0.0 d) None of the above

14. What is the output of the following piece of code?

```
a=5
```

```
a=a+b
```

```
b=3
```

```
a=b
```

- a) no output b) 5 only c) 8 (3+5) d) 3 only



(A)

Subject: Programming I

Level: 1stSem. 1st Course: CS & IT

Duration: 50 minutes.

15. Operators with the same precedence نفس الأولوية are evaluated in which manner?
 a) Left to Right
 b) Right to Left
 c) no difference either 'a' or 'b'
 d) ** first, then *, /, and %
16. for x in range(2,3,4):
 print("HI",end="")
 will give output as:
 a) No output
 b) HIHI
 c) HI
 d) HIHIHIHIHI... infinite غير منتهى
17. which of the following loops is infinite loop:
 a) while(-999): print("")
 b) if (True): print("")
 c) for i in range (5,4,1): print("")
 d) none of the above.
18. What is the final value of x when the code is run:
 for x in range (0,10,1): print (" * ")
 print(x) #outside the loop
 a) 10 b) 9 c) 0 d) *
19. Carefully observe the code and select line numbers that contain syntax errors:
 1. x=10
 2. if x > 10:
 3. z=x-y
 4. else:
 5. x=x
 6. else:
 7. print(x)
 a) lines 3,5,6 and 7
 b) lines 3,5 and 7
 c) lines 6, and 7
 d) lines 3 and 6
20. What is the average value of the code that is executed below?
 grade1=80
 grade2= 90
 average = int(grade1 + grade2) / 2
21. correct input statement to read integer:
 a) x=input(int)
 b) x=int(input())
 c) x=int(input)
 d) int(input())=x
22. What is the output when following code is executed?
 x=5
 while(x):
 x=x-2 3 1 -1
 print(x-1,end="")
 2, 0
 a) 5 3 1 -1 مالتينيه
 b) 3 1 -1 مالتينيه
 c) 3 1 -1
 d) none of the above
23. What is the output when following code is executed?
 x=10
 while (x<=15):
 if (x%2==0 and x>10):
 print (x,end=" ")
 else:
 print ("",end="")
 x=x+1
 12 12 14
 a) 1 12 123
 b) 1
 c) 123
 d) 1 1 2 3 4 5
24. What is the output when following code is executed?
 for i in range(1,3,1):
 print(" ")
 for j in range(1,1,1):
 print(j,end=" ")
 1 2
 a) 1 12 123
 b) 1
 c) 123
 d) 1 1 2 3 4 5
25. which of the following programs can be written without using if else
 a) print even numbers between 1 and 10
 b) check prime number
 c) print grade of student
 d) print maximum of N numbers

Date: Wednesday 27/11/2019

Level: 1st general

The First Monthly Exam In Programming 1

Time: 1 hour

(B)



وزارة التعليم
Kingdom of Saudi Arabia

T. Mona Johar

Q1) choose the correct answer :

1. iteration statement:

A. elif

B. while

C. if

D. range

2. Valid expression of loop statement:

A. for i in range(5,7,-1):

B. while 1&&2:

C. for i in (3)

D. while x!=3:

3. if 0: print("hello")

elif: print("bye"), output is:

A. hello

B. bye

C. Nothing

D. Error

4. valid expression

A. else True:

B. elif 9==10

C. while :

D. While 5:

5. for i in range(2,8,2): print(i, end=' '), output is :

A. 246

B. 2468

C. 2467

D. Nothing

Q2. Trace the following program and say What is the output :

```
c=5
while c<25:
    if c >14 and c<20:
        c+=2
        continue
    print(c)
    c+=3
```

Q3: write a program to print the following pattern:

```
+
++
###
++++
+++++
```

```
for i in range(1,6):
    for j in range(1,i+1):
        if i==3:
            print("#", end=" ")
        else:
            print(j, end=" ")
    print()
```

Date: wensday 23/10/2019

Level: 1st general

The First Monthly Exam In Programming1



جامعة الأردن
University of Jordan

Time: 1hour

(A)

Name: _____

T.Mona Johar

Q1) choose the correct answers :

1. bitwise operator:

A. |

B. @

C. <

D. <>

2. valid expression for print:

A. Print("hi")

B. print(x+5)

C. print(x+=3)

D. print(3)

3. print(15^7), the output is:

A. 8

B. 0

C. 4

D. 11

4. print(float('3')), the output is:

A. 3.0

B. 3

C. Error

5. Valid Variable name:

A. X

B. first name

C. if

D. false

6. print("F" in "false"):

A. True

B. False

C. Error

Q2. Detect the errors in the following code say way and how to correct them

اكتشف الأخطاء في الكود التالي وضع السبب و قم بتصحيحها
الخطأ الأول :- لا يوجد تعريف لـ x، وبالتالي لا يمكن استخدامه في التعبير x = input("enter the x")
الخطأ الثاني :- استخدام float أو int متابعه لـ input لأن input متابعه لـ string
الخطأ الثالث :- استخدام print("bye") بدلاً من print("bye")
الخطأ الرابع :- استخدام print(x) بدلاً من print(y)
الخطأ الخامس :- استخدام print(x) بدلاً من print(y)
الخطأ السادس :- استخدام print(x) بدلاً من print(y)
الخطأ السابع :- استخدام print(x) بدلاً من print(y)
الخطأ الثامن :- استخدام print(x) بدلاً من print(y)
الخطأ التاسع :- استخدام print(x) بدلاً من print(y)
الخطأ العاشر :- استخدام print(x) بدلاً من print(y)

```
x=input(x)
y=x*3
Print(x/y)
print("bye")
```

الخطأ الأول :- استخدام input("enter the x") بدلاً من input(x)
الخطأ الثاني :- استخدام print("bye") بدلاً من print("bye")
الخطأ الثالث :- استخدام print(x) بدلاً من print(y)
الخطأ الرابع :- استخدام print(x) بدلاً من print(y)
الخطأ الخامس :- استخدام print(x) بدلاً من print(y)
الخطأ السادس :- استخدام print(x) بدلاً من print(y)
الخطأ السابع :- استخدام print(x) بدلاً من print(y)
الخطأ الثامن :- استخدام print(x) بدلاً من print(y)
الخطأ التاسع :- استخدام print(x) بدلاً من print(y)
الخطأ العاشر :- استخدام print(x) بدلاً من print(y)

Q3: write an algorithm or Draw a flowchart to read the salary of employee and compute his bonus (50000-100000 30% ,15000-49000 50%) .



Q1) choose the correct answer:

1. control statement:

- ☒ A for ☐ B else ☐ C range ☐ D elif

2. invalid expression

- A. elif 0: ☒ B else 0: ☐ C elif True: ☐ D else:

3. for i in range(6,0):

print(i, end=""), output is:

- ☒ A. 654321 ☐ B. 6543210 ☐ C. 54321 ☐ D. Nothing

4. if 100: print("hello")

else: print("bye")

- ☐ A hello ☒ B bye ☐ C Error ☐ D Nothing

5. invalid expression for while statement

- ☒ A while a > b ☐ B while c! = 0: ☐ C while 5 == 5:

Q2. Trace the following program and say what is the output:

```
for i in range(50, 10, -5):
    print('number', end='')
    if i == 20:
        break
    if i == 30:
        continue
    print(i)
    print('\n')
```

output

number 50
 number 45
 number 40
 number 35
 number 30

number 50
 number 45
 number 40
 number 35
 number 30

Q3: write a program to print the following pattern:

11111
 22222
 33333
 44444

```
for i in range(1, 5):
    for j in range(1, 5):
        print(i, end='')
    print()
```

11
 11
 11
 11

22



Q1) choose the correct answers:

1. bitwise operator:

A. 1

B. 0

C. -

D. +

2. valid expression for print:

A. Print("hi")

B. print(x+5)

C. print(x+=3)

D. print(3)

3. print(15^7), the output is:

A. 8

B. 0

C. 4

D. 11

4. print(float('3')), the output is:

A. 3.0

B. 3

C. Error

5. Valid Variable name:

A. _x

B. first name

C. if

D. false

6. print('F' in 'false'):

A. True

B. False

C. Error

Q2. Detect the errors in the following code say way and how to correct them

```

x=input(x)
y=x*3
Print(x,y)
print"-bye"

```

اكتشف الأخطاء في الكود التالي وضع السبب وكم تصحيحها

1. خطأ في دالة input() لأنها تأخذ نص فقط ولا تأخذ رقم.
 2. خطأ في دالة Print() لأنها تأخذ نص فقط ولا تأخذ رقم.
 3. خطأ في دالة print() لأنها تأخذ نص فقط ولا تأخذ رقم.
 4. خطأ في دالة print() لأنها تأخذ نص فقط ولا تأخذ رقم.

```

y = float(input(x))
x = x*3
Print(x,y)
print"-bye"

```

Q3: write an algorithm or Draw a flowchart to read the salary of employee and compute his bonus (50000-100000 30%, 15000-49000 50%).

x=2

x=0

4. 12

3. 0

5. 6

8. 1

9. 1

Q1. Choose the correct answer (اجابة واحدة أو أكثر): (15 marks)

- Invalid (غير صحيح) identifier ?
A. Else B. Break C. in D. not2
- which of the following is valid loop expression in Python?
A. for x in range (1,2,1) B. if (x<10): C. while (True): D. WHILE x in range(2,8,4):
- Which of the following is valid bitwise operator?
A. & B. not C. XOR D. >=
- Evaluate (not(False and (True and 10))).
A. True B. False C. Unevaluatable غير قابل للتقييم
- $x+=4-2$ is same as :
a. $x = x+4-2$ b. $x = 4-2$ c. $x = (x+4) - 2$ d. $4-2 = x$
- Lowest priority اولوية اقل:
a. = b. // c. & d. not
- which of the following is python keyword:
a. break b. hello c. pycharm d. False
- for x in range(0,2):
print("Hello",end="") will give output as:
a. HelloHello b. Hello c. 012 d. no output
- for x in range(1,2,3):
print(x,end="") will give output as:
a. no output b. 1111.....infinite c. 1 d. 12
- which of the following is a programming language:
a. microsoft b. C# c. java d. android

Q2. Fill in the blanks: 10 marks

- Python several implementations like Python implemented using C++ language, and pyPy implemented using java language.
(Jython, PyPy, Java, C, .Net, IronPython, Python, Assembly)
- Python file extension is .py where as C++ has the extension .cpp and java extension is .java
- Program source codes are translated using High Language or Low Language
python source code is translated to (.py, assembly, byte code, bit code, Bite code, interpreter, compiler, Pycharm)

Q3. Compare and contrast (موضح الفروق بين): 5 marks

- Compiler and interpreter
- Continue and break

a: compiler: First start by correct the wrongs then translate.

interpreter: - start by translate then correct the wrongs.

6: Continue: يوقف عند الشرط بس ويكمل
Loop - مثال: $\text{for } x \text{ in range}(1,11):$
 $\text{if } x \% 2 == 0:$
continue.
print(x) output(1,3,5,7,9)

break: stop the loop
مثال: $\text{for } i \text{ in range}(1,11):$
 $\text{if } i == 2$

Q4. What is the output of the following : 6 marks

A.
for i in range(0, 5, 1):
 for j in range (5, 0, -1):
 print("*", end="")
 print("\n")

~~*****~~
~~*****~~
~~*****~~
~~*****~~
~~*****~~

B.
x=19
y=11
print(x<<2)
print(x&y)

76

3/6

Q5. Using loops write the program to print the following: 4 marks

1

22

4444

55555

For i in range (1, 6)
 For j in range (1, i+1)
 if j == 3:
 print(*)
 else:
 print(j)
 print(i, end = " ")

print()

4/6

Q1. Choose the correct answer (3 اجابة واحدة أو أكثر (10 marks)

1. the result of $(8+2*4+((4-2)*4)-6)//5$ is:

- A. 23 B. 3 C. 1 D. zero

2. which if the following is a valid expression:

- A. while 1: B. - while : C. WHILE (a==b): D. while (1 != 2):

3. 4. Evaluate not (False and (True or False))

- A. True B. False C. Unevaluable غير قابل للتقييم

4. correct variable declaration/definition (عبارة تعريف متغير صحيحة):

- a. x=hello b. int x: c. y="222.331" d. x= True

5. Valid Variable/Identifier name:

- a. my123 b. My-number c. intval d. ELSE

6. Highest priority اعلى اولوية:

- a. * b. {} c. - d. /

7. python data type:

- a. while b. double c. bool d. int

8. comparison operator:

- a. != b. = c. != d. <>

9. valid expression for input:

- a. x==input() b. y=x=input() c. input(102) = x d. x=int(input())

10. Correct expression:

- a. if (x=2): b. while (j<-1): c. if x>1: y<2 d. while x<1 and y>=2:

Q2. Detect any 3 or more errors in the following code say way and how to correct them (6 marks)

اكتشف 3 اخطاء أو أكثر وضح السبب وقم بتصحيحها

```
1. VAR=INPUT()
2. y=var
3. f=bool(120)
4. if (TRUE):
5.     print ("var")
6. While (true) :
7.     print (hello)
```

لأنه معنا المدخل ~~نفس~~ نص او متغير
 VAR = Char(input())
 F = bool(120)
 لأنه معنا المدخل رقم
 F = int(120)
 print(hello)
 لأنه معنا المدخل نص

Q. while x<1 and y>=2:

Q2. Detect any 3 or more errors in the following code say way and how to correct them (6 marks)

اكتشف 3 اخطاء او اكثر وضع السبب و قم بتصحيحها

1. VAR=INPUT()
2. y=var
3. f=bool(120)
4. if (TRUE):
5. print ("var")
6. while (true):
7. print (hello)

5

VAR = chr(input())

الخطأ:

السبب: لأنه من المفترض أن يكون

VAR = char(input())

الانمعي:

F = bool(120)

الخطأ:

لأنه من المفترض أن يكون

السبب:

E = int(120)

الانمعي:

Print(hello)

الخطأ:

لأنه من المفترض أن يكون

السبب:

Print("hello")

الانمعي:

while (true):

الخطأ:

لأنه من المفترض أن يكون

السبب:

if (False):

الانمعي:

Q3. Trace the following code show the contents of variables and the output step by step: (4 marks)
تتبع تنفيذ هذه الأكواد خطوة بخطوة:


```
x=18
while (x != 8):
    x=x+10
    print ("10")
```

x=18
while (x != 8):
 x=x+10
 Print ("10")

Q4. solve any 2 of the following: (10 marks)

1. Draw a flowchart and write a python program to student mark and print if he is pass or fail (0-49 fail, 50-100 pass).
2. Write a program to print negative numbers between -50 and 50
3. Write a program to read 10 numbers and print the sum of ODD numbers (مجموع الأعداد الفردية من 10 أعداد متخلفة)
4. Using while loop write a program to print

123456
123456
123456
123456
123456



3) X=input(iten the numbr)

S=0
Z=1
while x <= 10:
 y=input()
 x=x+1

print(S/x) ?

S=0
i=1
while 10>S=0:
 x=int(input())
 if x%2 != 0:
 S=S+x
 i+=1



HADRAMOUT UNIVERSITY
COLLEGE OF COMPUTERS & INFORMATION TECHNOLOGY
FIRST MONTHLY EXAM



Academic year: 2018-2019
Day and Date: Mon. 26/1/2018
Examiner:
Time allowed: 1.5 hours

Semester: First semester
Level: 1st level
Department: IT /CS
Subject: Programming I
"A"

Name: _____

Q2: Trace the following programs and find the errors, otherwise find the output of them:

```
if False:
    print ("Bye")
elif 24%5*2+(2+13)-29+6:
    print (10**3/5-2*4)
else:
    print ("Hi")
```

The output "Hi"

```
x = 10
while x = 1:
    print(x)
    x=x2
else:
    print("sum=(2).format(x,y|x)
```

```
while x = 1:
    y:
    x+=1
else:
    .Format
```

Q3: Write a program, an algorithm or a flow chart that allows the user to enter 6 numbers then print the summation of the numbers that are divisible by 3.

- 1- The user enter 6 numbers. num)
- 2- set sum = 0
- 3- While num//3 = 0:
 - i: S = S + num
- 4- print(S)

نماذج الامتحانات النهائية

تجميع :

نور الجفري & فاطمة عاشور



Academic year: 2017-2018

Level: 1

Duration: 2:00 hrs

Subject : Programming 1 Semester: 1

Examiner: Dr.Mohammed Bamatraf

Day and Date: Saturday 10/02/2018

Department: IT/CS

B

Q1. Choose the correct answer اختر إجابة واحدة صحيحة فقط: (15 marks)

1. evaluate the expression $((4 \& 2) < 1)$:

- a. 4 b. 0 c. 0100 d. 0010

2. which of the following is python keyword:

- a. FOR b. Else c. pycharm d. False

3. for x in range(7,5,-1):

print("Hello",end="") will give output as:

- a. HelloHello b. HelloHelloHello c. 7 and 6 d. no output

4. which of the following loops is infinite loop:

- a. while(22): b. if (2<3): c. for IF in range (2,3,4): d. infinite=4*2

5. which of the following is a programming language:

- a. microsoft b. google c. C# d. Battlefield 1.2

6. in-valid python expression ?

- a. x+2=3 b. if I in range (1,4,1): c. x += 2+2.5 d. PRINT ("Hello")

7. Evaluate (not(0 and (2 or 3))).

- A. True B. False C. Un-evaluatable غير قابل للتقييم

8. Which of the following is in-valid comparison operator?

- A. != B. == C. = D. >=

9. Lowest Priority operator:

- A. % B. and C. + D. >=

10. evaluate the expression $(4 // (2 + 5) \% 20)$:

- a. 0 b. 11 c. 7 d. Error

Q2. With the help proper example, briefly explain the following terms اشرح مع الاستعانة بمثال (10 marks)

- Flow chart
- Algorithm
- Interpreter
- Arrays

Q3. Detect 4 Errors in the following code, state why! اوضح 4 اخطاء بالكود ادناه مع توضيح السبب (10 marks)

```
arr = (2, 3, 4, "ALI", 22, 13)
28 = a *
for x in range(0, 10, 1):
    if (arr(x) % 2 == 0):
        print("ODD")
    else:
        print(EVEN)
    else:
        print ("Zero")
a="15"
b="5"
print (a//b)
```

Q3. Trace the following codes, and show the output (10 marks)

A.
x=6
while (x != 20):
 print (x,end=" ")
 x=x+5

B.
x=19
if (x//10==1):
 print (x)
else:
 print (x%10)
print ("Good Bye")

Q4. Answer any five of the following : (25 marks)

- Draw the flow-chart and write the program to read 3 numbers and print the maximum.
- Write a program to read two number and print them sorted in ascending order.
تصاعدياً
- Using while loop, write a python program to read 10 numbers and print them in reverse
باستخدام عبارة while اقرأ ١٠ اعداد وأظهرهم متسلسلة عكس الإدخال
- Write a program to print odd numbers between 90 and 70 in descending order
تنازلياً من الأكبر إلى الأصغر
- Write a program to check if a given number is prime or not.
- Write a program to define array of 5 names, then:
 - print the list individual name per line , اطبع الأسماء كل اسم بسطر على حده , `for i in`
 - Print the size of the array,
 - add one more name to the array. اضع اسم إلى المصفوفة.
- write a program to print factorials of numbers between any given range. مضروب الأعداد ضمن مدى معطى.

Good Luck....



COLLEGE OF COMPUTERS & INFORMATION TECHNOLOGY
FINAL EXAMINATION



Academic year: 2017-2018
Level: 1
Duration: 2.00 hrs

Subject: Programming 1 Semester: 1
Examiner: Dr. Mohammed Baniotaf
A

Day and Date: Saturday 10/02/2018
Department: IT/CS

Q1. Choose the correct answer اختر اجابة واحدة صحيحة فقط (15 marks)

1. in-valid python expression ?
A. $x+2=3$ B. if 1 in range (1,4,1): C. $x += 2+2.5$ D. PRINT ("Hello")
2. Evaluate (not(0 and (2 or 3))).
A. True B. False C. Un-evaluable التقييم غير ممكن
3. Which of the following is in-valid comparison operator?
A. != B. == C. * D. >=
4. lowest Priority operator:
A. % B. and C. + D. >=
5. evaluate the expression (4// (2 + 5) % 20) :
a. 0 b. 11 c. 7 d. Error
6. evaluate the expression ((4 & 2) << 1):
a. 4 b. 0 c. 0100 d. 0010
7. which of the following is python keyword:
a. FOR b. Else c. pycharm d. False
8. for x in range(7,5,-1):
print("Hello",end="") will give output as:
a. HelloHello b. HelloHelloHello c. 7 and 6 d. no output
9. which of the following loops is infinite loop :
a. while(22): b. if (2<3): c. for if in range (2,3,4): d. infinite=4*2
10. which of the following is a programming language:
a. microsoft b. google c. C# d. Battlefield 1.2

Q2. With the help proper example, briefly explain the following terms اشرح مع الأمثلة بعناية (10 marks)

- a. Flow chart
- b. Algorithm
- c. Interpreter
- d. Arrays

Q3. Detect 4 Errors in the following code, state why! اوضح 4 أخطاء واكتب أثناء مع توضيح السبب (10 marks)

```
arr = [2, 3, 4, "ALI", 22, 13]
28 = a
for x in range(0, 10, 1):
    if (arr(x) % 2 == 0):
        print("ODD")
    else:
        print(EVEN)
    else:
        print ("Zero")
a="15"
b="5"
print (a//b)
```



COLLEGE OF COMPUTER & INFORMATION TECHNOLOGY
FINAL EXAMINATION

Academic year: 2017-2018

Subject: Programming 1 Semester: 1

Day and Date: Saturday 10/11/2017

Level: 1

Examiner: Dr. Muhammad Fawzan

Department: IT/CS

Duration: 2:00 hrs

A

Q3. Trace the following codes, and show the output الناتجة (10 marks)

```
A.
x=6
while (x <= 20):
    print (x,end=" ")
    x+=5
```

```
B.
x=19
if (x//10==1):
    print (x)
else:
    print (x%10)
print ("Good Bye")
```

Q4. Answer any five of the following : (25 marks)

- Draw the flow-chart and write the program to read 3 numbers and print the maximum.
- Write a program to read two number and print them sorted in ascending order. اقرأ عددين وأظهرهم مرتبين تصاعدياً
- Using while loop, write a python program to read 10 numbers and print them in reverse باستخدام عبارة while اقرأ ١٠ أعداد وأظهرهم متسلسلة عكس الانحدال
- Write a program to print odd numbers between 90 and 70 in descending order. تنقليلها من الأكبر إلى الأصغر
- Write a program to check if a given number is prime or not.
- Write a program to define array of 5 names, then:
 - print the 1st individual name per line , اطلع الأسماء كل اسم بشكل على حدة ,
 - Print the size of the array,
 - add one more name to the array. أضف اسم إلى المصفوفة
- write a program to print factorials of numbers between any given range. مضروب الأعداد ضمن مدى معطى.

Good Luck!!!

كوييزات عملي

تجميع :


نور الجفري & فاطمة عاشور

Programming (Quez)

A

- 1) Write a Python program to compute the salary of employee based on daily paid amount and number of work days
- 2) Write a Python program to check if the sides is a sides of triangle or not

Ans 1



The screenshot shows the PyCharm IDE with a file named 'scratch_6.py' open. The code in the editor is as follows:

```
1 x=int(input('how many days do you work'))
2 y=int(input('how much do you get on daily paid amount'))
3 salary=(x*y)
4 print('your salary =',salary)
```

Below the editor, the 'Terminal' window shows the execution of the program. It displays the prompts and user inputs:

```
how many days do you work: 0
how much do you get on daily paid amount: 2000
your salary = 20000
```

The status bar at the bottom indicates the file is 'Untitled0 [C:\Users\...]' and the 'Run' button is visible.

Ans 2

```
1 x=int(input())
2 y=int(input())
3 z=int(input())
4 a1=x+y
5 a2=y+z
6 a3=x+z
7 if a1>=z:
8     if a2>=x:
9         if a3>=y:
10            print('it is triangle')
11 else:
12     print('it is not triangle')
```

4

1

8

it is not triangle

1)write a python program to find the roots of a quadratic equation in Python?

$$\left(\frac{-b \pm \sqrt{b^2 - 4ac}}{2a}\right)$$


2)write a python program reads two numbers and check if both are even or odd or one even and the other odd

Ans 1

```
1 print('HelloWorld')
2
3 b=int(input('enter b'))
4 a=int(input('enter a'))
5 c=int(input('enter c'))
6 root=-b+((b**2)-(4*a*c))**(0.5)
7 root1=root/2*a
8 roota=-b-((b**2)-(4*a*c))**(0.5)
9 root2=roota/2*a
10 print(root1,root2)
11
12
13
14
```

Ans 2

```
1 x=int(input('enter num1:' ))
2 y=int(input('enter num2:'))
3 if x%2==0 and y%2==0:
4     print('both is even')
5 elif x%2!=0 and y%2!=0:
6     print('both is odd')
7 elif x%2==0 and y%2!=0:
8     print(x,'is even',y,'is odd')
9 elif x%2!=0 and y%2==0:
10    print (x,'is odd',y,'is even')
```




Ans-1

```

pythonProject1 C:\Users\noor\PycharmProjects\
> venv library root
6.py
12.py
cheak.py
h.py
home work.py
k.py
main.py
o.py
salary.py
t.py
py.الراب
py.بخش
Run:
enter a your birth year2001
enter a current year 2020
your age in 2050: 49
Process finished with exit code 0

```

Ans 2



The screenshot displays the PyCharm IDE interface. On the left, the 'Project' tool window shows the file structure of 'pythonProject1', with 'check.py' selected. The main editor window shows the code in 'check.py':

```
1 x=int(input("enter a 1 angle"))
2 y=int(input("enter a 2 angle"))
3 if x+y==180:
4     print("complementary")
5 elif x+y==90:
6     print("integrated")
7 else:
8     print("no complementary or integrated")
```

Below the editor, the 'Run' tool window shows the execution output for 'check.py':

```
in: check.py
↑ enter a 1 angle70
↓ enter a 2 angle110
complementary

Process finished with exit code 0
```

- 1) Write a Python program to compute the distance between the points (x_1, y_1) and (x_2, y_2) . $\sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$
- 2) Write a Python program to print the type of angle (0-90 Acute angle, 90 right, 90-180 obtuse angle, 180 straight angle)

Ans 1

```
1 x1=int(input("Enter value of x1"))
2 x2=int(input("Enter value of x2"))
3 y1=int(input("Enter value of y1"))
4 y2=int(input("Enter value of y2"))
5 distance=((x2-x1)**2+(y2-y1)**2)**0.5
6 print(distance)
7
```


Run:

Test Lap x

```
Enter value of x11
Enter value of x23
Enter value of y14
Enter value of y27
3.605551275463989
```

Process finished with exit code 0

Ans 2



The screenshot shows the PyCharm IDE interface. The top status bar indicates the visual layout of bidirectional text can depend on the base direction (set in the View menu) and provides a 'Choose direction' button. The main editor window displays a Python script for classifying angles based on user input. The script uses a series of if-elif statements to check the value of 'x' and print the corresponding angle type. The line numbers 1 through 12 are visible on the left side of the editor. The bottom status bar shows the 'Problems' tab is active, along with icons for 'Terminal' and 'Python Console'. The status bar also displays '6:1 CRLF UTF-8'.

```
1 x=int(input("enter the angle"))
2 if(90> x >0):
3     print("acute angle")
4 elif(x==90):
5     print("right angle")
6 elif(180> x >90):
7     print("obtuse angle")
8 elif(x==180):
9     print("straight angle")
10
11
12
```

Problems Terminal Python Console 6:1 CRLF UTF-8

- 1) write a python program to compute Volume of the cone ($\frac{1}{3} \pi R^2 \text{height}$)
- 2) write a python program to compute the discount of salary according to absence days number (>10...25%, >5...15%, >3...5%, no discount)

Ans 1

```
1 r=int(input("enter the radius "))
2 h=int(input("enter thr highet"))
3 pi=3.14
4 v=(1/3*pi*r**2*h)
5 print("the volume of cone =",v)
```

Ans 2

```
1 day=float(input("the day is discount:"))
2 salary=float(input("enter the salary:"))
3 if day>10:
4     salary=salary-salary*0.25
5     print(salary)
6 elif day>5:
7     salary=salary-salary*0.15
8     print(salary)
9 elif day>3:
10    salary=salary-salary*0.05
11    print(salary)
12 else:
13    print("no discount")
```

elif day>5

salary:4000

shed with exit code 0

: Problems Terminal Python Console

3.1 CRLF UTF-8 4-

write a python program to compute the second side -1
by given the tendon and one side by using
.Pythagoras's law

write a python program reads a number from the -2
user between 1 and 7 and displays the name of the
.weekday

Ans 1

```
1 t=int(input('enter the tendon: '))
2 a1=int(input('enter the 1st side: '))
3 t2=(t*t)
4 a1_2=(a1*a1)
5 a2=(t2-a1_2)
6 print('the 2nd side is: ',a2)
```

enter the tendon: 4
enter the 1st side: 2
the 2nd side is: 12 .

✕ برنامج
بنظرية فيثاغورس
إذا ادخل المستخدم الوتر واحد الأضلاع .

Ans 2

```
1 n=int(input('Enter the number: '))
2 print('<<<<<<<<<<')
3 if (0<n<8 and n==1):
4     print('Sat')
5 elif 0<n<8 and n==2:
6     print('Sun')
7 elif 0<n<8 and n==3:
8     print('Mon')
9 elif 0<n<8 and n==4:
10    print('Tus')
11 elif 0<n<8 and n==5:
12    print('Wed')
13 elif 0<n<8 and n==6:
14    print('Thu')
15 elif 0<n<8 and n==7:
16    print('Fri')
```

▼ برنامج يقبل الأعداد
من ١ الى ٧ بس
ويطبع الأيام بالترتيب.

Enter the number: 3

<<<<<<<<<<

Mon

- 1) write a python program to compute Inclination of the straight line by Given two points ($m = (y_2 - y_1) / (x_2 - x_1)$)
- 2) write a python program to check if a triangle is Right-angled triangle or not.

Ans 1


```
1 print('Hello World')
2 x1=int(input('enter x of the first
point'))
3 x2= int(input('enter x of the second
point'))
4 y1=int(input('enter y of the first
point'))
5 y2=int(input('enter y of the second
point'))
6 m=(y2-y1)/(x2-x1)
7 print(m)
8
9
10
```

Ans 2

```
1 print('Hello World')
2 x1=int(input('enter the first angel of
   triangle' ))
3 x2= int(input('enter the second angle
   of triangle' ))
4 x3=int(input('enter the third angle of
   triangle' ))
5 if x1+x2+x3==180:
6     if x1+x2==90:
7         print('right-angled triangle')
8     elif x1+x3==90:
9         print('right-angled triangle')
10    elif x2+x3==90:
11        print('right-angled triangle')
12    else:
13        print('not right-angled
   triangle')
14 else:
15     print('not triangle')
16
17
18
19
20
21
22
```


- 1) write a python program to compute the tendon by using Pythagoras's law
- 2) write a python program to print the Age group (1-5 child, 6-12 young, 12-18 Teenagers, 19-45 adults, >45 elders)

Ans 1



The screenshot shows a PyCharm IDE window with a Python file named 'w.py'. The code calculates the hypotenuse 't' from two sides 'a1' and 'a2' using Pythagoras's theorem. It also includes a commented-out section for age group determination. The terminal output shows the program was run with inputs 3 and 4, resulting in a hypotenuse of 5.0.

```
1 a1=int(input("enter the 1 side:"))
2 a2=int(input("enter the2 side:"))
3 a1=(a1*a1)
4 a2=(a2*a2)
5 t=((a1+a2)**(1/2))
6 print("the tendon:",t)
```

Visual layout of bidirectional text can depend on base direction (set in View menu) Choose direction

enter the 1 side:3
enter the2 side:4
tendon: 5.0

Press finished with exit code 0

Ans 2

rmPro Visual layout of bidirectional text can depend on base direct

```
1 x=int(input("enter your age"))
2 if 5<=x<=1:
3     print("child")
4 elif 12<=x<=6:
5     print("young")
6 elif 18<=x<=13:
7     print("teenagers")
8 elif 45<=x<=19:
9     print("adults")
10 elif x>45:
11     print("elders")
    elif x>45
```

اختبار نهائي عملي

تجميع :

نور الجفري & فاطمة عاشور

HADHRAMOUT UNIVERSITY
COLLEGE OF COMPUTERS & INFORMATION TECHNOLOGY
FINAL EXAMINATION

Academic year: 2020/2021
Day and Date: 19/1/2021
Examiner: I. Mona Johar
Time allowed: 1:30

Model (A)

Exam Semester: *The First*
Level: *LEVEL 1*
Department: IT
Subject: programming 1

Name:

Group No: ... *C3*

Answer all the following questions:

Q1) Write a program to print the result of equation: $y = \sqrt{(a + b)^2} - 5$

Q2) Write a program to enter three integer numbers, then Check if they are positive print 'all numbers are positive', If they are negative print 'all numbers are negative' Otherwise print 'some numbers are positive and some negative'

Q3) Write a program to print the ASCII code of 10 characters entered by user?

Q4) Write a python program to print the average of squared negative number of 12 numbers entered by user?

Q5) write a program to print the following patterns:(using nested loop)

```
0  0  0  0
  3
    6
9  9  9  9
```



HADHRAMOUT UNIVERSITY
COLLEGE OF COMPUTERS & INFORMATION TECHNOLOGY
FINAL EXAMINATION

Academic year: 2020/2021
Day and Date: 19/1/2021
Examiner: I. Mona Johar
Time allowed: 1:30

Model (A)

Exam Semester: The First
Level: LEVEL 1
Department: IT
Subject: programming 1

Name:

Group No:

Answer all the following questions:

Q1) Write a program to print the result of equation: $y = a^2 + 1/2 b + 10$

Q2) Write a program to enter three characters then Check if they are equal print 'characters are equal', if two of the characters are equal print 'two are equal' Otherwise print 'characters not equal'?

Q3) Write a program to print the characters of 10 ASCII code entered by user?

الأحرف البعادية للأحرف

Q4) Write a python program to print the square root of every even number and print cube of every odd number for numbers from 1 to 15?

Q5) write a program to print the following patterns:(using nested loop)

```
2 2 2 2
4 4 6 6
6 8 8 8
```

Date: Sunday 2/12/2019

Level: 1st general

The Final Practical Exam In Programming1

Time: 1:30

I. Mona Johar

Name: _____

D

Q1: write a python program to read two numbers and check if they all negative, sum them, if one of them negative and the other positive multiply them, otherwise subtract them.

```
x = int(input("enter the first number"))  
y = int(input("enter the second number"))
```

Q2: write a python program to print average of n numbers entered by user

صف
⇒

Q3: write a python program to print multiplication table of 3, 5, 7 and 9

```
for i in range(3, 10, 2):  
    for o in range(1, 13):  
        print(i, 'x', o, '=' , i * o)
```

Q4: write a python program to print the following patterns:

A
BB
CCC
DDDD
EEEE

```
chs = 65  
for row in range(1, 6):  
    for col in range(1, row + 1):  
        print(chr(chs), end = " ")  
    print()  
    chs += 1
```




Academic year: 2017-2018
Day and Date: Wed. 24/1/2018
Examiner:
Time allowed: 1 hours

Semester: First semester
Level: 1st level
Department: IT /CS
Subject: Programming 1 (Lab)

6

Q1: Write python program to read user's birth year then print: b = i
c = ~~18~~ 19

("Adult" if his age is ^{أكبر} greater than 18, "child" if his age is ^{أقل} less than 18, otherwise "invalid")

Q2: Write python program to print the factors of a given number that found in a list. (exp: if input_number= 12, output: 3,4,6,12)

6	10	12	4	32	15	3	64
---	----	----	---	----	----	---	----

Q1 - $x = \text{int}(\text{input}(\text{'his birthday year'}))$
 $c = (2018 - x)$
 if $c < 18$:
 print("child")
 elif $c > 18$:
 print("adult")
 else:
 print("invalid")

20

Q2: $x = \text{int}(\text{input}())$
 $L = [6, 10, 12, 4, 32, 15, 3, 64]$
 For i in L :
 ~~while $i > x$:~~
 if $x \% i == 0$:
 print(i)
 ~~$i += 1$~~

Date: Sunday 2/12/2019

Level: 1st general

The Final Practical Exam In Programming 1

Time: 1:30

Name:



T.Mona Johar

C

Q1: write a python program to read three number from the user and print them in ascending order

Q2: write a python program to read a number from user and if it is odd check if it's prime or not

Q3: write a python program to print count of factors of every number of 10 numbers entered by user.

Q4: write a python program to print the following patterns:

```
*****
+++++
***
++
*

x = int(input("enter a number "))
for i in range(x, 0, -1):
    for j in range(1, i):
        if i == 2 and i == 4:
            print("+", end=" ")
        else:
            print("+ ", end=" ")
    print()
```

output
enter number 6