






pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
Statistics
Dependencies
Processes
postgres/postgres@PostgreSQL 18*
Query
Query History
Scratch Pad
SELECT f.flight_id AS flight_number, f.sch_departure_time, f.sch_arrival_time
FROM flights f
JOIN airline a ON f.airline_id = a.airline_id
WHERE a.airline_name = 'Turkish Airlines'
ORDER BY f.sch_departure_time
LIMIT 15;
Data Output
Messages
Notifications
Showing rows: 1 to 15
Page No: 1 of 1
flight_number integer
sch_departure_time timestamp without time zone
sch_arrival_time timestamp without time zone
1 117 2026-09-29 07:00:00 2026-09-29 17:00:00
2 236 2026-10-01 19:00:00 2026-10-02 01:00:00
3 182 2026-10-03 10:00:00 2026-10-03 14:00:00
4 157 2026-10-08 06:00:00 2026-10-08 16:00:00
5 34 2026-10-09 11:00:00 2026-10-09 17:00:00
6 10 2026-10-13 09:00:00 2026-10-13 18:00:00
Successfully run. Total query runtime: 607 msec. 15 rows affected.
Total rows: 15
Query complete 00:00:00.607
CRLF
Ln 6, Col 10
ENG
12:50
04.11.2026



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
Statistics
Dependencies
Processes
postgres/postgres@PostgreSQL 18*
Query
Query History
Scratch Pad
SELECT f.flight_id AS flight_number, ap.airport_name AS departure_airport, f.sch_departure_time
FROM flights f
JOIN airport ap ON f.departing_airport_id = ap.airport_id
ORDER BY f.flight_id
LIMIT 15;
Data Output
Messages
Notifications
Showing rows: 1 to 15
Page No: 1 of 1
flight_number integer
departure_airport character varying (50)
sch_departure_time timestamp without time zone
1 1 Frankfurt Airport 2027-01-10 07:00:00
2 2 Krakow John Paul II Airport 2026-08-22 14:00:00
3 3 Warsaw Chopin Airport 2026-10-12 08:00:00
4 4 Munich Airport 2026-11-05 19:00:00
5 5 Lyon Saint-Exupery Airport 2027-01-12 12:00:00
6 6 Manchester Airport 2026-11-29 10:00:00
Successfully run. Total query runtime: 195 msec. 15 rows affected.
Total rows: 15
Query complete 00:00:00.195
CRLF
Ln 7, Col 1
ENG
12:51
04.11.2026



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
Statistics
Dependencies
Processes
postgres/postgre...
public.airline/post...
postgres/postgre...
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT a.airline_id, a.airline_name
FROM airline a
LEFT JOIN flights f ON f.airline_id = a.airline_id
AND f.sch_departure_time >= date_trunc('month', CURRENT_DATE + interval '1 month')
AND f.sch_departure_time < date_trunc('month', CURRENT_DATE + interval '2 month')
WHERE f.flight_id IS NULL;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 4
Page No: 1
of 1
airline_id [PK] integer
airline_name character varying (50)
1 11 Qatar Airways
2 12 Ryanair
3 10 LATAM Brasil
4 9 Japan Airlines
Total rows: 4
Query complete 00:00:00.248
CRLF
Ln 7, Col 1
ENG
12:50
04.11.2026



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
Statistics
Dependencies
Processes
postgres/postgre...
public.airline/post...
postgres/postgre...
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT f.flight_id, p.first_name, p.last_name, p.passport_number, b.status
FROM booking b
JOIN passengers p ON b.passenger_id = p.passenger_id
JOIN flights f ON b.flight_id = f.flight_id
WHERE f.flight_id = 26;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 5
Page No: 1
of 1
flight_id integer
first_name character varying (50)
last_name character varying (50)
passport_number character varying (20)
status character varying (50)
1 26 Timur Bekov P00000008 Confirmed
2 26 Yuki Wang P00000011 Confirmed
3 26 Sofia Yilmaz P00000037 Confirmed
4 26 John Muller P00000046 Confirmed
5 26 Yuki Yilmaz P00000101 Pending
Successfully run. Total query runtime: 173 msec. 5 rows affected.
Total rows: 5
Query complete 00:00:00.173
CRLF
Ln 5, Col 24
ENG
12:51
04.11.2026



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
Statistics
Dependencies
Processes
postgres/postgres@PostgreSQL 18
Query
Query History
Scratch Pad
SELECT f.flight_id, ROUND(AVG(b.ticket_price),2) AS avg_price, SUM(b.ticket_price) AS total_price
MAX(b.ticket_price) AS max_price, MIN(b.ticket_price) AS min_price
FROM flights f
JOIN booking b ON b.flight_id = f.flight_id
GROUP BY f.flight_id
ORDER BY f.flight_id
LIMIT 15;
Data Output
Messages
Notifications
Showing rows: 1 to 15
Page No: 1 of 1
flight_id [PK] integer
avg_price numeric
total_price numeric
max_price numeric
min_price numeric
2 36410.84 145643.36 45160.80 26858.15
4 19887.93 39775.86 22455.42 17320.44
5 45276.70 45276.70 45276.70 45276.70
6 24447.28 48894.56 29777.35 19117.21
7 18882.05 18882.05 18882.05 18882.05
8 27871.64 83614.92 40482.83 10881.14
Successfully run. Total query runtime: 976 msec. 15 rows affected.
Total rows: 15
Query complete 00:00:00.976
CRLF
Ln 7, Col 10
ENG
12:52
04.11.2026



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
Statistics
Dependencies
Processes
postgres/postgres@PostgreSQL 18
Query
Query History
Scratch Pad
SELECT f.flight_id, al.airline_name, ap.airport_name AS arrival_airport, ap.country
FROM flights f
JOIN airline al ON f.airline_id = al.airline_id
JOIN airport ap ON f.arriving_airport_id = ap.airport_id
WHERE ap.country = 'Kazakhstan'
ORDER BY f.flight_id
LIMIT 15;
Data Output
Messages
Notifications
Showing rows: 1 to 15
Page No: 1 of 1
flight_id integer
airline_name character varying (50)
arrival_airport character varying (50)
country character varying (50)
5 Air Astana Almaty International Airp... Kazakhstan
18 Emirates Almaty International Airp... Kazakhstan
26 Emirates Nursultan Nazarbayev Air... Kazakhstan
46 LATAM Brasil Almaty International Airp... Kazakhstan
58 LOT Polish Airlines Almaty International Airp... Kazakhstan
78 British Airways Almaty International Airp... Kazakhstan
Successfully run. Total query runtime: 184 msec. 15 rows affected.
Total rows: 15
Query complete 00:00:00.184
CRLF
Ln 8, Col 2
ENG
12:52
04.11.2026



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
Statistics
Dependencies
Processes
postgres/postgres@PostgreSQL 18*
No limit
Query
Query History
Scratch Pad
SELECT DISTINCT p.passenger_id, p.first_name, p.last_name, p.date_of_birth, ap.city AS destinatio
FROM passengers p
JOIN booking b ON b.passenger_id = p.passenger_id
JOIN flights f ON b.flight_id = f.flight_id
JOIN airport ap ON f.arriving_airport_id = ap.airport_id
WHERE p.date_of_birth > CURRENT_DATE - interval '18 years'
ORDER BY p.passenger_id
LIMIT 15;
Data Output
Messages
Notifications
Showing rows: 1 to 15
Page No: 1 of 1
passenger_id integer
first_name character varying (50)
last_name character varying (50)
date_of_birth date
destination character varying (50)
1 1 John Rossi 2012-03-28 Frankfurt
2 2 Anna Silva 2011-01-27 Frankfurt
3 2 Anna Silva 2011-01-27 Munich
4 2 Anna Silva 2011-01-27 Rio de Janeiro
5 2 Anna Silva 2011-01-27 Sao Paulo
6 3 Ali Nurlanova 2016-02-23 Almaty
Successfully run. Total query runtime: 173 msec. 15 rows affected.
Total rows: 15
Query complete 00:00:00.173
CRLF
Ln 8, Col 10
ENG
12:53
04.11.2026



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
Statistics
Dependencies
Processes
postgres/postgres@PostgreSQL 18*
No limit
Query
Query History
Scratch Pad
SELECT p.first_name || ' ' || p.last_name AS full_name, p.passport_number,
f.flight_id, f.act_arrival_time
FROM passengers p
JOIN booking b ON b.passenger_id = p.passenger_id
JOIN flights f ON b.flight_id = f.flight_id
ORDER BY f.act_arrival_time
LIMIT 15;
Data Output
Messages
Notifications
Showing rows: 1 to 15
Page No: 1 of 1
full_name text
passport_number character varying (20)
flight_id integer
act_arrival_time timestamp without time zone
1 Aigerim Muller P00000030 98 2026-08-17 03:17:00
2 Lena Kasymov P00000054 98 2026-08-17 03:17:00
3 Erlan Kasymov P00000070 98 2026-08-17 03:17:00
4 Dana Fischer P00000095 98 2026-08-17 03:17:00
5 Dana Sadykova P00000080 222 2026-08-19 04:50:00
6 Ali Nurlanova P00000003 222 2026-08-19 04:50:00
Successfully run. Total query runtime: 229 msec. 15 rows affected.
Total rows: 15
Query complete 00:00:00.229
CRLF
Ln 7, Col 10
ENG
12:54
04.11.2026



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
Statistics
Dependencies
Processes
postgres/postgre...
public.airline/post...
postgres/postgre...
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT ap.country AS airport_country, COUNT(*) AS flights_count,
string_agg(f.flight_id::text, ', ' ORDER BY f.flight_id) AS flight_ids
FROM flights f
JOIN airline al ON f.airline_id = al.airline_id
JOIN airport ap ON f.departing_airport_id = ap.airport_id
WHERE al.airline_country = ap.country
GROUP BY ap.country;
Data Output
Messages
Notifications
Showing rows: 1 to 10
Page No: 1
of 1
airport_country character varying (50)
flights_count bigint
flight_ids text
1 Brazil 3 179, 203, 205
2 France 2 193, 271
3 Germany 4 47, 57, 160, 167
4 Japan 2 39, 180
5 Kazakhstan 4 69, 76, 82, 206
6 Poland 4 3, 12, 55, 298
Successfully run. Total query runtime: 234 msec. 10 rows affected.
Total rows: 10
Query complete 00:00:00.234
CRLF
Ln 7, Col 21
ENG
12:54
04.11.2026



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
Statistics
Dependencies
Processes
postgres/postgre...
public.airline/post...
postgres/postgre...
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT f.flight_id AS flight_number, al.airline_name,
dep.airport_name AS departure_airport, arr.airport_name AS arrival_airport
FROM flights f
JOIN airline al ON f.airline_id = al.airline_id
JOIN airport dep ON f.departing_airport_id = dep.airport_id
JOIN airport arr ON f.arriving_airport_id = arr.airport_id
ORDER BY f.flight_id
LIMIT 15;
Data Output
Messages
Notifications
Showing rows: 1 to 15
Page No: 1
of 1
flight_number integer
airline_name character varying (50)
departure_airport character varying (50)
arrival_airport character varying (50)
1 1 British Airways Frankfurt Airport John F. Kennedy Airport
2 2 Japan Airlines Krakow John Paul II Airport Manchester Airport
3 3 LOT Polish Airlines Warsaw Chopin Airport Lyon Saint-Exupery Airport
4 4 LOT Polish Airlines Munich Airport Osaka Kansai Airport
5 5 Air Astana Lyon Saint-Exupery Airport Almaty International Airport
6 6 Air France Manchester Airport Los Angeles International Airp...
Total rows: 15
Query complete 00:00:00.191
CRLF
Ln 8, Col 10
ENG
12:55
04.11.2026


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
Statistics
Dependencies
Processes
postgres/postgre...
public.airline/post...
postgres/postgre...
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT DISTINCT p.first_name || ' ' || p.last_name AS full_name, f.flight_id AS flight_number
FROM passengers p
JOIN booking b ON b.passenger_id = p.passenger_id
JOIN flights f ON b.flight_id = f.flight_id
JOIN airline al ON f.airline_id = al.airline_id
WHERE al.airline_name = 'Lufthansa'
ORDER BY flight_number
LIMIT 15;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 15
Page No: 1
of 1
full_name text
flight_number integer
1 Carlos Bekov 11
2 Carlos Muller 25
3 Timur Bekov 25
4 Yuki Kowalski 37
5 Carlos Muller 45
6 Erlan Kowalski 45
Successfully run. Total query runtime: 219 msec. 15 rows affected.
Total rows: 15
Query complete 00:00:00.219
CRLF
Ln 8, Col 10
ENG
12:55
04.11.2026


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
Statistics
Dependencies
Processes
postgres/postgre...
public.airline/post...
postgres/postgre...
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT f.flight_id AS flight_number, ap.country AS destination_country,
COUNT(b.booking_id) AS passengers
FROM flights f
JOIN airport ap ON f.arriving_airport_id = ap.airport_id
LEFT JOIN booking b ON b.flight_id = f.flight_id
GROUP BY f.flight_id, ap.country
ORDER BY passengers, f.flight_id
LIMIT 15;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 15
Page No: 1
of 1
flight_number integer
destination_country character varying (50)
passengers bigint
1 1 USA 0
2 3 France 0
3 15 Poland 0
4 21 Poland 0
5 31 Japan 0
6 42 UAE 0
Successfully run. Total query runtime: 164 msec. 15 rows affected.
Total rows: 15
Query complete 00:00:00.164
CRLF
Ln 8, Col 10
ENG
12:55
04.11.2026


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
Statistics
Dependencies
Processes
postgres/postgre...
public.airline/post...
postgres/postgre...
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT p.passenger_id, p.first_name, p.last_name, p.passport_number
FROM passengers p
LEFT JOIN booking b ON b.passenger_id = p.passenger_id
WHERE b.booking_id IS NULL
ORDER BY p.passenger_id;
Data Output
Messages
Notifications
Showing rows: 1 to 16
Page No: 1
of 1
passenger_id [PK] integer
first_name character varying (50)
last_name character varying (50)
passport_number character varying (20)
1 9 Lena Kowalski P00000009
2 50 Dana Silva P00000050
3 59 Carlos Wang P00000059
4 71 Yuki Smith P00000071
5 93 Ali Tanaka P00000093
6 100 Erlan Dubois P00000100
Total rows: 16
Query complete 00:00:00.259
CRLF
Ln 5, Col 25
ENG
12:56
04.11.2026


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
Statistics
Dependencies
Processes
postgres/postgre...
public.airline/post...
postgres/postgre...
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT al.airline_name, COUNT(f.flight_id) AS total_flights
FROM airline al
LEFT JOIN flights f ON f.airline_id = al.airline_id
GROUP BY al.airline_id, al.airline_name
ORDER BY al.airline_id;
Data Output
Messages
Notifications
Showing rows: 1 to 12
Page No: 1
of 1
airline_name character varying (50)
total_flights bigint
1 Turkish Airlines 28
2 Lufthansa 28
3 Air Astana 23
4 Emirates 27
5 Air France 32
6 British Airways 30
Successfully run. Total query runtime: 169 msec. 12 rows affected.
Total rows: 12
Query complete 00:00:00.169
CRLF
Ln 5, Col 24
ENG
12:56
04.11.2026


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers
Statistics
Dependencies
Processes
postgres/postgre...
public.airline/post...
postgres/postgre...
postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT al.airline_name, f.flight_id AS flight_number, ap.city AS departure_city
FROM flights f
JOIN airline al ON f.airline_id = al.airline_id
JOIN airport ap ON f.departing_airport_id = ap.airport_id
WHERE ap.country = 'Germany'
ORDER BY f.flight_id
LIMIT 15;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 15
Page No: 1
of 1
airline_name character varying (50)
flight_number integer
departure_city character varying (50)
1 British Airways 1 Frankfurt
2 LOT Polish Airlines 4 Munich
3 Air France 7 Munich
4 LATAM Brasil 9 Frankfurt
5 Emirates 26 Munich
6 Delta Air Lines 40 Munich
Successfully run. Total query runtime: 184 msec. 15 rows affected.
Total rows: 15
Query complete 00:00:00.184
CRLF
Ln 7, Col 10
ENG
12:58
04.11.2026