# Group\_01\_Analysis.Rmd

Group\_01

3/14/2022

```
library(tidyverse)
## -- Attaching packages ------ tidyverse 1.3.1 --
## v ggplot2 3.3.5 v purrr 0.3.4

## v tibble 3.1.6 v dplyr 1.0.7

## v tidyr 1.1.4 v stringr 1.4.0

## v readr 2.1.1 v forcats 0.5.1
## -- Conflicts -----
                                               ## x dplyr::filter() masks stats::filter()
## x dplyr::lag()
                     masks stats::lag()
library(moderndive)
library(skimr)
library(readr)
library(Stat2Data)
library(ggplot2)
library(GGally)
## Registered S3 method overwritten by 'GGally':
     method from
     +.gg
            ggplot2
library(broom)
library(sjPlot)
library(DescTools)
library(knitr)
library(gridExtra)
## Attaching package: 'gridExtra'
## The following object is masked from 'package:dplyr':
##
##
       combine
```

```
##
## Attaching package: 'janitor'
## The following objects are masked from 'package:stats':
##
## chisq.test, fisher.test
library(dplyr)
```

### Introduction

Dataset comes from the FIES (Family Income and Expenditure Survey) recorded in the Philippines. The survey, which is undertaken every three years, is aimed at providing data on family income and expenditure. In this study, we are going to identify the most influential variables on the number of people living in a household using a Generalised Linear Model. Below you can see an overview of the data and variables

```
## Rows: 1,717
## Columns: 10
## $ Income
                      <int> 480332, 198235, 82785, 107589, 189322, 152883, 198621~
## $ Expenditure
                      <int> 117848, 67766, 61609, 78189, 94625, 73326, 104644, 95~
## $ Gender
                      <fct> Female, Male, Male, Male, Male, Male, Male, Fem~
## $ Age
                      <int> 49, 40, 39, 52, 65, 46, 45, 33, 17, 53, 49, 35, 38, 5~
## $ Type
                      <fct> Extended Family, Single Family, Single Family, Single~
## $ Number_of_Family <int> 4, 3, 6, 3, 4, 4, 5, 5, 2, 6, 4, 7, 7, 3, 2, 4, 5, 8,~
                      <int> 80, 42, 35, 30, 54, 40, 35, 35, 35, 70, 40, 35, 35, 5~
## $ Area
## $ HouseAge
                      <int> 75, 15, 12, 15, 16, 7, 18, 48, 8, 12, 9, 17, 5, 43, 7~
## $ Bedrooms
                      <int> 3, 2, 1, 1, 3, 2, 1, 2, 1, 3, 2, 3, 1, 3, 1, 1, 1, 1, -
                      <int> 1, 1, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 0, 1, 1, 1, 1, 1, ~
## $ Electricity
```

Income is the annual household income (in Philippine peso) Region is the region of the Philippines which the data came from Expenditure is the annual expenditure by the household on food (in Philippine peso) Gender is the head of the households sex

Age is the head of the households age (in years)

Type is the relationship between the group of people living in the house

 $Number_o f_F amily$  is the number of people living in the house

Area is the floor area of the house (in  $m^2$ )

HouseAge is the age of the building (in years)

bedrooms is the number of bedrooms in the house

Electricity indicates that if the house have electricity? (1=Yes, 0=No)

# **Exploratory Data Analysis**

The following tables and graphs are produced to provide statistical summaries and graphs to see the distribution variables and their relationship and identify any possible outliers.

The variable "Region" is removed as it has only one level and will not contribute to the upcoming analysis as it has only one state. Furthermore, the **Type** variable was initially composed of three levels of "Extended

Family", "Single Family" and "Two or More Nonrelated Persons/Members" categories. There were only 8 observations(less than 0.05 percent of total observations) in the last category. This category removed since it wasn't of significant importance, it made interpretation more straightforward and it's removal did not affect the data.

Table 1: Summary Statistics

Variable	Min	Mean	SD	Median	Max
Income	11988	269524.8	275079.4	188050	6042860
Expenditure	6781	80249.4	41241.7	73459	327724
Age	17	52.2	14.5	52	99
Number_of_Family	1	4.7	2.3	4	15
Area	5	90.9	99.3	54	900
HouseAge	0	22.9	15.3	20	100
Bedrooms	0	2.3	1.4	2	9
Electricity	0	0.9	0.3	1	1

Referring to 1, the difference between mean and median indicates the presence of outliers in the data. The following pair plots fuhrer support the presence of outliers.




Figure 1: The pair plot (first five variables) shows the relationship between each of the two variables

Figure 3 presents the distribution of outcome variables with regards to each of the continuous variables. The boxplots can help us identify the outliers




Figure 2: The pair plot (second five variables) shows the relationship between each of the two variables




Figure 3: The boxplot of the outcome variables vs each of the continuous explanatory variables

Once the outliers are spotted and removed, the skewness in data is decreased. The Figure 4 displays the box plots after removing outliers and log transforming Income, Expenditure and Area.




Figure 4: The boxplot of the outcome variables vs each of the continuous explanatory variables after removing outliers and applying log transformation

```
## TableGrob (3 x 2) "arrange": 6 grobs
## z cells name grob
## 1 1 (1-1,1-1) arrange gtable[layout]
## 2 2 (1-1,2-2) arrange gtable[layout]
## 3 3 (2-2,1-1) arrange gtable[layout]
## 4 4 (2-2,2-2) arrange gtable[layout]
## 5 5 (3-3,1-1) arrange gtable[layout]
## 6 6 (3-3,2-2) arrange gtable[layout]
```


The table 2 shows the summary statistics after removing outliers and transforming the variables of Income, Expenditure and Aare using log transformation. The difference between medians and means are now narrower.


Table 2: Summary Statistics after outliers removed


Variable	Min	Mean	SD	Median	Max
Log.Income	9.4	12.2	0.7	12.1	14.7
Log.Expenditure	8.8	11.2	0.5	11.2	12.7


Variable	Min	Mean	SD	Median	Max
Age	17.0	52.3	14.5	52.0	99.0
Number_of_Family	1.0	4.7	2.3	4.0	15.0
Log.Area	1.6	4.1	0.9	4.0	6.6
Log.HouseAge	0.0	2.9	0.8	3.0	4.6
Bedrooms	0.0	2.3	1.4	2.0	9.0
Electricity	0.0	0.9	0.3	1.0	1.0

The Figure  $\ref{figure}$  and  $\ref{figure}$  shows the distribution of household sizes and simulated Poisson distribution with the mean value of 4.7 respectively.









The histogram (Figure ??) of the family size resembles a Poisson distribution.

## Formal Data Analysis

In this section we model the data to identify the most influential factors on the number of family members using Poisson distribution since the the outcome variable is a count data. Then the goodness of fit comparison is made to select the best model based on AIC and Deviance. However, for the a Poisson to completely hold the variance and mean shall be equal. The variance and the mean are 5.4 and 4.7. We can say that they are roughly equal.

#### Poisson model

```
##
      Electricity, family = poisson(link = "log"), data = data)
##
## Deviance Residuals:
##
      Min
                10
                    Median
                                 3Q
                                        Max
##
  -2.4411 -0.6375 -0.1069
                             0.4520
                                      3.9304
##
## Coefficients:
##
                       Estimate Std. Error z value Pr(>|z|)
## (Intercept)
                     -3.8696965 0.3029732 -12.772 < 2e-16 ***
## Log.Income
                     ## Log.Expenditure
                      0.5983754 0.0352401
                                          16.980 < 2e-16 ***
## GenderMale
                                            6.281 3.37e-10 ***
                      0.1876184 0.0298720
## Age
                     -0.0013076 0.0008877
                                           -1.473
                                                    0.1407
## TypeExtended Family 0.3018733 0.0250289
                                           12.061
                                                  < 2e-16 ***
## Log.Area
                     -0.0224880 0.0157892
                                           -1.424
                                                    0.1544
## Log.HouseAge
                      -0.0181523 0.0137208
                                           -1.323
                                                    0.1858
## Bedrooms
                     -0.0176744 0.0101908 -1.734
                                                    0.0829 .
## Electricity
                     -0.0252561 0.0480667 -0.525
                                                    0.5993
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for poisson family taken to be 1)
##
      Null deviance: 2009.7 on 1711 degrees of freedom
## Residual deviance: 1174.3 on 1702 degrees of freedom
## AIC: 6813.8
##
## Number of Fisher Scoring iterations: 4
```

We now try to see if we can improve model AIC and decrease the deviance using step function. In this method we start from the full model and every time drop one variable and calculate the AIC. This procedure is continued until no further reduction in AIC is observed.

```
## Start: AIC=6813.83
## Number_of_Family ~ Log.Income + Log.Expenditure + Gender + Age +
##
       Type + Log.Area + Log.HouseAge + Bedrooms + Electricity
##
                     Df Deviance
                                    AIC
## - Electricity
                          1174.6 6812.1
                      1
## - Log.HouseAge
                          1176.1 6813.6
## <none>
                          1174.3 6813.8
## - Log.Area
                          1176.4 6813.9
                      1
## - Age
                          1176.5 6814.0
                      1
## - Bedrooms
                      1
                          1177.3 6814.8
## - Log.Income
                      1
                          1191.8 6829.3
## - Gender
                      1
                          1215.2 6852.7
## - Type
                      1
                          1318.2 6955.7
## - Log.Expenditure
                     1
                          1470.3 7107.8
##
## Step: AIC=6812.1
## Number_of_Family ~ Log.Income + Log.Expenditure + Gender + Age +
##
       Type + Log.Area + Log.HouseAge + Bedrooms
##
##
                     Df Deviance
                                    ATC
```

```
## - Log.HouseAge
                  1 1176.5 6812.0
                         1174.6 6812.1
## <none>
## - Log.Area
                     1 1176.7 6812.2
## - Age
                     1 1176.7 6812.2
## - Bedrooms
                     1 1177.7 6813.2
## - Log.Income
                     1 1192.4 6827.9
## - Gender
                    1 1215.5 6851.0
## - Type
                     1 1318.2 6953.7
## - Log.Expenditure 1 1470.8 7106.3
##
## Step: AIC=6812
## Number_of_Family ~ Log.Income + Log.Expenditure + Gender + Age +
      Type + Log.Area + Bedrooms
##
##
                    Df Deviance
                                   AIC
## <none>
                         1176.5 6812.0
                        1178.7 6812.2
## - Log.Area
                     1
## - Age
                     1 1179.2 6812.7
                     1 1180.3 6813.8
## - Bedrooms
## - Log.Income
                     1
                        1194.2 6827.7
## - Gender
                     1
                        1218.7 6852.2
## - Type
                     1 1319.1 6952.6
## - Log.Expenditure 1 1473.6 7107.1
##
## Call: glm(formula = Number_of_Family ~ Log.Income + Log.Expenditure +
      Gender + Age + Type + Log.Area + Bedrooms, family = poisson(link = "log"),
##
##
      data = data)
##
## Coefficients:
##
          (Intercept)
                                Log.Income
                                                Log.Expenditure
            -3.919539
                                 -0.106676
##
                                                      0.597847
##
           GenderMale
                                       Age
                                           TypeExtended Family
##
             0.190261
                                 -0.001442
                                                      0.300007
##
             Log.Area
                                 Bedrooms
##
            -0.023387
                                 -0.019717
##
## Degrees of Freedom: 1711 Total (i.e. Null); 1704 Residual
## Null Deviance:
                       2010
## Residual Deviance: 1176 AIC: 6812
##
## Call:
  glm(formula = Number_of_Family ~ Log.Income + Log.Expenditure +
      Gender + Type + Bedrooms + Log.HouseAge, family = poisson(link = "log"),
##
##
      data = data)
##
## Deviance Residuals:
           1Q Median
                                  3Q
                                          Max
## -2.4677 -0.6473 -0.1068 0.4611
                                       3.8787
##
## Coefficients:
##
                       Estimate Std. Error z value Pr(>|z|)
                     -4.041709 0.287723 -14.047 < 2e-16 ***
## (Intercept)
```

```
## Log.Income
                       -0.117601
                                   0.024866
                                             -4.729 2.25e-06 ***
## Log.Expenditure
                                             17.811 < 2e-16 ***
                        0.612225
                                   0.034373
                                   0.029562
                                               6.563 5.28e-11 ***
## GenderMale
                        0.194011
## TypeExtended Family
                        0.289119
                                   0.023970
                                             12.062
                                                      < 2e-16 ***
## Bedrooms
                       -0.025173
                                   0.009384
                                             -2.682
                                                      0.00731 **
## Log.HouseAge
                       -0.021985
                                   0.013516
                                             -1.627
                                                      0.10383
##
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
##
##
   (Dispersion parameter for poisson family taken to be 1)
##
       Null deviance: 2009.7
##
                              on 1711
                                       degrees of freedom
## Residual deviance: 1178.8
                              on 1705
                                       degrees of freedom
## AIC: 6812.3
##
## Number of Fisher Scoring iterations: 4
```

By removing Electricity and Area and Age, the AIC is reduced from 6813.8 to 6812.3. We now check for the goodness of fit by comparing it against the null model. The 95 percent  $\chi^2(p = 0.95, df = 6)$  equals 12.6. Taking the difference in deviances (likelihood ratio test) results in the value of 830.8 which is significant when compared to 12.6. Therefore, there is no deviance of lack of fit with our model after removing the variables. The Log. House Age is not also significantly different from zero and by removing it, the AIC remains almost constant, however, the BIC is further reduced by 5 after removing Log. House Age. The Pseudo R2 remains almost the same for all models. Table 3 presents AIC, BIC and Pseudo-R2 for the models assessed in our analysis. They are shown in order of dropping variables from the full model. For example "F—Age" represents the model with Electricity, Log. Area and Area removed. Given above, The formula below is proposed to model expected count:

 $log(Number\ of\ Family) = \beta_0 + \beta_1 \cdot log(Income) + \beta_2 \cdot log(FoodExpenditure) + \beta_3 \cdot Gender + \beta_4 \cdot Bedrooms + \beta_5 \cdot Type$ 

Model	AIC	BIC	$pseudo\_R2$
Fullmodel	6813.8	6868.3	0.109
F-Electricity	6812.1	6861.1	0.109

Table 3: Model comparison values for different models.

Model	AIC	BIC	pseudo_R2
Fullmodel	6813.8	6868.3	0.109
F-Electricity	6812.1	6861.1	0.109
F-Log.Area	6812.2	6855.8	0.109
F—Age	6812.3	6850.5	0.109
F—-Log.House	6813.0	6845.6	0.109

#### Parameter estimates

Table 4 displays the parameter estimates. The main explanatory variables are significantly different from zero

Table 4: parameter estimates of the Poisson regression model

1001	 parameter	0001111		0110 1	0100011 1	081000	1011 1110 (101	
meter	Esti	mate	Std.	Error	Lower	. CI	Upper CI	

Parameter	Estimate	Std. Error	Lower CI	Upper CI	P.value
(Intercept)	-4.125	0.283	-4.681	-3.572	0.000
Log.Income	-0.118	0.025	-0.167	-0.069	0.000
Log.Expenditure	0.614	0.034	0.547	0.682	0.000
GenderMale	0.198	0.029	0.141	0.256	0.000

Parameter	Estimate	Std. Error	Lower CI	Upper CI	P.value
TypeExtended Family	0.286	0.024	0.239	0.333	0.000
Bedrooms	-0.028	0.009	-0.046	-0.010	0.003

The rate ratio are obtained by exponentiating the coefficients (Table 5). Figure ?? exhibits the rate ration for the different explantory variables

Table 5: Rate ratios 95 percent confidence interval

	Estimate	Lower CI	Upper CI
(Intercept)	0.02	0.01	0.03
Log.Income	0.89	0.85	0.93
Log.Expenditure	1.85	1.73	1.98
GenderMale	1.22	1.15	1.29
TypeExtended Family	1.33	1.27	1.39
Bedrooms	0.97	0.96	0.99

### Rate ratio




Figure 5 shows the relationship between each of the variables and the outcome variable

Figure 6 illustrates the predictions of the model. The difference between real values and predictions can be seen in Figure 7

## Warning: Removed 2 rows containing missing values (geom\_col).




Figure 5: The relationship between explanatory variables and the number of family members




Figure 6: Histogram of predictions of the number of family members




Figure 7: Comparison between real data and predictions