Congratulations! You passed!

Grade received 80% Latest Submission Grade 80% To pass 80% or higher

Go to next item

ı.	Which of the following attribute selectors will make a selection based on starting of the value specified?	1/1 point
	(attribute^="value"]	
	O [attribute~="value"]	
	O [attribute="value"]	
	O [attribute*="value"]	
	 Correct Correct. The ^ character used with an attribute selector will select values whose value will start with the specified value. 	
2.	div + p is an example of which type of CSS selector?	1/1 point
	○ Child Selector	
	General Sibling Selector	
	Adjacent Sibling Selector	
	 Correct Correct. The + character used to define an adjacent sibling selector. In this case it will select p elements if it immediately following a div element. 	
3.	Which of the following CSS selectors is suitable for selecting an element that is a child of another element? Select all that apply.	0/1 point
	☐ Pseudo-class Selector	
	☐ Descendant Selector	
	✓ Child Selector	
	♥ Correct Correct. The Child Selector can select an element that is a child of another element.	
	You didn't select all the correct answers	
١.	Which of the following is the correct way of commenting in CSS?	1/1 point
	$^{ extstyle e$	
	/* This is a comment. */	
	O This is a comment	
	O // This is a comment.	

5.	An element with the property set as 'position: fixed' is placed relative to the parent (or ancestor) element, not the viewport.	0/1 point
	● True	
	O False	
6.	Select the CSS units of measurement that are directly related to the viewport's measurement. Choose all that apply.	1/1 point
	▼ vw	
	□ vi	
	✓ vh	
	✓ correctCorrect – vh is a measurement of the viewport's height.	
	□ vb	
7.	Which of the following ARE a part of the grid shorthand property? Select all that apply.	1/1 point
	☐ grid-area	
	✓ grid-auto-flow	
	 ✓ correct Correct. grid-auto-flow controls how auto-placed items are inserted into the grid. 	
	✓ grid-template-areas	
	align-self	
8.	Which of the following rules inside the @keyframes is valid code for moving an item by 100px from top to bottom, assuming elements have an absolute position. Select all that apply.	1/1 point
	from {top:0px;} to {bottom:100px;}	
	✓ from {top:0px;} to {top:100px;}	
	 ✓ correct Correct. You can use the top or bottom property to make the changes. 	
	from {bottom:100px;} to {bottom:0px;}	

Correct Correct. You can use the top or bottom property to make the changes.	
☐ None of the above	
9. @mixin and @includes are NOT REQUIRED to be used inside which of the following?	1/1 point
○ SASS	
○ scss	
Stylus CSS	
Correct That's right! You can bypass the use of @mixin and @includes directives in Stylus CSS and use the functionality directly	
10. You're developing a website and another developer noticed that your CSS contains errors. Which of the following will help resolve CSS errors?	1 / 1 point
Inspect the web page using the browser developer tools	
Correct That's correct! Developers tools do help trace errors during development if browsers are used.	
✓ Install and use a linter	
Correct That's correct! A linter will validate that your CSS contains no errors.	
Review CSS selectors used and ensure that they are more specific	