$\bigcirc$  Correct

## Congratulations! You passed!

 $\textbf{Grade received} \ 100\% \quad \textbf{To pass} \ 80\% \ \text{or higher}$ 

Go to next item

1.	Which form attribute is used to specify the address to which the form data will be submitted to?	1/1 point
	<ul><li>method</li><li>action</li><li>src</li></ul>	
	○ Correct     That's correct. The action attribute specifies the URL to submit the data to.	
2.	Which HTTP method will be used to send data for the following form?	1/1 point
	<pre>2</pre>	
	O PUT O POST O DELETE	
	<ul> <li>● GET</li> <li>✓ correct         That's correct. When the method attribute is not specified, GET is the default HTTP method used.     </li> </ul>	
3.	When using the HTTP POST method to submit form data, how is the data transmitted to the server?  Via the address in the URL bar of the web browser  Via the body of the HTTP request	1 / 1 point
	Correct That's correct. The form data is encoded as part of the request body.	
4.	Your web browser is currently at the address https://meta.com/profile. When the following form is submitted, what address will it submit to?	1/1 point
	1 <pre> form&gt; 2</pre>	
	https://meta.com	
	https://meta.com/login  https://meta.com/profile	
	G maps of memoral bronce	

That's correct. When the action attribute is not specified, the form will default to the same URL, in this case, https://meta.com/profile.

	<pre>1</pre>	1/1 point
	<ul> <li>https://meta.com</li> <li>https://meta.com/profile</li> <li>https://meta.com/profile/login</li> <li>https://meta.com/login</li> <li>Correct         That's correct. The action attribute starts with a forward slash so it is an absolute path. Therefore, /login is appended to https://meta.com.     </li> </ul>	
6.	Your web browser is currently at the address https://meta.com/profile. When the following form is submitted, what address will it submit to?  1	1/1 point
	<ul> <li>♦ https://meta.com/profile/login</li> <li>♦ https://meta.com/login</li> <li>♦ https://meta.com</li> <li>♦ https://meta.com</li> <li>♦ https://meta.com/profile</li> <li>✓ correct         That's correct. The action attribute does not start with a forward slash, so it is a relative path. Therefore, login is appended to the current url.     </li> </ul>	
7.	The HTTP DELETE method can be used for form submission.  True  False  Correct	1 / 1 point
8.	That's correct. Only HTTP GET and POST methods can be used for form submission.  There are several ways to secure transmitting form data to the web server. Which of the following will help secure the data? Select all that apply.  Send the data using HTTPS	1/1 point
	<ul> <li>✓ correct         That's correct. HTTPS will encrypt the data before sending.     </li> <li>✓ Send the data using the HTTP GET method</li> <li>✓ Send the data using the HTTP POST method</li> <li>✓ correct         That's correct. The form data will be sent as part of the request body which means it will be more secure than HTTP GET but still obtainable by a malicious third     </li> </ul>	