


PPF-Tech.com tweaks June 2024

Files are located on shared Google Drive

HOME PAGE
Change out 'PROPZ' image with 'BARZ' image



QUADZ PAGE
Slightly increase size of 'QUADZ' logo to be same as 'SLIMZ' page

QUADZ

Indoor grid or racked

Maximized $\mu\text{mol per watt}$
Optimized spectrum
Power eco-link
Control eco-link
Wide, uniform light distribution
Strong light penetration

| Model | Input(W) | PPF($\mu\text{mol}/\text{m}^2/\text{s}$) | Spectrum | Warr |
|---------------|----------|--|----------|--------|
| HG940 PRO FS3 | 940 | 2,570 | Full 4K | 5 Year |
| HG660 PRO FS3 | 660 | 1,720 | Full 4K | 5 Year |

PROPZ PAGE
Change 'PROPZ' to 'BARZ'



Change the following copy at top

Maximized $\mu\text{mol per watt}$
Spectrally tailored for specific plant response
Power eco-link
Even distribution, ~~optimized for propagation domes/trays~~
Quick install

Add the following row to the existing table. Link to 'FR PRO FS7 Specification Rev1.0'

| | | | | | | |
|--------------|----|----|---------|---------|---|-------|
| FR20 PRO FS7 | 20 | 58 | Far Red | 5 Years | 2 | 0-10V |
|--------------|----|----|---------|---------|---|-------|

Replace the CL24 PRO FS5 linked attachment to the new one in the shared drive

Our team

Our team is comprised of engineering, product management, sales and support. We have over 60 collective years of experience related to plant growth lighting technologies. PPF Tech partners with a select network of distributors, agents and retailers throughout the world.

