FUNCTIONAL DOCUMENT

ChatWise for Odoo 20

AI omnichannel inbox, company chatbot, smart campaigns, staff assistant and access-controlled knowledge

WhatsApp | Instagram | Messenger | Telegram

Version 20.0.1.1.0

Works with Odoo 20 Community and Enterprise

Author ABBAS

Date November 2026

About this document

Product	ChatWise: AI Omnichannel Inbox, WhatsApp Chatbot and Campaigns
Applies to	ChatWise 20.0.1.1.0 on Odoo 20, with the free CRM, Sales and Inventory bridges
Purpose	Explains what each screen does, who uses it, how the work flows and which rules apply
Readers	Owners, supervisors, agents, marketing staff, administrators and consultants
Screens	Real screens of ChatWise on Odoo 20. Company, people and numbers are made up
Support	abbasodolution@gmail.com

ChatWise is licensed under OPL-1. Odoo is a trademark of Odoo S.A. WhatsApp, Instagram and Messenger are trademarks of Meta Platforms, Inc. Telegram is a trademark of Telegram FZ-LLC. They are named only to describe what the app connects to. This app is an independent product.

Contents

1 Introduction 4
1.1 What ChatWise is 4
1.2 What is in this document 4
1.3 Modules and versions 5
1.4 Limits you should know 5
2 New in version 1.1 6
2.1 Knowledge keeps the subject straight 6
2.2 Accuracy score in the Test Lab 7
2.3 Find a unit by serial number 8
2.4 Instalment plans 8
2.5 Branches 9
2.6 Two more knowledge sources 9
2.7 Webhook refuses token guessing 10
3 Roles and permissions 11
3.1 The six roles 11
3.2 What each role sees in the menu 12
4 Getting started 13
4.1 Before you install 13
4.2 Installing 13
4.3 The setup wizard 13
4.4 Go-live checklist 15
5 Channels 16
5.1 Channel list 16
5.2 Channel form 16
5.3 Connecting each channel 18
5.4 The reply window 18
5.5 WhatsApp templates 18
5.6 Files 18
6 Teams, service levels and shortcuts 19
6.1 Teams 19
6.2 SLA policies 19
6.3 Working hours and away messages 20
6.4 Quick replies and tags 20
7 Inbox 21
7.1 Screen layout 21
7.2 How a message comes in 22
7.3 Life of a chat 23
7.4 The thread 23
7.5 The composer 23
7.6 Actions on a chat 24
7.7 Customer panel 24
7.8 Consent 25
8 Company bot 26
8.1 What the bot does 26
8.2 Modes per channel 26
8.3 How the bot decides 27
8.4 Bot settings 28
8.5 When the bot hands over 29
8.6 No silent handover 30
8.7 Answer quality rules 30
8.8 Voice and pictures 30
8.9 Bot replies log 30
9 Bot flows 31
9.1 What a flow is 31
9.2 Step types 31
9.3 Flow editor 31
9.4 Try it 32
9.5 Identity check 33
9.6 Lead capture 33
9.7 Flow runs 33
10 Test Lab and industry packs 34
10.1 Test Lab 34
10.2 Question sets 34
10.3 Industry packs 35
11 Knowledge 37
11.1 Knowledge bases 37
11.2 Who can see a base 37
11.3 Adding sources 38
11.4 Base page 39
11.5 How search works 40
11.6 Questions without answer 40
12 Ask ChatWise and the reply helper 42
12.1 Ask ChatWise 42
12.2 Reply helper 43
13 Campaigns 45
13.1 Overview 45
13.2 The campaign screen 46
13.3 How the audience is picked 47
13.4 Approval and confirm 48
13.5 How each message goes out 49
13.6 Timing and cost 50
13.7 Results 51
14 AI settings 53
14.1 Providers 53
14.2 What happens on each AI call 54
14.3 Limits 54
14.4 Prompts 54
14.5 Tools 54
14.6 AI usage 55
14.7 Masking 56
15 Dashboard, Health and Audit 57
15.1 Dashboard 57
15.2 Customer rating 58
15.3 Health 58
15.4 Audit log 59
15.5 Webhook events 60
16 Settings reference 61
16.1 General settings 61
16.2 Kill switch 62
17 Bridges to CRM, Sales and Inventory 63
17.1 CRM 63
17.2 Sales 63
17.3 Inventory 63
17.4 Worked example: "Where is my order?" 63
18 Privacy and security 64
18.1 Customer data requests 64
18.2 Security in plain words 64
19 Looks, phones and languages 65
19.1 Looks 65
19.2 Phones 65
19.3 Languages 65
20 Daily work and troubleshooting 66
20.1 A normal day 66
20.2 Common situations 66
A Menu map 67
B Background jobs 68
C Glossary 69


CHAPTER 1

Introduction

1.1 What ChatWise is

ChatWise puts your customer conversations inside Odoo 20. WhatsApp, Instagram, Messenger and Telegram arrive in one inbox, a company bot answers from your own knowledge and Odoo data, campaigns reach the most loyal customers who agreed to hear from you, and staff get a private assistant that respects their Odoo rights.

Every part is built around one idea: a customer should get a correct answer quickly, and your company should always be able to see and stop what is happening. For that reason the app has an audit log, a consent log, a health page, cost limits and one kill switch that stops every outgoing message.



Flow 1. How the parts of ChatWise work together.

1.2 What is in this document

This functional document explains what each screen does, who uses it, how the steps flow from start to finish, and which rules apply. It is written for business owners, supervisors, agents, marketing staff, administrators and the consultants who set the app up. It does not need any programming knowledge.

All pictures are real screens of ChatWise on Odoo 20. The company, customers and numbers on them are made up (Alder & Finch Ltd, a furniture shop).

1.3 Modules and versions

Module	Version	Price	What it adds
ChatWise (chatwise)	20.0.1.1.0	$199 one-time	Inbox, bots and flows, knowledge, Ask ChatWise, campaigns, dashboard, health, audit, security
ChatWise CRM (chatwise_crm)	20.0.1.1.0	Free	Leads from flows and from the AI, Create lead in the inbox, Chat button on the lead
ChatWise Sales (chatwise_sale)	20.0.1.1.0	Free	Orders, invoices, prices, PDFs, quotation drafts, product photos, loyalty data
ChatWise Inventory (chatwise_stock)	20.0.1.1.0	Free	Availability, quantities for staff, the customer's own deliveries

Table 1. Modules covered by this document.

The bridges install by themselves when CRM, Sales or Inventory is installed next to ChatWise. ChatWise itself needs only the Odoo Discuss (mail), Contacts and Resource modules. It runs on Odoo 20 Community and Enterprise, self-hosted or on Odoo.sh.

Automated tests on this version: 1,105 tests for ChatWise alone and 1,217 with CRM, Sales, Inventory, the bridges and demo data, all passing. Real checks were done with WhatsApp, Messenger, Instagram and Telegram with a real AI provider.

1.4 Limits you should know

- Custom apps cannot be installed on Odoo Online. Use self-hosted Odoo or Odoo.sh.
- WhatsApp, Instagram and Messenger need your own Meta Business account and app. Telegram needs a bot from BotFather. Webhooks need a public HTTPS address.
- Meta bills you for message fees and your AI provider bills you for AI use. ChatWise shows estimates and limits, never the final bill.
- The AI answers only from your knowledge bases and Odoo data. It does not replace a person for decisions.
- Bots, campaigns and the send queue are Odoo background jobs. Keep `max_cron_threads` at 2 or more (the Odoo default). With one thread a running campaign holds back bot answers, and ChatWise Settings warns about it.
- Free AI plans have a daily token limit: fine for trying ChatWise, not for real customers. Give every provider a backup provider.
- An agent reply sent from the inbox runs inside the web request. If Odoo has to repeat that request because of a database conflict just after the channel accepted the message, the customer can get that one reply twice. This is rare, and the inbox shows it once.

CHAPTER 2

New in version 1.1

Version 1.1 makes the bot's answers more accurate and adds four things shops asked for: finding a sold unit by its serial number, instalment plans, branches and two more knowledge sources. Everything from 1.0 works as before. Updating from 1.0 keeps all data, and with no branch or plan set the app behaves exactly like 1.0.

What	Where	Module
Knowledge keeps the subject straight, with optional scope tags	Knowledge, on each source	ChatWise
Accuracy score for every Test Lab run	Bots > Test Lab	ChatWise
Find a unit by serial, lot or label number, with its warranty	Bot and Ask ChatWise tool `find_unit`	Inventory bridge (Sales adds the order)
Instalment plans and quotes	Settings > Instalment plans, tool `instalment_quote`	Sales bridge
Branches	Settings > Branches, on teams, contacts and warehouses	ChatWise and the bridges
Odoo Knowledge articles and eLearning courses as sources	Knowledge > Add source	ChatWise
Webhook refuses token guessing	Automatic	ChatWise

Table 2. What is new in 1.1.

2.1 Knowledge keeps the subject straight

Product brochures often use the same headings: Warranty, Colours, Delivery. In 1.0 a question about one sofa could therefore be answered from another sofa's brochure. In 1.1, when a question names a product and two or more sources of the base are about different products, only the passages about the named product are ranked. Small bases with one subject are not changed.

A source can also carry an optional **scope**, such as a product line, a brand or a branch. A question that names a scope is answered only from the sources of that scope. Sources without a scope are always searched. The scope is shown as a blue tag on the source.




Figure 1. **Try a question** on a base with two sofa guides: only the Juniper guide is used, and the note below says why.

Measured on a set of 47 questions over 11 sources: the best answer was right 44 of 44 times (42 in 1.0), and a passage about another product appeared among the five answers 4 times instead of 17.

2.2 Accuracy score in the Test Lab

Every finished run now shows an accuracy score: answered right, wrong subject or words, nothing found and handed to a person, each with its share. Run your question set after you add or change knowledge, and you see at once whether the bot got better or worse.




Figure 2. A run of 47 questions with its accuracy score.

2.3 Find a unit by serial number

With the Inventory bridge, the bot and Ask ChatWise can find one sold piece by its serial number, lot number or label reference (tool `find_unit`). The answer gives the product, the delivery with its dates and tracking reference and, with the Sales bridge, the order. Products have a new field **Warranty (months)**; the warranty runs from the delivery day, so the bot can say whether a piece is still under warranty and until when.

- A customer finds only units on their own orders, and only after the identity check.
- Customers never see quantities or warehouse locations.
- Staff find units with their own Odoo rights.

2.4 Instalment plans

ChatWise > Settings > Instalment plans (Sales bridge) holds your own finance plans. When a customer asks about easy monthly payments, the bot uses the tool `instalment_quote` and answers from these plans: what is due now, the monthly amount, the number of months, the extra cost and the total, with the first and last payment dates.

Field	Meaning
Monthly payments	How many monthly instalments the plan runs for.
Down payment %	Share of the price paid now. A customer who offers more pays smaller instalments; less is not offered.
Markup % and Markup counts	Flat markup on the financed amount (price minus down payment), never on a reducing balance. **Per year**: 20% on a 24-month plan costs 40%. **For the whole plan**: 20% whatever the length.
Fixed fee, Fee % of the price	One-off fees due with the down payment, such as processing or insurance.
What the customer must bring	Told with the quote, for example ID card and salary slip.

Table 3. Instalment plan fields.




Figure 3. Instalment plans.




Figure 4. One plan. The note under the form explains how the bot uses it.

> **Careful**
> A quote is always an estimate from your plans, never an approved offer or a credit decision. The bot says a salesperson confirms the plan and the documents. On the bot you can set the field “Pass financing above”: a customer asking about financing above that amount still gets the numbers, and the chat is handed to a person.

2.5 Branches

ChatWise > Settings > Branches is optional. Set a branch on a team (Settings > Teams), on a contact and on a warehouse. Customers and staff then see only their own branch's orders, deliveries, units, invoices and leads through every bot and assistant tool. Records without a branch stay shared, and with no branch at all ChatWise works exactly as in 1.0.




Figure 5. A branch with its team and a button to its contacts.

2.6 Two more knowledge sources

Add source now also reads **Odoo Knowledge articles** (with their sub-articles) and **eLearning courses**, read again every day. Only what the readers of the base may see is indexed: customer bases get website-published articles and public courses (for invitation courses only the preview slides); staff bases get articles every employee may read. Members-only articles and courses limited to their attendees are never added. The PDF, Word, Excel, CSV and text files these pages link to are read too, and so are the files linked from a crawled website.




Figure 6. Adding a Knowledge article with its sub-articles and linked files.

2.7 Webhook refuses token guessing

When one address sends 30 wrong tokens or signatures within 5 minutes, ChatWise refuses it for 15 minutes (HTTP 429) and writes one line to the log. Genuine signed traffic from Meta is always served. Nothing needs to be set.

CHAPTER 3

Roles and permissions

3.1 The six roles

Roles are given on the Odoo user form, under **Settings > Users & Companies > Users**. Agent, Supervisor and Administrator build on each other. Campaign Manager, AI User and Knowledge Editor are separate flags that you add to anyone who needs them.




Figure 7. The ChatWise section on the Access Rights tab of the user form.

Role	Who it is for	What they can do
Agent	Customer service staff	See their own chats, their teams' chats and chats without a team. Reply, tag, add notes, close.
Supervisor	Team leaders	All of Agent, plus the teams they supervise, giving chats to agents, quick replies, tags, the consent log, the dashboard, and approving campaigns.
Administrator	The owner of ChatWise in the company	All of the above, plus channels, bots, Test Lab, packs, AI settings, Health, Audit and customer data requests.
Campaign Manager	Marketing staff	Create campaigns, pick the audience, ask for approval, send when allowed.
AI User	Anyone who uses the assistant	Ask ChatWise, the reply helper and the AI tools in the composer.
Knowledge Editor	Whoever keeps the answers correct	Create and edit knowledge bases they are allowed to edit, and answer Questions without answer.

Table 4. Roles.

3.2 What each role sees in the menu

Menu	Agent	Supervisor	Admin	Campaign Mgr	AI User	Know-ledge Ed.
Inbox	Yes	Yes	Yes	No	No	No
Campaigns	No	Read and approve	Yes	Yes	No	No
Bots (all three screens)	No	No	Yes	No	No	No
Knowledge	No	No	Yes	No	No	Yes
Ask ChatWise	No	No	Yes	No	Yes	No
Dashboard	No	Yes	Yes	No	No	No
Settings: Quick replies, Tags, Consent log	No	Yes	Yes	No	No	No
All other Settings	No	No	Yes	No	No	No
Health and Audit	No	No	Yes	No	No	No

Table 5. Menu access by role.

Good to know
Rights are checked on the server, not just by hiding a menu. An employee with no ChatWise role is refused by every ChatWise method, and read-only roles cannot use buttons that change things.

CHAPTER 4

Getting started

4.1 Before you install


- Odoo 20 with a public HTTPS address (needed for webhooks).
- Python packages `cryptography` and `requests`. `pypdf` or PyPDF2 for PDF knowledge files.
- For local OCR of scans: the `tesseract-ocr` program with language packs, and `poppler-utils` for scanned PDFs. Without them, cloud OCR through your AI provider works.
- A Meta app for WhatsApp, Instagram or Messenger, a Telegram bot from BotFather, or both.
- An AI key from OpenAI, Google Gemini, Azure OpenAI or any OpenAI-compatible server, or a local Ollama for private data.

4.2 Installing

1. Copy the `chatwise` folder and the bridges you want into your custom addons path.
2. Update the app list and install **ChatWise**.
3. Give your team their roles (Chapter 3).
4. Open **ChatWise > Settings > Setup wizard**.

4.3 The setup wizard

The wizard takes you to your first answered message in four steps. Your progress is saved, and you can skip any step and come back later.



Flow 2. The four setup steps.




Figure 8. Step 1: pick the channel.




Figure 9. Step 2: credentials are masked, then test and activate. The webhook address and verify token are ready to copy.




Figure 10. Step 3: the AI provider and the bot. Choose a pack, an empty bot or an existing one, and the mode.




Figure 11. Step 4: send a message from your phone and answer it from the inbox.

4.4 Go-live checklist

Check	Where
Each channel is Active and shows no last error	Settings > Channels
Teams, members and working hours are correct	Settings > Teams and channel Routing tab
AI provider has a tested key and a backup provider	Settings > AI providers
A monthly AI limit is set	Settings > AI limits
Bot passes the Test Lab question set	Bots > Test Lab
Bot starts in AI drafts, agent sends	Channel form
Keep `max_cron_threads` at 2 or more	Odoo configuration file
Campaign approval is on, limits are set	Settings > General

Table 6. Before real customers write.

CHAPTER 5

Channels

5.1 Channel list

Settings > Channels lists every connected account with its type, team, state and the number of queued and failed messages.




Figure 12. The channel list.

5.2 Channel form

A channel has a short header (type, bot, bot mode, team) and four tabs.

Tab	Fields and purpose
Connection	WhatsApp phone number id, business account id, displayed number, Meta app id, API version. Meta page id and Instagram account id. Telegram bot username.
Routing & hours	Team that answers, Human Agent tag for Messenger and Instagram, working hours calendar, time zone, away message, greeting for new customers, closing quiet chats after N days, transcript on the contact.
Secrets	Access token, app secret, bot token. You can paste a new value but never read the old one: the screen shows only a masked hint.
Webhook	Callback address and verify token to copy into Meta.

Table 7. Channel form tabs.




Figure 13. Channel form: header and connection.




Figure 14. Routing & hours: who answers, when, and the automatic messages.




Figure 15. Webhook tab: the address and verify token to copy into Meta.

5.3 Connecting each channel

Channel	You need	How it connects
WhatsApp	Meta app, phone number id, business account id, access token, app secret	Paste values, copy the webhook into Meta, or use one-click Connect. Templates sync from Meta.
Instagram	Meta app with Facebook Login or Instagram Login	Paste values or use one-click Connect, then copy the webhook.
Messenger	Meta app, Facebook page	Paste values or use one-click Connect, then copy the webhook.
Telegram	Bot token from BotFather	Paste the token and press Connect bot. ChatWise sets the webhook and its secret header.

Table 8. Connection needs per channel.

5.4 The reply window

Meta allows free-form replies only for a limited time after the customer last wrote. ChatWise tracks this on every chat and shows it as a chip with a live countdown.

Channel	Rule	What ChatWise does
WhatsApp	24 hours from the last customer message	After 24 hours the composer locks and offers approved templates, with values and a preview.
Messenger, Instagram	24 hours; the Human Agent tag lets agents answer for up to 7 days	Sends with the tag when it is on. Campaigns reach only people inside the window.
Telegram	No window	Replies at any time.

Table 9. Reply window rules.

5.5 WhatsApp templates

Templates are written and approved in Meta, and synced into **Settings > WhatsApp templates**. Paging is handled and status changes arrive by webhook. Marketing templates are blocked for customers who opted out.




Figure 16. Synced WhatsApp templates with category and status.

5.6 Files

Customer files are downloaded in the background through a guard: https only, public addresses only, at most 3 redirects, a 25 MB cap, and HTML or SVG is never stored as such. Agents send one file per message, up to 16 MB. Pictures and documents are uploaded to WhatsApp and Messenger directly. Instagram has no upload endpoint and fetches the link from your Web base URL; when that fails, the error says what to open up.

CHAPTER 6

Teams, service levels and shortcuts

6.1 Teams

A team has members, supervisors, an assignment method and a limit of open chats per agent.

Assignment	Behaviour
Manual	Chats wait in the Queue until an agent takes them.
Round robin	New chats go to the next available agent in turn.
Least busy	New chats go to the available agent with the fewest open chats.

Table 10. Assignment methods.

Returning customers go back to their agent. Each agent has an "available" switch, and an agent at the limit gets no new chats.




Figure 17. Team form.

6.2 SLA policies

A policy sets a reply-within target and a close-within target. They are counted in business hours, and public holidays are skipped. A chat first becomes at risk, then breached, and the agent and supervisors get one alert. Late chats show up in the Inbox filter and on Health.




Figure 18. SLA policies.

6.3 Working hours and away messages

Each channel can have a working hours calendar with its own time zone and an away message using `{name}` and `{next_open}`. The away message goes out at most once per period set on the channel.

6.4 Quick replies and tags

Quick replies are saved answers that agents call with `/shortcut` in the composer. They can hold placeholders and files, and can belong to one team. Tags are coloured labels for chats, and campaigns can filter on them.




Figure 19. Quick replies.




Figure 20. Tags.

CHAPTER 7

Inbox

7.1 Screen layout

ChatWise > Inbox is one screen for every channel. On a wide screen it shows the list, the thread and the customer panel side by side. On a tablet the panel slides in. On a phone there is one pane with a back button.




Figure 21. Inbox with the list, the thread, an AI draft and the customer panel.

Folder	Shows
Mine	Chats assigned to you
Queue	Chats waiting for an agent
Bot	Chats the bot is handling
Teams	Chats of your teams
All	All chats you may see (supervisors)
Closed	Finished chats

Table 11. Inbox folders.

Filters narrow the list by channel, waiting for a reply, late (SLA), unread and tag. Search looks in name, username, phone and e-mail. The list loads 40 chats at a time.






Figure 22. Filters open above the list.

7.2 How a message comes in



Flow 3. From the customer's phone to the right person or bot.

7.3 Life of a chat



Flow 4. Chat states. A closed chat opens again when the customer writes or an agent reopens it.

State	Meaning	Who acts next
Bot	The bot is answering	Bot, until it hands over or an agent steps in
Open	With an agent or in the queue	Agent
Handover	The bot asked for a person	Agent, or the bot again after the wait time
Pending	Waiting for something, such as a delivery date	Agent
Closed	Finished	Nobody, until the customer writes again

Table 12. Chat states.

7.4 The thread

- Day separators, photos and files, and delivery ticks: waiting, sent, delivered, read, failed with Retry.
- Different bubbles for customer, agent, bot, automatic messages and campaigns. Internal notes are tinted and never sent.
- Option chips under bot bubbles show the buttons the customer saw.
- New messages, statuses and assignments appear live without reloading.

7.5 The composer

- Enter sends, Shift+Enter makes a new line, and `/` opens the quick replies.
- One file per message. The note switch turns the message into an internal note.
- For AI users: the reply helper button, and AI tools to summarise, rewrite or translate.
- AI drafts appear above the composer with their sources: **Send**, **Edit** or **Discard**. Sent drafts are marked "AI draft" and edits are flagged.




Figure 23. Quick replies open when the agent types a slash.

7.6 Actions on a chat


Action	Result
Take	The chat is assigned to you.
Close	The chat is finished. With ratings on, the customer is asked for a rating once.
Pending	The chat waits.
Reopen	A closed chat opens again.
Back to the queue	The chat leaves you and waits for any agent.
No reply needed	The chat is marked as needing no answer.
Give to an agent	Supervisors assign the chat to a team member.
Tags	Add or remove tags in place.
Link contact	Connect the chat to an Odoo contact.
Opt-in, opt-out	Record the customer's consent in the log.

Table 13. Chat actions.

7.7 Customer panel

The panel shows the contact, phone, consent, tags, rating (stars and the average), the bot flow card with answers, identity status, and Linked records from the bridges, with their buttons such as Create lead. Chats and Start chat buttons are also on the Odoo contact form.

7.8 Consent



Flow 5. How consent is recorded and used.

STOP and START keywords work in several languages and can be edited under **Settings > Consent keywords**. The consent log is append-only: rows cannot be changed.




Figure 24. Consent keywords.




Figure 25. Consent log.

CHAPTER 8

Company bot

8.1 What the bot does

The company bot answers only about your business, from its tools and knowledge bases. Anything else gets your off-topic reply, word for word. This matches Meta's rule that business bots are allowed but general-purpose chat bots are not.

ChatWise > Bots > Bots and flows shows every bot with its channels and modes, answers and AI cost this month, an "AI answers too" switch and its flows.





Figure 26. Bots and flows.

8.2 Modes per channel

Mode	Behaviour	Use when
Off	No bot on this channel	Only people answer
AI drafts, agent sends	A draft waits in the agent's composer with its sources	First weeks, or sensitive business
Automatic	New chats start with the bot until it hands over	The bot passes your tests

Table 14. Bot modes.

8.3 How the bot decides



Flow 6. What happens to each customer message.

Messages are never answered inside the webhook call. They go to a reply queue, and a burst of messages gets one answer. AI errors are retried after 1, 2 and 5 minutes, a rescue job restarts stuck answers, and after the last failure a person takes over, so no customer message is lost.

8.4 Bot settings




Figure 27. Bot form.

Setting	Meaning
About the business	What the bot should know about you
Own rules	Your extra rules, or the shared ones
Off-topic reply	The exact text for off-topic questions
Handover message	What the customer reads at handover, with an extra line when the team is closed
Language	The customer's language, or always one language
Length of answers	Short (3 lines), concise (5 lines) or normal (8 lines)
Messages remembered	Memory of the last 2 to 40 messages
Knowledge bases and tools	What the bot may read and do
Bot answers	Always, only outside working hours, or only during working hours
Tone, emoji, sign-off, AI disclosure	How the bot sounds and whether it says it is an AI
Instant FAQ answers	Fixed answers with no AI call
Voice and pictures	Switches per kind and a monthly budget

Table 15. Main bot settings.




Figure 28. Rules and off-topic reply.




Figure 29. Voice and pictures.

8.5 When the bot hands over

Trigger	Detail
Customer asks for a person	Direct request or one of your keywords
Customer is upset	Mood detected in the message
The AI is not sure	An answer from your knowledge is still sent, with a note asking the agent to check it
Answers without facts	After a set number (2 by default)
Outside the bot's hours	From the Bot answers setting
AI failure or limit used up	After the retries, or at once when the limit is reached
Same question N times	Set on the bot
Refund or discount promise	When the tools did not back it
Maximum answers per chat per day	Set on the bot
Booking, table or order	The bot never confirms these itself

Table 16. Handover triggers.





Figure 30. The Handover to a person tab sets the triggers and the messages.

8.6 No silent handover



Flow 7. A customer never waits forever.

The time is set on the channel as **Give the chat back to the bot after** (30 minutes by default, 0 means never). It applies whether nobody answered the handover or an agent answered once and went quiet. The rescue job runs every five minutes, or the bot answers at once on the next message.

8.7 Answer quality rules

- The bot never sends the same answer twice in a row. It tries once more, and then a person takes over.
- It answers in the customer's language, and searches your data in your company's language.
- It returns the customer's greeting the way it was written.
- When it has nothing, it says what it does have and asks before handing over.
- Plain off-topic requests such as poems, code, homework or "ignore your instructions" are refused without an AI call.
- A chat that changes while the bot answers is answered again at once, with no extra AI cost. A sent answer is saved right after the send, so it cannot go twice.

8.8 Voice and pictures

Voice messages are transcribed and answered like text. Pictures are read: a product photo finds the product, a payment screenshot becomes a note with amount and reference (never a confirmation), and damaged goods go to a person. Pictures are shrunk to 1,280 pixels without metadata before they go to a provider. With the Sales bridge, the bot can send up to 3 product photos.

8.9 Bot replies log

Settings > Bot replies lists every answer and handover with result, cost, tools used and reason.





Figure 31. Bot replies.

CHAPTER 9

Bot flows

9.1 What a flow is

A flow is a fixed conversation that runs before the AI in Automatic mode. It starts when a chat starts, or when the customer types a keyword. Use flows for menus, lead capture and anything that must always go the same way.



Flow 8. The Shop menu flow from the Retail pack.

9.2 Step types

Step	What it does	Branches
Send a message	Sends text	Next
Buttons	Up to 3 options	One per option
Menu list	Up to 10 options	One per option
Ask a question	Saves the answer, with a check: any text, e-mail, phone, number, yes or no, 6-digit code	Next
Check a condition	Compares a saved answer, or checks verified customer, saved contact, or team open now	Yes, No
Set a value	Saves a value for later	Next
Look up Odoo data	Runs a customer tool	Found, Not found
Identity check	Verifies the customer	Verified, Not verified
Save as a lead	Saves answers and makes a lead	Next
Let the AI answer	Ends the flow and passes to the AI	None
Pass to a person	Hands over	None
End the flow	Finishes	None

Table 17. Flow step types.

Buttons appear as WhatsApp reply buttons, Messenger and Instagram quick replies, and Telegram keyboards. Customers can also type the option or its number. When an answer does not fit, the step can let the AI answer, pass to a person or end the flow.

9.3 Flow editor

Press a flow to open the editor: a list of steps with branches on the left, and a form for the selected step. You can set the first step, move and remove steps, and start from ready-made templates (main

menu, lead capture, and order status with the Sales bridge).




Figure 32. Flow editor.

The editor warns about unreachable steps, options leading nowhere and missing names or tools. Loops are stopped at run time. Waiting customers keep their place when a flow is saved.

9.4 Try it

Try it is a simulator that runs the unsaved flow without sending anything.





Figure 33. Try it runs the flow next to the editor.

9.5 Identity check


Customer tools read private data only for a verified customer.



Flow 9. Identity check.

- A WhatsApp number that matches the contact counts as verified.
- On any channel, a 6-digit code goes by e-mail to the saved address, or to the address the customer types. The reply is the same whether or not it is known, and only one unique active contact of the company gets a code.
- Codes are stored as salted hashes. They last 10 minutes and allow 3 tries, with at most 3 codes per chat per hour and 5 per contact per day.

9.6 Lead capture



Flow 10. Lead capture.

Answers fill only empty fields on the contact: a customer can never overwrite your data.

9.7 Flow runs

Settings > Flow runs shows each run, its status and saved answers.




Figure 34. Flow runs.

CHAPTER 10

Test Lab and industry packs

10.1 Test Lab

Bots > Test Lab lets administrators check the bot before a customer does. The playground asks the bot as an unknown, known or verified customer and shows the outcome, the tools used and the knowledge sources.

Nothing is sent. Actions such as handover or creating a lead show a sample result, and data the read tools would write is rolled back. It uses the real AI under the bot's limits.





Figure 35. Test Lab playground.

10.2 Question sets

A set holds up to 300 questions, each with what you expect, what the answer must contain and what it must not contain. A run works in the background with progress, and you can stop it at any time.



Flow 11. From first test to going live.




Figure 36. A question set.




Figure 37. Results of a run with pass or fail per question and a review.

10.3 Industry packs

Bots > Industry packs has packs for a Retail shop, a Clinic and Real estate. One click makes a bot with instructions, a customer FAQ base of 10 to 12 answers, a welcome flow and a Test Lab question set, filled with your business name, city, phone, website and hours.

Values to replace are shown in [brackets] and counted on the card. A pack also gives template ideas to copy, because Meta approves templates. A pack never connects to a channel by itself, and it can be removed.




Figure 38. Industry packs.

CHAPTER 11

Knowledge

11.1 Knowledge bases

ChatWise > Knowledge shows a card per base: who uses it, who may read it, sources, passages, when it was last indexed, and a health dot.




Figure 39. Knowledge bases.

Audience	Used by
Staff only	Ask ChatWise and the reply helper
Customers (company bot)	The bot; readable by allowed staff
Staff and customers	Both

Table 18. Audiences.

11.2 Who can see a base

Each base has allowed groups and allowed people. When both are empty, every AI user of the company may read it. The owner can always edit.

Access is checked inside the search itself, before anything is ranked. A user outside the list never receives a text or even a source title, through any path. Administrators manage every base, but read only the texts they are allowed to read. Adding yourself with **Add me** is written to the audit log, like every access change.





Figure 40. An administrator outside the list sees that the texts are hidden. Add me is written to the audit log.

11.3 Adding sources



Flow 12. From a source to searchable passages.




Figure 41. The Add source wizard.

Source	Details
File	PDF, Word, Excel, CSV, text and Markdown, up to 25 MB. Headings, lists and tables are kept. The file type must match the content, and unchanged files are not indexed again.
Scan or picture	PNG, JPEG, WebP, TIFF, BMP and scanned PDF pages. Local Tesseract, or cloud vision through your provider. Tables are rebuilt, and each source shows its OCR quality.
Website	Start page and links to your depth, plus sitemap.xml, within a page limit. robots.txt is respected. Menus, footers and cookie banners are left out. Linked PDFs are read. Pages needing JavaScript are skipped with the reason.
Text, Question and answer	Typed directly. Re-indexed only when changed.
Odoo Knowledge, eLearning	Knowledge articles with their sub-articles and eLearning courses, read again daily. Only what the base's readers may see is indexed (new in 1.1).
Odoo records	Products, events, jobs, any model you may read. Read with the rights of the person who added them. Sensitive fields are never read, technical models are refused, and bases quoted to customers accept only catalogue data.

Table 19. Source types.

Websites are read again on a schedule (every 7 days by default). Only changed pages are cut again, pages gone from the site are removed, and when the site is down the old pages stay. The crawler stays on the start site and its sub-domains, public addresses only.

11.4 Base page

Open a base to see its sources with status (Indexed, Waiting, Crawling, Error), OCR quality, warnings and crawl results. **Try a question** shows the passages the bot and Ask ChatWise would get from this base.





Figure 42. A knowledge base.

11.5 How search works



Flow 13. A question finds its answer, and access is checked first.

Search combines PostgreSQL full-text search with BM25 ranking and optional meaning search per base. Weights and the minimum score are in Settings. When the provider fails or a limit is reached, search falls back to keywords.

11.6 Questions without answer

Every question the bases could not answer is counted and merged, most asked first. **Answer** writes a question-and-answer source into a base you may edit. **Ignore** and **Reopen** keep the list clean. Reading this list every week is the fastest way to improve the bot.




Figure 43. Questions without answer.

CHAPTER 12

Ask ChatWise and the reply helper

12.1 Ask ChatWise

ChatWise > Ask ChatWise is a private chat with the company's staff assistant, for the AI User role. History is on the left with search, rename, pin and delete. Only the user sees their chats: administrators do not see them either.





Figure 44. The welcome page lists the bases this user may read and example questions.



Flow 14. A staff question.

Every question runs with the asking user's own Odoo rights. Knowledge search returns only bases the user may read, and the staff tools for orders, leads and stock refuse what Odoo refuses. Answers are short, name their sources as chips, and remember the last 10 messages of the chat.




Figure 45. An answer with its sources.

The meter under the history shows this month's use against the limit. At the limit the user gets a clear message with the reset date, and no AI call is made.

12.2 Reply helper

1. Paste what the customer wrote, or pick one of your customer chats.
2. Choose a tone: friendly, formal or very short.
3. Get two drafts built only from your knowledge and Odoo data. Missing facts show as [check].
4. Press **Use in chat** to open the inbox on that chat with the draft ready.

The customer text is passed to the AI as quoted data, so instructions hidden in it are not followed. In the inbox, AI users have the same helper in the composer.




Figure 46. Reply helper with two drafts.

CHAPTER 13

Campaigns

13.1 Overview

A campaign is one message for many customers of one channel. **ChatWise > Campaigns** is for campaign managers. Supervisors see it read-only and approve, send back, pause, resume or cancel. Each campaign has a card with its channel, state, progress bar and counts, under tabs Drafts, Approval, Sending and Finished.





Figure 47. Campaign cards.



Flow 15. Life of a campaign. Paused can resume; Sending can also be cancelled.

State	Meaning
Draft	Being written. The audience can be picked.
Waiting for approval	A supervisor must approve or send it back with a reason.
Approved	The message is locked. Only a supervisor can raise the number of people.
Sending	Messages leave at the set pace.
Paused	Nothing leaves until someone resumes.
Done	Everyone was handled.
Cancelled	Everyone not sent yet is stopped.

Table 20. Campaign states.

13.2 The campaign screen

One screen has three numbered parts on the left and a live panel on the right. There is one main button at a time, always the next step: Pick the audience, Ask for approval, Approve, Send to N people, Pause, Resume, Send to more people.




Figure 48. Campaign screen: the message on the left, the live panel on the right.

1. Message

Text with `{first_name}`, `{name}` and `{company}` buttons and a character counter, one picture, PDF or video, and the WhatsApp template for closed windows. **Write with AI** writes the words from a short brief. Nothing is saved until you press **Use this text**, and the campaign is marked "AI copy". The AI never chooses who gets the message.

2. Who gets it

Maximum recipients, people per pick, who may get it, days between campaigns, minimum score, chat tags, contact tags and countries.

3. Sending

Messages per minute, quiet hours, start time and limits per 24 hours.





Figure 49. Who gets it, Sending, the Timing card and the cost estimate.

13.3 How the audience is picked



Flow 16. From all contacts to the people who get the message.

Nobody gets the same campaign twice: a database rule allows one row per campaign and contact. "Pick more" always takes the next best new customers.

Loyalty score

Part	Weight	Measured by
Orders	40%	Number of orders
Revenue	35%	Order value
Recency	15%	Time since the last order
Replies	10%	Replies in the last 90 days

Table 21. Loyalty score (weights can be edited in Settings).

The same data always gives the same ranking. Each person gets a reason, for example "6 orders, last 12 days ago, 3 replies in 90 days": counts only, never amounts. Without the Sales bridge, only recency of the last message and replies count.

13.4 Approval and confirm

Approval is on by default in Settings. Nobody approves their own campaign, except administrators. With approval off, the manager approves by sending.

Sending, asking for approval and approving open a confirm dialog with the exact number of people, the first names with reasons, the cost estimate and a safety list. The send is refused if the list changed since you looked, the kill switch is on, or the message has a problem.




Figure 50. Confirm dialog.





Figure 51. A campaign waiting for approval.

13.5 How each message goes out



Flow 17. One person in a sending campaign.

Setting	Default	Note
Messages per minute	20 (max 200)	Random gap between 50% and 150% of the average
Quiet hours	21:00 to 09:00	In the campaign's time zone
Days between campaigns	7	Counts any campaign of the company
Limit per 24 hours	Settings	For the campaign and the whole company

Table 22. Pace and limits.

Each person is claimed in a short committed step and marked before the message is created. A run that breaks right after a claim never sends again: the person is marked failed after 10 minutes. The screen always says why a campaign waits, such as "Quiet hours: continues at 09:00" or "24-hour limit reached".




Figure 52. A campaign that is sending, with progress and results.




Figure 53. The recipient table with score, reason and status per person.

13.6 Timing and cost

Best time to send shows a week map of this channel's customer messages over the last 90 days, the busiest two hours outside quiet hours and a one-click **Start on …**. It needs 30 customer messages. **Expected finish** shows when the last message should be out.




Figure 54. Cost estimate and safety checklist.

The cost estimate uses the table in **Settings > Message prices**: country, category, price per message, and a last checked date. Messages inside the window are free service messages, and templates are billed by category. The prices shipped are examples, not Meta's prices, so check them before you rely on the estimate.




Figure 55. Message prices.

13.7 Results

- Sent, delivered and read come from channel webhooks and never move backwards.
- A customer message within 7 days of the campaign marks the person "replied".
- A failed message is tried once more after 30 minutes, unless it can never work.

- Every campaign message appears in the customer's normal chat with a "Campaign: name" label.
- The recipient table has filter chips for Everyone, Picked, Waiting, Sent, Replied, Failed and Skipped, with search and pages of 50.
- **Test send** goes to your own chat of the channel, marked [Test], and is never counted.
- **Send to more people** asks how many new people, and nobody already in the campaign is picked again.

CHAPTER 14

AI settings

14.1 Providers

Bring your own key from OpenAI, Google Gemini, Azure OpenAI, any OpenAI-compatible server, or a local Ollama for private data. You can run several at once, with one default per company.




Figure 56. AI providers.





Figure 57. Provider form.

Keys live in the encrypted vault and are sent only to the provider's own address. Redirects are never followed, and errors are cleaned of keys.

14.2 What happens on each AI call



Flow 18. Limits, masking and backup on every call.

A **backup provider** answers the same question at once on a rate limit, a used-up quota, a timeout or a server error. Each provider is tried once per answer, and a wrong key (a 4xx error) does not switch. A provider that says "try again in 7 minutes" is parked for that long, between one minute and six hours.

14.3 Limits

Settings > AI limits sets limits per user, per bot or for the whole company, per day or month, in US dollars or tokens. A limit can stop calls or only warn. A notice comes at 80% of a stopping limit. Blocked calls never reach the provider, and the user sees when the limit resets. Settings also has a default monthly limit per user, and each provider has a monthly spend cap.




Figure 58. AI limits.

14.4 Prompts

Settings > AI prompts holds the instructions the AI receives. They can be edited with full history and **Reset to recommended**. Upgrades improve prompts you never touched and keep the ones you edited.




Figure 59. AI prompts.

14.5 Tools

Tools are how the AI reads Odoo. In **Settings > AI tools** you can switch any tool off, edit the description the AI reads, and limit staff tools to groups.

Tool	Audience	From
Search knowledge	Both	ChatWise
Business hours	Both	ChatWise
Hand over to a person	Customer	ChatWise
Customer: own contact details	Customer (verified)	ChatWise
Customer: save name or e-mail	Customer	ChatWise
Find a contact	Staff	ChatWise
Create a contact	Staff	ChatWise
Create lead, find leads	Customer flow, staff	CRM bridge
Orders, invoices, prices, product photos, quotation drafts, find orders	Customer (verified) and staff	Sales bridge
Availability, deliveries, quantities	Customer and staff	Inventory bridge

Table 23. Main AI tools.

- Customer tools see only the customer's own records, and only when the customer is verified. Unknown customers get public information only.
- Staff tools run with the asking user's own Odoo rights, never as superuser.
- The AI cannot widen a tool. Arguments are checked, unknown ones are dropped, and refused requests are written to the audit log.
- Tool output reaches the AI as quoted data, never as instructions.





Figure 60. AI tools.

14.6 AI usage

Every call is logged: who, what for, model, tokens, estimated cost, time and status (OK, refused, error, blocked). Old rows are removed after the retention days in Settings.



Time	Asked by	Purpose	Provider	Model	Input to…	Output t…	Cost (USD)	Time (ms)	Status
Nov 1, 7:12 PM	Maya Chen	Summary	Main AI	gpt-4.1-mini	1,101	116	0.000919	2,158	OK
Nov 1, 4:12 PM	Maya Chen	Reply helper	Main AI	gpt-4.1-mini	860	91	0.002267	2,292	OK
Nov 1, 9:12 PM	Maya Chen	Reply helper	Main AI	gpt-4.1-mini	2,118	76	0.001389	1,344	OK
Nov 1, 6:12 PM	Maya Chen	Reply helper	Main AI	gpt-4.1-mini	663	123	0.002417	2,172	OK
Nov 1, 6:12 PM	Maya Chen	Ask ChatWise	Main AI	gpt-4.1-mini	852	199	0.003978	790	OK
Nov 1, 7:12 PM	Maya Chen	Ask ChatWise	Main AI	gpt-4.1-mini	2,047	207	0.002758	2,428	OK
Nov 1, 2:12 PM	Maya Chen	Ask ChatWise	Main AI	gpt-4.1-mini	861	64	0.004020	1,236	OK
Nov 1, 5:12 PM	Maya Chen	Ask ChatWise	Main AI	gpt-4.1-mini	624	233	0.003494	2,207	OK
Nov 1, 3:12 PM	Maya Chen	Customer bot	Main AI	gpt-4.1-mini	1,885	167	0.001777	2,402	OK
Nov 1, 8:12 PM	Maya Chen	Customer bot	Main AI	gpt-4.1-mini	2,115	159	0.002568	2,485	OK
Nov 1, 7:12 PM	Maya Chen	Customer bot	Main AI	gpt-4.1-mini	2,057	101	0.002108	1,011	OK
Nov 1, 6:12 PM	Maya Chen	Customer bot	Main AI	gpt-4.1-mini	1,489	210	0.001711	1,849	OK
Nov 1, 11:12 AM	Maya Chen	Customer bot	Main AI	gpt-4.1-mini	1,007	196	0.001880	1,857	OK
Nov 1, 3:12 PM	Maya Chen	Customer bot	Main AI	gpt-4.1-mini	1,975	71	0.001595	1,486	OK
Nov 1, 6:12 PM	Maya Chen	Customer bot	Main AI	gpt-4.1-mini	1,547	63	0.001910	1,661	OK
Nov 1, 1:12 PM	Maya Chen	Customer bot	Main AI	gpt-4.1-mini	1,183	223	0.002060	961	OK
Nov 1, 11:12 AM	Maya Chen	Customer bot	Main AI	gpt-4.1-mini	2,335	221	0.001610	1,420	OK

Figure 61. AI usage.

14.7 Masking

Optional masking replaces phone numbers, e-mails and card numbers before text leaves Odoo, and puts the real values back into the answer.

CHAPTER 15

Dashboard, Health and Audit

15.1 Dashboard

The dashboard is for supervisors and administrators. Numbers come only from the chats you may see. Choose Today, 7, 30 or 90 days, in your time zone, with channel and team filters.




Figure 62. Dashboard cards and messages per day.

Card	Meaning
Chats started	New chats, with change against the period before
Open now	Chats not closed
Customers waiting	Chats waiting for a reply
First reply	Time to the first answer
Solved by the bot	Chats finished without a person
Handed to a person	Handovers
Customer rating	Average of ratings
AI cost	Estimated cost for the period

Table 24. Dashboard cards.




Figure 63. Week map, teams, AI cost, waiting longest, AI results and campaign results.

15.2 Customer rating

Ratings are off by default, and are switched on in Settings. When an agent closes a chat, ChatWise asks once inside the 24-hour window "How did we do? Reply 1-5". A reply of 1 to 5 or stars within 24 hours is stored, does not reopen the chat and gets no bot answer.

15.3 Health

Health is for administrators. It shows one card per risk with a count, a level and a tip. **Open** lists the rows behind the number.




Figure 64. Health page.

Check	What it tells you
Messages stuck in the queue	Waiting more than 5 minutes
Bot answers waiting	The reply queue is behind
Failed sends	Messages that did not go out
Webhook errors	Incoming items that failed
Bot fallbacks	The bot had to give up
AI calls blocked	A limit stopped calls
AI provider errors	Key or provider trouble
Token problems	Expired or revoked tokens, recognised from Meta and Telegram errors
Window-expired attempts	Messages tried after the window closed
Chats past the reply time	SLA trouble

Table 25. Health checks.

A **daily digest** goes to ChatWise administrators through their Discuss inbox or e-mail: only when something needs a look (the default), every day, or never. **Send it now** is on the Health page.

15.4 Audit log

The audit log colours rows by kind. Filters cover security, refused access, settings, campaigns, chats, privacy and exports, and today, 7 or 30 days. Rows can be grouped by action, user, object type or day. Rows cannot be changed or deleted, even by administrators, and exporting the log is itself logged.




Figure 65. Audit log.

15.5 Webhook events

Settings > Webhook events shows what each channel delivered, with secrets removed. Failed items are tried again 3 times.




Figure 66. Webhook events.

CHAPTER 16

Settings reference

16.1 General settings

ChatWise > Settings > General holds the company-wide rules.




Figure 67. General settings: safety and campaign rules.

Group	Settings
Safety	Kill switch, campaign approval, max recipients per campaign, max campaign messages per 24 hours, max cost per campaign
Campaign sending	Messages per minute, quiet hours
Campaign audience	Who may get campaigns, days between campaigns, the four score weights
Privacy	Personal data masking default, default AI limit per user, minutes per answer, audit and AI usage retention days
Ratings and health	Customer rating, rating question, daily digest
Knowledge search	Keyword weight, meaning weight, minimum score
Knowledge files and websites	OCR engine, languages, quality warning, pages per file, pause between pages, pages per site
Look	Default palette for the company
Secret vault	Key id, number of secrets, broken secrets, key rotation

Table 26. General settings.




Figure 68. General settings: privacy, ratings and knowledge search.




Figure 69. General settings: knowledge files, look and the secret vault.

16.2 Kill switch

> **Kill switch**
> When the kill switch is on, no message leaves ChatWise until you switch it off and save. Bots stop without spending AI money, and a running campaign waits: nothing is marked failed, and it continues when the switch is off.

CHAPTER 17

Bridges to CRM, Sales and Inventory

17.1 CRM

- Flow leads and the AI lead tool make CRM leads, with source ChatWise and medium set to the channel.
- **Create lead** in the inbox, the chat's leads under Linked records, and a **Chat** button on the lead.
- Staff can find leads through Ask ChatWise with their own rights.

17.2 Sales

- Verified customers see their own orders, order status with products, invoices, the online payment link and amounts due.
- Order and invoice PDFs can be sent into the chat.
- Quotation drafts: a salesperson checks and sends them.
- Product prices for everybody, with the bot's price list, and product photos into the chat.
- Order counts, revenue and last order date feed the campaign loyalty score.
- Instalment quotes from your own plans (new in 1.1, see Chapter 2).

17.3 Inventory

- Customers see availability as in stock, only a few left, or out of stock, plus the next expected arrival. Never quantities or warehouses.
- Staff see quantities per warehouse.
- Verified customers see their own deliveries with planned and done dates and tracking reference.
- Find a unit by serial, lot or label number with its warranty dates, and a branch per warehouse (new in 1.1, see Chapter 2).

17.4 Worked example: "Where is my order?"


1. A customer writes on WhatsApp. The channel is in Automatic mode.
2. The bot sees the request needs private data. The WhatsApp number matches the contact, so the customer is verified.
3. The Sales tool reads only this customer's orders. The Inventory tool reads the delivery.
4. The bot answers with order status and tracking reference, in the customer's language.
5. If the customer then asks to change the delivery day, the bot hands over with a summary, because it never confirms changes itself.

CHAPTER 18

Privacy and security

18.1 Customer data requests

Settings > Customer data finds everything ChatWise holds about a contact: chats, messages, files, bot jobs, flow runs, identity checks, consent, campaign rows, AI usage and reply-helper drafts.



Flow 19. A customer data request.




Figure 70. Customer data screen.

The Odoo contact itself is not deleted. Campaign delivery rows stay without their reasons.

18.2 Security in plain words

Area	Protection
Webhooks	Unknown token gets 404, bodies over 1 MB are refused, and a Meta signature or Telegram secret header is required before anything is stored. Replays are ignored.
Secrets	Stored in an AES-256-GCM vault, masked on screen, removed from logs, errors, audit rows and exports. Keys rotate in one click.
Rights	Every public method is tested against an employee without ChatWise rights.
Outgoing links	Media downloads and the crawler block private addresses, re-check every redirect, cap sizes and drop the auth header when the host changes.
AI	Tool output and knowledge are passed as data. The customer bot reads only the verified customer's own records.
Records	The audit log and consent log are append-only.

Table 27. Security summary.

CHAPTER 19

Looks, phones and languages

19.1 Looks

There are 5 palettes (Ocean, Emerald, Sunset, Violet, Graphite), each in light and dark, making 10 looks per user. Use the **Look** button on the Inbox, Ask ChatWise and the Dashboard, or My Preferences. **Auto** follows Odoo's own colours, so ChatWise turns dark when Odoo's dark mode is on. Administrators set the company default.

Contrast is checked by a script against WCAG AA in all 10 looks, and the same check runs in the test suite.

19.2 Phones

Inbox, campaigns and the other main screens work on a phone. The Inbox shows one pane with a back button. A campaign shows one column, and the recipient table turns into cards.




Figure 71. The Inbox on a phone: the list and a chat with an AI draft.


19.3 Languages

Every text can be translated. An Arabic sample covers menus, screen titles, main buttons and the Look picker, and shows the right-to-left layout. `i18n/chatwise.pot` is the template for your own language. Texts added after the sample stay in English until translated.

CHAPTER 20

Daily work and troubleshooting

20.1 A normal day



Flow 20. Who looks at what.

20.2 Common situations

What you see	Likely cause	What to do
Messages do not arrive	Webhook not set, or a wrong app secret	Copy the address and token from the Webhook tab again. Look at Webhook events and Health.
Channel shows an error	Expired or revoked token	Paste a new token on the Secrets tab, then test.
Composer is locked	WhatsApp window closed	Send an approved template.
Bot does not answer	Mode is Off, kill switch on, limit used, or too few background threads	Check the channel mode, Settings, AI limits and Health.
Bot hands over too often	Knowledge is missing	Read Questions without answer and add answers.
Campaign does not start	Quiet hours, 24-hour limit, or kill switch	The campaign screen says why.
People skipped in a campaign	Window closed and no template	Add an approved template in the Message part.
AI answer stopped	Limit reached or provider trouble	See AI limits and AI usage, and add a backup provider.
Scan gives poor text	Low OCR quality	Use Read again with OCR, change languages, or use cloud OCR.
Website pages skipped	Needs JavaScript or says noindex	The crawl result gives the reason. Upload a file instead.

Table 28. Troubleshooting.

> **Tip**
> ChatWise does not send anything to the customer when a screen is only being tested. The flow Try it and the Test Lab never send a message.

APPENDIX A

Menu map

Menu	Screen	Chapter
Inbox	All customer chats	6
Campaigns	Campaign cards and screen	12
Bots > Bots and flows	Bots, flows and editor	7, 8
Bots > Test Lab	Playground and question sets	9
Bots > Industry packs	Ready-made bots	9
Knowledge	Bases, sources, questions without answer	10
Ask ChatWise	Staff assistant and reply helper	11
Dashboard	Numbers	14
Settings > General	Company rules, kill switch	15
Settings > Setup wizard	First setup	3
Settings > Customer data	Export and delete	17
Settings > Channels	Connected accounts	4
Settings > Teams, SLA policies	Assignment and targets	5
Settings > Quick replies, Tags	Agent shortcuts	5
Settings > WhatsApp templates	Synced templates	4
Settings > Message prices	Cost estimate table	12
Settings > Consent log, Consent keywords	Opt-in and opt-out	6
Settings > AI providers, AI limits	Keys and spending	13
Settings > AI prompts, AI tools	What the AI reads and can do	13
Settings > Bot replies, Flow runs	Bot history	7, 8
Settings > AI usage	Call log	13
Settings > Webhook events	Incoming log	14
Health	Risk cards	14
Audit	Permanent log	14

Table 29. Menu map.

APPENDIX B

Background jobs

These scheduled actions come with ChatWise. They need `max_cron_threads` at 2 or more.

Job	Runs every
Send queued messages (retries with backoff)	1 minute
Send campaigns	1 minute
Bot answers and drafts (retries with backoff)	1 minute
Compute large campaign audiences	5 minutes
Download customer files (guarded)	5 minutes
Flag late replies and closings (SLA alerts)	5 minutes
Restart stuck bot answers	5 minutes
Test Lab questions	5 minutes
Look up Messenger and Instagram contact names	10 minutes
Try failed webhook items again	10 minutes
Compute knowledge vectors	15 minutes
Read knowledge files (OCR) and websites	15 minutes
Close quiet chats	1 hour
Remove old audit rows, webhook events and AI usage rows	1 day

Table 30. Background jobs.

APPENDIX C

Glossary

Word	Meaning
Audience	The people picked for a campaign
Base	A knowledge base: a set of sources
Bridge	A free module that links ChatWise to CRM, Sales or Inventory
Flow	A fixed conversation that runs before the AI
Handover	The bot passes the chat to a person
Kill switch	One setting that stops every outgoing message
OCR	Reading text from pictures and scans
Passage	A short piece of a source, used to answer a question
Provider	The AI service, with your own key
SLA	A target time for replying or closing
Template	A message approved by Meta for use outside the 24-hour window
Verified customer	A customer whose identity was confirmed
Webhook	The address where a channel delivers messages
Window	The time after a customer's message in which free replies are allowed

Table 31. Glossary.