

API Documentation

- **Post:** /api/auth/signup/client

request body (JSON) :

```
{  
    "email": "amienn@gmail.com",  
    "prenom": "amine",  
    "nom": "admin",  
    "password": "amine"  
}
```

- **Post:** /api/auth/signup/employe

request body (JSON) :

```
{  
    "email": "amienn@gmail.com",  
    "prenom": "amine",  
    "nom": "admin",  
    "password": "amine"  
}
```

- **Post:** /api/auth/signup/
(role admin required)
request body (JSON) :

```
{  
    "email": "amienn@gmail.com",  
    "prenom": "amine",  
    "nom": "admin",  
    "matricule": 1111,  
    "password": "amine",  
    "role": "ROLE_ADMIN"  
}
```

- **Post:** /api/auth/login/
request body (JSON) :

```
{  
    "email": "amien@gmail.com",  
    "password": "amine"  
}
```

- **GET:** /api/auth/logout/
- **GET:** /api/auth/refreshToken/
- **GET:** /profile/ or /profile
- **GET:** /profile/all (requires admin role)
- **PUT:** /profile/update
request body (JSON) :

```
{  
    "email": "amine@gmail.ccm",  
    "nom": "aminee",  
    "prenom": "boumaizaa"  
}
```

- **DELETE:** /profile/delete/{id} (requires admin role)
- **Post:** /tickets/reserve
request body (JSON) :

```

{
    "idService":1,
    "idMunicipalite":1
}

```
- **PUT:** /tickets/update/annuler/{id}
- **PUT:** /tickets/update/enCours/{id}
- **DELETE:** /tickets/delete/{id} : deletes ticket with given id.
(requires admin role)
- **GET:** /tickets/all : returns all tickets of all users.
- **GET:** /tickets/{id} : returns all tickets from the user with the given id.
(requires admin role)
- **GET:** /tickets/ : returns all tickets of logged user.
- **GET:** /tickets/today : returns today's tickets from logged user

- **GET:** /tickets/all/today : returns all today's tickets for all users (requires admin role)
- **GET:** /tickets/enCours: returns all "enCours" tickets for the logged user (requires admin role)
- **GET:** /tickets/history: returns history tickets for the logged user ("encours" and "en_attente" not included) (requires admin role)
- **GET:** /municipalite/gouvernorat/id/{idGouvernorat}: returns a list of municipalite for the given gouvernorat.
- **GET:** /municipalite/gouvernorat/name/{gouvName}: returns a list of municipalite for the given gouvernorat.
- **GET:** gouvernorat/all : returns a list of gouvernorats.
- **GET:** /service/all: returns a list of services.
- **GET:** /service/id/{id}: returns the service for the given id.
- **GET:** /service/name/{name}: returns the service for the given name.

