



# Decorator Design Pattern in Java with Example



kashish2008

Read

Discuss

Courses

Practice

Video

**Decorator design pattern** allows us to dynamically add functionality and behavior to an object without affecting the behavior of other existing objects within the same class. We use inheritance to extend the behavior of the class. This takes place at compile-time, and all the instances of that class get the extended behavior.

- Decorator patterns allow a user to add new functionality to an existing object without altering its structure. So, there is no change to the original class.
- The decorator design pattern is a structural pattern, which provides a wrapper to the existing class.
- The decorator design pattern uses abstract classes or interfaces with the composition to implement the wrapper.
- Decorator design patterns create decorator classes, which wrap the original class and supply additional functionality by keeping the class methods' signature unchanged.
- Decorator design patterns are most frequently used for applying single responsibility principles since we divide the functionality into classes with unique areas of concern.

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

**Got It !**

*Remember: Certain key points are to be taken into consideration that are as follows:*

- 1. Decorator design pattern is useful in providing runtime modification abilities and hence more flexible. Its easy to maintain and extend when the amount of choices are more.*
- 2. The disadvantage of decorator design pattern is that it uses plenty of similar kind of objects (decorators)*
- 3. Decorator pattern is used a lot in [Java IO classes](#), like [FileReader](#), [BufferedReader](#), etc.*

### Procedure:

1. Create an interface.

---

[Java Arrays](#)   [Java Strings](#)   [Java OOPs](#)   [Java Collection](#)   [Java 8 Tutorial](#)   [Java Multithreading](#)

---

4. Create a concrete decorator class extending the above abstract decorator class.
5. Now use the concrete decorator class created above to decorate interface objects.
6. Lastly, verify the output


### Implementation:

We're going to create a Shape interface and concrete classes implementing the Shape interface. We will then create an abstract decorator class ShapeDecorator implementing the Shape interface and having the Shape object as its instance variable.

1. 'Shape' is the name of the interface

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

3. 'ShapeDecorator' is our abstract decorator class implementing the same 'Shape' interface.
4. RedShapeDecorator is a concrete class implementing ShapeDecorator.
5. DecoratorPatternDemo, our demo class will use RedShapeDecorator to decorate Shape objects.



**Step 1:** Creating an interface named 'Shape'

**Example**

**Java**

```

// Interface named Shape
public interface Shape {

    // Method inside interface
    void draw();
}
  
```

**Step 2:** Create concrete classes implementing the same interface.

Rectangle.java and Circle.java are as follows

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

```
// Class 1
// Class 1 will be implementing the Shape interface

// Rectangle.java
public class Rectangle implements Shape {

    // Overriding the method
    @Override public void draw()
    {
        // /Print statement to execute when
        // draw() method of this class is called
        // later on in the main() method
        System.out.println("Shape: Rectangle");
    }
}
```

## Java

```
// Circle.java
public class Circle implements Shape {

    @Override
    public void draw()
    {
        System.out.println("Shape: Circle");
    }
}
```

**Step 3:** Create an abstract decorator class implementing the Shape interface.

### Example

## Java

```
// Class 2
// Abstract class
// ShapeDecorator.java
```

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

```

// Method 1
// Abstract class method
public ShapeDecorator(Shape decoratedShape)
{
    // This keywordd refers to current object itself
    this.decoratedShape = decoratedShape;
}

// Method 2 - draw()
// Outside abstract class
public void draw() { decoratedShape.draw(); }
}

```

**Step 4:** Create a concrete decorator class extending the ShapeDecorator class.

### Example

## Java

```

// Class 3
// Concrete class extending the abstract class
// RedShapeDecorator.java
public class RedShapeDecorator extends ShapeDecorator {

    public RedShapeDecorator(Shape decoratedShape)
    {
        super(decoratedShape);
    }

    @Override public void draw()
    {
        decoratedShape.draw();
        setRedBorder(decoratedShape);
    }

    private void setRedBorder(Shape decoratedShape)
    {

```

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

**Step 5:** Using the RedShapeDecorator to decorate Shape objects.

## Example

## Java

```
// DecoratorPatternDemo.java

// Class
// Main class
public class DecoratorPatternDemo {

    // Main driver method
    public static void main(String[] args)
    {
        // Creating an object of Shape interface
        // inside the main() method
        Shape circle = new Circle();

        Shape redCircle
            = new RedShapeDecorator(new Circle());

        Shape redRectangle
            = new RedShapeDecorator(new Rectangle());

        // Display message
        System.out.println("Circle with normal border");

        // Calling the draw method over the
        // object calls as created in
        // above classes

        // Call 1
        circle.draw();

        // Display message
        System.out.println("\nCircle of red border");

        // Call 2
        redCircle.draw();
```

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

```
        // Call 3  
        redRectangle.draw();  
    }  
}
```

### Step 6: Verifying the output

#### Output:

Circle with normal border

Shape: Circle

Circle of red border

Shape: Circle

Border Color: Red

Rectangle of red border

Shape: Rectangle

Border Color: Red

#### Output explanation:

*Glancing at the decorator design pattern one can conclude out that this is often a decent choice in the following cases where*

- *When we wish to add, enhance or perhaps remove the behavior or state of objects.*
- *When we just want to modify the functionality of a single object of the class and leave others unchanged.*

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

1. [Pattern pattern\(\) method in Java with Examples](#)

---
2. [Difference Between State and Strategy Design Pattern in Java](#)

---
3. [Design Patterns in Java - Iterator Pattern](#)

---
4. [Singleton Design Pattern | Implementation](#)

---
5. [Singleton Design Pattern | Introduction](#)

---
6. [Object Pool Design Pattern](#)

---
7. [Spring - When to Use Factory Design Pattern Instead of Dependency Injection](#)

---
8. [MVC \(Model View Controller\) Architecture Pattern in Android with Example](#)

---
9. [MVP \(Model View Presenter\) Architecture Pattern in Android with Example](#)

---
10. [Material Design EditText in Android with Example](#)

## Related Tutorials

1. [Spring MVC Tutorial](#)

---
2. [Spring Tutorial](#)

---
3. [Spring Boot Tutorial](#)

---
4. [Java 8 Tutorial](#)

---
5. [Introduction to Monotonic Stack - Data Structure and Algorithm Tutorials](#)

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).



## Collections in Java

## Article Contributed By :

**kashish2008**

kashish2008

## Vote for difficulty

Current difficulty : [Medium](#)

Easy

Normal

Medium

Hard

Expert

**Improved By :** [adityakumar129](#), [surinderdawra388](#), [twinshu\\_parmar](#), [sagartomar9927](#), [swatiomar09](#)

**Article Tags :** [Java-Design-Patterns](#), [Picked](#), [Technical Scriptor 2020](#), [Java](#), [Technical Scriptor](#)

**Practice Tags :** [Java](#)

Improve Article

Report Issue



A-143, 9th Floor, Sovereign Corporate  
Tower, Sector-136, Noida, Uttar Pradesh -  
201305

[feedback@geeksforgeeks.org](mailto:feedback@geeksforgeeks.org)

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

In Media  
Contact Us  
Terms and Conditions  
Privacy Policy  
Copyright Policy  
Third-Party Copyright Notices  
Advertise with us

Python Backend LIVE  
Android App Development  
DevOps LIVE  
DSA in JavaScript

## Languages

Python  
Java  
C++  
GoLang  
SQL  
R Language  
Android Tutorial

## Data Structures

Array  
String  
Linked List  
Stack  
Queue  
Tree  
Graph

## Algorithms

Sorting  
Searching  
Greedy  
Dynamic Programming  
Pattern Searching  
Recursion  
Backtracking

## Web Development

HTML  
CSS  
JavaScript  
Bootstrap  
ReactJS  
AngularJS  
NodeJS

## Computer Science

GATE CS Notes

## Python

Python Programming Examples

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

Software Engineering

Digital Logic Design

Engineering Maths

## Data Science & ML

Data Science With Python

Data Science For Beginner

Machine Learning Tutorial

Maths For Machine Learning

Pandas Tutorial

NumPy Tutorial

NLP Tutorial

Deep Learning Tutorial

OpenCV Python Tutorial

Python Interview Question

## DevOps

Git

AWS

Docker

Kubernetes

Azure

GCP

## Competitive Programming

Top DSA for CP

Top 50 Tree Problems

Top 50 Graph Problems

Top 50 Array Problems

Top 50 String Problems

Top 50 DP Problems

Top 15 Websites for CP

## System Design

What is System Design

Monolithic and Distributed SD

Scalability in SD

Databases in SD

High Level Design or HLD

Low Level Design or LLD

Top SD Interview Questions

## Interview Corner

Company Preparation

Preparation for SDE

Company Interview Corner

Experienced Interview

## GfG School

CBSE Notes for Class 8

CBSE Notes for Class 9

CBSE Notes for Class 10

CBSE Notes for Class 11

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

## Commerce

Accountancy  
Business Studies  
Microeconomics  
Macroeconomics  
Statistics for Economics  
Indian Economic Development

## UPSC

Polity Notes  
Geography Notes  
History Notes  
Science and Technology Notes  
Economics Notes  
Important Topics in Ethics  
UPSC Previous Year Papers

## SSC/ BANKING

SSC CGL Syllabus  
SBI PO Syllabus  
SBI Clerk Syllabus  
IBPS PO Syllabus  
IBPS Clerk Syllabus  
Aptitude Questions  
SSC CGL Practice Papers

## Write & Earn

Write an Article  
Improve an Article  
Pick Topics to Write  
Write Interview Experience  
Internships  
Video Internship

@geeksforgeeks , Some rights reserved

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).