

E-Topshiring

2.5.1.

#include <iostream>

using namespace std;

~~int main()~~

class shakl {

public:

string nomi;

string burchak-s;

};

class Uchburchak: public shakl {

public:

};

class Trapetsiya: public Uchburchak {

public:

};

class Doira: public Trapetsiya {

public:

int diametri;

};

int main() {

Doira d:

```
d.nomi("doira");  
d.burchaks("Haqimov");  
d.diametri(10)
```

```
cout << d.nomi << endl;
```

```
cout << d.burchaks << endl;
```

```
cout << d.diametri << endl;
```

```
return 0;
```

```
}
```

2.5.2

```
#include <iostream>
```

```
using namespace std;
```

```
class Doira {
```

```
public:
```

```
    string ism;
```

```
    int yoshi;
```

```
};
```

```
class Xodim : public Doira {
```

```
public:
```

```
    int ish-s;
```

```
};
```

```
int main() {
```

```
    Xodim x;
```

```
    x.ism = "Abbos";
```

```
    x.yoshi = 18;
```

```
    x.ish-s = 2;
```

```
    cout << x.ism << endl;
```

```
    cout << x.yoshi << endl;
```

```
    cout << x.ish-s << endl;
```

```
    return 0;
```

```
}
```

2.5.3.

```
#include <iostream>
```

```
using namespace std;
```

```
class Mashina {
```

```
public:
```

```
    string tezlik;
```

```
    int harx;
```

```
};
```

```
class Yuton : public Mashina {
```

```
public:
```

```
};
```



```
class Tengilm: public Gurof
public:
```

```
float vazon;
```

```
};
```

```
int main() {
```

```
    Tengilm g;
```

```
    g.tazlik < "180 km/h";
```

```
    g.narxi = 120;
```

```
    g.vazn = 1200;
```

```
    cout << g.tazlik << endl;
```

```
    cout << g.narxi << endl;
```

```
    cout << g.vazn << endl;
```

```
    return 0;
```

```
}
```

4.5.4.

```
#include <iostream>
```

```
using namespace std;
```

```
class Sportchi {
```

```
public:
```

```
    string ism; }
```

```
class Futbolchi: public Sportchi {
```

```
public:
```

```
    int tajribasi;
```

```
};
```

```
class Basketbolchi: public Futbolchi {
```

```
public:
```

```
};
```

```
int main() {
```

```
    Basketbolchi b;
```

```
    b.ism = "Abbos";
```

```
    b.tajribasi = 2;
```

```
    cout << b.ism << endl;
```

```
    cout << b.tajribasi << endl;
```

```
    return 0;
```

```
}
```

4.5.5.

```
#include <iostream>
```

```
using namespace std;
```

```
class Gurilmal {
```



```

string nomi;
int narxi;
};

class Teligon: public Qurilma {
public:
    int yil;
};

class Kompyuter: public Teligon {
public:
};

int main() {
    Kompyuter k;
    k.nomi = "hp";
    k.narxi = 6000000;
    k.yil = 2015;
    cout << k.nomi << endl;
    cout << k.narxi << endl;
    cout << k.yil << endl;
    return 0;
}

```

2.3.6.

```

#include <iostream>
using namespace std;

class Tashkilot {
public:
    string nomi;
};

class Bank: public Tashkilot {
public:
    int ishchilars;
};

class Maktab: public Bank {
public:
    int u-si;
};

int main() {
    Maktab m;
    m.nomi = "Hamir Temur";
    m.ishchilars = 20;
    m.u-si = 1200;
}

```



```

cout << m.nomi << endl;
cout << m.ishtila-s << endl;
cout << m.u-s << endl;
return 0;
}

```

2.5.7

```

#include <iostream>
using namespace std;
class Football {
public:
    string nomi;
};

```

```

class Basketbolk: public Football {
public:
    int l-s;
};

```

```

int main() {
    Basketbolk b;
    b.nomi = "Mirzabek";
    b.l-s = 18;
}

```

```

cout << b.nomi << endl;
cout << b.l-s << endl;
return 0;
}

```

2.5.8

```

#include <iostream>
using namespace std;

```

```

class Odam {

```

```

public:

```

```

    string im;
}

```

```

class Ogiltuvchi: public Odam {

```

```

public:

```

```

    int fajs;
}

```

```

int main() {

```

```

    Ogiltuvchi u;

```

```

    u.im = "Abbos";

```

```

    u.fajs = 2;

```

```

    cout << u.im << " " << u.fajs << endl;
}

```



```
return 0;  
}
```

2.5.10.

```
#include <iostream>
```

```
using namespace std;
```

```
class Odam {
```

```
    string um;
```

```
};
```

```
class Xodim: public Odam {
```

```
    public:
```

```
    int ts;
```

```
};
```

```
class Qurigchi: public Xodim {
```

```
    public:
```

```
    int o-s;
```

```
};
```

```
int main() {
```

```
    Qurigchi q;
```

```
    q.um = "Ikmal";
```

```
    q.ts = 3;
```

```
    q.o-s = 4000000;
```

```
    cout << q.um << endl;
```

```
    cout << q.ts << endl;
```

```
    cout << q.o-s << endl;
```

```
    return 0;
```

```
}
```

2.5.11

```
#include <iostream>
```

```
using namespace std;
```

```
class Hayvon {
```

```
    public:
```

```
    string nomi;
```

```
};
```

```
class IT: public Hayvon {
```

```
    int yosh;
```

```
};
```

```
class Cat: public IT {
```

```
    public:
```

```
};
```

```
int main() {
```

```
    Cat c;
```



```
C.nomi = "—";
```

```
c.yosh = 3;
```

```
cout << c.nomi << endl;
```

```
cout << c.yosh << endl;
```

```
return 0;
```

```
}
```

```
2.5.12;
```

```
#include <iostream>
```

```
using namespace std;
```

```
class IPhone {
```

```
public:
```

```
int narx;
```

```
int yil;
```

```
};
```

```
class Samsung : public IPhone {
```

```
public:
```

```
};
```

```
int main() {
```

```
Samsung s;
```

```
s.narx = 10000000;
```


s.gil 2 2024.

cout << s.nomi << endl;

cout << s.gil << endl;

return 0;

}

2.5.13.

#include <iostream>

using namespace std;

class Shakllar {

public:

string nomi;

};

class Tortburchak : public Shakllar {

public:

int burchak-s;

};

int main () {

Tortburchak t;

t.nomi = "Tortburchak";

t.burchak-s = 4;


```

cout << t.nomi << endl;
cout << t.burchat << endl;
return 0;
}

```

2.5.14.

```

#include <iostream>
using namespace std;
class Polom {
public:
    string familiya;
}

```

```

class Abutrenth {
public:
    string nomi;
}

```

```

class Talaba: public Abutrenth {
public:
    int yosh;
}

```

```

int main() {
    Talaba t;
}

```

```

t.ism = "Abbos";

```

```

t.yosh = 18;

```

```

cout << t.ism << endl;

```

```

cout << t.yosh << endl;

```

```

return 0;
}

```

2.5.15;

```

#include <iostream>

```

```

using namespace std;

```

```

class shakl {
public:
    string nomi;
}

```

```

class Uchburchak: public shakl {
public:
    int b;
    int i;
}

```

```

class TBH: public Uchburchak {
public:
}

```

```

class TYH: public Uchburchak {
}

```



```

    public:
};
int main() {
    T4 t;
    t.b.s = 4;
    t.i.y = 180;
    cout << t.b.s << endl;
    cout << t.i.y << endl;
    return 0;
}

```

2.5.18.

```

#include <iostream>
using namespace std;
class Elektroph
    public:
    string nomi;
};
class Komputer {
    public:
    int narxi;
    int yil;
};

```

```

class Planshet : public Komputer {
    public:
};

```

```

class Telefon : public Komputer {
    public:

```

```

    string rangi;
};

```

```

int main() {

```

```

    Telefon t;

```

```

    t.narxi = 10000000;

```

```

    t.yil = 2015;

```

```

    t.rangi = "qizil";

```

```

    cout << t.narxi << endl;

```

```

    cout << t.yil << endl;

```

```

    cout << t.rangi << endl;

```

```

    return 0;
}

```

2.5.18.

```

#include <iostream>
using namespace std;

```


C. nomi - " "

```
class Operation {
```

```
public:
```

```
string nomi;
```

```
};
```

```
class Window {
```

```
public:
```

```
string hajmi;
```

```
string g-z;
```

```
};
```

```
class WindowXP : public Window {
```

```
public:
```

```
};
```

```
class Window8 : public Window {
```

```
public:
```

```
};
```

```
class Window10 : public Window {
```

```
public:
```

```
int xotira;
```

```
};
```

```
int main() {
```

```
Window w;
```

```
w.hajmi = "150";
```

```
w.g-z = "...";
```

```
w.xotira = 55;
```

```
cout << w.hajmi << endl;
```

```
cout << w.g-z << endl;
```

```
cout << w.xotira << endl;
```

```
return;
```

```
}
```

2.5.13.

```
#include <iostream>
```

```
using namespace std;
```

```
class Operation {
```

```
public:
```

```
int hajmi;
```

```
int xotira;
```

```
};
```

```
class Android : public Operation {
```

```
public:
```

```
string g-z;
```

```
};
```



```
int main() {
```

```
    Android a;
```

```
    a.hajmi = ("Sontajnga eg");
```

```
    a.xotirasi = 256;
```

```
    a.g = 2 "Gora";
```

```
    cout << endl << a.hajmi << endl;
```

```
    cout << a.xotirasi << endl;
```

```
    cout << a.g << endl;
```

```
    return;
```

```
}
```