

Abby's Doc Site Name

test

None

Copyright © Abby.huang - All rights reserved.

Table of contents

1. HOMEPAGE	3
1.1 Links	3
1.2 I'm a code block	3
1.3 I'm a diagram	4
2. Page	6
2.1 Syntax	6
2.2 Subtitle	6
2.3 I'm a link	9
2.4 I'm section3	9
2.5 I'm section4	9
3. This is folder	10
3.1 folder2	10
3.2 This is folder page 1	11
4. OpenAPI	12

1. HOMEPAGE

Click on a tile to change the primary color:

red pink purple deep purple indigo blue light blue cyan teal green light green lime yellow amber orange deep orange brown grey blue grey
black white

1.1 Links

[I'm a link](#)

1.2 I'm a code block

```
SELECT * FROM table WHERE id = 1;
```

1.3 I'm a diagram

source diagram

```

alter_graph_type ::=
  'ALTER' 'PROPERTY'? 'GRAPH' 'TYPE' graph_type_name '{' single_alter_specification ( ',' single_alter_specification )* '}'

single_alter_specification ::=
  alter_node_specification
  | alter_edge_specification

alter_node_specification ::=
  add_node_type_specification
  | drop_node_type_specification
  | rename_node_type_specification
  | alter_node_label_property_specification

add_node_type_specification ::=
  'ADD' node_type_pattern

node_type_pattern ::=
  ('NODE' 'TYPE'? ('IF' 'NOT' 'EXISTS')? node_type_name )? (' local_node_type_alias? node_type_filler? ')

node_type_filler ::=
  label_set_definition
  | '{' (node_property_definition (',' node_property_definition)* )? (' PRIMARY' 'KEY' '(' primary_key_list ')' )? '}'
  | label_set_definition '{' (node_property_definition (',' node_property_definition)* )? (' PRIMARY' 'KEY' '(' primary_key_list ')' )? '}'

label_set_definition ::=
  'LABEL' label_name
  | 'LABELS' label_name ('&' label_name)*
  | ('IS' | ':' ) label_name ('&' label_name)*

node_property_definition ::=
  property_name (':' | 'TYPED')? property_value_type ('NOT' 'NULL')? ('PRIMARY' 'KEY')?

primary_key_list ::=
  property_name (',' property_name)*

drop_node_type_specification ::=
  'DROP' 'NODE' 'TYPE'? ('IF' 'EXISTS')? node_type_name

rename_node_type_specification ::=
  'RENAME' 'NODE' 'TYPE'? old_node_type_name 'TO' new_node_type_name

alter_node_label_property_specification ::=
  'ALTER' 'NODE' 'TYPE'? node_type_name single_alter_label_property_specification (single_alter_label_property_specification)*

single_alter_label_property_specification ::=
  add_label_specification
  | drop_label_specification
  | add_property_specification
  | drop_property_specification
  | modify_property_specification
  | rename_property_specification

add_label_specification ::=
  'ADD' 'LABELS' ('IF' 'NOT' 'EXISTS')? label_name ('&' label_name)*

drop_label_specification ::=
  'DROP' 'LABELS' ('IF' 'EXISTS')? label_name ('&' label_name)*

add_property_specification ::=
  'ADD' 'PROPERTIES' ('IF' 'NOT' 'EXISTS')? '{' property_type (',' property_type)* '}'

property_type ::=
  property_name (':' | 'TYPED')? property_value_type

drop_property_specification ::=
  'DROP' 'PROPERTIES' ('IF' 'EXISTS')? '{' property_name (',' property_name)* '}'

modify_property_specification ::=
  'MODIFY' 'PROPERTIES' '{' property_type (',' property_type)* '}'

rename_property_specification ::=
  'RENAME' 'PROPERTIES' '{' old_property_name 'TO' new_property_name (',' old_property_name 'TO' new_property_name)* '}'

alter_edge_specification ::=
  add_edge_type_specification
  | drop_edge_type_specification
  | rename_edge_type_specification
  | alter_edge_label_property_specification

add_edge_type_specification ::=
  'ADD' edge_type_pattern

edge_type_pattern ::=
  ('EDGE' 'TYPE'? ('IF' 'NOT' 'EXISTS')? edge_type_name)? '{' edge_type_pattern_specifications '}'

edge_type_pattern_specifications ::=
  source_node_type_reference '-' '[' edge_type_filler ']' '->' destination_node_type_reference
  | destination_node_type_reference '<-' '[' edge_type_filler ']' '->' source_node_type_reference
  | source_node_type_reference '~' '[' edge_type_filler ']' '~' destination_node_type_reference

source_node_type_reference ::=
  '(' source_node_type_name ')'
  | '(' node_type_filler? ')'

edge_type_filler ::=
  label_set_definition
  | '{' (edge_property_definition (',' edge_property_definition)* )? (' MULTIEDGE' 'KEY' '(' multiedge_key_list ')' )? '}'
  | label_set_definition '{' (edge_property_definition (',' edge_property_definition)* )? (' MULTIEDGE' 'KEY' '(' multiedge_key_list ')' )? '}'

edge_property_definition ::=

```

2. Page


2.1 Syntax

source	diagram
<pre>AlterDatabaseStmt ::= 'ALTER' 'DATABASE' DBName? DatabaseOptionList DatabaseOption ::= DefaultKwdOpt (CharSetKw '='? CharSetName 'COLLATE' '='? CollationName 'ENCRYPTION' '='? EncryptionOpt)</pre>	

AlterDatabaseStmt ::=



DatabaseOption ::=



2.2 Subtitle

- back to top button test
- back to top button test
- back to top button test
- back to top button testback to top button test back to top button test
- back to top button test
- back to top button test
- back to top button test back to top button test back to top button test
- back to top button test
- back to top button test
- back to top button testback to top button test back to top button test
- back to top button test
- back to top button test
- back to top button test back to top button test back to top button test
- back to top button test
- back to top button test
- back to top button testback to top button test back to top button test
- back to top button test

back to top button test

back to top button test back to top button test back to top button test

back to top button test

back to top button test

back to top button testback to top button test back to top button test

back to top button test

back to top button test

back to top button test back to top button test back to top button test

back to top button test

back to top button test

back to top button testback to top button test back to top button test

back to top button test

back to top button test

back to top button test back to top button test back to top button test

back to top button test

back to top button test

back to top button testback to top button test back to top button test

back to top button test

back to top button test

back to top button test back to top button test back to top button test

back to top button test

back to top button test

back to top button testback to top button test back to top button test

back to top button test

back to top button test

back to top button test back to top button test

top button test

back to top button test

back to top button testback to top button test back to top button test

back to top button test

back to top button test

back to top button test back to top button test back to top button test

back to top button test

back to top button test

back to top button testback to top button test back to top button test

back to top button test

back to top button test

back to top button test back to top button test

top button test

back to top button test

back to top button testback to top button test back to top button test

back to top button test

back to top button test

back to top button test back to top button test back to top button test

back to top button test

back to top button test

back to top button test back to top button test back to top button test

back to top button test

back to top button test

back to top button testback to top button test back to top button test

back to top button test

back to top button test

back to top button test back to top button test top button test

back to top button test

back to top button testback to top button test back to top button test

back to top button test

back to top button test

back to top button test back to top button test back to top button test

back to top button test

back to top button test

back to top button testback to top button test back to top button test

back to top button test

back to top button test

back to top button test back to top button test

2.2.1 Subtitle

2.2.2 Subtitle

2.3 I'm a link

I'm a link

2.4 I'm section3

2.5 I'm section4

3. This is folder

3.1 folder2

3.1.1 title

subtitle 1

SUBTITLE 1.2

subtitle 2

Syntax

diagram source

AlterDatabaseStmt ::=

» ALTER DATABASE DBName? DatabaseOptionList

DatabaseOption ::=

» DefaultKwdOpt (CharSetKw '='? CharSetName | 'COLLATE' '='? CollationName | 'ENCRYPTION' '='? EncryptionOpt)


```
AlterDatabaseStmt ::=
  'ALTER' 'DATABASE' DBName? DatabaseOptionList

DatabaseOption ::=
  DefaultKwdOpt ( CharSetKw '='? CharSetName | 'COLLATE' '='? CollationName | 'ENCRYPTION' '='? EncryptionOpt )
```

3.2 This is folder page 1

```
AlterDatabaseStmt ::=  
  'ALTER' 'DATABASE' DBName? DatabaseOptionList  
  
DatabaseOption ::=  
  DefaultKwdOpt ( CharSetKw '='? CharSetName | 'COLLATE' '='? CollationName | 'ENCRYPTION' '='? EncryptionOpt )
```

4. OpenAPI



<https://abby-cyber.github.io/master>