

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

```
df=pd.read_csv('laptop_data.csv')
df.head()
```

	Unnamed: 0	Company	TypeName	Inches	ScreenResolution	Cpu	Ram	Memory	Gpu	OpSys	Weight	Price
0	0	Apple	Ultrabook	13.3	IPS Panel Retina Display 2560x1600	Intel Core i5 2.3GHz	8GB	128GB SSD	Intel Iris Plus Graphics 640	macOS	1.37kg	71378.6832
1	1	Apple	Ultrabook	13.3	1440x900	Intel Core i5 1.8GHz	8GB	128GB Flash Storage	Intel HD Graphics 6000	macOS	1.34kg	47895.5232
2	2	HP	Notebook	15.6	Full HD 1920x1080	Intel Core i5 7200U 2.5GHz	8GB	256GB SSD	Intel HD Graphics 620	No OS	1.86kg	30636.0000
3	3	Apple	Ultrabook	15.4	IPS Panel Retina Display 2880x1800	Intel Core i7 2.7GHz	16GB	512GB SSD	AMD Radeon Pro 455	macOS	1.83kg	135195.3360
4	4	Apple	Ultrabook	13.3	IPS Panel Retina Display 2560x1600	Intel Core i5 3.1GHz	8GB	256GB SSD	Intel Iris Plus Graphics 650	macOS	1.37kg	96095.8080

```
df.shape
```

```
(1303, 12)
```

```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 1303 entries, 0 to 1302
Data columns (total 12 columns):
#   Column                Non-Null Count  Dtype
---  -
0   Unnamed: 0            1303 non-null  int64
1   Company               1303 non-null  object
2   TypeName              1303 non-null  object
3   Inches                1303 non-null  float64
4   ScreenResolution      1303 non-null  object
5   Cpu                   1303 non-null  object
6   Ram                   1303 non-null  object
7   Memory                1303 non-null  object
8   Gpu                   1303 non-null  object
9   OpSys                 1303 non-null  object
10  Weight                1303 non-null  object
11  Price                 1303 non-null  float64
dtypes: float64(2), int64(1), object(9)
memory usage: 122.3+ KB
```

```
df.duplicated().sum()
```

```
0
```

```
df.isnull().sum()
```

```
Unnamed: 0      0
Company         0
TypeName        0
Inches         0
ScreenResolution 0
Cpu            0
Ram            0
Memory         0
Gpu            0
OpSys          0
Weight         0
Price          0
dtype: int64
```

```
df.drop(columns=['Unnamed: 0'],inplace=True)
```

```
df.head()
```

	Company	TypeName	Inches	ScreenResolution	Cpu	Ram	Memory	Gpu	OpSys	Weight	Price
0	Apple	Ultrabook	13.3	IPS Panel Retina Display 2560x1600	Intel Core i5 2.3GHz	8GB	128GB SSD	Intel Iris Plus Graphics 640	macOS	1.37kg	71378.6832
1	Apple	Ultrabook	13.3	1440x900	Intel Core i5 1.8GHz	8GB	128GB Flash Storage	Intel HD Graphics 6000	macOS	1.34kg	47895.5232
2	HP	Notebook	15.6	Full HD 1920x1080	Intel Core i5 7200U 2.5GHz	8GB	256GB SSD	Intel HD Graphics 620	No OS	1.86kg	30636.0000
3	Apple	Ultrabook	15.4	IPS Panel Retina Display 2880x1800	Intel Core i7 2.7GHz	16GB	512GB SSD	AMD Radeon Pro 455	macOS	1.83kg	135195.3360
4	Apple	Ultrabook	13.3	IPS Panel Retina Display 2560x1600	Intel Core i5 3.1GHz	8GB	256GB SSD	Intel Iris Plus Graphics 650	macOS	1.37kg	96095.8080

```
df['Ram']=df['Ram'].str.replace('GB','')
```

```
df['Weight']=df['Weight'].str.replace('kg','')
```

```
df.head()
```

	Company	TypeName	Inches	ScreenResolution	Cpu	Ram	Memory	Gpu	OpSys	Weight	Price
0	Apple	Ultrabook	13.3	IPS Panel Retina Display 2560x1600	Intel Core i5 2.3GHz	8	128GB SSD	Intel Iris Plus Graphics 640	macOS	1.37	71378.6832
1	Apple	Ultrabook	13.3	1440x900	Intel Core i5 1.8GHz	8	128GB Flash Storage	Intel HD Graphics 6000	macOS	1.34	47895.5232
2	HP	Notebook	15.6	Full HD 1920x1080	Intel Core i5 7200U 2.5GHz	8	256GB SSD	Intel HD Graphics 620	No OS	1.86	30636.0000
3	Apple	Ultrabook	15.4	IPS Panel Retina Display 2880x1800	Intel Core i7 2.7GHz	16	512GB SSD	AMD Radeon Pro 455	macOS	1.83	135195.3360
4	Apple	Ultrabook	13.3	IPS Panel Retina Display 2560x1600	Intel Core i5 3.1GHz	8	256GB SSD	Intel Iris Plus Graphics 650	macOS	1.37	96095.8080

```
df['Ram']=df['Ram'].astype('int32')
df['Weight']= df['Weight'].astype('float32')
```

```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>  
RangeIndex: 1303 entries, 0 to 1302  
Data columns (total 11 columns):  
#   Column                Non-Null Count  Dtype  
---  ---  
0   Company               1303 non-null   object  
1   TypeName              1303 non-null   object  
2   Inches                1303 non-null   float64  
3   ScreenResolution      1303 non-null   object  
4   Cpu                   1303 non-null   object  
5   Ram                   1303 non-null   int32  
6   Memory                1303 non-null   object  
7   Gpu                   1303 non-null   object  
8   OpSys                 1303 non-null   object  
9   Weight                1303 non-null   float32  
10  Price                 1303 non-null   float64  
dtypes: float32(1), float64(2), int32(1), object(7)  
memory usage: 101.9+ KB
```

```
sns.distplot(df['Price'])
```

C:\Users\Lenovo\AppData\Local\Temp\ipykernel_14124\834922981.py:1: UserWarning:


``distplot` is a deprecated function and will be removed in seaborn v0.14.0.`

Please adapt your code to use either ``displot`` (a figure-level function with similar flexibility) or ``histplot`` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>


```
sns.distplot(df['Price'])
```

<Axes: xlabel='Price', ylabel='Density'>




```
df['Company'].value_counts().plot(kind='bar')
```

<Axes: >




```
sns.barplot(x=df['Company'],y=df['Price'])  
plt.xticks(rotation='vertical')  
plt.show()
```




```
df['TypeName'].value_counts().plot(kind='bar')
```

<Axes: >



```
sns.barplot(x=df['TypeName'],y=df['Price'])  
plt.xticks(rotation='vertical')  
plt.show()
```




```
sns.distplot(df['Inches'])
```

C:\Users\Lenovo\AppData\Local\Temp\ipykernel_14124\1439577752.py:1: UserWarning:


`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>


```
sns.distplot(df['Inches'])
```

<Axes: xlabel='Inches', ylabel='Density'>



```
sns.scatterplot(x=df['Inches'],y=df['Price'])
```

```
<Axes: xlabel='Inches', ylabel='Price'>
```



```
df['ScreenResolution'].value_counts()
```

Full HD 1920x1080	507
1366x768	281
IPS Panel Full HD 1920x1080	230
IPS Panel Full HD / Touchscreen 1920x1080	53
Full HD / Touchscreen 1920x1080	47
1600x900	23
Touchscreen 1366x768	16
Quad HD+ / Touchscreen 3200x1800	15
IPS Panel 4K Ultra HD 3840x2160	12
IPS Panel 4K Ultra HD / Touchscreen 3840x2160	11
4K Ultra HD / Touchscreen 3840x2160	10
4K Ultra HD 3840x2160	7
Touchscreen 2560x1440	7
IPS Panel 1366x768	7
IPS Panel Quad HD+ / Touchscreen 3200x1800	6
IPS Panel Retina Display 2560x1600	6
IPS Panel Retina Display 2304x1440	6
Touchscreen 2256x1504	6
IPS Panel Touchscreen 2560x1440	5
IPS Panel Retina Display 2880x1800	4
IPS Panel Touchscreen 1920x1200	4
1440x900	4
IPS Panel 2560x1440	4
IPS Panel Quad HD+ 2560x1440	3
Quad HD+ 3200x1800	3
1920x1080	3
Touchscreen 2400x1600	3
2560x1440	3
IPS Panel Touchscreen 1366x768	3
IPS Panel Touchscreen / 4K Ultra HD 3840x2160	2
IPS Panel Full HD 2160x1440	2
IPS Panel Quad HD+ 3200x1800	2
-----	-


```
df['Touchscreen'] =df['ScreenResolution'].apply(lambda x:1 if 'Touchscreen' in x else 0)
```

```
df.sample(10)
```

	Company	TypeName	Inches	ScreenResolution	Cpu	Ram	Memory	Gpu	OpSys	Weight	Price	Touchscreen
741	Dell	Notebook	15.6	1366x768	Intel Core i3 6006U 2GHz	8	256GB SSD	Intel HD Graphics 520	Windows 10	2.00	35431.2000	0
1164	HP	Notebook	15.6	1366x768	Intel Core i5 6200U 2.3GHz	4	500GB HDD	Intel HD Graphics 520	No OS	2.10	25414.0272	0
1114	Lenovo	2 in 1 Convertible	10.1	IPS Panel Touchscreen 1920x1200	Intel Atom x5-Z8550 1.44GHz	4	64GB Flash Storage	Intel HD Graphics 400	Android	0.69	29250.7200	1
1281	Dell	Notebook	15.6	1366x768	Intel Core i7 7500U 2.7GHz	8	1TB HDD	AMD Radeon R5 M430	Linux	2.30	42943.1472	0
740	Dell	Notebook	15.6	Full HD 1920x1080	Intel Core i7 7500U 2.7GHz	8	128GB SSD + 1TB HDD	Nvidia GeForce 940MX	Windows 10	2.00	64308.9600	0
108	MSI	Gaming	15.6	Full HD 1920x1080	Intel Core i7 7700HQ 2.8GHz	16	256GB SSD + 1TB HDD	Nvidia GeForce GTX 1050 Ti	Windows 10	2.20	69210.7200	0
237	Asus	Notebook	15.6	Full HD 1920x1080	AMD A10-Series A10-9620P 2.5GHz	4	128GB SSD + 1TB HDD	AMD Radeon R5 M430	Windows 10	2.20	30636.0000	0
499	Lenovo	Notebook	15.6	IPS Panel Full HD 1920x1080	Intel Core i5 7200U 2.5GHz	8	256GB SSD	Intel HD Graphics 620	Windows 10	2.30	48538.0800	0
167	Dell	Gaming	15.6	Full HD 1920x1080	Intel Core i7 7700HQ 2.8GHz	8	128GB SSD + 1TB HDD	Nvidia GeForce GTX 1050	Windows 10	2.56	56502.9072	0
981	Toshiba	Notebook	13.3	Full HD 1920x1080	Intel Core i5 6200U 2.3GHz	4	128GB SSD	Intel HD Graphics 520	Windows 7	1.20	63669.6000	0


```
df['Touchscreen'].value_counts().plot(kind='bar')
```

<Axes: >



```
sns.barplot(x=df['Touchscreen'],y=df['Price'])
```

```
<Axes: xlabel='Touchscreen', ylabel='Price'>
```




```
df['IPS'] =df['ScreenResolution'].apply(lambda x:1 if 'IPS' in x else 0)
```

```
df.head()
```

	Company	TypeName	Inches	ScreenResolution	Cpu	Ram	Memory	Gpu	OpSys	Weight	Price	Touchscreen	IPS
0	Apple	Ultrabook	13.3	IPS Panel Retina Display 2560x1600	Intel Core i5 2.3GHz	8	128GB SSD	Intel Iris Plus Graphics 640	macOS	1.37	71378.6832	0	1
1	Apple	Ultrabook	13.3	1440x900	Intel Core i5 1.8GHz	8	128GB Flash Storage	Intel HD Graphics 6000	macOS	1.34	47895.5232	0	0
2	HP	Notebook	15.6	Full HD 1920x1080	Intel Core i5 7200U 2.5GHz	8	256GB SSD	Intel HD Graphics 620	No OS	1.86	30636.0000	0	0
3	Apple	Ultrabook	15.4	IPS Panel Retina Display 2880x1800	Intel Core i7 2.7GHz	16	512GB SSD	AMD Radeon Pro 455	macOS	1.83	135195.3360	0	1
4	Apple	Ultrabook	13.3	IPS Panel Retina Display 2560x1600	Intel Core i5 3.1GHz	8	256GB SSD	Intel Iris Plus Graphics 650	macOS	1.37	96095.8080	0	1


```
df['IPS'].value_counts().plot(kind='bar')
```

<Axes: >



```
sns.barplot(x=df['IPS'],y=df['Price'])
```

```
<Axes: xlabel='IPS', ylabel='Price'>
```



```
new = df['ScreenResolution'].str.split('x',n=1,expand=True)
```

```
df['x_res'] = new[0]
df['y_res'] = new[1]
```

```
df.head()
```

	Company	TypeName	Inches	ScreenResolution	Cpu	Ram	Memory	Gpu	OpSys	Weight	Price	Touchscreen	IPS	x_res	y_res
0	Apple	Ultrabook	13.3	IPS Panel Retina Display 2560x1600	Intel Core i5 2.3GHz	8	128GB SSD	Intel Iris Plus Graphics 640	macOS	1.37	71378.6832	0	1	IPS Panel Retina Display 2560	1600
1	Apple	Ultrabook	13.3	1440x900	Intel Core i5 1.8GHz	8	128GB Flash Storage	Intel HD Graphics 6000	macOS	1.34	47895.5232	0	0	1440	900
2	HP	Notebook	15.6	Full HD 1920x1080	Intel Core i5 7200U 2.5GHz	8	256GB SSD	Intel HD Graphics 620	No OS	1.86	30636.0000	0	0	Full HD 1920	1080
3	Apple	Ultrabook	15.4	IPS Panel Retina Display 2880x1800	Intel Core i7 2.7GHz	16	512GB SSD	AMD Radeon Pro 455	macOS	1.83	135195.3360	0	1	IPS Panel Retina Display 2880	1800
4	Apple	Ultrabook	13.3	IPS Panel Retina Display 2560x1600	Intel Core i5 3.1GHz	8	256GB SSD	Intel Iris Plus Graphics 650	macOS	1.37	96095.8080	0	1	IPS Panel Retina Display 2560	1600

```
df['x_res'] = df['x_res'].str.replace(',', '').str.findall(r'(\d+\.\d+)').apply(lambda x:x[0])
```

```
df['x_res']
```

```
0      2560
1      1440
2      1920
3      2880
4      2560
...
1298   1920
1299   3200
1300   1366
1301   1366
1302   1366
Name: x_res, Length: 1303, dtype: object
```

```
df.head()
```

	Company	TypeName	Inches	ScreenResolution	Cpu	Ram	Memory	Gpu	OpSys	Weight	Price	Touchscreen	IPS	x_res	y_res
0	Apple	Ultrabook	13.3	IPS Panel Retina Display 2560x1600	Intel Core i5 2.3GHz	8	128GB SSD	Intel Iris Plus Graphics 640	macOS	1.37	71378.6832	0	1	2560	1600
1	Apple	Ultrabook	13.3	1440x900	Intel Core i5 1.8GHz	8	128GB Flash Storage	Intel HD Graphics 6000	macOS	1.34	47895.5232	0	0	1440	900
2	HP	Notebook	15.6	Full HD 1920x1080	Intel Core i5 7200U 2.5GHz	8	256GB SSD	Intel HD Graphics 620	No OS	1.86	30636.0000	0	0	1920	1080
3	Apple	Ultrabook	15.4	IPS Panel Retina Display 2880x1800	Intel Core i7 2.7GHz	16	512GB SSD	AMD Radeon Pro 455	macOS	1.83	135195.3360	0	1	2880	1800

```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 1303 entries, 0 to 1302
Data columns (total 15 columns):
#   Column                Non-Null Count  Dtype
---  -
0   Company               1303 non-null  object
1   TypeName              1303 non-null  object
2   Inches               1303 non-null  float64
3   ScreenResolution      1303 non-null  object
4   Cpu                  1303 non-null  object
5   Ram                  1303 non-null  int32
6   Memory               1303 non-null  object
7   Gpu                  1303 non-null  object
8   OpSys                1303 non-null  object
9   Weight               1303 non-null  float32
10  Price                1303 non-null  float64
11  Touchscreen          1303 non-null  int64
12  IPS                  1303 non-null  int64
13  x_res                1303 non-null  object
14  y_res                1303 non-null  object
dtypes: float32(1), float64(2), int32(1), int64(2), object(9)
memory usage: 142.6+ KB
```

```
df['x_res'] = df['x_res'].astype('int32')
df['y_res'] = df['y_res'].astype('int32')
```



```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 1303 entries, 0 to 1302
Data columns (total 15 columns):
#   Column                Non-Null Count  Dtype
---  -
0   Company                1303 non-null   object
1   TypeName               1303 non-null   object
2   Inches                 1303 non-null   float64
3   ScreenResolution       1303 non-null   object
4   Cpu                    1303 non-null   object
5   Ram                    1303 non-null   int32
6   Memory                 1303 non-null   object
7   Gpu                    1303 non-null   object
8   OpSys                  1303 non-null   object
9   Weight                 1303 non-null   float32
10  Price                  1303 non-null   float64
11  Touchscreen            1303 non-null   int64
12  IPS                    1303 non-null   int64
13  x_res                  1303 non-null   int32
14  y_res                  1303 non-null   int32
dtypes: float32(1), float64(2), int32(3), int64(2), object(7)
memory usage: 132.5+ KB
```

```
df.corr()['Price']
```

C:\Users\Lenovo\AppData\Local\Temp\ipykernel_14124\815546952.py:1: FutureWarning: The default value of numeric_only in DataFrame.corr is deprecated. In a future version, it will default to False. Select only valid columns or specify the value of numeric_only to silence this warning.

```
df.corr()['Price']
```

```
Inches      0.068197
Ram          0.743007
Weight       0.210370
Price        1.000000
Touchscreen  0.191226
IPS          0.252208
x_res        0.556529
y_res        0.552809
Name: Price, dtype: float64
```

```
df['PPI'] = (((df['x_res']**2) + (df['y_res']**2))*0.5/df['Inches']).astype('float')
```

```
df.head()
```

	Company	TypeName	Inches	ScreenResolution	Cpu	Ram	Memory	Gpu	OpSys	Weight	Price	Touchscreen	IPS	x_res	y_res	PPI
0	Apple	Ultrabook	13.3	IPS Panel Retina Display 2560x1600	Intel Core i5 2.3GHz	8	128GB SSD	Intel Iris Plus Graphics 640	macOS	1.37	71378.6832	0	1	2560	1600	226.983005
1	Apple	Ultrabook	13.3	1440x900	Intel Core i5 1.8GHz	8	128GB Flash Storage	Intel HD Graphics 6000	macOS	1.34	47895.5232	0	0	1440	900	127.677940
2	HP	Notebook	15.6	Full HD 1920x1080	Intel Core i5 7200U 2.5GHz	8	256GB SSD	Intel HD Graphics 620	No OS	1.86	30636.0000	0	0	1920	1080	141.211998

```
df.corr()['Price']
```

C:\Users\Lenovo\AppData\Local\Temp\ipykernel_14124\815546952.py:1: FutureWarning: The default value of numeric_only in DataFrame.corr is deprecated. In a future version, it will default to False. Select only valid columns or specify the value of numeric_only to silence this warning.

```
df.corr()['Price']
```

Inches 0.068197
Ram 0.743007
Weight 0.210370
Price 1.000000
Touchscreen 0.191226
IPS 0.252208
x_res 0.556529
y_res 0.552809
PPI 0.473487
Name: Price, dtype: float64

```
df.drop(columns = ['ScreenResolution'],inplace=True)
```

```
df.head()
```

	Company	TypeName	Inches	Cpu	Ram	Memory	Gpu	OpSys	Weight	Price	Touchscreen	IPS	x_res	y_res	PPI
0	Apple	Ultrabook	13.3	Intel Core i5 2.3GHz	8	128GB SSD	Intel Iris Plus Graphics 640	macOS	1.37	71378.6832	0	1	2560	1600	226.983005
1	Apple	Ultrabook	13.3	Intel Core i5 1.8GHz	8	128GB Flash Storage	Intel HD Graphics 6000	macOS	1.34	47895.5232	0	0	1440	900	127.677940
2	HP	Notebook	15.6	Intel Core i5 7200U 2.5GHz	8	256GB SSD	Intel HD Graphics 620	No OS	1.86	30636.0000	0	0	1920	1080	141.211998
3	Apple	Ultrabook	15.4	Intel Core i7 2.7GHz	16	512GB SSD	AMD Radeon Pro 455	macOS	1.83	135195.3360	0	1	2880	1800	220.534624
4	Apple	Ultrabook	13.3	Intel Core i5 3.1GHz	8	256GB SSD	Intel Iris Plus Graphics 650	macOS	1.37	96095.8080	0	1	2560	1600	226.983005

```
df.drop(columns = ['Inches','x_res','y_res'],inplace=True)
```

```
df.head()
```

	Company	TypeName	Cpu	Ram	Memory	Gpu	OpSys	Weight	Price	Touchscreen	IPS	PPI
0	Apple	Ultrabook	Intel Core i5 2.3GHz	8	128GB SSD	Intel Iris Plus Graphics 640	macOS	1.37	71378.6832	0	1	226.983005
1	Apple	Ultrabook	Intel Core i5 1.8GHz	8	128GB Flash Storage	Intel HD Graphics 6000	macOS	1.34	47895.5232	0	0	127.677940
2	HP	Notebook	Intel Core i5 7200U 2.5GHz	8	256GB SSD	Intel HD Graphics 620	No OS	1.86	30636.0000	0	0	141.211998
3	Apple	Ultrabook	Intel Core i7 2.7GHz	16	512GB SSD	AMD Radeon Pro 455	macOS	1.83	135195.3360	0	1	220.534624
4	Apple	Ultrabook	Intel Core i5 3.1GHz	8	256GB SSD	Intel Iris Plus Graphics 650	macOS	1.37	96095.8080	0	1	226.983005

```
df['Cpu'].value_counts()
```

Intel Core i5 7200U 2.5GHz 190
Intel Core i7 7700HQ 2.8GHz 146
Intel Core i7 7500U 2.7GHz 134
Intel Core i7 8550U 1.8GHz 73
Intel Core i5 8250U 1.6GHz 72
...
Intel Core M M3-6Y30 0.9GHz 1
AMD A9-Series 9420 2.9GHz 1
Intel Core i3 6006U 2.2GHz 1
AMD A6-Series 7310 2GHz 1
Intel Xeon E3-1535M v6 3.1GHz 1
Name: Cpu, Length: 118, dtype: int64

```
df['Cpu Name'] = df['Cpu'].apply(lambda x: " ".join(x.split()[0:3]))
```

```
df.head()
```

	Company	TypeName	Cpu	Ram	Memory	Gpu	OpSys	Weight	Price	Touchscreen	IPS	PPI	Cpu Name
0	Apple	Ultrabook	Intel Core i5 2.3GHz	8	128GB SSD	Intel Iris Plus Graphics 640	macOS	1.37	71378.6832	0	1	226.983005	Intel Core i5
1	Apple	Ultrabook	Intel Core i5 1.8GHz	8	128GB Flash Storage	Intel HD Graphics 6000	macOS	1.34	47895.5232	0	0	127.677940	Intel Core i5
2	HP	Notebook	Intel Core i5 7200U 2.5GHz	8	256GB SSD	Intel HD Graphics 620	No OS	1.86	30636.0000	0	0	141.211998	Intel Core i5
3	Apple	Ultrabook	Intel Core i7 2.7GHz	16	512GB SSD	AMD Radeon Pro 455	macOS	1.83	135195.3360	0	1	220.534624	Intel Core i7
4	Apple	Ultrabook	Intel Core i5 3.1GHz	8	256GB SSD	Intel Iris Plus Graphics 650	macOS	1.37	96095.8080	0	1	226.983005	Intel Core i5

```
def fetch_processor(text):
    if text == 'Intel Core i7' or text == 'Intel Core i5' or text == 'Intel Core i3':
        return text
    else:
        if text.split()[0] == 'Intel':
            return 'other intel processor'
        else:
            return 'AMD processor'
```


```
df['Cpu Brand'] = df['Cpu Name'].apply(fetch_processor)
```

```
df.head()
```


	Company	TypeName	Cpu	Ram	Memory	Gpu	OpSys	Weight	Price	Touchscreen	IPS	PPI	Cpu Name	Cpu Brand
0	Apple	Ultrabook	Intel Core i5 2.3GHz	8	128GB SSD	Intel Iris Plus Graphics 640	macOS	1.37	71378.6832	0	1	226.983005	Intel Core i5	Intel Core i5
1	Apple	Ultrabook	Intel Core i5 1.8GHz	8	128GB Flash Storage	Intel HD Graphics 6000	macOS	1.34	47895.5232	0	0	127.677940	Intel Core i5	Intel Core i5
2	HP	Notebook	Intel Core i5 7200U 2.5GHz	8	256GB SSD	Intel HD Graphics 620	No OS	1.86	30636.0000	0	0	141.211998	Intel Core i5	Intel Core i5
3	Apple	Ultrabook	Intel Core i7 2.7GHz	16	512GB SSD	AMD Radeon Pro 455	macOS	1.83	135195.3360	0	1	220.534624	Intel Core i7	Intel Core i7
4	Apple	Ultrabook	Intel Core i5 3.1GHz	8	256GB SSD	Intel Iris Plus Graphics 650	macOS	1.37	96095.8080	0	1	226.983005	Intel Core i5	Intel Core i5

```
df['Cpu Brand'].value_counts().plot(kind='bar')
```

<Axes: >



```
sns.barplot(x=df['Cpu Brand'],y=df['Price'])
plt.xticks(rotation=90)
plt.show()
```




```
df.drop(columns=['Cpu', 'Cpu Name'],inplace=True)
```

```
df.head()
```


	Company	TypeName	Ram	Memory		Gpu	OpSys	Weight	Price	Touchscreen	IPS	PPI	Cpu Brand
0	Apple	Ultrabook	8	128GB SSD	Intel Iris Plus Graphics 640	macOS	1.37	71378.6832		0	1	226.983005	Intel Core i5
1	Apple	Ultrabook	8	128GB Flash Storage	Intel HD Graphics 6000	macOS	1.34	47895.5232		0	0	127.677940	Intel Core i5
2	HP	Notebook	8	256GB SSD	Intel HD Graphics 620	No OS	1.86	30636.0000		0	0	141.211998	Intel Core i5
3	Apple	Ultrabook	16	512GB SSD	AMD Radeon Pro 455	macOS	1.83	135195.3360		0	1	220.534624	Intel Core i7
4	Apple	Ultrabook	8	256GB SSD	Intel Iris Plus Graphics 650	macOS	1.37	96095.8080		0	1	226.983005	Intel Core i5

```
df['Ram'].value_counts().plot(kind='bar')
```

<Axes: >



```
sns.barplot(x=df['Ram'],y=df['Price'])  
plt.xticks(rotation=90)  
plt.show()
```



```
df['Memory'].value_counts()
```

256GB SSD	412
1TB HDD	223
500GB HDD	132
512GB SSD	118
128GB SSD + 1TB HDD	94
128GB SSD	76
256GB SSD + 1TB HDD	73
32GB Flash Storage	38
2TB HDD	16
64GB Flash Storage	15
512GB SSD + 1TB HDD	14
1TB SSD	14
256GB SSD + 2TB HDD	10
1.0TB Hybrid	9
256GB Flash Storage	8
16GB Flash Storage	7
32GB SSD	6
180GB SSD	5
128GB Flash Storage	4
512GB SSD + 2TB HDD	3
16GB SSD	3
512GB Flash Storage	2
1TB SSD + 1TB HDD	2
256GB SSD + 500GB HDD	2
128GB SSD + 2TB HDD	2
256GB SSD + 256GB SSD	2
512GB SSD + 256GB SSD	1
512GB SSD + 512GB SSD	1
64GB Flash Storage + 1TB HDD	1
1TB HDD + 1TB HDD	1
32GB HDD	1
64GB SSD	1
128GB HDD	1
240GB SSD	1
8GB SSD	1
508GB Hybrid	1
1.0TB HDD	1
512GB SSD + 1.0TB Hybrid	1
256GB SSD + 1.0TB Hybrid	1

Name: Memory, dtype: int64


```

df['Memory'] = df['Memory'].astype(str).replace('\.0','',regex=True)
df['Memory'] = df['Memory'].str.replace('GB','')
df['Memory'] = df['Memory'].str.replace('TB','000')
new = df['Memory'].str.split('+',n=1,expand=True)

df['first']=new[0]
df['first']=df['first'].str.strip()

df['second'] = new[1]

df['Layer1HDD'] = df['first'].apply(lambda x: 1 if 'HDD' in x else 0)
df['Layer1SSD'] = df['first'].apply(lambda x: 1 if 'SSD' in x else 0)
df['Layer1Hybrid'] = df['first'].apply(lambda x: 1 if 'Hybrid' in x else 0)
df['Layer1Flash_Storage'] = df['first'].apply(lambda x: 1 if 'Flash Storage' in x else 0)

df['first'] = df['first'].str.replace(r'\D','')

df['second'].fillna('0',inplace=True)

df['Layer2HDD']=df['second'].apply(lambda x: 1 if 'HDD' in x else 0)
df['Layer2SSD'] = df['second'].apply(lambda x: 1 if 'SSD' in x else 0)
df['Layer2Hybrid'] = df['first'].apply(lambda x: 1 if 'Hybrid' in x else 0)
df['Layer2Flash_Storage'] = df['first'].apply(lambda x: 1 if 'Flash Storage' in x else 0)

df['second'] = df['second'].str.replace(r'\D','')

df['first'] = df['first'].astype(int)
df['second'] = df['second'].astype(int)

df['HDD']=(df['first']*df['Layer1HDD']+df['second']*df['Layer2HDD'])
df['SSD']=(df['first']*df['Layer1SSD']+df['second']*df['Layer2SSD'])
df['Hybrid']=(df['first']*df['Layer1Hybrid']+df['second']*df['Layer2Hybrid'])
df['Flash_Storage']=(df['first']*df['Layer1Flash_Storage']+df['second']*df['Layer2Flash_Storage'])

df.drop(columns=['first','second',
                'Layer1HDD','Layer1SSD','Layer1Hybrid','Layer1Flash_Storage',
                'Layer2HDD','Layer2SSD','Layer2Hybrid','Layer2Flash_Storage'],inplace=True)

C:\Users\Lenovo\AppData\Local\Temp\ipykernel_14124\3163488469.py:16: FutureWarning: The default value of regex will change from
True to False in a future version.
  df['first'] = df['first'].str.replace(r'\D','')
C:\Users\Lenovo\AppData\Local\Temp\ipykernel_14124\3163488469.py:25: FutureWarning: The default value of regex will change from
True to False in a future version.
  df['second'] = df['second'].str.replace(r'\D','')

```

```
df.head()
```

	Company	TypeName	Ram	Memory	Gpu	OpSys	Weight	Price	Touchscreen	IPS	PPI	Cpu Brand	HDD	SSD	Hybrid	Flash_Storage
0	Apple	Ultrabook	8	128 SSD	Intel Iris Plus Graphics 640	macOS	1.37	71378.6832	0	1	226.983005	Intel Core i5	0	128	0	0
1	Apple	Ultrabook	8	128 Flash Storage	Intel HD Graphics 6000	macOS	1.34	47895.5232	0	0	127.677940	Intel Core i5	0	0	0	128
2	HP	Notebook	8	256 SSD	Intel HD Graphics 620	No OS	1.86	30636.0000	0	0	141.211998	Intel Core i5	0	256	0	0
3	Apple	Ultrabook	16	512 SSD	AMD Radeon Pro 455	macOS	1.83	135195.3360	0	1	220.534624	Intel Core i7	0	512	0	0
4	Apple	Ultrabook	8	256 SSD	Intel Iris Plus Graphics 650	macOS	1.37	96095.8080	0	1	226.983005	Intel Core i5	0	256	0	0

```
df.sample(5)
```

	Company	TypeName	Ram	Memory	Gpu	OpSys	Weight	Price	Touchscreen	IPS	PPI	Cpu Brand	HDD	SSD	Hybrid	Flash_Storage
680	MSI	Gaming	8	256 SSD	Nvidia GeForce GTX 1050	Windows 10	2.20	53168.112	0	0	141.211998	Intel Core i5	0	256	0	0
949	Acer	Notebook	4	32 Flash Storage	Intel HD Graphics 400	Chrome OS	1.68	18594.720	0	0	111.935204	other intel processor	0	0	0	32
159	Toshiba	Notebook	4	500 HDD	Intel HD Graphics 520	Windows 10	2.10	23816.160	0	0	100.454670	Intel Core i3	500	0	0	0
1235	HP	Notebook	4	1000 HDD	Intel HD Graphics 520	Windows 10	2.10	25467.840	0	0	141.211998	Intel Core i3	1000	0	0	0
1052	Dell	2 in 1 Convertible	8	256 SSD	Intel HD Graphics 620	Windows 10	2.30	58288.320	1	1	141.211998	Intel Core i5	0	256	0	0

```
df.drop(columns=['Memory'],inplace=True)
```

```
df.head()
```

	Company	TypeName	Ram	Gpu	OpSys	Weight	Price	Touchscreen	IPS	PPI	Cpu Brand	HDD	SSD	Hybrid	Flash_Storage
0	Apple	Ultrabook	8	Intel Iris Plus Graphics 640	macOS	1.37	71378.6832	0	1	226.983005	Intel Core i5	0	128	0	0
1	Apple	Ultrabook	8	Intel HD Graphics 6000	macOS	1.34	47895.5232	0	0	127.677940	Intel Core i5	0	0	0	128
2	HP	Notebook	8	Intel HD Graphics 620	No OS	1.86	30636.0000	0	0	141.211998	Intel Core i5	0	256	0	0
3	Apple	Ultrabook	16	AMD Radeon Pro 455	macOS	1.83	135195.3360	0	1	220.534624	Intel Core i7	0	512	0	0
4	Apple	Ultrabook	8	Intel Iris Plus Graphics 650	macOS	1.37	96095.8080	0	1	226.983005	Intel Core i5	0	256	0	0

```
df.corr()['Price']
```

C:\Users\Lenovo\AppData\Local\Temp\ipykernel_14124\815546952.py:1: FutureWarning: The default value of numeric_only in DataFrame.corr is deprecated. In a future version, it will default to False. Select only valid columns or specify the value of numeric_only to silence this warning.

```
df.corr()['Price']
```

```
Ram      0.743007
Weight   0.210370
Price    1.000000
Touchscreen 0.191226
IPS       0.252208
PPI       0.473487
HDD      -0.096441
SSD       0.670799
Hybrid   -0.040147
Flash_Storage -0.040511
Name: Price, dtype: float64
```

```
df.drop(columns=['Hybrid','Flash_Storage'],inplace=True)
```

```
df.head()
```

	Company	TypeName	Ram	Gpu	OpSys	Weight	Price	Touchscreen	IPS	PPI	Cpu Brand	HDD	SSD
0	Apple	Ultrabook	8	Intel Iris Plus Graphics 640	macOS	1.37	71378.6832	0	1	226.983005	Intel Core i5	0	128
1	Apple	Ultrabook	8	Intel HD Graphics 6000	macOS	1.34	47895.5232	0	0	127.677940	Intel Core i5	0	0
2	HP	Notebook	8	Intel HD Graphics 620	No OS	1.86	30636.0000	0	0	141.211998	Intel Core i5	0	256
3	Apple	Ultrabook	16	AMD Radeon Pro 455	macOS	1.83	135195.3360	0	1	220.534624	Intel Core i7	0	512
4	Apple	Ultrabook	8	Intel Iris Plus Graphics 650	macOS	1.37	96095.8080	0	1	226.983005	Intel Core i5	0	256

```
df['Gpu'].value_counts()
```

```
Intel HD Graphics 620    281
Intel HD Graphics 520    185
Intel UHD Graphics 620   68
Nvidia GeForce GTX 1050  66
Nvidia GeForce GTX 1060  48
...
AMD Radeon R5 520        1
AMD Radeon R7            1
Intel HD Graphics 540    1
AMD Radeon 540           1
ARM Mali T860 MP4        1
Name: Gpu, Length: 110, dtype: int64
```

```
df['Gpu Brand'] = df['Gpu'].apply(lambda x:x.split()[0])
```

```
df['Gpu Brand'].value_counts()
```

```
Intel      722
Nvidia     400
AMD        180
ARM         1
Name: Gpu Brand, dtype: int64
```

```
df.head()
```


	Company	TypeName	Ram	Gpu	OpSys	Weight	Price	Touchscreen	IPS	PPI	Cpu Brand	HDD	SSD	Gpu Brand
0	Apple	Ultrabook	8	Intel Iris Plus Graphics 640	macOS	1.37	71378.6832	0	1	226.983005	Intel Core i5	0	128	Intel
1	Apple	Ultrabook	8	Intel HD Graphics 6000	macOS	1.34	47895.5232	0	0	127.677940	Intel Core i5	0	0	Intel
2	HP	Notebook	8	Intel HD Graphics 620	No OS	1.86	30636.0000	0	0	141.211998	Intel Core i5	0	256	Intel
3	Apple	Ultrabook	16	AMD Radeon Pro 455	macOS	1.83	135195.3360	0	1	220.534624	Intel Core i7	0	512	AMD
4	Apple	Ultrabook	8	Intel Iris Plus Graphics 650	macOS	1.37	96095.8080	0	1	226.983005	Intel Core i5	0	256	Intel

```
df= df[df['Gpu Brand'] != 'ARM']
```

```
df['Gpu Brand'].value_counts()
```

```
Intel    722
Nvidia   400
AMD      180
Name: Gpu Brand, dtype: int64
```

```
sns.barplot(x=df['Gpu Brand'],y=df['Price'])
plt.xticks(rotation=90)
plt.show()
```



```
df.drop(columns=['Gpu'],inplace=True)
```


```
df.head()
```

	Company	TypeName	Ram	OpSys	Weight	Price	Touchscreen	IPS	PPI	Cpu Brand	HDD	SSD	Gpu Brand
0	Apple	Ultrabook	8	macOS	1.37	71378.6832	0	1	226.983005	Intel Core i5	0	128	Intel
1	Apple	Ultrabook	8	macOS	1.34	47895.5232	0	0	127.677940	Intel Core i5	0	0	Intel
2	HP	Notebook	8	No OS	1.86	30636.0000	0	0	141.211998	Intel Core i5	0	256	Intel
3	Apple	Ultrabook	16	macOS	1.83	135195.3360	0	1	220.534624	Intel Core i7	0	512	AMD

```
df['OpSys'].value_counts()
```

```
Windows 10      1072  
No OS           66  
Linux           62  
Windows 7       45  
Chrome OS       26  
macOS           13  
Mac OS X        8  
Windows 10 S    8  
Android         2  
Name: OpSys, dtype: int64
```

```
sns.barplot(x=df['OpSys'],y=df['Price'])  
plt.xticks(rotation=90)  
plt.show()
```



```
def cat_os(inp):
    if inp == 'Windows 10' or inp == 'Windows 10 S' or inp == 'Windows 7':
        return 'Windows'
    elif inp == 'macOS' or inp == 'Mac OS X':
        return 'Mac'
    else:
        return 'Others/Linux/No OS'
```

```
df['os'] = df['OpSys'].apply(cat_os)
```

```
df.head()
```


	Company	TypeName	Ram	OpSys	Weight	Price	Touchscreen	IPS	PPI	Cpu Brand	HDD	SSD	Gpu Brand	os
0	Apple	Ultrabook	8	macOS	1.37	71378.6832	0	1	226.983005	Intel Core i5	0	128	Intel	Mac
1	Apple	Ultrabook	8	macOS	1.34	47895.5232	0	0	127.677940	Intel Core i5	0	0	Intel	Mac
2	HP	Notebook	8	No OS	1.86	30636.0000	0	0	141.211998	Intel Core i5	0	256	Intel	Others/Linux/No OS
3	Apple	Ultrabook	16	macOS	1.83	135195.3360	0	1	220.534624	Intel Core i7	0	512	AMD	Mac
4	Apple	Ultrabook	8	macOS	1.37	96095.8080	0	1	226.983005	Intel Core i5	0	256	Intel	Mac

```
df.drop(columns=['OpSys'],inplace=True)
```

```
df.head()
```

	Company	TypeName	Ram	Weight	Price	Touchscreen	IPS	PPI	Cpu Brand	HDD	SSD	Gpu Brand	os
0	Apple	Ultrabook	8	1.37	71378.6832	0	1	226.983005	Intel Core i5	0	128	Intel	Mac
1	Apple	Ultrabook	8	1.34	47895.5232	0	0	127.677940	Intel Core i5	0	0	Intel	Mac
2	HP	Notebook	8	1.86	30636.0000	0	0	141.211998	Intel Core i5	0	256	Intel	Others/Linux/No OS
3	Apple	Ultrabook	16	1.83	135195.3360	0	1	220.534624	Intel Core i7	0	512	AMD	Mac
4	Apple	Ultrabook	8	1.37	96095.8080	0	1	226.983005	Intel Core i5	0	256	Intel	Mac

```
sns.barplot(x=df['os'],y=df['Price'])
plt.xticks(rotation=90)
plt.show()
```



```
sns.distplot(df['Weight'])
```

C:\Users\Lenovo\AppData\Local\Temp\ipykernel_14124\1125578356.py:1: UserWarning:


`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).


For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>

```
sns.distplot(df['Weight'])
```

<Axes: xlabel='Weight', ylabel='Density'>



```
: sns.scatterplot(x=df['Weight'],y=df['Price'])
: <Axes: xlabel='Weight', ylabel='Price'>
```



```
: df.corr()['Price']
```

C:\Users\Lenovo\AppData\Local\Temp\ipykernel_14124\815546952.py:1: FutureWarning: The default value of numeric_only in DataFrame.corr is deprecated. In a future version, it will default to False. Select only valid columns or specify the value of numeric_only to silence this warning.

```
df.corr()['Price']
```


Ram	0.742905
Weight	0.209867
Price	1.000000
Touchscreen	0.192917
IPS	0.253320
PPI	0.475368
HDD	-0.096891
SSD	0.670660

```
sns.heatmap(df.corr())
```

C:\Users\Lenovo\AppData\Local\Temp\ipykernel_14124\58359773.py:1: FutureWarning: The default value of numeric_only in DataFrame.corr is deprecated. In a future version, it will default to False. Select only valid columns or specify the value of numeric_only to silence this warning.

```
sns.heatmap(df.corr())
```

<Axes: >



```
sns.distplot(np.log(df['Price']))
```

C:\Users\Lenovo\AppData\Local\Temp\ipykernel_14124\3556049916.py:1: UserWarning:


`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>

```
sns.distplot(np.log(df['Price']))
```

<Axes: xlabel='Price', ylabel='Density'>




```
x=df.drop(columns=['Price'])
y=np.log(df['Price'])
```

x

	Company	TypeName	Ram	Weight	Touchscreen	IPS	PPI	Cpu Brand	HDD	SSD	Gpu Brand	os
0	Apple	Ultrabook	8	1.37	0	1	226.983005	Intel Core i5	0	128	Intel	Mac
1	Apple	Ultrabook	8	1.34	0	0	127.677940	Intel Core i5	0	0	Intel	Mac
2	HP	Notebook	8	1.86	0	0	141.211998	Intel Core i5	0	256	Intel	Others/Linux/No OS
3	Apple	Ultrabook	16	1.83	0	1	220.534624	Intel Core i7	0	512	AMD	Mac
4	Apple	Ultrabook	8	1.37	0	1	226.983005	Intel Core i5	0	256	Intel	Mac
...
1298	Lenovo	2 in 1 Convertible	4	1.80	1	1	157.350512	Intel Core i7	0	128	Intel	Windows
1299	Lenovo	2 in 1 Convertible	16	1.30	1	1	276.053530	Intel Core i7	0	512	Intel	Windows
1300	Lenovo	Notebook	2	1.50	0	0	111.935204	other intel processor	0	0	Intel	Windows
1301	HP	Notebook	6	2.19	0	0	100.454670	Intel Core i7	1000	0	AMD	Windows
1302	Asus	Notebook	4	2.20	0	0	100.454670	other intel processor	500	0	Intel	Windows

1302 rows x 12 columns

y

```
0    11.175755
1    10.776777
2    10.329931
3    11.814476
4    11.473101
...
```

```
1298    10.433899
1299    11.288115
1300     9.409283
1301    10.614129
1302     9.886358
```

Name: Price, Length: 1302, dtype: float64

```
from sklearn.model_selection import train_test_split
xtrain,xtest,ytrain,ytest = train_test_split(x,y,test_size=0.15,random_state=2)
```

xtrain

	Company	TypeName	Ram	Weight	Touchscreen	IPS	PPI	Cpu Brand	HDD	SSD	Gpu Brand	os
183	Toshiba	Notebook	8	2.00	0	0	100.454670	Intel Core i5	0	128	Intel	Windows
1141	MSI	Gaming	8	2.40	0	0	141.211998	Intel Core i7	1000	128	Nvidia	Windows
1049	Asus	Netbook	4	1.20	0	0	135.094211	other intel processor	0	0	Intel	Others/Linux/No OS
1020	Dell	2 in 1 Convertible	4	2.08	1	1	141.211998	Intel Core i3	1000	0	Intel	Windows
878	Dell	Notebook	4	2.18	0	0	141.211998	Intel Core i5	1000	128	Nvidia	Windows
...
466	Acer	Notebook	4	2.20	0	0	100.454670	Intel Core i3	500	0	Nvidia	Windows
299	Asus	Ultrabook	16	1.63	0	0	141.211998	Intel Core i7	0	512	Nvidia	Windows
493	Acer	Notebook	8	2.20	0	0	100.454670	AMD processor	1000	0	AMD	Windows
527	Lenovo	Notebook	8	2.20	0	0	100.454670	Intel Core i3	2000	0	Nvidia	Others/Linux/No OS
1193	Apple	Ultrabook	8	0.92	0	1	226.415547	other intel processor	0	0	Intel	Mac

1106 rows x 12 columns

```
from sklearn.compose import ColumnTransformer
from sklearn.pipeline import Pipeline
from sklearn.preprocessing import OneHotEncoder
from sklearn.metrics import r2_score,mean_absolute_error
```

```
from sklearn.linear_model import LinearRegression,Ridge,Lasso
from sklearn.neighbors import KNeighborsRegressor
from sklearn.tree import DecisionTreeRegressor
from sklearn.ensemble import RandomForestRegressor,GradientBoostingRegressor,AdaBoostRegressor,ExtraTreesRegressor
from sklearn.svm import SVR
```

LinearRegression

```
: step1 = ColumnTransformer(transformers= [
    ('col_trns',OneHotEncoder(sparse=False,drop='first'),[0,1,7,10,11])
],remainder='passthrough')

step2 = LinearRegression()

pipe = Pipeline([
    ('step1',step1),
    ('step2',step2)
])

pipe.fit(xtrain,ytrain)

y_pred = pipe.predict(xtest)

print('R2_score',r2_score(ytest,y_pred))
print('MAE',mean_absolute_error(ytest,y_pred))
```

R2_score 0.8073277448418517
MAE 0.21017827976429224

C:\Users\Lenovo\anaconda3\lib\site-packages\sklearn\preprocessing_encoders.py:828: FutureWarning: `sparse` was renamed to `sparse_output` in version 1.2 and will be removed in 1.4. `sparse_output` is ignored unless you leave `sparse` to its default value.
warnings.warn(

```
: np.exp(0.21)
```

```
: 1.2336780599567432
```

Ridge Regression ¶

```
: step1 = ColumnTransformer(transformers= [
    ('col_trns',OneHotEncoder(sparse=False,drop='first'),[0,1,7,10,11])
],remainder='passthrough')

step2 = Ridge(alpha=10)

pipe = Pipeline([
    ('step1',step1),
    ('step2',step2)
])

pipe.fit(xtrain,ytrain)

y_pred = pipe.predict(xtest)

print('R2_score',r2_score(ytest,y_pred))
print('MAE',mean_absolute_error(ytest,y_pred))
```

R2_score 0.812733103131181
MAE 0.20926802242582954

C:\Users\Lenovo\anaconda3\lib\site-packages\sklearn\preprocessing_encoders.py:828: FutureWarning: `sparse` was renamed to `sparse_output` in version 1.2 and will be removed in 1.4. `sparse_output` is ignored unless you leave `sparse` to its default value.
warnings.warn(

Lasso Regression

```
step1 = ColumnTransformer(transformers= [
    ('col_trns',OneHotEncoder(sparse=False,drop='first'),[0,1,7,10,11])
],remainder='passthrough')

step2 = Lasso(alpha=0.001)

pipe = Pipeline([
    ('step1',step1),
    ('step2',step2)
])

pipe.fit(xtrain,ytrain)

y_pred = pipe.predict(xtest)

print('R2_score',r2_score(ytest,y_pred))
print('MAE',mean_absolute_error(ytest,y_pred))
```

R2_score 0.8071853945317105
MAE 0.21114361613472565

C:\Users\Lenovo\anaconda3\lib\site-packages\sklearn\preprocessing_encoders.py:828: FutureWarning: `sparse` was renamed to `sparse_output` in version 1.2 and will be removed in 1.4. `sparse_output` is ignored unless you leave `sparse` to its default value.
warnings.warn(

KNN Regression

```
: step1 = ColumnTransformer(transformers= [
    ('col_trns',OneHotEncoder(sparse=False,drop='first'),[0,1,7,10,11])
],remainder='passthrough')

step2 = KNeighborsRegressor(n_neighbors=3)

pipe = Pipeline([
    ('step1',step1),
    ('step2',step2)
])

pipe.fit(xtrain,ytrain)

y_pred = pipe.predict(xtest)

print('R2_score',r2_score(ytest,y_pred))
print('MAE',mean_absolute_error(ytest,y_pred))
```

C:\Users\Lenovo\anaconda3\lib\site-packages\sklearn\preprocessing_encoders.py:828: FutureWarning: `sparse` was renamed to `sparse_output` in version 1.2 and will be removed in 1.4. `sparse_output` is ignored unless you leave `sparse` to its default value.
warnings.warn(

R2_score 0.803148868705085
MAE 0.19264883332948865

DecisionTree Regression

```
step1 = ColumnTransformer(transformers= [
    ('col_trns',OneHotEncoder(sparse=False,drop='first'),[0,1,7,10,11])
],remainder='passthrough')

step2 = DecisionTreeRegressor(max_depth=8)

pipe = Pipeline([
    ('step1',step1),
    ('step2',step2)
])

pipe.fit(xtrain,ytrain)

y_pred = pipe.predict(xtest)

print('R2_score',r2_score(ytest,y_pred))
print('MAE',mean_absolute_error(ytest,y_pred))
```

R2_score 0.8438675270081155
MAE 0.180669515675548

C:\Users\Lenovo\anaconda3\lib\site-packages\sklearn\preprocessing_encoders.py:828: FutureWarning: `sparse` was renamed to `sparse_output` in version 1.2 and will be removed in 1.4. `sparse_output` is ignored unless you leave `sparse` to its default value.
warnings.warn(

SVM Regression

```
: step1 = ColumnTransformer(transformers= [
    ('col_trns',OneHotEncoder(sparse=False,drop='first'),[0,1,7,10,11])
],remainder='passthrough')

step2 = SVR(kernel='rbf',C=10000,epsilon=0.1)

pipe = Pipeline([
    ('step1',step1),
    ('step2',step2)
])

pipe.fit(xtrain,ytrain)

y_pred = pipe.predict(xtest)

print('R2_score',r2_score(ytest,y_pred))
print('MAE',mean_absolute_error(ytest,y_pred))
```

C:\Users\Lenovo\anaconda3\lib\site-packages\sklearn\preprocessing_encoders.py:828: FutureWarning: `sparse` was renamed to `sparse_output` in version 1.2 and will be removed in 1.4. `sparse_output` is ignored unless you leave `sparse` to its default value.
warnings.warn(

R2_score 0.8083180902257614
MAE 0.20239059427481307

Random_forest Regression

```
: step1 = ColumnTransformer(transformers= [
    ('col_trns',OneHotEncoder(sparse=False,drop='first'),[0,1,7,10,11])
],remainder='passthrough')

step2 = RandomForestRegressor(n_estimators=100,
                             random_state=3,
                             max_samples=0.5,
                             max_features=0.75,
                             max_depth=15)

pipe = Pipeline([
    ('step1',step1),
    ('step2',step2)
])

pipe.fit(xtrain,ytrain)

y_pred = pipe.predict(xtest)

print('R2_score',r2_score(ytest,y_pred))
print('MAE',mean_absolute_error(ytest,y_pred))
```

C:\Users\Lenovo\anaconda3\lib\site-packages\sklearn\preprocessing_encoders.py:828: FutureWarning: `sparse` was renamed to `sparse_output` in version 1.2 and will be removed in 1.4. `sparse_output` is ignored unless you leave `sparse` to its default value.
warnings.warn(

R2_score 0.8875592075383176
MAE 0.15876547703102858

ExtraTrees Regression

```
: step1 = ColumnTransformer(transformers= [
    ('col_trns',OneHotEncoder(sparse=False,drop='first'),[0,1,7,10,11])
],remainder='passthrough')

step2 = ExtraTreesRegressor(n_estimators=100,
                             random_state=3,
                             max_features=0.75,
                             max_depth=15)

pipe = Pipeline([
    ('step1',step1),
    ('step2',step2)
])

pipe.fit(xtrain,ytrain)

y_pred = pipe.predict(xtest)

print('R2_score',r2_score(ytest,y_pred))
print('MAE',mean_absolute_error(ytest,y_pred))
```

C:\Users\Lenovo\anaconda3\lib\site-packages\sklearn\preprocessing_encoders.py:828: FutureWarning: `sparse` was renamed to `sparse_output` in version 1.2 and will be removed in 1.4. `sparse_output` is ignored unless you leave `sparse` to its default value.
warnings.warn(

R2_score 0.8743576019640713
MAE 0.1606945068551793

AdaBoost Regression

```
: step1 = ColumnTransformer(transformers= [
    ('col_trns',OneHotEncoder(sparse=False,drop='first'),[0,1,7,10,11])
],remainder='passthrough')

step2 = AdaBoostRegressor(n_estimators=15,learning_rate=1.0)

pipe = Pipeline([
    ('step1',step1),
    ('step2',step2)
])

pipe.fit(xtrain,ytrain)

y_pred = pipe.predict(xtest)

print('R2_score',r2_score(ytest,y_pred))
print('MAE',mean_absolute_error(ytest,y_pred))
```

C:\Users\Lenovo\anaconda3\lib\site-packages\sklearn\preprocessing_encoders.py:828: FutureWarning: `sparse` was renamed to `sparse_output` in version 1.2 and will be removed in 1.4. `sparse_output` is ignored unless you leave `sparse` to its default value.
warnings.warn(

R2_score 0.7884353068706462
MAE 0.23265630743316762

GradientBoost Regression ¶

```
: step1 = ColumnTransformer(transformers=[
    ('col_trns', OneHotEncoder(sparse=False, drop='first'), [0, 1, 7, 10, 11])
], remainder='passthrough')

step2 = GradientBoostingRegressor(n_estimators=500)

pipe = Pipeline([
    ('step1', step1),
    ('step2', step2)
])

pipe.fit(xtrain, ytrain)

y_pred = pipe.predict(xtest)

print('R2_score', r2_score(ytest, y_pred))
print('MAE', mean_absolute_error(ytest, y_pred))
```

C:\Users\Lenovo\anaconda3\lib\site-packages\sklearn\preprocessing_encoders.py:828: FutureWarning: `sparse` was renamed to `sparse_output` in version 1.2 and will be removed in 1.4. `sparse_output` is ignored unless you leave `sparse` to its default value.
warnings.warn(

R2_score 0.8810566155575379
MAE 0.1596695882782193