
$Subject_30$

Type	Your Average	Total Average
CALORIES	NA	2080.11
PROTEIN	NA	88.57
TOTAL FAT	NA	89.97
CARBS	NA	225.55
FIBER	NA	21.96


MicroNutrients

Warning: Removed 90 rows containing missing values (position_stack).



Daily Calorie Intake

Warning: Removed 15 rows containing missing values (geom_bar).




Microbiome Daily Relative Abundance

```
# make ggplot bar chart of top 10 most abundant species per day
#melt subtaxasp to get our dataframe in the long format for future usage
  meltdf<- melt(subtaxasp)</pre>
## Warning in melt.data.table(subtaxasp): To be consistent with reshape2's
## melt, id.vars and measure.vars are internally guessed when both are 'NULL'.
## All non-numeric/integer/logical type columns are conisdered id.vars, which
## in this case are columns [rn]. Consider providing at least one of 'id' or
## 'measure' vars in future.
  #merge to get access to Day var
  mergedf <- merge (x=meltdf, y=map, by.x = "variable", by.y= "X.SampleID", all.x=TRUE)
  #convert our dataframe species (rn) column to a character
  mergedf$rn <- as.character(mergedf$rn)</pre>
  #series of gsub commands meant to neaten and clarify legend content
  mergedf$rn <- gsub(".*s__", "", mergedf$rn)
mergedf$rn <- gsub("\\[", "",mergedf$rn)</pre>
  mergedf$rn <- gsub("\\]", "",mergedf$rn)</pre>
  mergedf$rn <- gsub("_", " ",mergedf$rn)</pre>
```

```
#create <10% abundance category
  mergedf$rn[mergedf$value < 0.1] <- "<10% abundance"</pre>
ggplot(mergedf, aes(x = StudyDayNo, y = value, fill = rn)) +
  geom_bar(stat = "identity") +
  scale x discrete(drop = FALSE) +
  theme classic() +
  theme(strip.text.y = element_text(angle = 0, size = 8, face = "italic"),
        axis.text.x = element_text(angle = 45, hjust = 1),
        axis.title.x = element_blank(),
        plot.title = element_text(hjust = 0.5),
        strip.background = element_rect(color = "grey")) +
  guides(fill = guide_legend(reverse = TRUE,
                             keywidth = 1,
                             keyheight = 1,
                             ncol = 1)) +
  ylab("Relative Abundance\n") +
  ggtitle("Main species within your gut per day")
```

Main species within your gut per day



```
## `geom_smooth()` using method = 'loess'
```

^{##} Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
parametric, : span too small. fewer data values than degrees of freedom.

```
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
## parametric, : at 0.995
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
## parametric, : radius 2.5e-005
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
## parametric, : all data on boundary of neighborhood. make span bigger
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
## parametric, : pseudoinverse used at 0.995
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
## parametric, : neighborhood radius 0.005
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
## parametric, : reciprocal condition number 1
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
## parametric, : at 2.005
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
## parametric, : radius 2.5e-005
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
## parametric, : all data on boundary of neighborhood. make span bigger
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
## parametric, : There are other near singularities as well. 2.5e-005
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
## parametric, : zero-width neighborhood. make span bigger
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
## parametric, : zero-width neighborhood. make span bigger
## Warning: Computation failed in `stat_smooth()`:
## NA/NaN/Inf in foreign function call (arg 5)
```

