
${\bf Subject_12}$

our Average	Total Average
ſΑ	2080.11
$^{T}\mathrm{A}$	88.57
$^{T}\mathrm{A}$	89.97
$^{T}\mathrm{A}$	225.55
IA	21.96
	JA JA JA


MicroNutrients

Warning: Removed 78 rows containing missing values (position_stack).



Daily Calorie Intake

Warning: Removed 13 rows containing missing values (geom_bar).




Microbiome Daily Relative Abundance

```
# make ggplot bar chart of top 10 most abundant species per day
#melt subtaxasp to get our dataframe in the long format for future usage
  meltdf<- melt(subtaxasp)</pre>
## Warning in melt.data.table(subtaxasp): To be consistent with reshape2's
## melt, id.vars and measure.vars are internally guessed when both are 'NULL'.
## All non-numeric/integer/logical type columns are conisdered id.vars, which
## in this case are columns [rn]. Consider providing at least one of 'id' or
## 'measure' vars in future.
  #merge to get access to Day var
  mergedf <- merge (x=meltdf, y=map, by.x = "variable", by.y= "X.SampleID", all.x=TRUE)
  #convert our dataframe species (rn) column to a character
  mergedf$rn <- as.character(mergedf$rn)</pre>
  #series of gsub commands meant to neaten and clarify legend content
  mergedf$rn <- gsub(".*s__", "", mergedf$rn)
mergedf$rn <- gsub("\\[", "",mergedf$rn)</pre>
  mergedf$rn <- gsub("\\]", "",mergedf$rn)</pre>
  mergedf$rn <- gsub("_", " ",mergedf$rn)</pre>
```

```
#create <10% abundance category
  mergedf$rn[mergedf$value < 0.1] <- "<10% abundance"</pre>
ggplot(mergedf, aes(x = StudyDayNo, y = value, fill = rn)) +
  geom_bar(stat = "identity") +
  scale x discrete(drop = FALSE) +
  theme classic() +
  theme(strip.text.y = element_text(angle = 0, size = 8, face = "italic"),
        axis.text.x = element_text(angle = 45, hjust = 1),
        axis.title.x = element_blank(),
        plot.title = element_text(hjust = 0.5),
        strip.background = element_rect(color = "grey")) +
  guides(fill = guide_legend(reverse = TRUE,
                             keywidth = 1,
                             keyheight = 1,
                             ncol = 1)) +
  ylab("Relative Abundance\n") +
  ggtitle("Main species within your gut per day")
```

Main species within your gut per day



```
## `geom_smooth()` using method = 'loess'
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
```

parametric, : span too small. fewer data values than degrees of freedom.

```
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
## parametric, : pseudoinverse used at 0.99
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
## parametric, : neighborhood radius 1.01
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
## parametric, : reciprocal condition number 0
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric =
## parametric, : There are other near singularities as well. 1.0201
## Warning in predLoess(object$y, object$x, newx = if
## (is.null(newdata)) object$x else if (is.data.frame(newdata))
## as.matrix(model.frame(delete.response(terms(object)), : span too small.
## fewer data values than degrees of freedom.
## Warning in predLoess(object$y, object$x, newx = if
## (is.null(newdata)) object$x else if (is.data.frame(newdata))
## as.matrix(model.frame(delete.response(terms(object)), : pseudoinverse used
## at 0.99
## Warning in predLoess(object$y, object$x, newx = if
## (is.null(newdata)) object$x else if (is.data.frame(newdata))
## as.matrix(model.frame(delete.response(terms(object)), : neighborhood radius
## 1.01
## Warning in predLoess(object$y, object$x, newx = if
## (is.null(newdata)) object$x else if (is.data.frame(newdata))
## as.matrix(model.frame(delete.response(terms(object)), : reciprocal
## condition number 0
## Warning in predLoess(object$y, object$x, newx = if
## (is.null(newdata)) object$x else if (is.data.frame(newdata))
## as.matrix(model.frame(delete.response(terms(object)), : There are other
## near singularities as well. 1.0201
```

