




Electrode Connections




RC LPF on inputs with ESD protection




Power Supply Filtering




8-Channel Analogue Front End with ADC




Reference Electrode (DRL), 100k resistor to limit current




ESP32 Microcontroller




GPIO Connections




ON/OFF Switch




Battery connection





Connection to programmer





Battery Power Management (LDO)





Schematic	Schematic1			Create at	2026-05-18
Board	Board1			Update at	2026-05-19
Drawn				Page	Main
Reviewed				FYP_Final_ExternalProgrammer	
		Version	Size	Page 1 Total 1	
		V1.0	A4	EasyEDA.com	





Schematic	RC_LPF			Create at	2026-05-18
Board	RC_LPF			Update at	2026-05-18
Drawn	FYP_Final_ExternalProgrammer			Page	P1
Reviewed					
		Version	Size	Page 1 Total 1	
EasyEDA		V1.0	A4	EasyEDA.com	



Schematic	RC_LPF			Create at	2026-05-18
Board	RC_LPF			Update at	2026-05-18
Drawn		FYP_Final_ExternalProgrammer			
Reviewed					
		Version	Size	Page 1 Total 1	
EasyEDA		V1.0	A4	EasyEDA.com	



Schematic	RC_LPF			Create at	2026-05-18
Board	RC_LPF			Update at	2026-05-18
Drawn		FYP_Final_ExternalProgrammer			
Reviewed					
		Version	Size	Page 1 Total 1	
EasyEDA		V1.0	A4	EasyEDA.com	



Schematic	RC_LPF			Create at	2026-05-18
Board	RC_LPF			Update at	2026-05-18
Drawn		FYP_Final_ExternalProgrammer			
Reviewed					
		Version	Size	Page 1 Total 1	
EasyEDA		V1.0	A4	EasyEDA.com	