NATIONAL MENTAL HEALTH SERVICES SURVEY (N-MHSS): 2020

CODEBOOK

Center for Behavioral Health Statistics and Quality Substance Abuse and Mental Health Services Administration

Acknowledgements

This data file was prepared for the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS).

Terms of Use

These data are distributed under the following terms of use; by continuing past this page, you signify agreement to comply with the requirements below:

Privacy of Study Respondents

Any intentional identification of an individual or organization, or unauthorized disclosure of identifiable information, violates the promise of confidentiality given to the providers of the information. Disclosure of identifiable information may also be punishable under federal law. Therefore, users of data agree to:

Use these data sets solely for research or statistical purposes, and not for investigation or re-identification of specific individuals or organizations.

Make no use of the identity of any individual discovered inadvertently, and report any such discovery to SAMHSA (bhsishelpdesk@hendall.com).

Public Domain Notice

All material appearing in this document is in the public domain and may be reproduced or copied without permission from SAMHSA. Citation of the source is appreciated. However, this publication may not be reproduced or distributed for a fee without specific, written authorization of the Office of Communications, SAMHSA, U.S. Department of Health and Human Services.

Recommended Citation

Substance Abuse and Mental Health Services Administration, *National Mental Health Services Survey (N-MHSS): 2020. Data on Mental Health Treatment Facilities.* Rockville, MD: Substance Abuse and Mental Health Services Administration, 2021.

Authors that use these data are encouraged to send citations of their publications to SAMHSA for inclusion in a database of related work (bhsishelpdesk@hendall.com).

Disclaimers

Data users acknowledge that SAMHSA and Eagle Technologies, Inc., bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

SAMHSA complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. SAMHSA cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad o sexo.

Violations

If SAMHSA determines these terms of use agreement has been violated, possible sanctions include:

- report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution;
- report of the violation to the Federal Office for Human Research Protections, if the confidentiality of human subjects has been violated;
- report of the violation of federal law to the United States Attorney General for possible prosecution;
- court-awarded payments of damages to any individual(s) or organization(s) harmed by the breach of confidential data.

DESCRIPTION OF THE NATIONAL MENTAL HEALTH SERVICES SURVEY (N-MHSS)

The 2020 National Mental Health Services Survey (N-MHSS) was conducted from March 2020 through November 2020. The N-MHSS collects information from all known facilities in the United States, both public and private, that provide mental health treatment services to people with mental illness. The Center for Behavioral Health Statistics and Quality (CBHSQ) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs the N-MHSS.

The N-MHSS provides a mechanism for quantifying the dynamic character and composition of the U.S. mental health treatment delivery system. It is the only source of national and state-level data on the mental health services delivery system reported by both publicly and privately-operated specialty mental health care facilities. The N-MHSS is designed to collect data on the location, characteristics, and utilization of organized mental health treatment services for facilities within the scope of the survey throughout the 50 states, the District of Columbia, and other U.S. jurisdictions.² The N-MHSS complements, but does not duplicate, the information collected through SAMHSA's survey of substance abuse treatment facilities, the National Survey of Substance Abuse Treatment Services (N-SSATS).

The objective of the N-MHSS is to collect data that can be used to:

- assist SAMHSA and state and local governments in assessing the nature and extent of services provided in state-funded, state-operated, and private non-profit and for-profit mental health treatment facilities, and in forecasting mental health treatment resource requirements;
- update SAMHSA's Inventory of Behavioral Health Services (I-BHS), an inventory of all known mental health and substance abuse treatment facilities in the United States, which can be used as a frame for future surveys of these facilities;
- describe the nature and scope of mental health treatment services and conduct comparative analyses for the nation and states; and
- update the information in the mental health component of SAMHSA's online Behavioral Health Treatment Services Locator, which includes a searchable database of public and private facilities for the provision of mental health treatment. The Locator is available at: https://findtreatment.samhsa.gov

¹ In the 2020 N-MHSS report, entities responding to the N-MHSS are referred to as "facilities."

² In the 2020 N-MHSS, other jurisdictions included American Samoa, Guam, the Commonwealth of the Northern Mariana Islands, and the U.S. Virgin Islands.

Data Collection Procedures for the 2020 N-MHSS

Field period and reference date

The field period for the 2020 N-MHSS, which included mailing and data collection operations, ran from March 26, 2020, through November 30, 2020. The reference date was April 30, 2020.

Survey universe

The survey universe for the 2020 N-MHSS included 15,421 facilities across the United States and other jurisdictions. Most facilities in the 2020 N-MHSS frame were identified from the updated database produced after fielding the 2010 and 2014 N-MHSS, and further supplemented by the 2015, 2016, 2017, 2018, and 2019 mental health augmentations, as well as new facilities that states requested be added to the I-BHS.

Below are the major activities undertaken to make sure SAMHSA has the most complete universe of facilities possible:

- The updated survey database is comprised of (1) those facilities that were included in the previous survey and are in-scope, and (2) newly identified facilities that became known during the course of the previous survey and are identified as eligible. Facilities that closed or were subsequently found to be out-of-scope are excluded.
- State mental health authorities (SMHAs) are contacted annually and asked to either (1) update and edit their state listing of known facilities, or (2) submit a new state listing of known facilities, using the I-BHS online, which has been used by the state substance abuse agencies (SSAs) for a number of years. The information collected through these state listings is processed and cross-checked with the database of facilities in the I-BHS; newly identified facilities are screened for eligibility before being added to the survey database.
- Augmentation includes a number of activities undertaken by our contractor staff. Contact is made on an annual basis to obtain current facility listings from the American Business Index (ABI), the American Hospital Association (AHA), the U.S. Department of Veterans Affairs (VA), the Centers for Medicare and Medicaid Services (CMS), and a number of national behavioral health organizations/associations, such as the National Council for Community Behavioral Healthcare, the National Association of Psychiatric Health Systems, and the American Association of Children's Residential Centers (AACRC). These listings are cross-checked against the existing I-BHS database and any new facilities are screened (through an augmentation screener questionnaire conducted through phone interview) for eligibility to be included in the database for the upcoming survey. The augmentation screener is also used to screen facilities that were newly identified through the previous survey and through the state listings.

When new, eligible facilities are identified between surveys, they are contacted by telephone to provide basic facility information for a "between survey update." Facilities that meet the requirements of being active, providing mental health treatment services as defined by SAMHSA, and responding to the annual N-MHSS survey are listed on SAMHSA's Behavioral Health

Treatment Services Locator and in the National Directory of Mental Health Treatment Facilities.

Survey coverage

The following types of mental health treatment facilities were included in the 2020 N-MHSS:

- *Psychiatric hospitals* are facilities licensed and operated as either state/public psychiatric hospitals or as state-licensed private psychiatric hospitals that primarily provide 24-hour inpatient care to persons with mental illness. They may also provide 24-hour residential care and/or less-than-24-hour care (i.e., outpatient, partial hospitalization/day treatment), but these additional service settings are not requirements.
- General hospitals with a separate inpatient psychiatric unit are licensed general hospitals (public or private) that provide inpatient mental health services in separate psychiatric units. These units must have specifically allocated staff and space for the treatment of persons with mental illness. The units may be located in the hospital itself or in a separate building that is owned by the hospital.
- Veterans Affairs (VA) medical centers are facilities operated by the U.S. Department of Veterans Affairs, including general hospitals with separate psychiatric inpatient units, residential treatment programs, and/or psychiatric outpatient clinics.
- Certified community behavioral health clinics are responsible for directly providing (or contracting with partner organizations to provide) nine types of services, with an emphasis on the provision of 24-hour crisis care, utilization of evidence-based practices, care coordination, and integration with physical health care.
- Partial hospitalization/day treatment mental health facilities provide only partial day mental health services to ambulatory clients, typically in sessions of three or more hours on a regular schedule. A psychiatrist generally assumes the medical responsibility for all clients and/or for the direction of their mental health treatment.
- Outpatient mental health facilities provide only outpatient mental health services to ambulatory clients, typically for less than three hours at a single visit. A psychiatrist generally assumes the medical responsibility for all clients and/or for the direction of their mental health treatment.
- Residential treatment centers (RTCs) for children are facilities not licensed as psychiatric hospitals that primarily provide individually planned programs of mental health treatment in a residential care setting for children under age 18 years. (Some RTCs for children may also treat young adults.) RTCs for children must have a clinical program that is directed by a psychiatrist, psychologist, social worker, or psychiatric nurse who has a master's or doctoral degree.
- Residential treatment centers (RTCs) for adults are facilities not licensed as psychiatric hospitals that primarily provide individually planned programs of mental health treatment in a residential care setting for adults.

- *Multi-setting mental health facilities*³ provide mental health services in two or more service settings (non-hospital residential, plus either outpatient and/or partial hospitalization/day treatment), and are not classified as a psychiatric hospital, general hospital, medical center, or residential treatment center.
- Community mental health centers (CMHCs) provide either (1) outpatient services, including specialized outpatient services for children, the elderly, individuals who are chronically mentally ill, and residents of its mental health service area who have been discharged from inpatient treatment at a mental health facility; (2) 24-hour emergency care services; (3) day treatment or other partial hospitalization services, or psychosocial rehabilitation services; or (4) screening for patients being considered for admission to state mental health facilities to determine the appropriateness of the admission. To be classified as a CMHC, a facility must meet applicable licensing or certification requirements for CMHCs in the state in which it is located.
- Other types of residential treatment facilities refers to facilities not licensed as psychiatric hospitals. The primary purpose of other types of residential treatment facilities is to provide individually planned programs of mental health treatment services in a residential care setting; such facilities are not specifically for children or adults only.
- Other refers to another type of hospital or mental health facility not defined in the categories above.

Exclusions

The survey universe for the 2020 N-MHSS excluded: (1) Department of Defense (DoD) military treatment facilities; (2) individual private practitioners or small group practices not licensed as a mental health clinic or center; and (3) jails or prisons.

Facilities are not eligible for inclusion in the survey universe if they only provide one or more of the following services: crisis intervention services, psychosocial rehabilitation, cognitive rehabilitation, intake, referral, mental health evaluation, health promotion, psychoeducational services, transportation services, respite services, consumer-run/peer support services, housing services, or legal advocacy. Residential facilities whose primary function is not to provide specialty mental health treatment services are also not eligible for inclusion in the survey universe for the N-MHSS.

³ The classification of psychiatric hospital, general hospital, medical center, or residential treatment center—any of which can offer mental health services in two or more service settings—takes precedence over a multi-setting classification.

Content

The 2020 N-MHSS instrument, which appears in its print format as Appendix A, is a nineteen-page document with 41 numbered questions. Topics included:

- facility type, operation, and primary treatment focus;
- facility treatment characteristics (e.g., settings of care; mental health treatment modalities, pharmacotherapies; supportive services and practices; services provided to clients with cooccurring mental health and substance use disorders; dedicated or exclusively designed programs or groups offered; seclusion or restraint practices; and crisis intervention team availability);
- facility operating characteristics (e.g., age groups accepted; availability of treatment services provided in non-English languages and in sign language for the deaf and hard-of-hearing; and smoking policy);
- facility management characteristics (e.g., quality improvement practices; use of electronic resources to accomplish work activities; licensure, certification, and accreditation; sources of payment and funding); and
- client characteristics

Data collection

There were three data collection modes employed: a secure web-based questionnaire, a paper questionnaire sent by mail, and a computer-assisted telephone interview (CATI). Approximately four weeks before the survey reference date (April 30, 2020), SAMHSA mailed letters to the attention of the facility directors of all eligible facilities to alert them to expect the survey and to request their participation in the N-MHSS (Appendix B). The letter also served to update records with new address information received from the U.S. Postal Service. A data collection packet (including SAMHSA cover letter, state-specific letter of support, information on completing the survey on the web, and fact sheet of frequently asked questions) was mailed to each facility on April 30, 2020. The web-based survey also became available at the same time. At this point, each facility had the option of completing the questionnaire via the secure survey website or asking for a paper questionnaire to complete and return via postal mail. In August 2020, another, similar packet was sent to non-responding facilities, this time including a copy of the questionnaire, a definitions packet, and a postage-paid return envelope.

During the data collection phase, contract personnel were available by telephone to answer facilities' questions concerning the survey. Facilities completing the questionnaire on the Internet had access to hyperlinks to an information site containing definitions of the survey elements. Multiple reminder letters were sent to non-respondents over the course of the data collection period via fax, mail, and e-mail. To increase the survey response rate, state mental health agency representatives were contacted during the data collection period to inform them of their state's progress and to request additional help in encouraging responses. Blaise®-to-web follow-up (assisted telephone interviews) of non-respondents began in August 2020 and ended in late November 2020.

Eligibility and unit response rate

Table 1.1 presents a summary of eligibility and response rate information. Of the 15,421 mental health treatment facilities in the survey, 8 percent were found to be ineligible for the survey because they did not provide mental health treatment services; had a primary treatment focus of substance abuse services or general health care, provided treatment for incarcerated persons only (i.e., in jails or prisons), were an individual or small group mental health practice not licensed or certified as a mental health center or clinic, or were closed.

Table 1.1. N-MHSS facilities, by status and mode of response: 2020

| | Number | Doroont |
|--|--------|---------|
| | Number | Percent |
| Total facilities in survey | 15,421 | 100.0 |
| Closed/ineligible | 1,234 | 8.0 |
| Eligible | 14,187 | 92.0 |
| Total eligible | 14,187 | 100.0 |
| Non-respondents | 1,592 | 11.2 |
| Respondents | 12,595 | 88.8 |
| Excluded from report (administrative only) | 218 | 1.5 |
| Uncategorized roll-ups ¹ | 102 | 0.7 |
| Eligible for report | 12,275 | 86.5 |
| Mode of response | 12,275 | 100.0 |
| Internet | 11,785 | 96.0 |
| Mail | 113 | 0.9 |
| Telephone | 377 | 3.1 |

¹ Facilities whose client counts were included in or "rolled into" other facilities' counts, and whose facility characteristics were not reported separately.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, National Mental Health Services Survey (N-MHSS), 2020.

Facility Reporting and Selection for the 2020 N-MHSS Report

Of the 14,187 facilities eligible for the survey, 89 percent completed the survey, including 218 facilities that did not provide direct mental health treatment services [Table 1.1]. (These 218 facilities, which provided administrative services only, were excluded from the report, but have been included in SAMHSA's online Behavioral Health Treatment Services Locator.) An additional 102 facilities whose client counts were included in or rolled into other facilities' client counts—and whose facility characteristics were not reported separately—were also excluded from the report. After excluding the 218 facilities that provided only administrative services and the 102 uncategorized roll-up facilities, data from 12,275 eligible respondent facilities were included in the 2020 N-MHSS report. Of the respondents that were eligible for the report, 96 percent completed the survey on the web, 1 percent through the mail, and 3 percent on the telephone.

Quality Assurance

All completed mail questionnaires underwent a manual review for consistency and missing data. Calls to facilities clarified questionable responses and obtained missing data. After data entry,

automated quality assurance reviews were conducted. The reviews incorporated the rules used in manual editing plus consistency checks not readily identified by manual review. The web-based questionnaire was programmed to be self-editing; that is, respondents were prompted to complete missing responses and to confirm or correct inconsistent responses on critical items. The CATI questionnaire was similarly programmed.

Response Rates

The final unit response rate among facilities eligible for the survey was 89 percent. Extensive follow-up during data collection and careful editing maximized item response; the item response rates averaged approximately 94 percent across all 247 separate items.

Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 2020 N-MHSS. Some general issues are listed below. Considerations and limitations of specific data items are discussed where the data are presented.

- The N-MHSS is a voluntary survey, and while every effort is made to obtain responses from all known mental health treatment facilities within the scope of the survey, some facilities did not respond. There was no adjustment for the 11 percent facility non-response.
- The N-MHSS is a point-prevalence survey. It provides information on the mental health treatment system and its clients as of a pre-selected reference date (April 30, 2020). Client counts reported here do not represent annual totals. Rather, the N-MHSS provides a snapshot of mental health treatment facilities and clients on an average day or month.
- Multiple responses were allowed for certain questionnaire items (e.g., services provided in non-English languages and type of payment or insurance accepted for mental health treatment services). Tabulations of data for these items include the total number of facilities reporting each response category.
- Reported client count totals that fell within a variance of +/- 10 and client percentages that fell within a variance of +/- 5 were not adjusted. Therefore, the public use file includes percentage values of greater than 100.

| FREQUENCIES |
|---|
| Note: The number in parentheses that follows each variable's headline description, e.g. "(Q.7)," denotes the corresponding question and response in the survey instrument from which the variable is drawn. |

CASEID: Case identification number

Program generated case (record) identifier.

A frequency distribution of this variable is not shown; each case has a unique value generated for identification purposes.

LST: State postal code

| Value | Label | Frequency | % |
|-------|----------------------|-----------|------|
| AK | Alaska | 89 | 0.7% |
| AL | Alabama | 156 | 1.3% |
| AR | Arkansas | 207 | 1.7% |
| AZ | Arizona | 433 | 3.5% |
| CA | California | 970 | 7.9% |
| СО | Colorado | 189 | 1.5% |
| CT | Connecticut | 221 | 1.8% |
| DC | District of Columbia | 36 | 0.3% |
| DE | Delaware | 36 | 0.3% |
| FL | Florida | 494 | 4.0% |
| GA | Georgia | 225 | 1.8% |
| HI | Hawaii | 37 | 0.3% |
| IA | lowa | 152 | 1.2% |
| ID | Idaho | 137 | 1.1% |
| IL | Illinois | 397 | 3.2% |
| IN | Indiana | 284 | 2.3% |
| KS | Kansas | 121 | 1.0% |
| KY | Kentucky | 210 | 1.7% |
| LA | Louisiana | 171 | 1.4% |
| MA | Massachusetts | 310 | 2.5% |
| MD | Maryland | 276 | 2.2% |
| ME | Maine | 187 | 1.5% |
| MI | Michigan | 377 | 3.1% |
| MN | Minnesota | 259 | 2.1% |
| МО | Missouri | 212 | 1.7% |
| MS | Mississippi | 179 | 1.5% |
| MT | Montana | 99 | 0.8% |
| NC | North Carolina | 314 | 2.6% |
| ND | North Dakota | 35 | 0.3% |
| NE | Nebraska | 147 | 1.2% |
| NH | New Hampshire | 70 | 0.6% |
| NJ | New Jersey | 320 | 2.6% |

LST: State postal code

| Value | Label | Frequency | % |
|-------|---------------------|-----------|------|
| NM | New Mexico | 71 | 0.6% |
| NV | Nevada | 67 | 0.5% |
| NY | New York | 802 | 6.5% |
| ОН | Ohio | 621 | 5.1% |
| OK | Oklahoma | 166 | 1.4% |
| OR | Oregon | 174 | 1.4% |
| PA | Pennsylvania | 563 | 4.6% |
| PR | Puerto Rico | 69 | 0.6% |
| RI | Rhode Island | 50 | 0.4% |
| SC | South Carolina | 111 | 0.9% |
| SD | South Dakota | 47 | 0.4% |
| TN | Tennessee | 280 | 2.3% |
| TX | Texas | 363 | 3.0% |
| UT | Utah | 265 | 2.2% |
| VA | Virginia | 281 | 2.3% |
| VT | Vermont | 60 | 0.5% |
| WA | Washington | 352 | 2.9% |
| WI | Wisconsin | 411 | 3.3% |
| WV | West Virginia | 119 | 1.0% |
| WY | Wyoming | 44 | 0.4% |
| ZZ | Other jurisdictions | 9 | 0.1% |
| | Total | 12,275 | 100% |

Variable Type: character

MHINTAKE: Facility offers mental health intake (Q.A1)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 990 | 8.1% |
| 1 | Yes | 11,285 | 91.9% |
| | Total | 12,275 | 100% |

MHDIAGEVAL: Facility offers mental health diagnostic evaluation (Q.A1)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 970 | 7.9% |
| 1 | Yes | 11,305 | 92.1% |
| | Total | 12,275 | 100% |

MHREFERRAL: Facility offers mental health information and/or referral (Q.A1)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 1,706 | 13.9% |
| 1 | Yes | 10,569 | 86.1% |
| | Total | 12,275 | 100% |

SMISEDSUD: Offered co-occurring SMI/SED and SUD (Q.A1)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 3,368 | 27.4% |
| 1 | Yes | 8,907 | 72.6% |
| | Total | 12,275 | 100% |

TREATMT: Facility offers substance use treatment (Q.A1)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 5,172 | 42.1% |
| 1 | Yes | 7,102 | 57.9% |
| -1 | Missing | 1 | 0.0% |
| | Total | 12,275 | 100% |

ADMINSERV: Facility offers administrative or operational services for mental health treatment facilities (Q.A1)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 5,243 | 42.7% |
| 1 | Yes | 7,032 | 57.3% |
| | Total | 12,275 | 100% |

SETTINGIP: Provides mental health treatment in a 24-hour hospital inpatient setting (Q.A3)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 10,519 | 85.7% |
| 1 | Yes | 1,756 | 14.3% |
| | Total | 12,275 | 100% |

SETTINGRC: Provides mental health treatment in a 24-hour residential setting (Q.A3)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 10,370 | 84.5% |
| 1 | Yes | 1,905 | 15.5% |
| | Total | 12,275 | 100% |

SETTINGDTPH: Provides mental health treatment in a partial hospitalization/day treatment setting (Q.A3)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 10,469 | 85.3% |
| 1 | Yes | 1,806 | 14.7% |
| | Total | 12,275 | 100% |

SETTINGOP: Provides mental health treatment in an outpatient setting (Q.A3)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 2,641 | 21.5% |
| 1 | Yes | 9,634 | 78.5% |
| | Total | 12,275 | 100% |

FACILITYTYPE: Facility type (Q.A4)

| Value | Label | Frequency | % |
|-------|---|-----------|-------|
| 1 | Psychiatric hospital | 668 | 5.4% |
| 2 | Separate inpatient psychiatric unit of a general hospital | 967 | 7.9% |
| 3 | Residential treatment center for children | 592 | 4.8% |
| 4 | Residential treatment center for adults | 807 | 6.6% |
| 5 | Other type of residential treatment facility | 63 | 0.5% |
| 6 | Veterans Administration Medical Center (VAMC) | 552 | 4.5% |
| 7 | Community Mental Health Center (CMHC) | 2,548 | 20.8% |
| 8 | Certified Community Behavioral Health Clinic (CCBHC) | 336 | 2.7% |
| 9 | Partial hospitalization/day treatment facility | 429 | 3.5% |
| 10 | Outpatient mental health facility | 4,941 | 40.3% |
| 11 | Multi-setting mental health facility | 369 | 3.0% |
| 12 | Other | 3 | 0.0% |
| | Total | 12,275 | 100% |

FOCUS: Primary treatment focus of facility (Q.A8)

| Value | Label | Frequency | % |
|-------|--|-----------|-------|
| 1 | Mental health treatment | 7,733 | 63.0% |
| 3 | Mix of mental health and substance use treatment | 4,092 | 33.3% |
| 4 | General health care | 404 | 3.3% |
| 5 | Other service focus | 46 | 0.4% |
| | Total | 12,275 | 100% |

OWNERSHP: Organization that operates the facility (Q.A10)

| Value | Label | Frequency | % |
|-------|---------------------------------|-----------|-------|
| 1 | Private for-profit organization | 2,589 | 21.1% |
| 2 | Private non-profit organization | 7,402 | 60.3% |
| 3 | Public agency or department | 2,284 | 18.6% |
| | Total | 12,275 | 100% |

PUBLICAGENCY: Public agency or department that operates facility (Q.A10a)

| Value | Label | Frequency | % |
|-------|---|-----------|-------|
| 1 | State mental health authority (SMHA) | 400 | 3.3% |
| 2 | Other state government agency or department | 424 | 3.5% |
| 3 | Regional/district authority or county, local, or municipal government | 861 | 7.0% |
| 4 | Tribal government | 20 | 0.2% |
| 5 | Indian Health Service | 14 | 0.1% |
| 6 | Department of Veterans Affairs | 552 | 4.5% |
| 7 | Other | 13 | 0.1% |
| -2 | Logical skip | 9,991 | 81.4% |
| | Total | 12,275 | 100% |

RELIG: Facility is affiliated with a religious or faith-based organization (Q.A11)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 11,418 | 93.0% |
| 1 | Yes | 742 | 6.0% |
| -1 | Missing | 115 | 0.9% |
| | Total | 12,275 | 100% |

TREATPSYCHOTHRPY: Facility offers individual psychotherapy (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 926 | 7.5% |
| 1 | Yes | 11,349 | 92.5% |
| | Total | 12,275 | 100% |

TREATFAMTHRPY: Facility offers couples/family therapy (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 3,183 | 25.9% |
| 1 | Yes | 9,092 | 74.1% |
| | Total | 12,275 | 100% |

TREATGRPTHRPY: Facility offers group therapy (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 1,661 | 13.5% |
| 1 | Yes | 10,614 | 86.5% |
| | Total | 12,275 | 100% |

TREATCOGTHRPY: Facility offers cognitive behavioral therapy (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 1,147 | 9.3% |
| 1 | Yes | 11,128 | 90.7% |
| | Total | 12,275 | 100% |

TREATDIALTHRPY: Facility offers dialectical behavior therapy (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 5,146 | 41.9% |
| 1 | Yes | 7,129 | 58.1% |
| | Total | 12,275 | 100% |

TREATCOGREM: Facility provides cognitive remediation therapy (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 11,574 | 94.3% |
| 1 | Yes | 701 | 5.7% |
| | Total | 12,275 | 100% |

TREATBEHAVMOD: Facility offers behavior modification (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 4,052 | 33.0% |
| 1 | Yes | 8,223 | 67.0% |
| | Total | 12,275 | 100% |

TREATDUALMHSA: Facility offers integrated dual disorders treatment (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 4,642 | 37.8% |
| 1 | Yes | 7,633 | 62.2% |
| | Total | 12,275 | 100% |

TREATTRAUMATHRPY: Facility offers trauma therapy (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 2,549 | 20.8% |
| 1 | Yes | 9,726 | 79.2% |
| | Total | 12,275 | 100% |

TREATACTVTYTHRPY: Facility offers activity therapy (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 6,900 | 56.2% |
| 1 | Yes | 5,375 | 43.8% |
| | Total | 12,275 | 100% |

TREATELECTRO: Facility offers electroconvulsive therapy (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 11,777 | 95.9% |
| 1 | Yes | 498 | 4.1% |
| | Total | 12,275 | 100% |

TREATTMS: Facility provides Transcranial Magnetic Stimulation (TMS) (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 12,005 | 97.8% |
| 1 | Yes | 270 | 2.2% |
| | Total | 12,275 | 100% |

TREATKIT: Facility provides Ketamine Infusion Therapy (KIT) (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 12,141 | 98.9% |
| 1 | Yes | 134 | 1.1% |
| | Total | 12,275 | 100% |

TREATEMDR: Facility provides Eye Movement Desensitization and Reprocessing (EMDR) (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 9,857 | 80.3% |
| 1 | Yes | 2,418 | 19.7% |
| | Total | 12,275 | 100% |

TREATTELEMEDINCE: Facility offers telemedicine/telehealth therapy (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 3,840 | 31.3% |
| 1 | Yes | 8,435 | 68.7% |
| | Total | 12,275 | 100% |

TREATOTH: Facility offers other mental health treatment approach (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 11,686 | 95.2% |
| 1 | Yes | 589 | 4.8% |
| | Total | 12,275 | 100% |

NOTREAT: Facility offers none of the identified mental health treatment approaches (Q.A12)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 12,149 | 99.0% |
| 1 | Yes | 126 | 1.0% |
| | Total | 12,275 | 100% |

ANTIPSYCH: Antipsychotics for the treatment of serious mental illness (SMI) (Q.A13)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 4,281 | 34.9% |
| 1 | Yes | 7,987 | 65.1% |
| -1 | Missing | 7 | 0.1% |
| | Total | 12,275 | 100% |

CHLOR_NO: Chlorpromazine not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,105 | 41.6% |
| 1 | Yes | 2,870 | 23.4% |
| -1 | Missing | 12 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

CHLOR_ORAL: Oral chlorpromazine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 3,673 | 29.9% |
| 1 | Yes | 4,302 | 35.0% |
| -1 | Missing | 12 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

CHLOR_INJ: Injectable chlorpromazine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,330 | 51.6% |
| 1 | Yes | 1,645 | 13.4% |
| -1 | Missing | 12 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

CHLOR_REC: Rectal chlorpromazine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,923 | 64.5% |
| 1 | Yes | 52 | 0.4% |
| -1 | Missing | 12 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

DROPE_NO: Droperidol not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 473 | 3.9% |
| 1 | Yes | 7,495 | 61.1% |
| -1 | Missing | 19 | 0.2% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

DROPE_INJ: Injectable droperidol used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,495 | 61.1% |
| 1 | Yes | 473 | 3.9% |
| -1 | Missing | 19 | 0.2% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

FLUPH_NO: Fluphenazine not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,470 | 44.6% |
| 1 | Yes | 2,503 | 20.4% |
| -1 | Missing | 14 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

FLUPH_ORAL: Oral fluphenazine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 3,835 | 31.2% |
| 1 | Yes | 4,138 | 33.7% |
| -1 | Missing | 14 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

FLUPH_INJ: Injectable fluphenazine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,656 | 46.1% |
| 1 | Yes | 2,317 | 18.9% |
| -1 | Missing | 14 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

FLUPH_LAI: Long-acting injectable fluphenazine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,682 | 46.3% |
| 1 | Yes | 2,291 | 18.7% |
| -1 | Missing | 14 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

HALOP_NO: Haloperidol not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,583 | 53.6% |
| 1 | Yes | 1,394 | 11.4% |
| -1 | Missing | 10 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

HALOP_ORAL: Oral haloperidol used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 2,484 | 20.2% |
| 1 | Yes | 5,493 | 44.7% |
| -1 | Missing | 10 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

HALOP_INJ: Injectable haloperidol used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,375 | 35.6% |
| 1 | Yes | 3,602 | 29.3% |
| -1 | Missing | 10 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

HALOP_LAI: Long-acting injectable haloperidol used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,902 | 39.9% |
| 1 | Yes | 3,075 | 25.1% |
| -1 | Missing | 10 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

LOXAP_NO: Loxapine not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 3,683 | 30.0% |
| 1 | Yes | 4,286 | 34.9% |
| -1 | Missing | 18 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

LOXAP_ORAL: Oral Loxapine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,185 | 42.2% |
| 1 | Yes | 2,784 | 22.7% |
| -1 | Missing | 18 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

LOXAP_INJ: Injectable Loxapine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,561 | 61.6% |
| 1 | Yes | 408 | 3.3% |
| -1 | Missing | 18 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

PERPH_NO: Perphenazine not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,318 | 35.2% |
| 1 | Yes | 3,653 | 29.8% |
| -1 | Missing | 16 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

PERPH_ORAL: Oral perphenazine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,592 | 37.4% |
| 1 | Yes | 3,379 | 27.5% |
| -1 | Missing | 16 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

PERPH_INJ: Injectable perphenazine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,491 | 61.0% |
| 1 | Yes | 480 | 3.9% |
| -1 | Missing | 16 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

PIMOZ_NO: Pimozide not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,737 | 14.2% |
| 1 | Yes | 6,232 | 50.8% |
| -1 | Missing | 18 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

PIMOZ_ORAL: Oral pimozide used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,765 | 55.1% |
| 1 | Yes | 1,204 | 9.8% |
| -1 | Missing | 18 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

PIMOZ_TOP: Topical pimozide used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | No | 7,868 | 64.1% |
| 1 | Yes | 101 | 0.8% |
| -1 | Missing | 18 | 0.1% |
| - 2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

PROCH_NO: Prochlorperazine not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 2,677 | 21.8% |
| 1 | Yes | 5,292 | 43.1% |
| -1 | Missing | 18 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

PROCH_ORAL: Oral prochlorperazine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,932 | 48.3% |
| 1 | Yes | 2,037 | 16.6% |
| -1 | Missing | 18 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

PROCH_INJ: Injectable prochlorperazine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,356 | 59.9% |
| 1 | Yes | 613 | 5.0% |
| -1 | Missing | 18 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

PROCH_REC: Rectal prochlorperazine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,722 | 62.9% |
| 1 | Yes | 247 | 2.0% |
| -1 | Missing | 18 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

THIOT_NO: Thiothixene not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 2,905 | 23.7% |
| 1 | Yes | 5,066 | 41.3% |
| -1 | Missing | 16 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

THIOT_ORAL: Oral thiothixene used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,643 | 46.0% |
| 1 | Yes | 2,328 | 19.0% |
| -1 | Missing | 16 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

THIOT_INJ: Injectable thiothixene used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,676 | 62.5% |
| 1 | Yes | 295 | 2.4% |
| -1 | Missing | 16 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

THIOR_NO: Thioridazine not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 2,269 | 18.5% |
| 1 | Yes | 5,700 | 46.4% |
| -1 | Missing | 18 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

THIOR_ORAL: Oral thioridazine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,700 | 46.4% |
| 1 | Yes | 2,269 | 18.5% |
| -1 | Missing | 18 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

TRIFL_NO: Trifluoperazine not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 2,727 | 22.2% |
| 1 | Yes | 5,243 | 42.7% |
| -1 | Missing | 17 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

TRIFL_ORAL: Oral trifluoperazine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,812 | 47.3% |
| 1 | Yes | 2,158 | 17.6% |
| -1 | Missing | 17 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

TRIFL_INJ: Injectable trifluoperazine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,667 | 62.5% |
| 1 | Yes | 303 | 2.5% |
| -1 | Missing | 17 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

FSTGENOTH_NO: Other first-generation antipsychotics not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 13 | 0.1% |
| 1 | Yes | 7,974 | 65.0% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

FSTGENOTH_ORAL: Other oral first-generation antipsychotics used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,976 | 65.0% |
| 1 | Yes | 11 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

FSTGENOTH_INJ: Other injectable first-generation antipsychotics used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,984 | 65.0% |
| 1 | Yes | 3 | 0.0% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

FSTGENOTH_LAI: Other long-acting injectable first-generation antipsychotics used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,984 | 65.0% |
| 1 | Yes | 3 | 0.0% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

FSTGENOTH_REC: Other rectal first-generation antipsychotics used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,987 | 65.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

FSTGENOTH_TOP: Other topical first-generation antipsychotics used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,987 | 65.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

ARIPI_NO: Aripiprazole not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,263 | 59.2% |
| 1 | Yes | 715 | 5.8% |
| -1 | Missing | 9 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

ARIPI_ORAL: Oral aripiprazole used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,392 | 11.3% |
| 1 | Yes | 6,586 | 53.7% |
| -1 | Missing | 9 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

ARIPI_INJ: Injectable aripiprazole used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,641 | 46.0% |
| 1 | Yes | 2,337 | 19.0% |
| -1 | Missing | 9 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

ARIPI_LAI: Long-acting injectable aripiprazole used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,032 | 41.0% |
| 1 | Yes | 2,946 | 24.0% |
| -1 | Missing | 9 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

ASENA_NO: Asenapine not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,236 | 34.5% |
| 1 | Yes | 3,736 | 30.4% |
| -1 | Missing | 15 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

ASENA_ORAL: Oral asenapine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,338 | 35.3% |
| 1 | Yes | 3,634 | 29.6% |
| -1 | Missing | 15 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

ASENA_INJ: Injectable asenapine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,619 | 62.1% |
| 1 | Yes | 353 | 2.9% |
| -1 | Missing | 15 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

BREXP_NO: Brexpiprazole not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,041 | 32.9% |
| 1 | Yes | 3,931 | 32.0% |
| -1 | Missing | 15 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

BREXP_ORAL: Oral brexpiprazole used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 3,931 | 32.0% |
| 1 | Yes | 4,041 | 32.9% |
| -1 | Missing | 15 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

CARIP_NO: Cariprazine not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,144 | 33.8% |
| 1 | Yes | 3,830 | 31.2% |
| -1 | Missing | 13 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

CARIP_ORAL: Oral cariprazine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 3,830 | 31.2% |
| 1 | Yes | 4,144 | 33.8% |
| -1 | Missing | 13 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

CLOZA_NO: Clozapine not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,264 | 51.0% |
| 1 | Yes | 1,713 | 14.0% |
| -1 | Missing | 10 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

CLOZA_ORAL: Oral clozapine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,713 | 14.0% |
| 1 | Yes | 6,264 | 51.0% |
| -1 | Missing | 10 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

ILOPE_NO: Iloperidone not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 3,075 | 25.1% |
| 1 | Yes | 4,898 | 39.9% |
| -1 | Missing | 14 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

ILOPE_ORAL: Oral iloperidone used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,898 | 39.9% |
| 1 | Yes | 3,075 | 25.1% |
| -1 | Missing | 14 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

LURAS_NO: Lurasidone not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,454 | 52.6% |
| 1 | Yes | 1,524 | 12.4% |
| -1 | Missing | 9 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

LURAS_ORAL: Oral lurasidone used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,524 | 12.4% |
| 1 | Yes | 6,454 | 52.6% |
| -1 | Missing | 9 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

OLANZ_NO: Olanzapine not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,164 | 58.4% |
| 1 | Yes | 816 | 6.6% |
| -1 | Missing | 7 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

OLANZ_ORAL: Oral olanzapine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,424 | 11.6% |
| 1 | Yes | 6,556 | 53.4% |
| -1 | Missing | 7 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

OLANZ_INJ: Injectable olanzapine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,781 | 47.1% |
| 1 | Yes | 2,199 | 17.9% |
| -1 | Missing | 7 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

OLANZ_LAI: Long-acting injectable olanzapine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,543 | 53.3% |
| 1 | Yes | 1,437 | 11.7% |
| -1 | Missing | 7 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

OLANZFLU_NO: Olanzapine/fluoxetine combination not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 3,863 | 31.5% |
| 1 | Yes | 4,110 | 33.5% |
| -1 | Missing | 14 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

OLANZFLU_ORAL: Oral olanzapine/fluoxetine combination used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,110 | 33.5% |
| 1 | Yes | 3,863 | 31.5% |
| -1 | Missing | 14 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

PALIP_NO: Paliperidone not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,953 | 48.5% |
| 1 | Yes | 2,023 | 16.5% |
| -1 | Missing | 11 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

PALIP_ORAL: Oral paliperidone used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,025 | 32.8% |
| 1 | Yes | 3,951 | 32.2% |
| -1 | Missing | 11 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

PALIP_INJ: Injectable paliperidone used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,587 | 45.5% |
| 1 | Yes | 2,389 | 19.5% |
| -1 | Missing | 11 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

PALIP_LAI: Long-acting injectable paliperidone used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,564 | 37.2% |
| 1 | Yes | 3,412 | 27.8% |
| -1 | Missing | 11 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

QUETI_NO: Quetiapine not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,136 | 58.1% |
| 1 | Yes | 843 | 6.9% |
| -1 | Missing | 8 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

QUETI_ORAL: Oral quetiapine used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 843 | 6.9% |
| 1 | Yes | 7,136 | 58.1% |
| -1 | Missing | 8 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

RISPE_NO: Risperidone not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,265 | 59.2% |
| 1 | Yes | 715 | 5.8% |
| -1 | Missing | 7 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

RISPE_ORAL: Oral risperidone used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,290 | 10.5% |
| 1 | Yes | 6,690 | 54.5% |
| -1 | Missing | 7 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

RISPE_INJ: Injectable risperidone used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,682 | 46.3% |
| 1 | Yes | 2,298 | 18.7% |
| -1 | Missing | 7 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

RISPE_LAI: Long-acting injectable risperidone used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,866 | 39.6% |
| 1 | Yes | 3,114 | 25.4% |
| -1 | Missing | 7 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

ZIPRA_NO: Ziprasidone not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,676 | 54.4% |
| 1 | Yes | 1,300 | 10.6% |
| -1 | Missing | 11 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

ZIPRA_ORAL: Oral ziprasidone used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,817 | 14.8% |
| 1 | Yes | 6,159 | 50.2% |
| -1 | Missing | 11 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

ZIPRA_INJ: Injectable ziprasidone used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,210 | 50.6% |
| 1 | Yes | 1,766 | 14.4% |
| -1 | Missing | 11 | 0.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN1OTH_NO: Other second-generation antipsychotics (A) not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 217 | 1.8% |
| 1 | Yes | 7,770 | 63.3% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN1OTH_ORAL: Other oral second-generation antipsychotics (A) used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,921 | 64.5% |
| 1 | Yes | 66 | 0.5% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN1OTH_INJ: Other injectable second-generation antipsychotics (A) used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,924 | 64.6% |
| 1 | Yes | 63 | 0.5% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN1OTH_LAI: Other long-acting injectable second-generation antipsychotics (A) used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,841 | 63.9% |
| 1 | Yes | 146 | 1.2% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN1OTH_REC: Other rectal second-generation antipsychotics (A) used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,987 | 65.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN1OTH_TOP: Other topical second-generation antipsychotics (A) used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,986 | 65.1% |
| 1 | Yes | 1 | 0.0% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN2OTH_NO: Other second-generation antipsychotics (B) not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 8 | 0.1% |
| 1 | Yes | 7,979 | 65.0% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN2OTH_ORAL: Other oral second-generation antipsychotics (B) used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,983 | 65.0% |
| 1 | Yes | 4 | 0.0% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN2OTH_INJ: Other injectable second-generation antipsychotics (B) used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,987 | 65.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN2OTH_LAI: Other long-acting injectable second-generation antipsychotics (B) used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,983 | 65.0% |
| 1 | Yes | 4 | 0.0% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN2OTH_REC: Other rectal second-generation antipsychotics (B) used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,987 | 65.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN2OTH_TOP: Other topical second-generation antipsychotics (B) used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,987 | 65.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN3OTH_NO: Other second-generation antipsychotics (C) not used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 1 | Yes | 7,987 | 65.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN3OTH_ORAL: Other oral second-generation antipsychotics (C) used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,987 | 65.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN3OTH_INJ: Other injectable second-generation antipsychotics (C) used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,987 | 65.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN3OTH_LAI: Other long-acting injectable second-generation antipsychotics (C) used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,987 | 65.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN3OTH_REC: Other rectal second-generation antipsychotics (C) used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,987 | 65.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

SECGEN3OTH_TOP: Other topical second-generation antipsychotics (C) used at this facility for treatment of SMI (Q.A13a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,987 | 65.1% |
| -2 | Logical skip | 4,288 | 34.9% |
| | Total | 12,275 | 100% |

ASSERTCOMM: Facility offers assertive community treatment (ACT) (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 10,442 | 85.1% |
| 1 | Yes | 1,790 | 14.6% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHINTCASEMGMT: Facility offers intensive case management services (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 9,246 | 75.3% |
| 1 | Yes | 2,986 | 24.3% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHCASEMGMT: Facility offers case management services (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 3,721 | 30.3% |
| 1 | Yes | 8,511 | 69.3% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHCOURTORDERED: Facility offers court-ordered outpatient treatment (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 5,695 | 46.4% |
| 1 | Yes | 6,537 | 53.3% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHAOT: Facility provides assisted outpatient treatment (AOT) (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 11,438 | 93.2% |
| 1 | Yes | 794 | 6.5% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHCHRONIC: Facility offers chronic disease/illness management services (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 9,909 | 80.7% |
| 1 | Yes | 2,323 | 18.9% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

ILLNESSMGMT: Facility offers illness management and recovery (IMR) services (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 8,975 | 73.1% |
| 1 | Yes | 3,257 | 26.5% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

PRIMARYCARE: Facility offers integrated primary care services (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 9,041 | 73.7% |
| 1 | Yes | 3,191 | 26.0% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

DIETEXERCOUNSEL: Facility offers diet and exercise counseling (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 8,186 | 66.7% |
| 1 | Yes | 4,046 | 33.0% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

FAMPSYCHED: Facility offers family psychoeducation (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 3,631 | 29.6% |
| 1 | Yes | 8,601 | 70.1% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHEDUCATION: Facility offers education services (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 8,339 | 67.9% |
| 1 | Yes | 3,893 | 31.7% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHHOUSING: Facility offers housing services (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 9,608 | 78.3% |
| 1 | Yes | 2,624 | 21.4% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

SUPPHOUSING: Facility offers supported housing programs (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 10,201 | 83.1% |
| 1 | Yes | 2,031 | 16.5% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHPSYCHREHAB: Facility offers psychosocial rehabilitation services (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 7,107 | 57.9% |
| 1 | Yes | 5,125 | 41.8% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHVOCREHAB: Facility offers vocational rehabilitation services (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 10,237 | 83.4% |
| 1 | Yes | 1,995 | 16.3% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

SUPPEMPLOY: Facility offers supported employment services (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 9,889 | 80.6% |
| 1 | Yes | 2,343 | 19.1% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

FOSTERCARE: Facility offers therapeutic foster care (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 11,649 | 94.9% |
| 1 | Yes | 583 | 4.7% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHLEGAL: Facility offers legal advocacy (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 11,468 | 93.4% |
| 1 | Yes | 764 | 6.2% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHEMGCY: Facility offers psychiatric emergency walk-in services (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 8,296 | 67.6% |
| 1 | Yes | 3,936 | 32.1% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHSUICIDE: Facility offers suicide prevention services (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 4,146 | 33.8% |
| 1 | Yes | 8,086 | 65.9% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHCONSUMER: Facility offers consumer-run (peer support) services (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 7,928 | 64.6% |
| 1 | Yes | 4,304 | 35.1% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHHBV: Facility provides testing for Hepatitis B (HBV) (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 10,448 | 85.1% |
| 1 | Yes | 1,784 | 14.5% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHHCV: Facility provides testing for Hepatitis C (HCV) (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 10,349 | 84.3% |
| 1 | Yes | 1,883 | 15.3% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHHIV: Facility provides HIV testing (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 10,253 | 83.5% |
| 1 | Yes | 1,979 | 16.1% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHSTD: Facility provides STD testing (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 10,361 | 84.4% |
| 1 | Yes | 1,871 | 15.2% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHTB: Facility provides TB screening (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 9,649 | 78.6% |
| 1 | Yes | 2,583 | 21.0% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHTOBACCOUSE: Facility offers screening for tobacco use (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 4,665 | 38.0% |
| 1 | Yes | 7,567 | 61.6% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHTOBACCOCESS: Facility offers smoking/tobacco cessation counseling (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 6,419 | 52.3% |
| 1 | Yes | 5,813 | 47.4% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHNICOTINEREP: Facility offers nicotine replacement therapy (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 8,513 | 69.4% |
| 1 | Yes | 3,719 | 30.3% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

SMOKINGCESSATION: Facility offers non-nicotine smoking/tobacco cessation medications (by prescription) (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 8,584 | 69.9% |
| 1 | Yes | 3,648 | 29.7% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

MHOTH: Facility offers other services and practices (Q.A14)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 12,043 | 98.1% |
| 1 | Yes | 232 | 1.9% |
| | Total | 12,275 | 100% |

MHNOSVCS: Facility offers none of the identified services or practices (Q.A14)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 12,053 | 98.2% |
| 1 | Yes | 179 | 1.5% |
| -1 | Missing | 43 | 0.4% |
| | Total | 12,275 | 100% |

YNGCHLD: Accepts young children (aged 0-5 years old) for treatment (Q.A17)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 7,449 | 60.7% |
| 1 | Yes | 4,701 | 38.3% |
| -1 | Missing | 125 | 1.0% |
| | Total | 12,275 | 100% |

CHILDREN: Accepts children (aged 6-12 years old) for treatment (Q.A17)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 5,160 | 42.0% |
| 1 | Yes | 6,990 | 56.9% |
| -1 | Missing | 125 | 1.0% |
| | Total | 12,275 | 100% |

ADOLES: Accepts adolescents (aged 13-17 years old) for treatment (Q.A17)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 4,186 | 34.1% |
| 1 | Yes | 7,964 | 64.9% |
| -1 | Missing | 125 | 1.0% |
| | Total | 12,275 | 100% |

YOUNGADULTS: Accepts young adults (aged 18-25 years old) for treatment (Q.A17)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 1,373 | 11.2% |
| 1 | Yes | 10,777 | 87.8% |
| -1 | Missing | 125 | 1.0% |
| | Total | 12,275 | 100% |

ADULT: Accepts adults (aged 26-64 years old) for treatment (Q.A17)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 1,851 | 15.1% |
| 1 | Yes | 10,299 | 83.9% |
| -1 | Missing | 125 | 1.0% |
| | Total | 12,275 | 100% |

SENIORS: Accepts seniors (aged 65 years and older) for treatment (Q.A17)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 2,319 | 18.9% |
| 1 | Yes | 9,831 | 80.1% |
| -1 | Missing | 125 | 1.0% |
| | Total | 12,275 | 100% |

SED: Facility offers dedicated mental health treatment program for children/adolescents with serious emotional disturbance (SED) (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 7,597 | 61.9% |
| 1 | Yes | 4,632 | 37.7% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

TAYOUNGADULTS: Facility offers dedicated mental health treatment program for transitional age young adults (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 8,808 | 71.8% |
| 1 | Yes | 3,421 | 27.9% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

SPMI: Facility offers dedicated mental health treatment program for persons aged 18 years and older with serious mental illness (SMI) (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 5,982 | 48.7% |
| 1 | Yes | 6,247 | 50.9% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

SRVC63: Facility offers dedicated mental health treatment program for seniors or older adults (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 8,572 | 69.8% |
| 1 | Yes | 3,657 | 29.8% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

ALZHDEMENTIA: Facility has a tailored program for persons with Alzheimer's or dementia (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 11,305 | 92.1% |
| 1 | Yes | 924 | 7.5% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

SRVC31: Facility offers dedicated mental health treatment program for persons with co-occurring mental and substance use disorders (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 5,701 | 46.4% |
| 1 | Yes | 6,528 | 53.2% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

SPECGRPEATING: Facility offers dedicated mental health treatment program for persons with eating disorders (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 10,823 | 88.2% |
| 1 | Yes | 1,406 | 11.5% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

FIRSTEPPSYCH: Facility offers dedicated mental health treatment program for persons experiencing first-episode psychosis (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 9,826 | 80.0% |
| 1 | Yes | 2,403 | 19.6% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

SRVC122: Facility offers dedicated mental health treatment program for persons who have experienced domestic violence (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 10,105 | 82.3% |
| 1 | Yes | 2,124 | 17.3% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

POSTTRAUM: Facility offers a dedicated mental health treatment program for persons with a diagnosis of post-traumatic stress disorder (PTSD) (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 6,627 | 54.0% |
| 1 | Yes | 5,602 | 45.6% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

SRVC116: Facility offers dedicated mental health treatment program for persons who have experienced trauma (excluding persons with a PTSD diagnosis) (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 6,383 | 52.0% |
| 1 | Yes | 5,846 | 47.6% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

TRAUMATICBRAIN: Facility offers dedicated mental health treatment program for persons with traumatic brain injury (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 11,110 | 90.5% |
| 1 | Yes | 1,119 | 9.1% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

SRVC113: Facility offers dedicated mental health treatment program for veterans (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 9,808 | 79.9% |
| 1 | Yes | 2,421 | 19.7% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

SRVC114: Facility offers dedicated mental health treatment program for active duty military (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 11,100 | 90.4% |
| 1 | Yes | 1,129 | 9.2% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

SRVC115: Facility offers dedicated mental health treatment program for members of military families (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 10,606 | 86.4% |
| 1 | Yes | 1,623 | 13.2% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

SRVC62: Facility offers dedicated mental health treatment program for lesbian, gay, bisexual, or transgender clients (LGBT) (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 8,926 | 72.7% |
| 1 | Yes | 3,303 | 26.9% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

SRVC61: Facility offers dedicated mental health treatment program for forensic clients (referred from the court/judicial system) (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 9,306 | 75.8% |
| 1 | Yes | 2,923 | 23.8% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

SRVC32: Facility offers dedicated mental health treatment program for persons with HIV or AIDS (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 10,619 | 86.5% |
| 1 | Yes | 1,610 | 13.1% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

SRVC35: Facility offers other dedicated mental health treatment program (Q.A18)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 11,340 | 92.4% |
| 1 | Yes | 935 | 7.6% |
| | Total | 12,275 | 100% |

NOSPECGRP: Facility does not offer any dedicated mental health treatment program or group (Q.A18)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 10,716 | 87.3% |
| 1 | Yes | 1,513 | 12.3% |
| -1 | Missing | 46 | 0.4% |
| | Total | 12,275 | 100% |

CRISISTEAM2: Facility offers crisis intervention team that handles acute mental health issues at this facility and/or off-site (Q.A19)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 6,355 | 51.8% |
| 1 | Yes | 5,848 | 47.6% |
| -1 | Missing | 72 | 0.6% |
| | Total | 12,275 | 100% |

PSYCHON: Services for psychiatric emergencies onsite (Q.A20)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 7,451 | 60.7% |
| 1 | Yes | 4,461 | 36.3% |
| -1 | Missing | 363 | 3.0% |
| | Total | 12,275 | 100% |

PSYCHOFF: Mobile/off-site psychiatric crisis services (Q.A21)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 9,378 | 76.4% |
| 1 | Yes | 2,545 | 20.7% |
| -1 | Missing | 352 | 2.9% |
| | Total | 12,275 | 100% |

SIGNLANG: Provides mental health treatment services in sign language for the deaf and hard-of-hearing (Q.A22)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 5,065 | 41.3% |
| 1 | Yes | 7,144 | 58.2% |
| -1 | Missing | 66 | 0.5% |
| | Total | 12,275 | 100% |

LANG: Facility provides mental health treatment services in a language other than English (Q.A23)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 2,961 | 24.1% |
| 1 | Yes | 9,255 | 75.4% |
| -1 | Missing | 59 | 0.5% |
| | Total | 12,275 | 100% |

LANGPROV: Person who provides mental health treatment services in a language other than English (Q.A23a)

| Value | Label | Frequency | % |
|-------|---|-----------|-------|
| 1 | Staff who speak a language other than English | 1,036 | 8.4% |
| 2 | On-call interpreter brought in when needed | 4,924 | 40.1% |
| 3 | Both staff and on-call interpreter | 3,286 | 26.8% |
| -1 | Missing | 9 | 0.1% |
| -2 | Logical skip | 3,020 | 24.6% |
| | Total | 12,275 | 100% |

LANG16: Staff provide mental health treatment services in Spanish (Q.A23a1)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 213 | 1.7% |
| 1 | Yes | 4,100 | 33.4% |
| -1 | Missing | 12 | 0.1% |
| -2 | Logical skip | 7,950 | 64.8% |
| | Total | 12,275 | 100% |

LANG_B: Staff provide mental health treatment services in any other languages (Q.A23a2)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 2,820 | 23.0% |
| 1 | Yes | 1,280 | 10.4% |
| -1 | Missing | 3 | 0.0% |
| -2 | Logical skip | 8,172 | 66.6% |
| | Total | 12,275 | 100% |

LANG1: Staff provide mental health treatment services in Hopi (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,489 | 12.1% |
| 1 | Yes | 12 | 0.1% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG2: Staff provide mental health treatment services in Lakota (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,495 | 12.2% |
| 1 | Yes | 6 | 0.0% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG3: Staff provide mental health treatment services in Navajo (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,471 | 12.0% |
| 1 | Yes | 30 | 0.2% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG21: Staff provide mental health treatment services in Ojibwa (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,496 | 12.2% |
| 1 | Yes | 5 | 0.0% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG4: Staff provide mental health treatment services in Yupik (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,494 | 12.2% |
| 1 | Yes | 7 | 0.1% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG5: Staff provide mental health treatment services in other American Indian or Alaska Native language (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,488 | 12.1% |
| 1 | Yes | 14 | 0.1% |
| -1 | Missing | 3 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG6: Staff provide mental health treatment services in Arabic (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,254 | 10.2% |
| 1 | Yes | 247 | 2.0% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG7: Staff provide mental health treatment services in any Chinese language (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,167 | 9.5% |
| 1 | Yes | 334 | 2.7% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG8: Staff provide mental health treatment services in Creole (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,227 | 10.0% |
| 1 | Yes | 274 | 2.2% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG24: Staff provide mental health treatment services in Farsi (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,292 | 10.5% |
| 1 | Yes | 209 | 1.7% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG9: Staff provide mental health treatment services in French (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,200 | 9.8% |
| 1 | Yes | 301 | 2.5% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG10: Staff provide mental health treatment services in German (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,375 | 11.2% |
| 1 | Yes | 126 | 1.0% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG22: Staff provide mental health treatment services in Greek (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,442 | 11.7% |
| 1 | Yes | 59 | 0.5% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG25: Staff provide mental health treatment services in Hebrew (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,364 | 11.1% |
| 1 | Yes | 137 | 1.1% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG26: Staff provide mental health treatment services in Hindi (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,247 | 10.2% |
| 1 | Yes | 254 | 2.1% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG11: Staff provide mental health treatment services in Hmong (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,404 | 11.4% |
| 1 | Yes | 97 | 0.8% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG19: Staff provide mental health treatment services in Italian (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,398 | 11.4% |
| 1 | Yes | 103 | 0.8% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG23: Staff provide mental health treatment services in Japanese (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,387 | 11.3% |
| 1 | Yes | 114 | 0.9% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG12: Staff provide mental health treatment services in Korean (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,352 | 11.0% |
| 1 | Yes | 149 | 1.2% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG13: Staff provide mental health treatment services in Polish (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,400 | 11.4% |
| 1 | Yes | 101 | 0.8% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG14: Staff provide mental health treatment services in Portuguese (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,308 | 10.7% |
| 1 | Yes | 193 | 1.6% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG15: Staff provide mental health treatment services in Russian (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,227 | 10.0% |
| 1 | Yes | 274 | 2.2% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG20: Staff provide mental health treatment services in Tagalog (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,254 | 10.2% |
| 1 | Yes | 247 | 2.0% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG17: Staff provide mental health treatment services in Vietnamese (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,326 | 10.8% |
| 1 | Yes | 175 | 1.4% |
| -1 | Missing | 4 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

LANG18: Staff provide mental health treatment services in any other language not listed (Q.A23b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,189 | 9.7% |
| 1 | Yes | 313 | 2.5% |
| -1 | Missing | 3 | 0.0% |
| -2 | Logical skip | 10,770 | 87.7% |
| | Total | 12,275 | 100% |

CONTED: Continuing education requirements for professional staff is part of facility's standard operating procedures (Q.A24)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 395 | 3.2% |
| 1 | Yes | 11,696 | 95.3% |
| -1 | Missing | 184 | 1.5% |
| | Total | 12,275 | 100% |

CASEREV: Regularly scheduled case review with a supervisor is part of facility's standard operating procedures (Q.A24)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 793 | 6.5% |
| 1 | Yes | 11,302 | 92.1% |
| -1 | Missing | 180 | 1.5% |
| | Total | 12,275 | 100% |

QUALREV: Regularly scheduled case review by an appointed quality review committee is part of facility's standard operating procedures (Q.A24)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 3,495 | 28.5% |
| 1 | Yes | 8,573 | 69.8% |
| -1 | Missing | 207 | 1.7% |
| | Total | 12,275 | 100% |

OUTFUP: Client outcome follow-up after discharge is part of facility's standard operating procedures (Q.A24)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 5,024 | 40.9% |
| 1 | Yes | 7,046 | 57.4% |
| -1 | Missing | 205 | 1.7% |
| | Total | 12,275 | 100% |

CQIP: Continuous quality improvement processes is part of facility's standard operating procedures (Q.A24)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 721 | 5.9% |
| 1 | Yes | 10,794 | 87.9% |
| -1 | Missing | 760 | 6.2% |
| | Total | 12,275 | 100% |

SATSUR: Periodic client satisfaction surveys are part of facility's standard operating procedures (Q.A24)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 595 | 4.8% |
| 1 | Yes | 11,490 | 93.6% |
| -1 | Missing | 190 | 1.5% |
| | Total | 12,275 | 100% |

CPPR: Clinical provider peer review (CPPR) is part of facility's standard operating procedures (Q.A24)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 4,629 | 37.7% |
| 1 | Yes | 6,846 | 55.8% |
| -1 | Missing | 800 | 6.5% |
| | Total | 12,275 | 100% |

RCA: Root cause analysis (RCA) is part of facility's standard operating procedures (Q.A24)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 5,674 | 46.2% |
| 1 | Yes | 5,778 | 47.1% |
| -1 | Missing | 823 | 6.7% |
| | Total | 12,275 | 100% |

SMOKINGPOLICY: Facility's smoking policy for clients (Q.A25)

| Value | Label | Frequency | % |
|-------|---|-----------|-------|
| 1 | Not permitted to smoke anywhere | 6,693 | 54.5% |
| 2 | Permitted in designated outdoor area(s) | 4,784 | 39.0% |
| 3 | Permitted anywhere outside | 693 | 5.6% |
| 4 | Permitted in designated indoor area(s) | 14 | 0.1% |
| 6 | Permitted anywhere without restriction | 5 | 0.0% |
| -1 | Missing | 86 | 0.7% |
| | Total | 12,275 | 100% |

USEDSECLUSION: Staff have used seclusion or restraint with clients in the 12-month period (Q.A26)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 9,768 | 79.6% |
| 1 | Yes | 2,334 | 19.0% |
| -1 | Missing | 173 | 1.4% |
| | Total | 12,275 | 100% |

ADOPTSECLUSION: Facility has policies to minimize the use of seclusion orrestraint (Q.A26a)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 2,424 | 19.7% |
| 1 | Yes | 9,637 | 78.5% |
| -1 | Missing | 214 | 1.7% |
| | Total | 12,275 | 100% |

FEESCALE: Facility uses a sliding fee scale (Q.A28)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,723 | 38.5% |
| 1 | Yes | 6,908 | 56.3% |
| -1 | Missing | 92 | 0.7% |
| -2 | Logical skip | 552 | 4.5% |
| | Total | 12,275 | 100% |

PAYASST: Facility offers treatment at no charge or minimal payment to clients who cannot afford to pay (Q.A29)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,429 | 44.2% |
| 1 | Yes | 6,187 | 50.4% |
| -1 | Missing | 107 | 0.9% |
| -2 | Logical skip | 552 | 4.5% |
| | Total | 12,275 | 100% |

REVCHK1: Accepts cash or self-payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 1,864 | 15.2% |
| 1 | Yes | 10,330 | 84.2% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

REVCHK2: Accepts private health insurance as source of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 2,250 | 18.3% |
| 1 | Yes | 9,944 | 81.0% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

REVCHK8: Accepts Medicare as source of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 3,888 | 31.7% |
| 1 | Yes | 8,306 | 67.7% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

REVCHK5: Accepts Medicaid as source of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 1,468 | 12.0% |
| 1 | Yes | 10,726 | 87.4% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

REVCHK10: Accepts state-financed health insurance plan other than Medicaid as source of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 4,945 | 40.3% |
| 1 | Yes | 7,249 | 59.1% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

FUNDSMHA: Accepts state mental health agency funds as source of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 5,225 | 42.6% |
| 1 | Yes | 6,969 | 56.8% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

FUNDSTATEWELFARE: Accepts state welfare or child and family services agency funds as source of payment for treatment (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 6,932 | 56.5% |
| 1 | Yes | 5,262 | 42.9% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

FUNDSTATEJUV: Accepts state corrections/juvenile justice agency funds as source of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 8,452 | 68.9% |
| 1 | Yes | 3,742 | 30.5% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

FUNDSTATEEDUC: Accepts state education agency funds as source of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 10,070 | 82.0% |
| 1 | Yes | 2,124 | 17.3% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

FUNDOTHSTATE: Accepts other state government funds as source of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 7,586 | 61.8% |
| 1 | Yes | 4,608 | 37.5% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

FUNDLOCALGOV: Accepts county or local government funds as source of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 6,354 | 51.8% |
| 1 | Yes | 5,840 | 47.6% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

FUNDCSBG: Accepts Community Service Block Grants as source of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 9,338 | 76.1% |
| 1 | Yes | 2,856 | 23.3% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

FUNDCMHG: Accepts Community Mental Health Block Grants as source of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 8,045 | 65.5% |
| 1 | Yes | 4,149 | 33.8% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

FUNDFEDGRANT: Accepts Federal grants as source of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 9,657 | 78.7% |
| 1 | Yes | 2,537 | 20.7% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

REVCHK15: Accepts federal military insurance (such as TRICARE) as source of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 5,889 | 48.0% |
| 1 | Yes | 6,305 | 51.4% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

FUNDVA: Accepts U.S. Department of Veterans Affairs funds as source of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 9,061 | 73.8% |
| 1 | Yes | 3,133 | 25.5% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

REVCHK17: Accepts IHS/Tribal/Urban (ITU) funds as source of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 11,041 | 89.9% |
| 1 | Yes | 1,153 | 9.4% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

FUNDPRIVCOMM: Accepts Private or Community foundation funds as source of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 10,141 | 82.6% |
| 1 | Yes | 2,053 | 16.7% |
| -1 | Missing | 81 | 0.7% |
| | Total | 12,275 | 100% |

REVCHK2A: Accepts other sources of payment for mental health treatment services (Q.A30)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 12,150 | 99.0% |
| 1 | Yes | 125 | 1.0% |
| | Total | 12,275 | 100% |

LICENMH: Facility is licensed by state mental health authority (Q.A31)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 3,579 | 29.2% |
| 1 | Yes | 8,619 | 70.2% |
| -1 | Missing | 77 | 0.6% |
| | Total | 12,275 | 100% |

LICENSED: Facility is licensed by state substance abuse agency (Q.A31)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 7,935 | 64.6% |
| 1 | Yes | 4,263 | 34.7% |
| -1 | Missing | 77 | 0.6% |
| | Total | 12,275 | 100% |

LICENPH: Facility is licensed by state department of health (Q.A31)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 6,109 | 49.8% |
| 1 | Yes | 6,089 | 49.6% |
| -1 | Missing | 77 | 0.6% |
| | Total | 12,275 | 100% |

LICENSEDFCS: Facility is licensed by state or local department of family and children's services (Q.A31)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 9,696 | 79.0% |
| 1 | Yes | 2,502 | 20.4% |
| -1 | Missing | 77 | 0.6% |
| | Total | 12,275 | 100% |

LICENHOS: Facility is licensed by hospital licensing authority (Q.A31)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 10,607 | 86.4% |
| 1 | Yes | 1,591 | 13.0% |
| -1 | Missing | 77 | 0.6% |
| | Total | 12,275 | 100% |

JCAHO: Facility has Joint Commission accreditation (Q.A31)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 7,985 | 65.1% |
| 1 | Yes | 4,213 | 34.3% |
| -1 | Missing | 77 | 0.6% |
| | Total | 12,275 | 100% |

CARF: Facility is Commission on Accreditation of Rehabilitation Facilities (CARF)-accredited (Q.A31)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 9,147 | 74.5% |
| 1 | Yes | 3,051 | 24.9% |
| -1 | Missing | 77 | 0.6% |
| | Total | 12,275 | 100% |

COA: Facility is Council on Accreditation (COA)-accredited (Q.A31)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 10,984 | 89.5% |
| 1 | Yes | 1,214 | 9.9% |
| -1 | Missing | 77 | 0.6% |
| | Total | 12,275 | 100% |

CMS: Facility is certified by Centers for Medicare and Medicaid Services (CMS) (Q.A31)

| Value | Label | Frequency | % |
|-------|---------|-----------|-------|
| 0 | No | 5,843 | 47.6% |
| 1 | Yes | 6,355 | 51.8% |
| -1 | Missing | 77 | 0.6% |
| | Total | 12,275 | 100% |

OTHSTATE: Facility has licensing, certification, or accreditation from other national organization, or federal, state, or local agency (Q.A31)

| Value | Label | Frequency | % |
|-------|-------|-----------|-------|
| 0 | No | 11,640 | 94.8% |
| 1 | Yes | 635 | 5.2% |
| | Total | 12,275 | 100% |

OTHFAC: Client/patient counts reported for only this facility/this facility plus others/none (Q.B1)

| Value | Label | Frequency | % |
|-------|--|-----------|-------|
| 1 | Include only this facility | 8,953 | 72.9% |
| 2 | Include this facility plus others | 547 | 4.5% |
| 3 | Another facility reports client/patient counts for this facility | 2,775 | 22.6% |
| | Total | 12,275 | 100% |

FACNUM: Number of facilities included in reported client/patient counts (Q.B2)

| Value | Label | Frequency | % |
|-------|-------------------------|-----------|-------|
| 1 | 2 to 5 facilities | 441 | 3.6% |
| 2 | 6 to 10 facilities | 81 | 0.7% |
| 3 | 11 to 30 facilities | 24 | 0.2% |
| 4 | More than 30 facilities | 1 | 0.0% |
| -2 | Logical skip | 11,728 | 95.5% |
| | Total | 12,275 | 100% |

IPSERV: Patients received 24-hour hospital inpatient mental health treatment on April 30, 2020 (Q.B3)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,969 | 64.9% |
| 1 | Yes | 1,531 | 12.5% |
| -2 | Logical skip | 2,775 | 22.6% |
| | Total | 12,275 | 100% |

IPTOTAL: Total number of patients receiving 24-hour hospital inpatient mental health treatment on April 30, 2020 (Q.B3a)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 49 | 0.4% |
| 1 | 1 to 10 | 354 | 2.9% |
| 2 | 11 to 20 | 424 | 3.5% |
| 3 | 21 to 30 | 192 | 1.6% |
| 4 | 31 to 40 | 114 | 0.9% |
| 5 | 41 to 50 | 87 | 0.7% |
| 6 | 51 to 75 | 136 | 1.1% |
| 7 | 76 to 100 | 67 | 0.5% |
| 8 | 101 to 250 | 114 | 0.9% |
| 9 | 251 to 500 | 35 | 0.3% |
| 10 | 501 to 1000 | 8 | 0.1% |
| 11 | 1001 to 1500 | 4 | 0.0% |
| 12 | More than 1500 | 1 | 0.0% |
| -2 | Logical skip | 10,690 | 87.1% |
| | Total | 12,275 | 100% |

IPSEXTOTM: Patients receiving 24-hour hospital inpatient mental health treatment — male, number (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 71 | 0.6% |
| 1 | 1 to 10 | 687 | 5.6% |
| 2 | 11 to 20 | 301 | 2.5% |
| 3 | 21 to 30 | 154 | 1.3% |
| 4 | 31 to 40 | 82 | 0.7% |
| 5 | 41 to 50 | 55 | 0.4% |
| 6 | 51 to 75 | 65 | 0.5% |
| 7 | 76 to 100 | 26 | 0.2% |
| 8 | 101 to 250 | 64 | 0.5% |
| 9 | 251 to 500 | 19 | 0.2% |
| 10 | 501 to 1000 | 5 | 0.0% |
| 11 | 1001 to 1500 | 2 | 0.0% |
| -1 | Missing | 48 | 0.4% |
| -2 | Logical skip | 10,696 | 87.1% |
| | Total | 12,275 | 100% |

IPSEXPERM: Patients receiving 24-hour hospital inpatient mental health treatment — male, percent (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 54 | 0.4% |
| 2 | 11 – 20 | 4 | 0.0% |
| 3 | 21 – 30 | 12 | 0.1% |
| 4 | 31 – 40 | 27 | 0.2% |
| 5 | 41 – 50 | 145 | 1.2% |
| 6 | 51 – 75 | 185 | 1.5% |
| 7 | 76 – 100 | 41 | 0.3% |
| -1 | Missing | 49 | 0.4% |
| -2 | Logical skip | 11,758 | 95.8% |
| | Total | 12,275 | 100% |

IPSEXTOTF: Patients receiving 24-hour hospital inpatient mental health treatment — female, number (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 83 | 0.7% |
| 1 | 1 to 10 | 781 | 6.4% |
| 2 | 11 to 20 | 287 | 2.3% |
| 3 | 21 to 30 | 141 | 1.1% |
| 4 | 31 to 40 | 89 | 0.7% |
| 5 | 41 to 50 | 45 | 0.4% |
| 6 | 51 to 75 | 58 | 0.5% |
| 7 | 76 to 100 | 20 | 0.2% |
| 8 | 101 to 250 | 21 | 0.2% |
| 9 | 251 to 500 | 4 | 0.0% |
| 10 | 501 to 1000 | 2 | 0.0% |
| -1 | Missing | 48 | 0.4% |
| -2 | Logical skip | 10,696 | 87.1% |
| | Total | 12,275 | 100% |

IPSEXPERF: Patients receiving 24-hour hospital inpatient mental health treatment — female, percent (Q.B3b)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | 0 | 54 | 0.4% |
| 1 | 1 – 10 | 18 | 0.1% |
| 2 | 11 – 20 | 18 | 0.1% |
| 3 | 21 – 30 | 26 | 0.2% |
| 4 | 31 – 40 | 101 | 0.8% |
| 5 | 41 – 50 | 159 | 1.3% |
| 6 | 51 – 75 | 83 | 0.7% |
| 7 | 76 – 100 | 9 | 0.1% |
| -1 | Missing | 49 | 0.4% |
| - 2 | Logical skip | 11,758 | 95.8% |
| | Total | 12,275 | 100% |

IPAGETOT017: Patients receiving 24-hour hospital inpatient mental health treatment — aged 0-17 years old, number (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 1,119 | 9.1% |
| 1 | 1 to 10 | 179 | 1.5% |
| 2 | 11 to 20 | 122 | 1.0% |
| 3 | 21 to 30 | 52 | 0.4% |
| 4 | 31 to 40 | 21 | 0.2% |
| 5 | 41 to 50 | 14 | 0.1% |
| 6 | 51 to 75 | 20 | 0.2% |
| 7 | 76 to 100 | 6 | 0.0% |
| 8 | 101 to 250 | 2 | 0.0% |
| 9 | 251 to 500 | 2 | 0.0% |
| -1 | Missing | 41 | 0.3% |
| -2 | Logical skip | 10,697 | 87.1% |
| | Total | 12,275 | 100% |

IPAGEPER017: Patients receiving 24-hour hospital inpatient mental health treatment — aged 0-17 years old, percent (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 334 | 2.7% |
| 1 | 1 – 10 | 27 | 0.2% |
| 2 | 11 – 20 | 30 | 0.2% |
| 3 | 21 – 30 | 18 | 0.1% |
| 4 | 31 – 40 | 21 | 0.2% |
| 5 | 41 – 50 | 10 | 0.1% |
| 6 | 51 – 75 | 2 | 0.0% |
| 7 | 76 – 100 | 28 | 0.2% |
| -1 | Missing | 42 | 0.3% |
| -2 | Logical skip | 11,763 | 95.8% |
| | Total | 12,275 | 100% |

IPAGETOT1864: Patients receiving 24-hour hospital inpatient mental health treatment — aged 18-64 years old, number (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 199 | 1.6% |
| 1 | 1 to 10 | 410 | 3.3% |
| 2 | 11 to 20 | 371 | 3.0% |
| 3 | 21 to 30 | 153 | 1.2% |
| 4 | 31 to 40 | 90 | 0.7% |
| 5 | 41 to 50 | 70 | 0.6% |
| 6 | 51 to 75 | 90 | 0.7% |
| 7 | 76 to 100 | 38 | 0.3% |
| 8 | 101 to 250 | 83 | 0.7% |
| 9 | 251 to 500 | 23 | 0.2% |
| 10 | 501 to 1000 | 6 | 0.0% |
| 11 | 1001 to 1500 | 4 | 0.0% |
| -1 | Missing | 41 | 0.3% |
| -2 | Logical skip | 10,697 | 87.1% |
| | Total | 12,275 | 100% |

IPAGEPER1864: Patients receiving 24-hour hospital inpatient mental health treatment — aged 18-64 years old, percent (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 84 | 0.7% |
| 1 | 1 – 10 | 10 | 0.1% |
| 2 | 11 – 20 | 5 | 0.0% |
| 3 | 21 – 30 | 10 | 0.1% |
| 4 | 31 – 40 | 7 | 0.1% |
| 5 | 41 – 50 | 26 | 0.2% |
| 6 | 51 – 75 | 102 | 0.8% |
| 7 | 76 – 100 | 226 | 1.8% |
| -1 | Missing | 42 | 0.3% |
| -2 | Logical skip | 11,763 | 95.8% |
| | Total | 12,275 | 100% |

IPAGETOT65: Patients receiving 24-hour hospital inpatient mental health treatment — aged 65 years and older, number (Q.B3b)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | None | 492 | 4.0% |
| 1 | 1 to 10 | 806 | 6.6% |
| 2 | 11 to 20 | 150 | 1.2% |
| 3 | 21 to 30 | 31 | 0.3% |
| 4 | 31 to 40 | 15 | 0.1% |
| 5 | 41 to 50 | 18 | 0.1% |
| 6 | 51 to 75 | 14 | 0.1% |
| 7 | 76 to 100 | 5 | 0.0% |
| 8 | 101 to 250 | 5 | 0.0% |
| 9 | 251 to 500 | 2 | 0.0% |
| -1 | Missing | 40 | 0.3% |
| - 2 | Logical skip | 10,697 | 87.1% |
| | Total | 12,275 | 100% |

IPAGEPER65: Patients receiving 24-hour hospital inpatient mental health treatment — aged 65 years and older, percent (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 133 | 1.1% |
| 1 | 1 – 10 | 154 | 1.3% |
| 2 | 11 – 20 | 77 | 0.6% |
| 3 | 21 – 30 | 41 | 0.3% |
| 4 | 31 – 40 | 16 | 0.1% |
| 5 | 41 – 50 | 15 | 0.1% |
| 6 | 51 – 75 | 14 | 0.1% |
| 7 | 76 – 100 | 20 | 0.2% |
| -1 | Missing | 42 | 0.3% |
| -2 | Logical skip | 11,763 | 95.8% |
| | Total | 12,275 | 100% |

IPETHTOTHISP: Patients receiving 24-hour hospital inpatient mental health treatment — Hispanic or Latino, number (Q.B3b)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | None | 914 | 7.4% |
| 1 | 1 to 10 | 484 | 3.9% |
| 2 | 11 to 20 | 61 | 0.5% |
| 3 | 21 to 30 | 25 | 0.2% |
| 4 | 31 to 40 | 18 | 0.1% |
| 5 | 41 to 50 | 6 | 0.0% |
| 6 | 51 to 75 | 13 | 0.1% |
| 7 | 76 to 100 | 6 | 0.0% |
| 8 | 101 to 250 | 2 | 0.0% |
| 9 | 251 to 500 | 1 | 0.0% |
| -1 | Missing | 47 | 0.4% |
| - 2 | Logical skip | 10,698 | 87.2% |
| | Total | 12,275 | 100% |

IPETHPERHISP: Patients receiving 24-hour hospital inpatient mental health treatment — Hispanic or Latino, percent (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 260 | 2.1% |
| 1 | 1 – 10 | 108 | 0.9% |
| 2 | 11 – 20 | 45 | 0.4% |
| 3 | 21 – 30 | 33 | 0.3% |
| 4 | 31 – 40 | 9 | 0.1% |
| 5 | 41 – 50 | 6 | 0.0% |
| 6 | 51 – 75 | 5 | 0.0% |
| 7 | 76 – 100 | 4 | 0.0% |
| -1 | Missing | 45 | 0.4% |
| -2 | Logical skip | 11,760 | 95.8% |
| | Total | 12,275 | 100% |

IPETHTOTNONHISP: Patients receiving 24-hour hospital inpatient mental health treatment — non-Hispanic or Latino, number (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 555 | 4.5% |
| 1 | 1 to 10 | 307 | 2.5% |
| 2 | 11 to 20 | 264 | 2.2% |
| 3 | 21 to 30 | 97 | 0.8% |
| 4 | 31 to 40 | 53 | 0.4% |
| 5 | 41 to 50 | 52 | 0.4% |
| 6 | 51 to 75 | 74 | 0.6% |
| 7 | 76 to 100 | 34 | 0.3% |
| 8 | 101 to 250 | 68 | 0.6% |
| 9 | 251 to 500 | 18 | 0.1% |
| 10 | 501 to 1000 | 7 | 0.1% |
| 11 | 1001 to 1500 | 1 | 0.0% |
| -1 | Missing | 47 | 0.4% |
| -2 | Logical skip | 10,698 | 87.2% |
| | Total | 12,275 | 100% |

IPETHPERNONHISP: Patients receiving 24-hour hospital inpatient mental health treatment — non-Hispanic or Latino, percent (Q.B3b)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | 0 | 223 | 1.8% |
| 1 | 1 – 10 | 3 | 0.0% |
| 2 | 11 – 20 | 2 | 0.0% |
| 3 | 21 – 30 | 1 | 0.0% |
| 4 | 31 – 40 | 6 | 0.0% |
| 5 | 41 – 50 | 7 | 0.1% |
| 6 | 51 – 75 | 46 | 0.4% |
| 7 | 76 – 100 | 182 | 1.5% |
| -1 | Missing | 45 | 0.4% |
| - 2 | Logical skip | 11,760 | 95.8% |
| | Total | 12,275 | 100% |

IPETHTOTUNK: Patients receiving 24-hour hospital inpatient mental health treatment — unknown ethnicity, number (Q.B3b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 850 | 6.9% |
| 1 | 1 to 10 | 233 | 1.9% |
| 2 | 11 to 20 | 157 | 1.3% |
| 3 | 21 to 30 | 83 | 0.7% |
| 4 | 31 to 40 | 53 | 0.4% |
| 5 | 41 to 50 | 33 | 0.3% |
| 6 | 51 to 75 | 55 | 0.4% |
| 7 | 76 to 100 | 18 | 0.1% |
| 8 | 101 to 250 | 29 | 0.2% |
| 9 | 251 to 500 | 12 | 0.1% |
| 10 | 501 to 1000 | 2 | 0.0% |
| 11 | 1001 to 1500 | 1 | 0.0% |
| 12 | More than 1500 | 1 | 0.0% |
| -1 | Missing | 50 | 0.4% |
| -2 | Logical skip | 10,698 | 87.2% |
| | Total | 12,275 | 100% |

IPETHPERUNK: Patients receiving 24-hour hospital inpatient mental health treatment — unknown ethnicity, percent (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 241 | 2.0% |
| 1 | 1 – 10 | 40 | 0.3% |
| 2 | 11 – 20 | 5 | 0.0% |
| 3 | 21 – 30 | 5 | 0.0% |
| 4 | 31 – 40 | 1 | 0.0% |
| 5 | 41 – 50 | 1 | 0.0% |
| 6 | 51 – 75 | 3 | 0.0% |
| 7 | 76 – 100 | 174 | 1.4% |
| -1 | Missing | 45 | 0.4% |
| -2 | Logical skip | 11,760 | 95.8% |
| | Total | 12,275 | 100% |

IPRACETOTINDIAN: Patients receiving 24-hour hospital inpatient mental health treatment — American Indian or Alaska Native, number (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 1,347 | 11.0% |
| 1 | 1 to 10 | 144 | 1.2% |
| 2 | 11 to 20 | 9 | 0.1% |
| 3 | 21 to 30 | 2 | 0.0% |
| 4 | 31 to 40 | 2 | 0.0% |
| -1 | Missing | 74 | 0.6% |
| -2 | Logical skip | 10,697 | 87.1% |
| | Total | 12,275 | 100% |

IPRACEPERINDIAN: Patients receiving 24-hour hospital inpatient mental health treatment — American Indian or Alaska Native, percent (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 402 | 3.3% |
| 1 | 1 – 10 | 61 | 0.5% |
| 2 | 11 – 20 | 5 | 0.0% |
| 7 | 76 – 100 | 1 | 0.0% |
| -1 | Missing | 45 | 0.4% |
| -2 | Logical skip | 11,761 | 95.8% |
| | Total | 12,275 | 100% |

IPRACETOTASIAN: Patients receiving 24-hour hospital inpatient mental health treatment — Asian, number (Q.B3b)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | None | 1,210 | 9.9% |
| 1 | 1 to 10 | 283 | 2.3% |
| 2 | 11 to 20 | 6 | 0.0% |
| 3 | 21 to 30 | 3 | 0.0% |
| 4 | 31 to 40 | 2 | 0.0% |
| 5 | 41 to 50 | 2 | 0.0% |
| 6 | 51 to 75 | 2 | 0.0% |
| 7 | 76 to 100 | 3 | 0.0% |
| -1 | Missing | 67 | 0.5% |
| - 2 | Logical skip | 10,697 | 87.1% |
| | Total | 12,275 | 100% |

IPRACEPERASIAN: Patients receiving 24-hour hospital inpatient mental health treatment — Asian, percent (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 352 | 2.9% |
| 1 | 1 – 10 | 112 | 0.9% |
| 2 | 11 – 20 | 3 | 0.0% |
| 3 | 21 – 30 | 1 | 0.0% |
| 7 | 76 – 100 | 1 | 0.0% |
| -1 | Missing | 45 | 0.4% |
| -2 | Logical skip | 11,761 | 95.8% |
| | Total | 12,275 | 100% |

IPRACETOTBLK: Patients receiving 24-hour hospital inpatient mental health treatment — Black or African American, number (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 748 | 6.1% |
| 1 | 1 to 10 | 508 | 4.1% |
| 2 | 11 to 20 | 102 | 0.8% |
| 3 | 21 to 30 | 44 | 0.4% |
| 4 | 31 to 40 | 28 | 0.2% |
| 5 | 41 to 50 | 21 | 0.2% |
| 6 | 51 to 75 | 17 | 0.1% |
| 7 | 76 to 100 | 16 | 0.1% |
| 8 | 101 to 250 | 32 | 0.3% |
| 9 | 251 to 500 | 5 | 0.0% |
| 10 | 501 to 1000 | 1 | 0.0% |
| -1 | Missing | 56 | 0.5% |
| -2 | Logical skip | 10,697 | 87.1% |
| | Total | 12,275 | 100% |

IPRACEPERBLK: Patients receiving 24-hour hospital inpatient mental health treatment — Black or African American, percent (Q.B3b)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | 0 | 258 | 2.1% |
| 1 | 1 – 10 | 50 | 0.4% |
| 2 | 11 – 20 | 31 | 0.3% |
| 3 | 21 – 30 | 40 | 0.3% |
| 4 | 31 – 40 | 33 | 0.3% |
| 5 | 41 – 50 | 25 | 0.2% |
| 6 | 51 – 75 | 27 | 0.2% |
| 7 | 76 – 100 | 5 | 0.0% |
| -1 | Missing | 45 | 0.4% |
| - 2 | Logical skip | 11,761 | 95.8% |
| | Total | 12,275 | 100% |

IPRACETOTHAWPAC: Patients receiving 24-hour hospital inpatient mental health treatment — Native Hawaiian or Other Pacific Islander, number (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 1,429 | 11.6% |
| 1 | 1 to 10 | 72 | 0.6% |
| 2 | 11 to 20 | 3 | 0.0% |
| 3 | 21 to 30 | 1 | 0.0% |
| 6 | 51 to 75 | 1 | 0.0% |
| -1 | Missing | 72 | 0.6% |
| -2 | Logical skip | 10,697 | 87.1% |
| | Total | 12,275 | 100% |

IPRACEPERHAWPAC: Patients receiving 24-hour hospital inpatient mental health treatment — Native Hawaiian or Other Pacific Islander, percent (Q.B3b)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | 0 | 435 | 3.5% |
| 1 | 1 – 10 | 32 | 0.3% |
| 3 | 21 – 30 | 1 | 0.0% |
| 4 | 31 – 40 | 1 | 0.0% |
| -1 | Missing | 45 | 0.4% |
| - 2 | Logical skip | 11,761 | 95.8% |
| | Total | 12,275 | 100% |

IPRACETOTWHIT: Patients receiving 24-hour hospital inpatient mental health treatment — White, number (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 557 | 4.5% |
| 1 | 1 to 10 | 408 | 3.3% |
| 2 | 11 to 20 | 229 | 1.9% |
| 3 | 21 to 30 | 83 | 0.7% |
| 4 | 31 to 40 | 63 | 0.5% |
| 5 | 41 to 50 | 42 | 0.3% |
| 6 | 51 to 75 | 59 | 0.5% |
| 7 | 76 to 100 | 31 | 0.3% |
| 8 | 101 to 250 | 40 | 0.3% |
| 9 | 251 to 500 | 11 | 0.1% |
| 10 | 501 to 1000 | 3 | 0.0% |
| 11 | 1001 to 1500 | 1 | 0.0% |
| -1 | Missing | 51 | 0.4% |
| -2 | Logical skip | 10,697 | 87.1% |
| | Total | 12,275 | 100% |

IPRACEPERWHIT: Patients receiving 24-hour hospital inpatient mental health treatment — White, number (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 234 | 1.9% |
| 1 | 1 – 10 | 11 | 0.1% |
| 2 | 11 – 20 | 2 | 0.0% |
| 3 | 21 – 30 | 13 | 0.1% |
| 4 | 31 – 40 | 27 | 0.2% |
| 5 | 41 – 50 | 31 | 0.3% |
| 6 | 51 – 75 | 74 | 0.6% |
| 7 | 76 – 100 | 77 | 0.6% |
| -1 | Missing | 45 | 0.4% |
| -2 | Logical skip | 11,761 | 95.8% |
| | Total | 12,275 | 100% |

IPRACETOTMR: Patients receiving 24-hour hospital inpatient mental health treatment — two or more races, number (Q.B3b)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | None | 1,248 | 10.2% |
| 1 | 1 to 10 | 224 | 1.8% |
| 2 | 11 to 20 | 13 | 0.1% |
| 3 | 21 to 30 | 7 | 0.1% |
| 4 | 31 to 40 | 5 | 0.0% |
| 5 | 41 to 50 | 4 | 0.0% |
| 6 | 51 to 75 | 1 | 0.0% |
| 8 | 101 to 250 | 2 | 0.0% |
| -1 | Missing | 74 | 0.6% |
| - 2 | Logical skip | 10,697 | 87.1% |
| | Total | 12,275 | 100% |

IPRACEPERMR: Patients receiving 24-hour hospital inpatient mental health treatment — two or more races, percent (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 372 | 3.0% |
| 1 | 1 – 10 | 72 | 0.6% |
| 2 | 11 – 20 | 9 | 0.1% |
| 3 | 21 – 30 | 10 | 0.1% |
| 4 | 31 – 40 | 1 | 0.0% |
| 5 | 41 – 50 | 1 | 0.0% |
| 6 | 51 – 75 | 2 | 0.0% |
| 7 | 76 – 100 | 2 | 0.0% |
| -1 | Missing | 45 | 0.4% |
| -2 | Logical skip | 11,761 | 95.8% |
| | Total | 12,275 | 100% |

IPRACETOTUNK: Patients receiving 24-hour hospital inpatient mental health treatment — unknown race, number (Q.B3b)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | None | 754 | 6.1% |
| 1 | 1 to 10 | 302 | 2.5% |
| 2 | 11 to 20 | 176 | 1.4% |
| 3 | 21 to 30 | 86 | 0.7% |
| 4 | 31 to 40 | 51 | 0.4% |
| 5 | 41 to 50 | 35 | 0.3% |
| 6 | 51 to 75 | 55 | 0.4% |
| 7 | 76 to 100 | 22 | 0.2% |
| 8 | 101 to 250 | 24 | 0.2% |
| 9 | 251 to 500 | 9 | 0.1% |
| 10 | 501 to 1000 | 1 | 0.0% |
| -1 | Missing | 63 | 0.5% |
| - 2 | Logical skip | 10,697 | 87.1% |
| | Total | 12,275 | 100% |

IPRACEPERUNK: Patients receiving 24-hour hospital inpatient mental health treatment — unknown race, percent (Q.B3b)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | 0 | 219 | 1.8% |
| 1 | 1 – 10 | 50 | 0.4% |
| 2 | 11 – 20 | 13 | 0.1% |
| 3 | 21 – 30 | 5 | 0.0% |
| 4 | 31 – 40 | 2 | 0.0% |
| 6 | 51 – 75 | 2 | 0.0% |
| 7 | 76 – 100 | 178 | 1.5% |
| -1 | Missing | 45 | 0.4% |
| - 2 | Logical skip | 11,761 | 95.8% |
| | Total | 12,275 | 100% |

IPLEGALTOTVOL: Patients receiving 24-hour hospital inpatient mental health treatment — voluntary legal status, number (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 218 | 1.8% |
| 1 | 1 to 10 | 591 | 4.8% |
| 2 | 11 to 20 | 319 | 2.6% |
| 3 | 21 to 30 | 124 | 1.0% |
| 4 | 31 to 40 | 74 | 0.6% |
| 5 | 41 to 50 | 67 | 0.5% |
| 6 | 51 to 75 | 77 | 0.6% |
| 7 | 76 to 100 | 24 | 0.2% |
| 8 | 101 to 250 | 23 | 0.2% |
| 9 | 251 to 500 | 6 | 0.0% |
| 10 | 501 to 1000 | 3 | 0.0% |
| -1 | Missing | 53 | 0.4% |
| -2 | Logical skip | 10,696 | 87.1% |
| | Total | 12,275 | 100% |

IPLEGALPERVOL: Patients receiving 24-hour hospital inpatient mental health treatment — voluntary legal status, percent (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 78 | 0.6% |
| 1 | 1 – 10 | 42 | 0.3% |
| 2 | 11 – 20 | 22 | 0.2% |
| 3 | 21 – 30 | 26 | 0.2% |
| 4 | 31 – 40 | 21 | 0.2% |
| 5 | 41 – 50 | 25 | 0.2% |
| 6 | 51 – 75 | 82 | 0.7% |
| 7 | 76 – 100 | 169 | 1.4% |
| -1 | Missing | 53 | 0.4% |
| -2 | Logical skip | 11,757 | 95.8% |
| | Total | 12,275 | 100% |

IPLEGALTOTNONFOREN: Patients receiving 24-hour hospital inpatient mental health treatment — involuntary (non-forensic) legal status, number (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 432 | 3.5% |
| 1 | 1 to 10 | 581 | 4.7% |
| 2 | 11 to 20 | 215 | 1.8% |
| 3 | 21 to 30 | 85 | 0.7% |
| 4 | 31 to 40 | 52 | 0.4% |
| 5 | 41 to 50 | 29 | 0.2% |
| 6 | 51 to 75 | 49 | 0.4% |
| 7 | 76 to 100 | 26 | 0.2% |
| 8 | 101 to 250 | 46 | 0.4% |
| 9 | 251 to 500 | 8 | 0.1% |
| 10 | 501 to 1000 | 1 | 0.0% |
| -1 | Missing | 55 | 0.4% |
| -2 | Logical skip | 10,696 | 87.1% |
| | Total | 12,275 | 100% |

IPLEGALPERNONFOREN: Patients receiving 24-hour hospital inpatient mental health treatment — involuntary (non-forensic) legal status, percent (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 119 | 1.0% |
| 1 | 1 – 10 | 69 | 0.6% |
| 2 | 11 – 20 | 48 | 0.4% |
| 3 | 21 – 30 | 43 | 0.4% |
| 4 | 31 – 40 | 33 | 0.3% |
| 5 | 41 – 50 | 33 | 0.3% |
| 6 | 51 – 75 | 52 | 0.4% |
| 7 | 76 – 100 | 68 | 0.6% |
| -1 | Missing | 53 | 0.4% |
| -2 | Logical skip | 11,757 | 95.8% |
| | Total | 12,275 | 100% |

IPLEGALTOTFOREN: Patients receiving 24-hour hospital inpatient mental health treatment — involuntary (forensic) legal status, number (Q.B3b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 1,326 | 10.8% |
| 1 | 1 to 10 | 74 | 0.6% |
| 2 | 11 to 20 | 20 | 0.2% |
| 3 | 21 to 30 | 4 | 0.0% |
| 4 | 31 to 40 | 10 | 0.1% |
| 5 | 41 to 50 | 15 | 0.1% |
| 6 | 51 to 75 | 17 | 0.1% |
| 7 | 76 to 100 | 10 | 0.1% |
| 8 | 101 to 250 | 31 | 0.3% |
| 9 | 251 to 500 | 10 | 0.1% |
| 10 | 501 to 1000 | 3 | 0.0% |
| 11 | 1001 to 1500 | 1 | 0.0% |
| 12 | More than 1500 | 1 | 0.0% |
| -1 | Missing | 57 | 0.5% |
| -2 | Logical skip | 10,696 | 87.1% |
| | Total | 12,275 | 100% |

IPLEGALPERFOREN: Patients receiving 24-hour hospital inpatient mental health treatment — involuntary (forensic) legal status, percent (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 406 | 3.3% |
| 1 | 1 – 10 | 21 | 0.2% |
| 2 | 11 – 20 | 3 | 0.0% |
| 3 | 21 – 30 | 6 | 0.0% |
| 4 | 31 – 40 | 3 | 0.0% |
| 5 | 41 – 50 | 7 | 0.1% |
| 6 | 51 – 75 | 10 | 0.1% |
| 7 | 76 – 100 | 9 | 0.1% |
| -1 | Missing | 53 | 0.4% |
| -2 | Logical skip | 11,757 | 95.8% |
| | Total | 12,275 | 100% |

IPBEDS: Number of hospital inpatient beds at this facility designated for providing mental health treatment (Q.B3c)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 18 | 0.1% |
| 1 | 1 to 10 | 120 | 1.0% |
| 2 | 11 to 20 | 385 | 3.1% |
| 3 | 21 to 30 | 262 | 2.1% |
| 4 | 31 to 40 | 135 | 1.1% |
| 5 | 41 to 50 | 99 | 0.8% |
| 6 | 51 to 75 | 151 | 1.2% |
| 7 | 76 to 100 | 116 | 0.9% |
| 8 | 101 to 250 | 174 | 1.4% |
| 9 | 251 to 500 | 34 | 0.3% |
| 10 | 501 to 1000 | 6 | 0.0% |
| 11 | 1001 to 1500 | 1 | 0.0% |
| 12 | More than 1500 | 1 | 0.0% |
| -1 | Missing | 78 | 0.6% |
| -2 | Logical skip | 10,695 | 87.1% |
| | Total | 12,275 | 100% |

RCSERV: Clients received 24-hour residential mental health treatment on April 30, 2020 (Q.B4)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,944 | 64.7% |
| 1 | Yes | 1,556 | 12.7% |
| -2 | Logical skip | 2,775 | 22.6% |
| | Total | 12,275 | 100% |

RCTOTAL: Total number of clients receiving 24-hour residential mental health treatment on April 30, 2020 (Q.B4a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 84 | 0.7% |
| 1 | 1 to 10 | 722 | 5.9% |
| 2 | 11 to 20 | 404 | 3.3% |
| 3 | 21 to 30 | 151 | 1.2% |
| 4 | 31 to 40 | 106 | 0.9% |
| 5 | 41 to 50 | 73 | 0.6% |
| 6 | 51 to 75 | 115 | 0.9% |
| 7 | 76 to 100 | 44 | 0.4% |
| 8 | 101 to 250 | 47 | 0.4% |
| 9 | 251 to 500 | 8 | 0.1% |
| 10 | 501 to 1000 | 1 | 0.0% |
| 11 | 1001 to 1500 | 1 | 0.0% |
| -2 | Logical skip | 10,519 | 85.7% |
| | Total | 12,275 | 100% |

RCSEXTOTM: Patients receiving 24-hour residential mental health treatment — male, number (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 257 | 2.1% |
| 1 | 1 to 10 | 760 | 6.2% |
| 2 | 11 to 20 | 237 | 1.9% |
| 3 | 21 to 30 | 127 | 1.0% |
| 4 | 31 to 40 | 89 | 0.7% |
| 5 | 41 to 50 | 46 | 0.4% |
| 6 | 51 to 75 | 48 | 0.4% |
| 7 | 76 to 100 | 20 | 0.2% |
| 8 | 101 to 250 | 22 | 0.2% |
| 9 | 251 to 500 | 2 | 0.0% |
| 10 | 501 to 1000 | 3 | 0.0% |
| -1 | Missing | 26 | 0.2% |
| -2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCSEXPERM: Patients receiving 24-hour residential mental health treatment — male, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 112 | 0.9% |
| 1 | 1 – 10 | 8 | 0.1% |
| 2 | 11 – 20 | 11 | 0.1% |
| 3 | 21 – 30 | 9 | 0.1% |
| 4 | 31 – 40 | 23 | 0.2% |
| 5 | 41 – 50 | 36 | 0.3% |
| 6 | 51 – 75 | 113 | 0.9% |
| 7 | 76 – 100 | 80 | 0.7% |
| -1 | Missing | 26 | 0.2% |
| -2 | Logical skip | 11,857 | 96.6% |
| | Total | 12,275 | 100% |

RCSEXTOTF: Patients receiving 24-hour residential mental health treatment — female, number (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 355 | 2.9% |
| 1 | 1 to 10 | 847 | 6.9% |
| 2 | 11 to 20 | 198 | 1.6% |
| 3 | 21 to 30 | 95 | 0.8% |
| 4 | 31 to 40 | 49 | 0.4% |
| 5 | 41 to 50 | 23 | 0.2% |
| 6 | 51 to 75 | 26 | 0.2% |
| 7 | 76 to 100 | 6 | 0.0% |
| 8 | 101 to 250 | 10 | 0.1% |
| 10 | 501 to 1000 | 2 | 0.0% |
| -1 | Missing | 26 | 0.2% |
| -2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCSEXPERF: Patients receiving 24-hour residential mental health treatment — female, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 123 | 1.0% |
| 1 | 1 – 10 | 17 | 0.1% |
| 2 | 11 – 20 | 19 | 0.2% |
| 3 | 21 – 30 | 31 | 0.3% |
| 4 | 31 – 40 | 53 | 0.4% |
| 5 | 41 – 50 | 57 | 0.5% |
| 6 | 51 – 75 | 42 | 0.3% |
| 7 | 76 – 100 | 50 | 0.4% |
| -1 | Missing | 26 | 0.2% |
| -2 | Logical skip | 11,857 | 96.6% |
| | Total | 12,275 | 100% |

RCAGETOT017: Patients receiving 24-hour residential mental health treatment — aged 0-17 years old, number (Q.B4b)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | None | 978 | 8.0% |
| 1 | 1 to 10 | 201 | 1.6% |
| 2 | 11 to 20 | 120 | 1.0% |
| 3 | 21 to 30 | 82 | 0.7% |
| 4 | 31 to 40 | 62 | 0.5% |
| 5 | 41 to 50 | 49 | 0.4% |
| 6 | 51 to 75 | 66 | 0.5% |
| 7 | 76 to 100 | 27 | 0.2% |
| 8 | 101 to 250 | 22 | 0.2% |
| -1 | Missing | 30 | 0.2% |
| - 2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCAGEPER017: Patients receiving 24-hour residential mental health treatment — aged 0-17 years old, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 248 | 2.0% |
| 2 | 11 – 20 | 1 | 0.0% |
| 3 | 21 – 30 | 1 | 0.0% |
| 4 | 31 – 40 | 3 | 0.0% |
| 5 | 41 – 50 | 3 | 0.0% |
| 6 | 51 – 75 | 4 | 0.0% |
| 7 | 76 – 100 | 133 | 1.1% |
| -1 | Missing | 23 | 0.2% |
| -2 | Logical skip | 11,859 | 96.6% |
| | Total | 12,275 | 100% |

RCAGETOT1864: Patients receiving 24-hour residential mental health treatment — aged 18-64 years old, number (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 532 | 4.3% |
| 1 | 1 to 10 | 616 | 5.0% |
| 2 | 11 to 20 | 253 | 2.1% |
| 3 | 21 to 30 | 59 | 0.5% |
| 4 | 31 to 40 | 53 | 0.4% |
| 5 | 41 to 50 | 31 | 0.3% |
| 6 | 51 to 75 | 30 | 0.2% |
| 7 | 76 to 100 | 10 | 0.1% |
| 8 | 101 to 250 | 22 | 0.2% |
| 9 | 251 to 500 | 3 | 0.0% |
| 10 | 501 to 1000 | 1 | 0.0% |
| 11 | 1001 to 1500 | 2 | 0.0% |
| -1 | Missing | 25 | 0.2% |
| -2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCAGEPER1864: Patients receiving 24-hour residential mental health treatment — aged 18-64 years old, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 182 | 1.5% |
| 1 | 1 – 10 | 20 | 0.2% |
| 2 | 11 – 20 | 12 | 0.1% |
| 3 | 21 – 30 | 5 | 0.0% |
| 4 | 31 – 40 | 2 | 0.0% |
| 5 | 41 – 50 | 2 | 0.0% |
| 6 | 51 – 75 | 21 | 0.2% |
| 7 | 76 – 100 | 149 | 1.2% |
| -1 | Missing | 23 | 0.2% |
| -2 | Logical skip | 11,859 | 96.6% |
| | Total | 12,275 | 100% |

RCAGETOT65: Patients receiving 24-hour residential mental health treatment — aged 65 years and older, number (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 1,243 | 10.1% |
| 1 | 1 to 10 | 318 | 2.6% |
| 2 | 11 to 20 | 24 | 0.2% |
| 3 | 21 to 30 | 11 | 0.1% |
| 4 | 31 to 40 | 6 | 0.0% |
| 5 | 41 to 50 | 4 | 0.0% |
| 6 | 51 to 75 | 1 | 0.0% |
| 8 | 101 to 250 | 2 | 0.0% |
| -1 | Missing | 28 | 0.2% |
| -2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCAGEPER65: Patients receiving 24-hour residential mental health treatment — aged 65 years and older, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 307 | 2.5% |
| 1 | 1 – 10 | 43 | 0.4% |
| 2 | 11 – 20 | 23 | 0.2% |
| 3 | 21 – 30 | 11 | 0.1% |
| 4 | 31 – 40 | 5 | 0.0% |
| 5 | 41 – 50 | 1 | 0.0% |
| 6 | 51 – 75 | 2 | 0.0% |
| 7 | 76 – 100 | 1 | 0.0% |
| -1 | Missing | 23 | 0.2% |
| -2 | Logical skip | 11,859 | 96.6% |
| | Total | 12,275 | 100% |

RCETHTOTHISP: Patients receiving 24-hour residential mental health treatment — Hispanic or Latino, number (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 911 | 7.4% |
| 1 | 1 to 10 | 587 | 4.8% |
| 2 | 11 to 20 | 61 | 0.5% |
| 3 | 21 to 30 | 15 | 0.1% |
| 4 | 31 to 40 | 11 | 0.1% |
| 5 | 41 to 50 | 2 | 0.0% |
| 6 | 51 to 75 | 6 | 0.0% |
| 7 | 76 to 100 | 2 | 0.0% |
| 8 | 101 to 250 | 1 | 0.0% |
| -1 | Missing | 41 | 0.3% |
| -2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCETHPERHISP: Patients receiving 24-hour residential mental health treatment — Hispanic or Latino, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 226 | 1.8% |
| 1 | 1 – 10 | 82 | 0.7% |
| 2 | 11 – 20 | 39 | 0.3% |
| 3 | 21 – 30 | 22 | 0.2% |
| 4 | 31 – 40 | 11 | 0.1% |
| 5 | 41 – 50 | 1 | 0.0% |
| 6 | 51 – 75 | 3 | 0.0% |
| 7 | 76 – 100 | 8 | 0.1% |
| -1 | Missing | 31 | 0.3% |
| -2 | Logical skip | 11,852 | 96.6% |
| | Total | 12,275 | 100% |

RCETHTOTNONHISP: Patients receiving 24-hour residential mental health treatment — non-Hispanic or Latino, number (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 394 | 3.2% |
| 1 | 1 to 10 | 554 | 4.5% |
| 2 | 11 to 20 | 267 | 2.2% |
| 3 | 21 to 30 | 111 | 0.9% |
| 4 | 31 to 40 | 80 | 0.7% |
| 5 | 41 to 50 | 51 | 0.4% |
| 6 | 51 to 75 | 74 | 0.6% |
| 7 | 76 to 100 | 25 | 0.2% |
| 8 | 101 to 250 | 24 | 0.2% |
| 9 | 251 to 500 | 3 | 0.0% |
| 10 | 501 to 1000 | 1 | 0.0% |
| -1 | Missing | 53 | 0.4% |
| -2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCETHPERNONHISP: Patients receiving 24-hour residential mental health treatment — non-Hispanic or Latino, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 187 | 1.5% |
| 1 | 1 – 10 | 1 | 0.0% |
| 2 | 11 – 20 | 1 | 0.0% |
| 3 | 21 – 30 | 1 | 0.0% |
| 4 | 31 – 40 | 5 | 0.0% |
| 5 | 41 – 50 | 6 | 0.0% |
| 6 | 51 – 75 | 37 | 0.3% |
| 7 | 76 – 100 | 154 | 1.3% |
| -1 | Missing | 31 | 0.3% |
| -2 | Logical skip | 11,852 | 96.6% |
| | Total | 12,275 | 100% |

RCETHTOTUNK: Patients receiving 24-hour residential mental health treatment — unknown ethnicity, number (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 1,153 | 9.4% |
| 1 | 1 to 10 | 229 | 1.9% |
| 2 | 11 to 20 | 75 | 0.6% |
| 3 | 21 to 30 | 38 | 0.3% |
| 4 | 31 to 40 | 22 | 0.2% |
| 5 | 41 to 50 | 12 | 0.1% |
| 6 | 51 to 75 | 30 | 0.2% |
| 7 | 76 to 100 | 12 | 0.1% |
| 8 | 101 to 250 | 11 | 0.1% |
| 9 | 251 to 500 | 1 | 0.0% |
| 10 | 501 to 1000 | 2 | 0.0% |
| -1 | Missing | 52 | 0.4% |
| -2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCETHPERUNK: Patients receiving 24-hour residential mental health treatment — unknown ethnicity, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 256 | 2.1% |
| 1 | 1 – 10 | 22 | 0.2% |
| 2 | 11 – 20 | 1 | 0.0% |
| 3 | 21 – 30 | 7 | 0.1% |
| 4 | 31 – 40 | 1 | 0.0% |
| 5 | 41 – 50 | 1 | 0.0% |
| 6 | 51 – 75 | 4 | 0.0% |
| 7 | 76 – 100 | 100 | 0.8% |
| -1 | Missing | 31 | 0.3% |
| -2 | Logical skip | 11,852 | 96.6% |
| | Total | 12,275 | 100% |

RCRACETOTINDIAN: Patients receiving 24-hour residential mental health treatment — American Indian or Alaska Native, number (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 1,373 | 11.2% |
| 1 | 1 to 10 | 191 | 1.6% |
| 2 | 11 to 20 | 8 | 0.1% |
| 3 | 21 to 30 | 5 | 0.0% |
| 4 | 31 to 40 | 1 | 0.0% |
| -1 | Missing | 59 | 0.5% |
| -2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCRACEPERINDIAN: Patients receiving 24-hour residential mental health treatment — American Indian or Alaska Native, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 331 | 2.7% |
| 1 | 1 – 10 | 50 | 0.4% |
| 2 | 11 – 20 | 8 | 0.1% |
| 4 | 31 – 40 | 1 | 0.0% |
| 5 | 41 – 50 | 1 | 0.0% |
| -1 | Missing | 28 | 0.2% |
| -2 | Logical skip | 11,856 | 96.6% |
| | Total | 12,275 | 100% |

RCRACETOTASIAN: Patients receiving 24-hour residential mental health treatment — Asian, number (Q.B4b)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | None | 1,370 | 11.2% |
| 1 | 1 to 10 | 196 | 1.6% |
| 2 | 11 to 20 | 7 | 0.1% |
| 3 | 21 to 30 | 2 | 0.0% |
| -1 | Missing | 62 | 0.5% |
| - 2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCRACEPERASIAN: Patients receiving 24-hour residential mental health treatment — Asian, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 333 | 2.7% |
| 1 | 1 – 10 | 55 | 0.4% |
| 2 | 11 – 20 | 3 | 0.0% |
| -1 | Missing | 28 | 0.2% |
| -2 | Logical skip | 11,856 | 96.6% |
| | Total | 12,275 | 100% |

RCRACETOTBLK: Patients receiving 24-hour residential mental health treatment — Black or African American, number (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 668 | 5.4% |
| 1 | 1 to 10 | 721 | 5.9% |
| 2 | 11 to 20 | 119 | 1.0% |
| 3 | 21 to 30 | 34 | 0.3% |
| 4 | 31 to 40 | 17 | 0.1% |
| 5 | 41 to 50 | 11 | 0.1% |
| 6 | 51 to 75 | 9 | 0.1% |
| 7 | 76 to 100 | 7 | 0.1% |
| 8 | 101 to 250 | 8 | 0.1% |
| 9 | 251 to 500 | 1 | 0.0% |
| -1 | Missing | 42 | 0.3% |
| -2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCRACEPERBLK: Patients receiving 24-hour residential mental health treatment — Black or African American, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 207 | 1.7% |
| 1 | 1 – 10 | 45 | 0.4% |
| 2 | 11 – 20 | 34 | 0.3% |
| 3 | 21 – 30 | 28 | 0.2% |
| 4 | 31 – 40 | 31 | 0.3% |
| 5 | 41 – 50 | 22 | 0.2% |
| 6 | 51 – 75 | 16 | 0.1% |
| 7 | 76 – 100 | 8 | 0.1% |
| -1 | Missing | 28 | 0.2% |
| -2 | Logical skip | 11,856 | 96.6% |
| | Total | 12,275 | 100% |

RCRACETOTHAWPAC: Patients receiving 24-hour residential mental health treatment — Native Hawaiian or Other Pacific Islander, number (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 1,504 | 12.3% |
| 1 | 1 to 10 | 63 | 0.5% |
| 4 | 31 to 40 | 2 | 0.0% |
| 5 | 41 to 50 | 1 | 0.0% |
| -1 | Missing | 67 | 0.5% |
| -2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCRACEPERHAWPAC: Patients receiving 24-hour residential mental health treatment — Native Hawaiian or Other Pacific Islander, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 366 | 3.0% |
| 1 | 1 – 10 | 23 | 0.2% |
| 2 | 11 – 20 | 1 | 0.0% |
| 7 | 76 – 100 | 1 | 0.0% |
| -1 | Missing | 28 | 0.2% |
| -2 | Logical skip | 11,856 | 96.6% |
| | Total | 12,275 | 100% |

RCRACETOTWHIT: Patients receiving 24-hour residential mental health treatment — White, number (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 389 | 3.2% |
| 1 | 1 to 10 | 702 | 5.7% |
| 2 | 11 to 20 | 245 | 2.0% |
| 3 | 21 to 30 | 94 | 0.8% |
| 4 | 31 to 40 | 62 | 0.5% |
| 5 | 41 to 50 | 51 | 0.4% |
| 6 | 51 to 75 | 38 | 0.3% |
| 7 | 76 to 100 | 10 | 0.1% |
| 8 | 101 to 250 | 9 | 0.1% |
| 10 | 501 to 1000 | 2 | 0.0% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCRACEPERWHIT: Patients receiving 24-hour residential mental health treatment — White, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 186 | 1.5% |
| 1 | 1 – 10 | 4 | 0.0% |
| 2 | 11 – 20 | 8 | 0.1% |
| 3 | 21 – 30 | 13 | 0.1% |
| 4 | 31 – 40 | 18 | 0.1% |
| 5 | 41 – 50 | 31 | 0.3% |
| 6 | 51 – 75 | 70 | 0.6% |
| 7 | 76 – 100 | 61 | 0.5% |
| -1 | Missing | 28 | 0.2% |
| -2 | Logical skip | 11,856 | 96.6% |
| | Total | 12,275 | 100% |

RCRACETOTMR: Patients receiving 24-hour residential mental health treatment — two or more races, number (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 1,168 | 9.5% |
| 1 | 1 to 10 | 378 | 3.1% |
| 2 | 11 to 20 | 20 | 0.2% |
| 3 | 21 to 30 | 4 | 0.0% |
| 4 | 31 to 40 | 6 | 0.0% |
| 5 | 41 to 50 | 1 | 0.0% |
| -1 | Missing | 60 | 0.5% |
| -2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCRACEPERMR: Patients receiving 24-hour residential mental health treatment — two or more races, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 281 | 2.3% |
| 1 | 1 – 10 | 72 | 0.6% |
| 2 | 11 – 20 | 25 | 0.2% |
| 3 | 21 – 30 | 7 | 0.1% |
| 4 | 31 – 40 | 2 | 0.0% |
| 6 | 51 – 75 | 2 | 0.0% |
| 7 | 76 – 100 | 2 | 0.0% |
| -1 | Missing | 28 | 0.2% |
| -2 | Logical skip | 11,856 | 96.6% |
| | Total | 12,275 | 100% |

RCRACETOTUNK: Patients receiving 24-hour residential mental health treatment — unknown race, number (Q.B4b)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | None | 1,071 | 8.7% |
| 1 | 1 to 10 | 305 | 2.5% |
| 2 | 11 to 20 | 70 | 0.6% |
| 3 | 21 to 30 | 44 | 0.4% |
| 4 | 31 to 40 | 21 | 0.2% |
| 5 | 41 to 50 | 9 | 0.1% |
| 6 | 51 to 75 | 25 | 0.2% |
| 7 | 76 to 100 | 9 | 0.1% |
| 8 | 101 to 250 | 10 | 0.1% |
| 9 | 251 to 500 | 3 | 0.0% |
| 10 | 501 to 1000 | 1 | 0.0% |
| -1 | Missing | 69 | 0.6% |
| - 2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCRACEPERUNK: Patients receiving 24-hour residential mental health treatment — unknown race, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 240 | 2.0% |
| 1 | 1 – 10 | 31 | 0.3% |
| 2 | 11 – 20 | 7 | 0.1% |
| 3 | 21 – 30 | 8 | 0.1% |
| 4 | 31 – 40 | 3 | 0.0% |
| 5 | 41 – 50 | 1 | 0.0% |
| 7 | 76 – 100 | 101 | 0.8% |
| -1 | Missing | 28 | 0.2% |
| -2 | Logical skip | 11,856 | 96.6% |
| | Total | 12,275 | 100% |

RCLEGALTOTVOL: Patients receiving 24-hour residential mental health treatment — voluntary legal status, number (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 287 | 2.3% |
| 1 | 1 to 10 | 650 | 5.3% |
| 2 | 11 to 20 | 279 | 2.3% |
| 3 | 21 to 30 | 109 | 0.9% |
| 4 | 31 to 40 | 83 | 0.7% |
| 5 | 41 to 50 | 53 | 0.4% |
| 6 | 51 to 75 | 80 | 0.7% |
| 7 | 76 to 100 | 33 | 0.3% |
| 8 | 101 to 250 | 29 | 0.2% |
| 9 | 251 to 500 | 1 | 0.0% |
| 11 | 1001 to 1500 | 2 | 0.0% |
| -1 | Missing | 31 | 0.3% |
| -2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCLEGALPERVOL: Patients receiving 24-hour residential mental health treatment — voluntary legal status, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 124 | 1.0% |
| 1 | 1 – 10 | 7 | 0.1% |
| 2 | 11 – 20 | 3 | 0.0% |
| 3 | 21 – 30 | 1 | 0.0% |
| 4 | 31 – 40 | 1 | 0.0% |
| 5 | 41 – 50 | 2 | 0.0% |
| 6 | 51 – 75 | 12 | 0.1% |
| 7 | 76 – 100 | 242 | 2.0% |
| -1 | Missing | 30 | 0.2% |
| -2 | Logical skip | 11,853 | 96.6% |
| | Total | 12,275 | 100% |

RCLEGALTOTNONFOREN: Patients receiving 24-hour residential mental health treatment — involuntary (non-forensic) legal status, number (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 1,213 | 9.9% |
| 1 | 1 to 10 | 215 | 1.8% |
| 2 | 11 to 20 | 61 | 0.5% |
| 3 | 21 to 30 | 39 | 0.3% |
| 4 | 31 to 40 | 17 | 0.1% |
| 5 | 41 to 50 | 14 | 0.1% |
| 6 | 51 to 75 | 19 | 0.2% |
| 7 | 76 to 100 | 9 | 0.1% |
| 8 | 101 to 250 | 12 | 0.1% |
| 9 | 251 to 500 | 1 | 0.0% |
| -1 | Missing | 37 | 0.3% |
| -2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCLEGALPERNONFOREN: Patients receiving 24-hour residential mental health treatment — involuntary (non-forensic) legal status, percent (Q.B4b)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | 0 | 317 | 2.6% |
| 1 | 1 – 10 | 6 | 0.0% |
| 2 | 11 – 20 | 9 | 0.1% |
| 3 | 21 – 30 | 4 | 0.0% |
| 4 | 31 – 40 | 3 | 0.0% |
| 5 | 41 – 50 | 3 | 0.0% |
| 6 | 51 – 75 | 8 | 0.1% |
| 7 | 76 – 100 | 42 | 0.3% |
| -1 | Missing | 30 | 0.2% |
| - 2 | Logical skip | 11,853 | 96.6% |
| | Total | 12,275 | 100% |

RCLEGALTOTFOREN: Patients receiving 24-hour residential mental health treatment — involuntary (forensic) legal status, number (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 1,415 | 11.5% |
| 1 | 1 to 10 | 129 | 1.1% |
| 2 | 11 to 20 | 28 | 0.2% |
| 3 | 21 to 30 | 8 | 0.1% |
| 4 | 31 to 40 | 4 | 0.0% |
| 5 | 41 to 50 | 5 | 0.0% |
| 6 | 51 to 75 | 5 | 0.0% |
| 8 | 101 to 250 | 4 | 0.0% |
| 9 | 251 to 500 | 2 | 0.0% |
| 10 | 501 to 1000 | 1 | 0.0% |
| -1 | Missing | 36 | 0.3% |
| -2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

RCLEGALPERFOREN: Patients receiving 24-hour residential mental health treatment — involuntary (forensic) legal status, percent (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 362 | 2.9% |
| 1 | 1 – 10 | 14 | 0.1% |
| 2 | 11 – 20 | 3 | 0.0% |
| 3 | 21 – 30 | 3 | 0.0% |
| 4 | 31 – 40 | 4 | 0.0% |
| 5 | 41 – 50 | 1 | 0.0% |
| 7 | 76 – 100 | 5 | 0.0% |
| -1 | Missing | 30 | 0.2% |
| -2 | Logical skip | 11,853 | 96.6% |
| | Total | 12,275 | 100% |

RCBEDS: Number of residential beds at this facility designated for providing mental health treatment on April 30, 2020 (Q.B4c)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 48 | 0.4% |
| 1 | 1 to 10 | 464 | 3.8% |
| 2 | 11 to 20 | 424 | 3.5% |
| 3 | 21 to 30 | 150 | 1.2% |
| 4 | 31 to 40 | 105 | 0.9% |
| 5 | 41 to 50 | 80 | 0.7% |
| 6 | 51 to 75 | 126 | 1.0% |
| 7 | 76 to 100 | 58 | 0.5% |
| 8 | 101 to 250 | 75 | 0.6% |
| 9 | 251 to 500 | 5 | 0.0% |
| 10 | 501 to 1000 | 1 | 0.0% |
| -1 | Missing | 101 | 0.8% |
| -2 | Logical skip | 10,638 | 86.7% |
| | Total | 12,275 | 100% |

OPSERV: Clients received less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) during April 2020 (Q.B5)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 2,882 | 23.5% |
| 1 | Yes | 6,618 | 53.9% |
| -2 | Logical skip | 2,775 | 22.6% |
| | Total | 12,275 | 100% |

OPTOTAL: Total number of clients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) during April 2020 (Q.B5a)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 1,077 | 8.8% |
| 1 | 1 to 10 | 528 | 4.3% |
| 2 | 11 to 20 | 430 | 3.5% |
| 3 | 21 to 30 | 340 | 2.8% |
| 4 | 31 to 40 | 274 | 2.2% |
| 5 | 41 to 50 | 256 | 2.1% |
| 6 | 51 to 75 | 532 | 4.3% |
| 7 | 76 to 100 | 455 | 3.7% |
| 8 | 101 to 250 | 1,537 | 12.5% |
| 9 | 251 to 500 | 1,516 | 12.4% |
| 10 | 501 to 1000 | 1,191 | 9.7% |
| 11 | 1001 to 1500 | 437 | 3.6% |
| 12 | More than 1500 | 515 | 4.2% |
| -2 | Logical skip | 3,187 | 26.0% |
| | Total | 12,275 | 100% |

OPSEXTOTM: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — male, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 1,013 | 8.3% |
| 1 | 1 to 10 | 833 | 6.8% |
| 2 | 11 to 20 | 500 | 4.1% |
| 3 | 21 to 30 | 404 | 3.3% |
| 4 | 31 to 40 | 354 | 2.9% |
| 5 | 41 to 50 | 244 | 2.0% |
| 6 | 51 to 75 | 525 | 4.3% |
| 7 | 76 to 100 | 386 | 3.1% |
| 8 | 101 to 250 | 1,400 | 11.4% |
| 9 | 251 to 500 | 816 | 6.6% |
| 10 | 501 to 1000 | 500 | 4.1% |
| 11 | 1001 to 1500 | 167 | 1.4% |
| 12 | More than 1500 | 161 | 1.3% |
| -1 | Missing | 257 | 2.1% |
| -2 | Logical skip | 4,715 | 38.4% |
| | Total | 12,275 | 100% |

OPSEXPERM: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — male, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 962 | 7.8% |
| 1 | 1 – 10 | 26 | 0.2% |
| 2 | 11 – 20 | 87 | 0.7% |
| 3 | 21 – 30 | 186 | 1.5% |
| 4 | 31 – 40 | 674 | 5.5% |
| 5 | 41 – 50 | 1,157 | 9.4% |
| 6 | 51 – 75 | 838 | 6.8% |
| 7 | 76 – 100 | 212 | 1.7% |
| ** | 101 | 1 | 0.0% |
| -1 | Missing | 261 | 2.1% |
| -2 | Logical skip | 7,871 | 64.1% |
| | Total | 12,275 | 100% |

OPSEXTOTF: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — female, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 1,026 | 8.4% |
| 1 | 1 to 10 | 791 | 6.4% |
| 2 | 11 to 20 | 571 | 4.7% |
| 3 | 21 to 30 | 375 | 3.1% |
| 4 | 31 to 40 | 288 | 2.3% |
| 5 | 41 to 50 | 288 | 2.3% |
| 6 | 51 to 75 | 463 | 3.8% |
| 7 | 76 to 100 | 385 | 3.1% |
| 8 | 101 to 250 | 1,328 | 10.8% |
| 9 | 251 to 500 | 891 | 7.3% |
| 10 | 501 to 1000 | 570 | 4.6% |
| 11 | 1001 to 1500 | 178 | 1.5% |
| 12 | More than 1500 | 148 | 1.2% |
| -1 | Missing | 258 | 2.1% |
| -2 | Logical skip | 4,715 | 38.4% |
| | Total | 12,275 | 100% |

OPSEXPERF: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — female, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 970 | 7.9% |
| 1 | 1 – 10 | 87 | 0.7% |
| 2 | 11 – 20 | 103 | 0.8% |
| 3 | 21 – 30 | 118 | 1.0% |
| 4 | 31 – 40 | 358 | 2.9% |
| 5 | 41 – 50 | 834 | 6.8% |
| 6 | 51 – 75 | 1,541 | 12.6% |
| 7 | 76 – 100 | 132 | 1.1% |
| -1 | Missing | 261 | 2.1% |
| -2 | Logical skip | 7,871 | 64.1% |
| | Total | 12,275 | 100% |

OPAGETOT017: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — aged 0-17 years old, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 2,806 | 22.9% |
| 1 | 1 to 10 | 725 | 5.9% |
| 2 | 11 to 20 | 425 | 3.5% |
| 3 | 21 to 30 | 335 | 2.7% |
| 4 | 31 to 40 | 245 | 2.0% |
| 5 | 41 to 50 | 224 | 1.8% |
| 6 | 51 to 75 | 371 | 3.0% |
| 7 | 76 to 100 | 330 | 2.7% |
| 8 | 101 to 250 | 913 | 7.4% |
| 9 | 251 to 500 | 500 | 4.1% |
| 10 | 501 to 1000 | 266 | 2.2% |
| 11 | 1001 to 1500 | 73 | 0.6% |
| 12 | More than 1500 | 74 | 0.6% |
| -1 | Missing | 269 | 2.2% |
| -2 | Logical skip | 4,719 | 38.4% |
| | Total | 12,275 | 100% |

OPAGEPER017: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — aged 0-17 years old, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 1,814 | 14.8% |
| 1 | 1 – 10 | 403 | 3.3% |
| 2 | 11 – 20 | 422 | 3.4% |
| 3 | 21 – 30 | 474 | 3.9% |
| 4 | 31 – 40 | 239 | 1.9% |
| 5 | 41 – 50 | 107 | 0.9% |
| 6 | 51 – 75 | 176 | 1.4% |
| 7 | 76 – 100 | 494 | 4.0% |
| -1 | Missing | 277 | 2.3% |
| -2 | Logical skip | 7,869 | 64.1% |
| | Total | 12,275 | 100% |

OPAGETOT1864: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — aged 18-64 years old, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 1,347 | 11.0% |
| 1 | 1 to 10 | 658 | 5.4% |
| 2 | 11 to 20 | 428 | 3.5% |
| 3 | 21 to 30 | 345 | 2.8% |
| 4 | 31 to 40 | 294 | 2.4% |
| 5 | 41 to 50 | 254 | 2.1% |
| 6 | 51 to 75 | 471 | 3.8% |
| 7 | 76 to 100 | 358 | 2.9% |
| 8 | 101 to 250 | 1,168 | 9.5% |
| 9 | 251 to 500 | 834 | 6.8% |
| 10 | 501 to 1000 | 628 | 5.1% |
| 11 | 1001 to 1500 | 237 | 1.9% |
| 12 | More than 1500 | 266 | 2.2% |
| -1 | Missing | 268 | 2.2% |
| -2 | Logical skip | 4,719 | 38.4% |
| | Total | 12,275 | 100% |

OPAGEPER1864: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — aged 18-64 years old, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 1,110 | 9.0% |
| 1 | 1 – 10 | 235 | 1.9% |
| 2 | 11 – 20 | 122 | 1.0% |
| 3 | 21 – 30 | 92 | 0.7% |
| 4 | 31 – 40 | 122 | 1.0% |
| 5 | 41 – 50 | 279 | 2.3% |
| 6 | 51 – 75 | 1,050 | 8.6% |
| 7 | 76 – 100 | 1,119 | 9.1% |
| -1 | Missing | 277 | 2.3% |
| -2 | Logical skip | 7,869 | 64.1% |
| | Total | 12,275 | 100% |

OPAGETOT65: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — aged 65 years and older, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 2,804 | 22.8% |
| 1 | 1 to 10 | 1,548 | 12.6% |
| 2 | 11 to 20 | 634 | 5.2% |
| 3 | 21 to 30 | 410 | 3.3% |
| 4 | 31 to 40 | 249 | 2.0% |
| 5 | 41 to 50 | 233 | 1.9% |
| 6 | 51 to 75 | 359 | 2.9% |
| 7 | 76 to 100 | 258 | 2.1% |
| 8 | 101 to 250 | 509 | 4.1% |
| 9 | 251 to 500 | 177 | 1.4% |
| 10 | 501 to 1000 | 71 | 0.6% |
| 11 | 1001 to 1500 | 18 | 0.1% |
| 12 | More than 1500 | 18 | 0.1% |
| -1 | Missing | 268 | 2.2% |
| -2 | Logical skip | 4,719 | 38.4% |
| | Total | 12,275 | 100% |

OPAGEPER65: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — aged 65 years and older, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 1,732 | 14.1% |
| 1 | 1 – 10 | 1,463 | 11.9% |
| 2 | 11 – 20 | 527 | 4.3% |
| 3 | 21 – 30 | 239 | 1.9% |
| 4 | 31 – 40 | 72 | 0.6% |
| 5 | 41 – 50 | 56 | 0.5% |
| 6 | 51 – 75 | 30 | 0.2% |
| 7 | 76 – 100 | 10 | 0.1% |
| -1 | Missing | 277 | 2.3% |
| -2 | Logical skip | 7,869 | 64.1% |
| | Total | 12,275 | 100% |

OPETHTOTHISP: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — Hispanic or Latino, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 3,066 | 25.0% |
| 1 | 1 to 10 | 1,563 | 12.7% |
| 2 | 11 to 20 | 532 | 4.3% |
| 3 | 21 to 30 | 344 | 2.8% |
| 4 | 31 to 40 | 226 | 1.8% |
| 5 | 41 to 50 | 183 | 1.5% |
| 6 | 51 to 75 | 298 | 2.4% |
| 7 | 76 to 100 | 192 | 1.6% |
| 8 | 101 to 250 | 503 | 4.1% |
| 9 | 251 to 500 | 215 | 1.8% |
| 10 | 501 to 1000 | 101 | 0.8% |
| 11 | 1001 to 1500 | 23 | 0.2% |
| 12 | More than 1500 | 26 | 0.2% |
| -1 | Missing | 281 | 2.3% |
| -2 | Logical skip | 4,722 | 38.5% |
| | Total | 12,275 | 100% |

OPETHPERHISP: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — Hispanic or Latino, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 1,979 | 16.1% |
| 1 | 1 – 10 | 1,171 | 9.5% |
| 2 | 11 – 20 | 363 | 3.0% |
| 3 | 21 – 30 | 234 | 1.9% |
| 4 | 31 – 40 | 135 | 1.1% |
| 5 | 41 – 50 | 80 | 0.7% |
| 6 | 51 – 75 | 118 | 1.0% |
| 7 | 76 – 100 | 53 | 0.4% |
| -1 | Missing | 284 | 2.3% |
| -2 | Logical skip | 7,858 | 64.0% |
| | Total | 12,275 | 100% |

OPETHTOTNONHISP: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — non-Hispanic or Latino, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 2,388 | 19.5% |
| 1 | 1 to 10 | 402 | 3.3% |
| 2 | 11 to 20 | 323 | 2.6% |
| 3 | 21 to 30 | 281 | 2.3% |
| 4 | 31 to 40 | 207 | 1.7% |
| 5 | 41 to 50 | 181 | 1.5% |
| 6 | 51 to 75 | 369 | 3.0% |
| 7 | 76 to 100 | 291 | 2.4% |
| 8 | 101 to 250 | 1,024 | 8.3% |
| 9 | 251 to 500 | 749 | 6.1% |
| 10 | 501 to 1000 | 561 | 4.6% |
| 11 | 1001 to 1500 | 220 | 1.8% |
| 12 | More than 1500 | 276 | 2.2% |
| -1 | Missing | 281 | 2.3% |
| -2 | Logical skip | 4,722 | 38.5% |
| | Total | 12,275 | 100% |

OPETHPERNONHISP: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — non-Hispanic or Latino, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 1,803 | 14.7% |
| 1 | 1 – 10 | 41 | 0.3% |
| 2 | 11 – 20 | 36 | 0.3% |
| 3 | 21 – 30 | 50 | 0.4% |
| 4 | 31 – 40 | 101 | 0.8% |
| 5 | 41 – 50 | 96 | 0.8% |
| 6 | 51 – 75 | 490 | 4.0% |
| 7 | 76 – 100 | 1,516 | 12.4% |
| -1 | Missing | 284 | 2.3% |
| -2 | Logical skip | 7,858 | 64.0% |
| | Total | 12,275 | 100% |

OPETHTOTUNK: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — unknown ethnicity, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 3,696 | 30.1% |
| 1 | 1 to 10 | 822 | 6.7% |
| 2 | 11 to 20 | 399 | 3.3% |
| 3 | 21 to 30 | 269 | 2.2% |
| 4 | 31 to 40 | 185 | 1.5% |
| 5 | 41 to 50 | 147 | 1.2% |
| 6 | 51 to 75 | 281 | 2.3% |
| 7 | 76 to 100 | 206 | 1.7% |
| 8 | 101 to 250 | 474 | 3.9% |
| 9 | 251 to 500 | 326 | 2.7% |
| 10 | 501 to 1000 | 250 | 2.0% |
| 11 | 1001 to 1500 | 82 | 0.7% |
| 12 | More than 1500 | 130 | 1.1% |
| -1 | Missing | 286 | 2.3% |
| -2 | Logical skip | 4,722 | 38.5% |
| | Total | 12,275 | 100% |

OPETHPERUNK: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — unknown ethnicity, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 2,376 | 19.4% |
| 1 | 1 – 10 | 596 | 4.9% |
| 2 | 11 – 20 | 130 | 1.1% |
| 3 | 21 – 30 | 55 | 0.4% |
| 4 | 31 – 40 | 39 | 0.3% |
| 5 | 41 – 50 | 35 | 0.3% |
| 6 | 51 – 75 | 47 | 0.4% |
| 7 | 76 – 100 | 855 | 7.0% |
| -1 | Missing | 284 | 2.3% |
| -2 | Logical skip | 7,858 | 64.0% |
| | Total | 12,275 | 100% |

OPRACETOTINDIAN: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — American Indian or Alaska Native, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 5,148 | 41.9% |
| 1 | 1 to 10 | 1,472 | 12.0% |
| 2 | 11 to 20 | 269 | 2.2% |
| 3 | 21 to 30 | 92 | 0.7% |
| 4 | 31 to 40 | 59 | 0.5% |
| 5 | 41 to 50 | 34 | 0.3% |
| 6 | 51 to 75 | 56 | 0.5% |
| 7 | 76 to 100 | 39 | 0.3% |
| 8 | 101 to 250 | 56 | 0.5% |
| 9 | 251 to 500 | 14 | 0.1% |
| 10 | 501 to 1000 | 4 | 0.0% |
| -1 | Missing | 312 | 2.5% |
| -2 | Logical skip | 4,720 | 38.5% |
| | Total | 12,275 | 100% |

OPRACEPERINDIAN: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — American Indian or Alaska Native, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 3,250 | 26.5% |
| 1 | 1 – 10 | 794 | 6.5% |
| 2 | 11 – 20 | 34 | 0.3% |
| 3 | 21 – 30 | 10 | 0.1% |
| 4 | 31 – 40 | 6 | 0.0% |
| 5 | 41 – 50 | 9 | 0.1% |
| 6 | 51 – 75 | 9 | 0.1% |
| 7 | 76 – 100 | 17 | 0.1% |
| -1 | Missing | 291 | 2.4% |
| -2 | Logical skip | 7,855 | 64.0% |
| | Total | 12,275 | 100% |

OPRACETOTASIAN: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — Asian, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 4,782 | 39.0% |
| 1 | 1 to 10 | 1,688 | 13.8% |
| 2 | 11 to 20 | 334 | 2.7% |
| 3 | 21 to 30 | 135 | 1.1% |
| 4 | 31 to 40 | 84 | 0.7% |
| 5 | 41 to 50 | 33 | 0.3% |
| 6 | 51 to 75 | 62 | 0.5% |
| 7 | 76 to 100 | 38 | 0.3% |
| 8 | 101 to 250 | 61 | 0.5% |
| 9 | 251 to 500 | 16 | 0.1% |
| 10 | 501 to 1000 | 6 | 0.0% |
| 11 | 1001 to 1500 | 1 | 0.0% |
| 12 | More than 1500 | 2 | 0.0% |
| -1 | Missing | 313 | 2.5% |
| -2 | Logical skip | 4,720 | 38.5% |
| | Total | 12,275 | 100% |

OPRACEPERASIAN: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — Asian, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 2,910 | 23.7% |
| 1 | 1 – 10 | 1,138 | 9.3% |
| 2 | 11 – 20 | 56 | 0.5% |
| 3 | 21 – 30 | 11 | 0.1% |
| 4 | 31 – 40 | 5 | 0.0% |
| 5 | 41 – 50 | 3 | 0.0% |
| 6 | 51 – 75 | 1 | 0.0% |
| 7 | 76 – 100 | 5 | 0.0% |
| -1 | Missing | 291 | 2.4% |
| -2 | Logical skip | 7,855 | 64.0% |
| | Total | 12,275 | 100% |

OPRACETOTBLK: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — Black or African American, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 2,908 | 23.7% |
| 1 | 1 to 10 | 1,418 | 11.6% |
| 2 | 11 to 20 | 505 | 4.1% |
| 3 | 21 to 30 | 360 | 2.9% |
| 4 | 31 to 40 | 243 | 2.0% |
| 5 | 41 to 50 | 176 | 1.4% |
| 6 | 51 to 75 | 350 | 2.9% |
| 7 | 76 to 100 | 232 | 1.9% |
| 8 | 101 to 250 | 578 | 4.7% |
| 9 | 251 to 500 | 263 | 2.1% |
| 10 | 501 to 1000 | 156 | 1.3% |
| 11 | 1001 to 1500 | 34 | 0.3% |
| 12 | More than 1500 | 37 | 0.3% |
| -1 | Missing | 295 | 2.4% |
| -2 | Logical skip | 4,720 | 38.5% |
| | Total | 12,275 | 100% |

OPRACEPERBLK: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — Black or African American, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 1,946 | 15.9% |
| 1 | 1 – 10 | 899 | 7.3% |
| 2 | 11 – 20 | 348 | 2.8% |
| 3 | 21 – 30 | 262 | 2.1% |
| 4 | 31 – 40 | 221 | 1.8% |
| 5 | 41 – 50 | 187 | 1.5% |
| 6 | 51 – 75 | 179 | 1.5% |
| 7 | 76 – 100 | 87 | 0.7% |
| -1 | Missing | 291 | 2.4% |
| -2 | Logical skip | 7,855 | 64.0% |
| | Total | 12,275 | 100% |

OPRACETOTHAWPAC: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — Native Hawaiian or Other Pacific Islander, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | None | 6,123 | 49.9% |
| 1 | 1 to 10 | 896 | 7.3% |
| 2 | 11 to 20 | 108 | 0.9% |
| 3 | 21 to 30 | 35 | 0.3% |
| 4 | 31 to 40 | 17 | 0.1% |
| 5 | 41 to 50 | 12 | 0.1% |
| 6 | 51 to 75 | 20 | 0.2% |
| 7 | 76 to 100 | 7 | 0.1% |
| 8 | 101 to 250 | 13 | 0.1% |
| 9 | 251 to 500 | 3 | 0.0% |
| 10 | 501 to 1000 | 1 | 0.0% |
| 11 | 1001 to 1500 | 1 | 0.0% |
| -1 | Missing | 319 | 2.6% |
| -2 | Logical skip | 4,720 | 38.5% |
| | Total | 12,275 | 100% |

OPRACEPERHAWPAC: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — Native Hawaiian or Other Pacific Islander, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 3,654 | 29.8% |
| 1 | 1 – 10 | 458 | 3.7% |
| 2 | 11 – 20 | 11 | 0.1% |
| 3 | 21 – 30 | 3 | 0.0% |
| 5 | 41 – 50 | 1 | 0.0% |
| 6 | 51 – 75 | 1 | 0.0% |
| 7 | 76 – 100 | 1 | 0.0% |
| -1 | Missing | 291 | 2.4% |
| -2 | Logical skip | 7,855 | 64.0% |
| | Total | 12,275 | 100% |

OPRACETOTWHIT: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — White, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 2,407 | 19.6% |
| 1 | 1 to 10 | 591 | 4.8% |
| 2 | 11 to 20 | 355 | 2.9% |
| 3 | 21 to 30 | 300 | 2.4% |
| 4 | 31 to 40 | 182 | 1.5% |
| 5 | 41 to 50 | 188 | 1.5% |
| 6 | 51 to 75 | 395 | 3.2% |
| 7 | 76 to 100 | 269 | 2.2% |
| 8 | 101 to 250 | 972 | 7.9% |
| 9 | 251 to 500 | 718 | 5.8% |
| 10 | 501 to 1000 | 484 | 3.9% |
| 11 | 1001 to 1500 | 200 | 1.6% |
| 12 | More than 1500 | 206 | 1.7% |
| -1 | Missing | 288 | 2.3% |
| -2 | Logical skip | 4,720 | 38.5% |
| | Total | 12,275 | 100% |

OPRACEPERWHIT: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — White, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 1,820 | 14.8% |
| 1 | 1 – 10 | 101 | 0.8% |
| 2 | 11 – 20 | 120 | 1.0% |
| 3 | 21 – 30 | 150 | 1.2% |
| 4 | 31 – 40 | 188 | 1.5% |
| 5 | 41 – 50 | 307 | 2.5% |
| 6 | 51 – 75 | 657 | 5.4% |
| 7 | 76 – 100 | 786 | 6.4% |
| -1 | Missing | 291 | 2.4% |
| -2 | Logical skip | 7,855 | 64.0% |
| | Total | 12,275 | 100% |

OPRACETOTMR: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — two or more races, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 4,439 | 36.2% |
| 1 | 1 to 10 | 1,272 | 10.4% |
| 2 | 11 to 20 | 413 | 3.4% |
| 3 | 21 to 30 | 270 | 2.2% |
| 4 | 31 to 40 | 167 | 1.4% |
| 5 | 41 to 50 | 108 | 0.9% |
| 6 | 51 to 75 | 159 | 1.3% |
| 7 | 76 to 100 | 97 | 0.8% |
| 8 | 101 to 250 | 208 | 1.7% |
| 9 | 251 to 500 | 68 | 0.6% |
| 10 | 501 to 1000 | 23 | 0.2% |
| 11 | 1001 to 1500 | 8 | 0.1% |
| 12 | More than 1500 | 7 | 0.1% |
| -1 | Missing | 316 | 2.6% |
| -2 | Logical skip | 4,720 | 38.5% |
| | Total | 12,275 | 100% |

OPRACEPERMR: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — two or more races, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 2,688 | 21.9% |
| 1 | 1 – 10 | 1,017 | 8.3% |
| 2 | 11 – 20 | 246 | 2.0% |
| 3 | 21 – 30 | 89 | 0.7% |
| 4 | 31 – 40 | 34 | 0.3% |
| 5 | 41 – 50 | 14 | 0.1% |
| 6 | 51 – 75 | 22 | 0.2% |
| 7 | 76 – 100 | 19 | 0.2% |
| -1 | Missing | 291 | 2.4% |
| -2 | Logical skip | 7,855 | 64.0% |
| | Total | 12,275 | 100% |

OPRACETOTUNK: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — unknown race, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 3,304 | 26.9% |
| 1 | 1 to 10 | 996 | 8.1% |
| 2 | 11 to 20 | 442 | 3.6% |
| 3 | 21 to 30 | 268 | 2.2% |
| 4 | 31 to 40 | 225 | 1.8% |
| 5 | 41 to 50 | 187 | 1.5% |
| 6 | 51 to 75 | 295 | 2.4% |
| 7 | 76 to 100 | 222 | 1.8% |
| 8 | 101 to 250 | 511 | 4.2% |
| 9 | 251 to 500 | 346 | 2.8% |
| 10 | 501 to 1000 | 236 | 1.9% |
| 11 | 1001 to 1500 | 91 | 0.7% |
| 12 | More than 1500 | 110 | 0.9% |
| -1 | Missing | 322 | 2.6% |
| -2 | Logical skip | 4,720 | 38.5% |
| | Total | 12,275 | 100% |

OPRACEPERUNK: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — unknown race, percent (Q.B5b)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | 0 | 2,227 | 18.1% |
| 1 | 1 – 10 | 690 | 5.6% |
| 2 | 11 – 20 | 178 | 1.5% |
| 3 | 21 – 30 | 84 | 0.7% |
| 4 | 31 – 40 | 32 | 0.3% |
| 5 | 41 – 50 | 46 | 0.4% |
| 6 | 51 – 75 | 38 | 0.3% |
| 7 | 76 – 100 | 833 | 6.8% |
| ** | 105 | 1 | 0.0% |
| -1 | Missing | 291 | 2.4% |
| - 2 | Logical skip | 7,855 | 64.0% |
| | Total | 12,275 | 100% |

OPLEGALTOTVOL: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — voluntary legal status, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 1,032 | 8.4% |
| 1 | 1 to 10 | 448 | 3.6% |
| 2 | 11 to 20 | 373 | 3.0% |
| 3 | 21 to 30 | 305 | 2.5% |
| 4 | 31 to 40 | 217 | 1.8% |
| 5 | 41 to 50 | 222 | 1.8% |
| 6 | 51 to 75 | 445 | 3.6% |
| 7 | 76 to 100 | 357 | 2.9% |
| 8 | 101 to 250 | 1,163 | 9.5% |
| 9 | 251 to 500 | 1,012 | 8.2% |
| 10 | 501 to 1000 | 846 | 6.9% |
| 11 | 1001 to 1500 | 337 | 2.7% |
| 12 | More than 1500 | 480 | 3.9% |
| -1 | Missing | 320 | 2.6% |
| -2 | Logical skip | 4,718 | 38.4% |
| | Total | 12,275 | 100% |

OPLEGALPERVOL: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — voluntary legal status, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 986 | 8.0% |
| 1 | 1 – 10 | 26 | 0.2% |
| 2 | 11 – 20 | 9 | 0.1% |
| 3 | 21 – 30 | 8 | 0.1% |
| 4 | 31 – 40 | 12 | 0.1% |
| 5 | 41 – 50 | 29 | 0.2% |
| 6 | 51 – 75 | 117 | 1.0% |
| 7 | 76 – 100 | 2,939 | 23.9% |
| ** | 105 | 1 | 0.0% |
| -1 | Missing | 322 | 2.6% |
| -2 | Logical skip | 7,826 | 63.8% |
| | Total | 12,275 | 100% |

OPLEGALTOTNONFOREN: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — involuntary (non-forensic) legal status, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 6,076 | 49.5% |
| 1 | 1 to 10 | 434 | 3.5% |
| 2 | 11 to 20 | 198 | 1.6% |
| 3 | 21 to 30 | 118 | 1.0% |
| 4 | 31 to 40 | 78 | 0.6% |
| 5 | 41 to 50 | 48 | 0.4% |
| 6 | 51 to 75 | 76 | 0.6% |
| 7 | 76 to 100 | 55 | 0.4% |
| 8 | 101 to 250 | 95 | 0.8% |
| 9 | 251 to 500 | 35 | 0.3% |
| 10 | 501 to 1000 | 14 | 0.1% |
| 11 | 1001 to 1500 | 2 | 0.0% |
| 12 | More than 1500 | 3 | 0.0% |
| -1 | Missing | 325 | 2.6% |
| -2 | Logical skip | 4,718 | 38.4% |
| | Total | 12,275 | 100% |

OPLEGALPERNONFOREN: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — involuntary (non-forensic) legal status, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 3,497 | 28.5% |
| 1 | 1 – 10 | 411 | 3.3% |
| 2 | 11 – 20 | 91 | 0.7% |
| 3 | 21 – 30 | 40 | 0.3% |
| 4 | 31 – 40 | 22 | 0.2% |
| 5 | 41 – 50 | 17 | 0.1% |
| 6 | 51 – 75 | 19 | 0.2% |
| 7 | 76 – 100 | 30 | 0.2% |
| -1 | Missing | 322 | 2.6% |
| -2 | Logical skip | 7,826 | 63.8% |
| | Total | 12,275 | 100% |

OPLEGALTOTFOREN: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — involuntary (forensic) legal status, number (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 6,361 | 51.8% |
| 1 | 1 to 10 | 391 | 3.2% |
| 2 | 11 to 20 | 134 | 1.1% |
| 3 | 21 to 30 | 64 | 0.5% |
| 4 | 31 to 40 | 53 | 0.4% |
| 5 | 41 to 50 | 37 | 0.3% |
| 6 | 51 to 75 | 63 | 0.5% |
| 7 | 76 to 100 | 31 | 0.3% |
| 8 | 101 to 250 | 56 | 0.5% |
| 9 | 251 to 500 | 31 | 0.3% |
| 10 | 501 to 1000 | 8 | 0.1% |
| 11 | 1001 to 1500 | 2 | 0.0% |
| 12 | More than 1500 | 1 | 0.0% |
| -1 | Missing | 325 | 2.6% |
| -2 | Logical skip | 4,718 | 38.4% |
| | Total | 12,275 | 100% |

OPLEGALPERFOREN: Patients receiving less-than-24-hour mental health treatment (outpatient and partial hospitalization/day treatment) — involuntary (forensic) legal status, percent (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 3,667 | 29.9% |
| 1 | 1 – 10 | 304 | 2.5% |
| 2 | 11 – 20 | 55 | 0.4% |
| 3 | 21 – 30 | 37 | 0.3% |
| 4 | 31 – 40 | 18 | 0.1% |
| 5 | 41 – 50 | 9 | 0.1% |
| 6 | 51 – 75 | 9 | 0.1% |
| 7 | 76 – 100 | 28 | 0.2% |
| -1 | Missing | 322 | 2.6% |
| -2 | Logical skip | 7,826 | 63.8% |
| | Total | 12,275 | 100% |

COD_PCT: Percent of mental health treatment clients/patients enrolled at this facility on April 30, 2020, who had diagnosed co-occurring mental and substance use disorders (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 1,394 | 11.4% |
| 1 | 1 – 10 | 1,391 | 11.3% |
| 2 | 11 – 20 | 993 | 8.1% |
| 3 | 21 – 30 | 970 | 7.9% |
| 4 | 31 – 40 | 745 | 6.1% |
| 5 | 41 – 50 | 679 | 5.5% |
| 6 | 51 – 75 | 812 | 6.6% |
| 7 | 76 – 100 | 750 | 6.1% |
| -1 | Missing | 1,012 | 8.2% |
| -2 | Logical skip | 3,529 | 28.7% |
| | Total | 12,275 | 100% |

TOTADMIS: Number of mental health treatment admissions in previous 12-month period (Q.B7)

| Value | Label | Frequency | % |
|-------|----------------|-----------|-------|
| 0 | None | 394 | 3.2% |
| 1 | 1 to 10 | 581 | 4.7% |
| 2 | 11 to 20 | 352 | 2.9% |
| 3 | 21 to 30 | 244 | 2.0% |
| 4 | 31 to 40 | 206 | 1.7% |
| 5 | 41 to 50 | 262 | 2.1% |
| 6 | 51 to 75 | 452 | 3.7% |
| 7 | 76 to 100 | 364 | 3.0% |
| 8 | 101 to 250 | 1,244 | 10.1% |
| 9 | 251 to 500 | 1,227 | 10.0% |
| 10 | 501 to 1000 | 1,224 | 10.0% |
| 11 | 1001 to 1500 | 529 | 4.3% |
| 12 | More than 1500 | 1,026 | 8.4% |
| -1 | Missing | 1,395 | 11.4% |
| -2 | Logical skip | 2,775 | 22.6% |
| | Total | 12,275 | 100% |

PERCENTVA: Estimated percent of admissions who were military veterans (Q.B8)

| Value | Label | Frequency | % |
|------------|--------------|-----------|-------|
| 0 | 0 | 3,590 | 29.2% |
| 1 | 1 – 10 | 3,680 | 30.0% |
| 2 | 11 – 20 | 397 | 3.2% |
| 3 | 21 – 30 | 122 | 1.0% |
| 4 | 31 – 40 | 37 | 0.3% |
| 5 | 41 – 50 | 24 | 0.2% |
| 6 | 51 – 75 | 12 | 0.1% |
| 7 | 76 – 100 | 278 | 2.3% |
| -1 | Missing | 1,360 | 11.1% |
| - 2 | Logical skip | 2,775 | 22.6% |
| | Total | 12,275 | 100% |