

Athena

Generated by Doxygen 1.8.3.1

Tue May 6 2014 12:11:10

Contents

1	Namespace Index	1
1.1	Packages	1
2	Hierarchical Index	3
2.1	Class Hierarchy	3
3	Class Index	5
3.1	Class List	5
4	File Index	7
4.1	File List	7
5	Namespace Documentation	9
5.1	Package Athena	9
5.2	Package AthenaEngine	9
5.3	Package AthenaEngine.Framework	9
5.4	Package AthenaEngine.Framework.Gameplay	10
5.5	Package AthenaEngine.Framework.Gameplay.RPG	10
5.6	Package AthenaEngine.Framework.Interfaces	10
5.7	Package AthenaEngine.Framework.Primitives	10
5.8	Package AthenaEngine.Framework.Systems	11
5.9	Package AthenaEngine.Framework.UI	11
5.10	Package AthenaTest	11
5.11	Package AthenaTest.Engine_Tests	11
5.12	Package AthenaTest.Engine_Tests.Primitives_Testing	11
6	Class Documentation	13
6.1	AthenaEngine.AthenaEngine Class Reference	13
6.2	AthenaEngine.Framework.Primitives.BoundingBox2D Class Reference	13
6.2.1	Detailed Description	13
6.2.2	Constructor & Destructor Documentation	14
6.2.2.1	BoundingBox2D	14
6.2.3	Member Function Documentation	14

6.2.3.1	CollidesWith	14
6.2.3.2	Equals	14
6.2.4	Property Documentation	14
6.2.4.1	Bounds	14
6.3	AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest Class Reference	14
6.3.1	Member Function Documentation	15
6.3.1.1	Collisions_WithEnvelopedRectangle_IsTrue	15
6.3.1.2	Collisions_WithItself_IsTrue	15
6.3.1.3	Collisions_WithRectangleCollidingBottom_IsTrue	15
6.3.1.4	Collisions_WithRectangleCollidingLeft_IsTrue	15
6.3.1.5	Collisions_WithRectangleCollidingRight_IsTrue	15
6.3.1.6	Collisions_WithRectangleCollidingTop_IsTrue	15
6.3.1.7	Collisions_WithRectangleOnBottom_IsFalse	15
6.3.1.8	Collisions_WithRectangleOnLeft_IsFalse	15
6.3.1.9	Collisions_WithRectangleOnRight_IsFalse	15
6.3.1.10	Collisions_WithRectangleOnTop_IsFalse	15
6.3.1.11	Collisions_WithTotallyDifferentRectangle_IsNotTrue	15
6.3.1.12	Equality_WithDifferentRectangle_IsNotEqual	15
6.3.1.13	Equality_WithIdenticalRectangle_IsEqual	15
6.3.1.14	Equality_WithItself_IsEqual	15
6.3.1.15	Equality_WithSameRectangle_IsEqual	15
6.4	AthenaEngine.Framework.Camera2D Class Reference	16
6.4.1	Detailed Description	16
6.4.2	Constructor & Destructor Documentation	16
6.4.2.1	Camera2D	16
6.4.3	Member Function Documentation	17
6.4.3.1	Initialize	17
6.4.3.2	IsInView	17
6.4.3.3	Update	17
6.4.4	Member Data Documentation	17
6.4.4.1	_viewportHeight	17
6.4.4.2	_viewportWidth	17
6.4.5	Property Documentation	17
6.4.5.1	Focus	17
6.4.5.2	MoveSpeed	17
6.4.5.3	Origin	17
6.4.5.4	Position	17
6.4.5.5	Rotation	17
6.4.5.6	Scale	18
6.4.5.7	ScreenCenter	18

6.4.5.8	Transform	18
6.5	AthenaEngine.Framework.Gameplay.Character Class Reference	18
6.5.1	Detailed Description	18
6.5.2	Constructor & Destructor Documentation	18
6.5.2.1	Character	18
6.6	AthenaEngine.Framework.Primitives.CollidableEntity Class Reference	19
6.6.1	Detailed Description	19
6.6.2	Constructor & Destructor Documentation	19
6.6.2.1	CollidableEntity	19
6.6.3	Member Function Documentation	20
6.6.3.1	CanMove	20
6.6.3.2	CollidesWith	20
6.6.3.3	Move	20
6.6.4	Member Data Documentation	20
6.6.4.1	Level	20
6.6.5	Property Documentation	20
6.6.5.1	Bounds	20
6.7	AthenaEngine.Framework.Primitives.Directions Class Reference	20
6.7.1	Member Data Documentation	21
6.7.1.1	DOWN	21
6.7.1.2	LEFT	21
6.7.1.3	RIGHT	21
6.7.1.4	UP	21
6.8	AthenaEngine.Framework.Primitives.DrawableEntity Class Reference	21
6.8.1	Detailed Description	22
6.8.2	Constructor & Destructor Documentation	22
6.8.2.1	DrawableEntity	22
6.8.3	Member Function Documentation	22
6.8.3.1	Draw	22
6.8.4	Member Data Documentation	22
6.8.4.1	level	22
6.8.4.2	SpriteColor	22
6.8.4.3	SpriteController	22
6.8.4.4	SpriteSheet	22
6.8.4.5	SpriteSource	22
6.8.5	Property Documentation	22
6.8.5.1	Position	22
6.9	AthenaEngine.Framework.Primitives.Entity Class Reference	23
6.9.1	Detailed Description	23
6.9.2	Member Function Documentation	23

6.9.2.1	Move	23
6.9.3	Member Data Documentation	23
6.9.3.1	Position	23
6.9.3.2	Size	23
6.9.4	Property Documentation	23
6.9.4.1	Height	23
6.9.4.2	Rectangle	23
6.9.4.3	Width	24
6.9.4.4	X	24
6.9.4.5	Y	24
6.10	Athena.Game1 Class Reference	24
6.10.1	Detailed Description	24
6.10.2	Constructor & Destructor Documentation	25
6.10.2.1	Game1	25
6.10.3	Member Function Documentation	25
6.10.3.1	Draw	25
6.10.3.2	Initialize	25
6.10.3.3	LoadContent	25
6.10.3.4	UnloadContent	25
6.10.3.5	Update	25
6.10.4	Member Data Documentation	25
6.10.4.1	font	25
6.11	AthenaEngine.Framework.Interfaces.ICollidable< T > Interface Template Reference	25
6.11.1	Detailed Description	26
6.11.2	Member Function Documentation	26
6.11.2.1	CollidesWith	26
6.12	AthenaEngine.Framework.Interfaces.IDrawable Interface Reference	26
6.12.1	Detailed Description	26
6.12.2	Member Function Documentation	26
6.12.2.1	Draw	26
6.13	AthenaEngine.Framework.Interfaces.IFocusable Interface Reference	27
6.13.1	Detailed Description	27
6.13.2	Property Documentation	27
6.13.2.1	Position	27
6.14	AthenaEngine.Framework.Interfaces.IMoveable Interface Reference	27
6.14.1	Member Function Documentation	27
6.14.1.1	CanMove	27
6.14.1.2	Move	27
6.15	AthenaEngine.Framework.Gameplay.RPG.Inventory Class Reference	28
6.15.1	Detailed Description	28

6.15.2	Member Function Documentation	28
6.15.2.1	Add	28
6.16	AthenaEngine.Framework.Gameplay.RPG.Item Class Reference	28
6.16.1	Detailed Description	29
6.16.2	Constructor & Destructor Documentation	29
6.16.2.1	Item	29
6.16.3	Property Documentation	29
6.16.3.1	Name	29
6.17	AthenaEngine.Framework.Gameplay.RPG.ItemInstance Class Reference	29
6.17.1	Detailed Description	29
6.17.2	Constructor & Destructor Documentation	29
6.17.2.1	ItemInstance	29
6.18	AthenaEngine.Framework.Gameplay.Level Class Reference	30
6.18.1	Detailed Description	30
6.18.2	Constructor & Destructor Documentation	30
6.18.2.1	Level	30
6.18.3	Member Function Documentation	30
6.18.3.1	Draw	30
6.18.4	Member Data Documentation	30
6.18.4.1	TileList	31
6.19	AthenaEngine.Framework.Systems.ResourceManager< T > Class Template Reference	31
6.19.1	Detailed Description	31
6.19.2	Constructor & Destructor Documentation	31
6.19.2.1	ResourceManager	31
6.19.3	Member Function Documentation	31
6.19.3.1	Add	31
6.19.3.2	Get	32
6.20	AthenaEngine.Framework.Systems.LevelLoaderXml.Sprite Class Reference	32
6.20.1	Constructor & Destructor Documentation	32
6.20.1.1	Sprite	32
6.20.2	Member Data Documentation	32
6.20.2.1	Collides	32
6.20.2.2	Name	32
6.20.2.3	X	32
6.20.2.4	Y	32
6.21	AthenaEngine.Framework.Gameplay.Tile Class Reference	32
6.21.1	Detailed Description	33
6.21.2	Constructor & Destructor Documentation	33
6.21.2.1	Tile	33
6.21.3	Member Function Documentation	33

6.21.3.1	AddTrigger	33
6.21.3.2	Draw	34
6.21.3.3	FireTrigger	34
6.21.3.4	MakeDrawable	34
6.21.4	Member Data Documentation	34
6.21.4.1	Collides	34
6.21.4.2	HasTrigger	34
6.21.4.3	Sprite	34
6.22	AthenaEngine.Framework.Systems.Triggers Class Reference	34
6.22.1	Detailed Description	35
6.22.2	Member Function Documentation	35
6.22.2.1	encounter	35
6.22.2.2	test	35
6.23	AthenaEngine.Framework.UI.UI Class Reference	35
6.23.1	Detailed Description	35
6.23.2	Constructor & Destructor Documentation	35
6.23.2.1	UI	35
6.23.3	Member Function Documentation	36
6.23.3.1	AddButton	36
6.23.3.2	Draw	36
6.23.4	Member Data Documentation	36
6.23.4.1	Level	36
6.24	AthenaEngine.Framework.UI.UIButton Class Reference	36
6.24.1	Detailed Description	36
6.24.2	Constructor & Destructor Documentation	36
6.24.2.1	UIButton	36
6.24.3	Member Function Documentation	37
6.24.3.1	Draw	37
6.24.4	Member Data Documentation	37
6.24.4.1	Level	37
7	File Documentation	39
7.1	Athena/Athena/Athena/Debug.cs File Reference	39
7.2	Athena/Athena/Athena/Game1.cs File Reference	39
7.3	Athena/Athena/Athena/Program.cs File Reference	39
7.4	Athena/Athena/Athena/Properties/AssemblyInfo.cs File Reference	39
7.5	Athena/Athena/AthenaEngine/Properties/AssemblyInfo.cs File Reference	39
7.6	Athena/Athena/AthenaTest/Properties/AssemblyInfo.cs File Reference	39
7.7	Athena/Athena/AthenaEngine/AthenaEngine.cs File Reference	40
7.8	Athena/Athena/AthenaEngine/Framework/Camera2D.cs File Reference	40

7.9	Athena/Athena/AthenaEngine/Framework/Gameplay/Character.cs File Reference	40
7.10	Athena/Athena/AthenaEngine/Framework/Gameplay/Level.cs File Reference	40
7.11	Athena/Athena/AthenaEngine/Framework/Gameplay/RPG/Inventory.cs File Reference	41
7.12	Athena/Athena/AthenaEngine/Framework/Gameplay/RPG/Item.cs File Reference	41
7.13	Athena/Athena/AthenaEngine/Framework/Gameplay/RPG/ItemInstance.cs File Reference	41
7.14	Athena/Athena/AthenaEngine/Framework/Gameplay/Tile.cs File Reference	41
7.15	Athena/Athena/AthenaEngine/Framework/Interfaces/ICollidable.cs File Reference	42
7.16	Athena/Athena/AthenaEngine/Framework/Interfaces/IDrawable.cs File Reference	42
7.17	Athena/Athena/AthenaEngine/Framework/Interfaces/IFocusable.cs File Reference	42
7.18	Athena/Athena/AthenaEngine/Framework/Interfaces/IMoveable.cs File Reference	42
7.19	Athena/Athena/AthenaEngine/Framework/Primitives/BoundingBox2D.cs File Reference	43
7.20	Athena/Athena/AthenaEngine/Framework/Primitives/CollidableEntity.cs File Reference	43
7.21	Athena/Athena/AthenaEngine/Framework/Primitives/Directions.cs File Reference	43
7.22	Athena/Athena/AthenaEngine/Framework/Primitives/DrawableEntity.cs File Reference	43
7.23	Athena/Athena/AthenaEngine/Framework/Primitives/Entity.cs File Reference	44
7.24	Athena/Athena/AthenaEngine/Framework/Systems/LevelLoaderXml.cs File Reference	44
7.25	Athena/Athena/AthenaEngine/Framework/Systems/ResourceManager.cs File Reference	44
7.26	Athena/Athena/AthenaEngine/Framework/Systems/Triggers.cs File Reference	44
7.27	Athena/Athena/AthenaEngine/Framework/UI/UI.cs File Reference	45
7.28	Athena/Athena/AthenaEngine/Framework/UI/UIButton.cs File Reference	45
7.29	Athena/Athena/AthenaEngine/obj/Debug/TemporaryGeneratedFile_036C0B5B-1481-4323-8D20-8-F5ADCB23D92.cs File Reference	45
7.30	Athena/Athena/AthenaTest/obj/Debug/TemporaryGeneratedFile_036C0B5B-1481-4323-8D20-8F5-ADCB23D92.cs File Reference	45
7.31	Athena/Athena/AthenaEngine/obj/Debug/TemporaryGeneratedFile_5937a670-0e60-4077-877b-f7221da3dda1.cs File Reference	45
7.32	Athena/Athena/AthenaTest/obj/Debug/TemporaryGeneratedFile_5937a670-0e60-4077-877b-f7221da3dda1.cs File Reference	45
7.33	Athena/Athena/AthenaEngine/obj/Debug/TemporaryGeneratedFile_E7A71F73-0F8D-4B9B-B56E-8E70B10BC5D3.cs File Reference	45
7.34	Athena/Athena/AthenaTest/obj/Debug/TemporaryGeneratedFile_E7A71F73-0F8D-4B9B-B56E-8-E70B10BC5D3.cs File Reference	45
7.35	Athena/Athena/AthenaTest/Engine Tests/Primitives Testing/BoundingBox2DTest.cs File Reference	45

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

Athena	9
AthenaEngine	9
AthenaEngine.Framework	9
AthenaEngine.Framework.Gameplay	10
AthenaEngine.Framework.Gameplay.RPG	10
AthenaEngine.Framework.Interfaces	10
AthenaEngine.Framework.Primitives	10
AthenaEngine.Framework.Systems	11
AthenaEngine.Framework.UI	11
AthenaTest	11
AthenaTest.Engine_Tests	11
AthenaTest.Engine_Tests.Primitives_Testing	11

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

AthenaEngine.AthenaEngine	13
AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest	14
AthenaEngine.Framework.Primitives.Directions	20
AthenaEngine.Framework.Primitives.Entity	23
AthenaEngine.Framework.Primitives.BoundingBox2D	13
AthenaEngine.Framework.Primitives.CollidableEntity	19
AthenaEngine.Framework.Gameplay.Tile	32
AthenaEngine.Framework.Primitives.DrawableEntity	21
AthenaEngine.Framework.Gameplay.Character	18
Game	
Athena.Game1	24
GameComponent	
AthenaEngine.Framework.Camera2D	16
AthenaEngine.Framework.Interfaces.ICollidable< T >	25
AthenaEngine.Framework.Interfaces.IDrawable	26
AthenaEngine.Framework.Primitives.DrawableEntity	21
IEquatable< BoundingBox2D >	
AthenaEngine.Framework.Primitives.BoundingBox2D	13
AthenaEngine.Framework.Interfaces.IFocusable	27
AthenaEngine.Framework.Gameplay.Character	18
AthenaEngine.Framework.Primitives.DrawableEntity	21
AthenaEngine.Framework.Interfaces.IMoveable	27
AthenaEngine.Framework.Gameplay.RPG.Inventory	28
AthenaEngine.Framework.Gameplay.RPG.Item	28
AthenaEngine.Framework.Gameplay.RPG.ItemInstance	29
AthenaEngine.Framework.Gameplay.Level	30
AthenaEngine.Framework.Systems.ResourceManager< T >	31
AthenaEngine.Framework.Systems.LevelLoaderXml.Sprite	32
AthenaEngine.Framework.Systems.Triggers	34
AthenaEngine.Framework.UI.UI	35
AthenaEngine.Framework.UI.UIButton	36

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

AthenaEngine.AthenaEngine	13
AthenaEngine.Framework.Primitives.BoundingBox2D	
BoundingBox2D is used for bounding boxes on 2D objects.	13
AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest	14
AthenaEngine.Framework.Camera2D	
Camera2D	16
AthenaEngine.Framework.Gameplay.Character	
A character class holds important detail about each character such as their items, level, experience, skills, etc.	18
AthenaEngine.Framework.Primitives.CollidableEntity	
The Entity class is used to store objects that have positions.	19
AthenaEngine.Framework.Primitives.Directions	20
AthenaEngine.Framework.Primitives.DrawableEntity	
This is an entity which can be drawn.	21
AthenaEngine.Framework.Primitives.Entity	
The Entity class is the superclass for anything.	23
Athena.Game1	
This is the main type for your game	24
AthenaEngine.Framework.Interfaces.ICollidable< T >	
I collidable.	25
AthenaEngine.Framework.Interfaces.IDrawable	
I drawable.	26
AthenaEngine.Framework.Interfaces.IFocusable	
I focusable.	27
AthenaEngine.Framework.Interfaces.IMoveable	27
AthenaEngine.Framework.Gameplay.RPG.Inventory	
Inventory .	28
AthenaEngine.Framework.Gameplay.RPG.Item	
A gameplay item can be held by a character.	28
AthenaEngine.Framework.Gameplay.RPG.ItemInstance	
An item instance is a particular instance of an item.	29
AthenaEngine.Framework.Gameplay.Level	
A Level object holds all details required to handle level drawing.	30
AthenaEngine.Framework.Systems.ResourceManager< T >	
The ResourceManager class manages resources on behalf of the game.	31
AthenaEngine.Framework.Systems.LevelLoaderXml.Sprite	32
AthenaEngine.Framework.Gameplay.Tile	
A tile is used to draw levels.	32

AthenaEngine.Framework.Systems.Triggers	
Triggers.	34
AthenaEngine.Framework.UI.UI	
UI	35
AthenaEngine.Framework.UI.UIButton	
User interface button.	36

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

Athena/Athena/Athena/Debug.cs	39
Athena/Athena/Athena/Game1.cs	39
Athena/Athena/Athena/Program.cs	39
Athena/Athena/Athena/Properties/AssemblyInfo.cs	39
Athena/Athena/AthenaEngine/AthenaEngine.cs	40
Athena/Athena/AthenaEngine/Framework/Camera2D.cs	40
Athena/Athena/AthenaEngine/Framework/Gameplay/Character.cs	40
Athena/Athena/AthenaEngine/Framework/Gameplay/Level.cs	40
Athena/Athena/AthenaEngine/Framework/Gameplay/Tile.cs	41
Athena/Athena/AthenaEngine/Framework/Gameplay/RPG/Inventory.cs	41
Athena/Athena/AthenaEngine/Framework/Gameplay/RPG/Item.cs	41
Athena/Athena/AthenaEngine/Framework/Gameplay/RPG/ItemInstance.cs	41
Athena/Athena/AthenaEngine/Framework/Interfaces/ICollidable.cs	42
Athena/Athena/AthenaEngine/Framework/Interfaces/IDrawable.cs	42
Athena/Athena/AthenaEngine/Framework/Interfaces/IFocusable.cs	42
Athena/Athena/AthenaEngine/Framework/Interfaces/IMoveable.cs	42
Athena/Athena/AthenaEngine/Framework/Primitives/BoundingBox2D.cs	43
Athena/Athena/AthenaEngine/Framework/Primitives/CollidableEntity.cs	43
Athena/Athena/AthenaEngine/Framework/Primitives/Directions.cs	43
Athena/Athena/AthenaEngine/Framework/Primitives/DrawableEntity.cs	43
Athena/Athena/AthenaEngine/Framework/Primitives/Entity.cs	44
Athena/Athena/AthenaEngine/Framework/Systems/LevelLoaderXml.cs	44
Athena/Athena/AthenaEngine/Framework/Systems/ResourceManager.cs	44
Athena/Athena/AthenaEngine/Framework/Systems/Triggers.cs	44
Athena/Athena/AthenaEngine/Framework/UI/UI.cs	45
Athena/Athena/AthenaEngine/Framework/UI/UIButton.cs	45
Athena/Athena/AthenaEngine/obj/Debug/TemporaryGeneratedFile_036C0B5B-1481-4323-8D20-8F5AD-CB23D92.cs	45
Athena/Athena/AthenaEngine/obj/Debug/TemporaryGeneratedFile_5937a670-0e60-4077-877b-f7221da3dda1.-cs	45
Athena/Athena/AthenaEngine/obj/Debug/TemporaryGeneratedFile_E7A71F73-0F8D-4B9B-B56E-8E70-B10BC5D3.cs	45
Athena/Athena/AthenaEngine/Properties/AssemblyInfo.cs	39
Athena/Athena/AthenaTest/Engine Tests/Primitives Testing/BoundingBox2DTest.cs	45
Athena/Athena/AthenaTest/obj/Debug/TemporaryGeneratedFile_036C0B5B-1481-4323-8D20-8F5ADC-B23D92.cs	45
Athena/Athena/AthenaTest/obj/Debug/TemporaryGeneratedFile_5937a670-0e60-4077-877b-f7221da3dda1.-cs	45

Athena/Athena/AthenaTest/obj/Debug/ TemporaryGeneratedFile_E7A71F73-0F8D-4B9B-B56E-8E70B10-BC5D3.cs	45
Athena/Athena/AthenaTest/Properties/ AssemblyInfo.cs	39

Chapter 5

Namespace Documentation

5.1 Package Athena

Classes

- class **Debug**
- class [Game1](#)

This is the main type for your game

5.2 Package AthenaEngine

Namespaces

- package [Framework](#)

Classes

- class [AthenaEngine](#)

5.3 Package AthenaEngine.Framework

Namespaces

- package [Gameplay](#)
- package [Interfaces](#)
- package [Primitives](#)
- package [Systems](#)
- package [UI](#)

Classes

- class [Camera2D](#)

[Camera2D](#)

5.4 Package AthenaEngine.Framework.Gameplay

Namespaces

- package [RPG](#)

Classes

- class [Character](#)
A character class holds important detail about each character such as their items, level, experience, skills, etc.
- class [Level](#)
A [Level](#) object holds all details required to handle level drawing.
- class [Tile](#)
A tile is used to draw levels.

5.5 Package AthenaEngine.Framework.Gameplay.RPG

Classes

- class [Inventory](#)
[Inventory](#).
- class [Item](#)
A gameplay item can be held by a character.
- class [ItemInstance](#)
An item instance is a particular instance of an item.

5.6 Package AthenaEngine.Framework.Interfaces

Classes

- interface [ICollidable< T >](#)
I collidable.
- interface [IDrawable](#)
I drawable.
- interface [IFocusable](#)
I focusable.
- interface [IMoveable](#)

5.7 Package AthenaEngine.Framework.Primitives

Classes

- class [BoundingBox2D](#)
[BoundingBox2D](#) is used for bounding boxes on 2D objects.
- class [CollidableEntity](#)
The [Entity](#) class is used to store objects that have positions.
- class [Directions](#)
- class [DrawableEntity](#)

This is an entity which can be drawn.

- class [Entity](#)

The [Entity](#) class is the superclass for anything.

5.8 Package AthenaEngine.Framework.Systems

Classes

- class **LevelLoaderXml**

the LevelLoader is used to load levels.

- class [ResourceManager< T >](#)

The ResourceManager class manages resources on behalf of the game.

- class [Triggers](#)

Triggers.

5.9 Package AthenaEngine.Framework.UI

Classes

- class [UI](#)

UI

- class [UIButton](#)

User interface button.

5.10 Package AthenaTest

Namespaces

- package [Engine_Tests](#)

5.11 Package AthenaTest.Engine_Tests

Namespaces

- package [Primitives_Testing](#)

5.12 Package AthenaTest.Engine_Tests.Primitives_Testing

Classes

- class [BoundingBox2DTest](#)

Chapter 6

Class Documentation

6.1 AthenaEngine.AthenaEngine Class Reference


The documentation for this class was generated from the following file:

- Athena/Athena/AthenaEngine/[AthenaEngine.cs](#)

6.2 AthenaEngine.Framework.Primitives.BoundingBox2D Class Reference

[BoundingBox2D](#) is used for bounding boxes on 2D objects.

Inheritance diagram for AthenaEngine.Framework.Primitives.BoundingBox2D:



Public Member Functions

- [BoundingBox2D](#) (Vector2 [Position](#), Vector2 [Size](#))
Constructor for [BoundingBox2D](#)
- bool [Equals](#) ([BoundingBox2D](#) otherBounds)
Check if the [BoundingBox2D](#) is equal to another [BoundingBox2D](#)
- bool [CollidesWith](#) ([BoundingBox2D](#) other)
Check to see if this [BoundingBox2D](#) collides with an other [BoundingBox](#).

Properties

- [Rectangle Bounds](#) [get, set]

Additional Inherited Members

6.2.1 Detailed Description

[BoundingBox2D](#) is used for bounding boxes on 2D objects.

6.2.2 Constructor & Destructor Documentation

6.2.2.1 AthenaEngine.Framework.Primitives.BoundingBox2D.BoundingBox2D (Vector2 *Position*, Vector2 *Size*)

Constructor for [BoundingBox2D](#)

Parameters

<i>min</i>	x/y coordinates for the bounding box
<i>max</i>	width/height for the bounding box

6.2.3 Member Function Documentation

6.2.3.1 bool AthenaEngine.Framework.Primitives.BoundingBox2D.CollidesWith (BoundingBox2D *other*)

Check to see if this [BoundingBox2D](#) collides with an other BoundingBox.

Parameters

<i>otherBounds</i>	The other BoundingBox2D to compare with.
--------------------	--

Returns

6.2.3.2 bool AthenaEngine.Framework.Primitives.BoundingBox2D.Equals (BoundingBox2D *otherBounds*)

Check if the [BoundingBox2D](#) is equal to another [BoundingBox2D](#)

Parameters

<i>otherBounds</i>	The other BoundingBox2D to check against.
--------------------	---

Returns

6.2.4 Property Documentation

6.2.4.1 Rectangle AthenaEngine.Framework.Primitives.BoundingBox2D.Bounds [get], [set], [protected]

The documentation for this class was generated from the following file:

- Athena/Athena/AthenaEngine/Framework/Primitives/[BoundingBox2D.cs](#)

6.3 AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest Class Reference

Public Member Functions

- void [Equality_WithSameRectangle_IsEqual](#) ()
- void [Equality_WithIdenticalRectangle_IsEqual](#) ()
- void [Equality_WithDifferentRectangle_IsNotEqual](#) ()
- void [Equality_WithItself_IsEqual](#) ()

- void [Collisions_WithItself_IsTrue](#) ()
- void [Collisions_WithTotallyDifferentRectangle_IsNotTrue](#) ()
- void [Collisions_WithEnvelopedRectangle_IsTrue](#) ()
- void [Collisions_WithRectangleOnLeft_IsFalse](#) ()
- void [Collisions_WithRectangleOnRight_IsFalse](#) ()
- void [Collisions_WithRectangleOnTop_IsFalse](#) ()
- void [Collisions_WithRectangleOnBottom_IsFalse](#) ()
- void [Collisions_WithRectangleCollidingLeft_IsTrue](#) ()
- void [Collisions_WithRectangleCollidingRight_IsTrue](#) ()
- void [Collisions_WithRectangleCollidingTop_IsTrue](#) ()
- void [Collisions_WithRectangleCollidingBottom_IsTrue](#) ()

6.3.1 Member Function Documentation

6.3.1.1 void AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest.Collisions_WithEnvelopedRectangle_IsTrue ()

6.3.1.2 void AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest.Collisions_WithItself_IsTrue ()

6.3.1.3 void AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest.Collisions_WithRectangleCollidingBottom_IsTrue ()

6.3.1.4 void AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest.Collisions_WithRectangleCollidingLeft_IsTrue ()

6.3.1.5 void AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest.Collisions_WithRectangleCollidingRight_IsTrue ()

6.3.1.6 void AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest.Collisions_WithRectangleCollidingTop_IsTrue ()

6.3.1.7 void AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest.Collisions_WithRectangleOnBottom_IsFalse ()

6.3.1.8 void AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest.Collisions_WithRectangleOnLeft_IsFalse ()

6.3.1.9 void AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest.Collisions_WithRectangleOnRight_IsFalse ()

6.3.1.10 void AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest.Collisions_WithRectangleOnTop_IsFalse ()

6.3.1.11 void AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest.Collisions_WithTotallyDifferentRectangle_IsNotTrue ()

6.3.1.12 void AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest.Equality_WithDifferentRectangle_IsNotEqual ()

6.3.1.13 void AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest.Equality_WithIdenticalRectangle_IsEqual ()

6.3.1.14 void AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest.Equality_WithItself_IsEqual ()

6.3.1.15 void AthenaTest.Engine_Tests.Primitives_Testing.BoundingBox2DTest.Equality_WithSameRectangle_IsEqual ()


The documentation for this class was generated from the following file:

- Athena/Athena/AthenaTest/Engine Tests/Primitives Testing/[BoundingBox2DTest.cs](#)

6.4 AthenaEngine.Framework.Camera2D Class Reference

Camera2D

Inheritance diagram for AthenaEngine.Framework.Camera2D:



Public Member Functions

- [Camera2D](#) (Game game)
Initializes a new instance of the [AthenaEngine.Framework.Camera2D](#) class.
- override void [Initialize](#) ()
Called when the GameComponent needs to be initialized.
- override void [Update](#) (GameTime gameTime)
Update the specified gameTime.
- bool [IsInView](#) (Vector2 position, Texture2D texture)
Determines whether the target is in view given the specified position. This can be used to increase performance by not drawing objects directly in the viewport

Protected Attributes

- float [_viewportHeight](#)
- float [_viewportWidth](#)

Properties

- Vector2 [Position](#) [get, set]
Gets or sets the position.
- float [Rotation](#) [get, set]
- Vector2 [Origin](#) [get, set]
- float [Scale](#) [get, set]
- Vector2 [ScreenCenter](#) [get, set]
- Matrix [Transform](#) [get, set]
- IFocusable [Focus](#) [get, set]
- float [MoveSpeed](#) [get, set]

6.4.1 Detailed Description

Camera2D

6.4.2 Constructor & Destructor Documentation

6.4.2.1 AthenaEngine.Framework.Camera2D.Camera2D (Game game)

Initializes a new instance of the [AthenaEngine.Framework.Camera2D](#) class.

Parameters

<i>game</i>	Game.
-------------	-------

6.4.3 Member Function Documentation

6.4.3.1 override void AthenaEngine.Framework.Camera2D.Initialize ()

Called when the GameComponent needs to be initialized.

6.4.3.2 bool AthenaEngine.Framework.Camera2D.IsInView (Vector2 *position*, Texture2D *texture*)

Determines whether the target is in view given the specified position. This can be used to increase performance by not drawing objects directly in the viewport

Parameters

<i>position</i>	The position.
<i>texture</i>	The texture.

Returns

true if [is in view] [the specified position]; otherwise, false.

6.4.3.3 override void AthenaEngine.Framework.Camera2D.Update (gameTime *gameTime*)

Update the specified gameTime.

Parameters

<i>gameTime</i>	Game time.
-----------------	------------

6.4.4 Member Data Documentation

6.4.4.1 float AthenaEngine.Framework.Camera2D._viewportHeight [protected]

6.4.4.2 float AthenaEngine.Framework.Camera2D._viewportWidth [protected]

6.4.5 Property Documentation

6.4.5.1 IFocusable AthenaEngine.Framework.Camera2D.Focus [get], [set]

6.4.5.2 float AthenaEngine.Framework.Camera2D.MoveSpeed [get], [set]

6.4.5.3 Vector2 AthenaEngine.Framework.Camera2D.Origin [get], [set]

6.4.5.4 Vector2 AthenaEngine.Framework.Camera2D.Position [get], [set]

Gets or sets the position.

The position.

6.4.5.5 float AthenaEngine.Framework.Camera2D.Rotation [get], [set]

6.4.5.6 float `AthenaEngine.Framework.Camera2D.Scale` `[get]`, `[set]`

6.4.5.7 Vector2 `AthenaEngine.Framework.Camera2D.ScreenCenter` `[get]`, `[set]`

6.4.5.8 Matrix `AthenaEngine.Framework.Camera2D.Transform` `[get]`, `[set]`


The documentation for this class was generated from the following file:

- [Athena/Athena/AthenaEngine/Framework/Camera2D.cs](#)

6.5 AthenaEngine.Framework.Gameplay.Character Class Reference

A character class holds important detail about each character such as their items, level, experience, skills, etc.

Inheritance diagram for `AthenaEngine.Framework.Gameplay.Character`:



Public Member Functions

- [Character](#) (Vector2 position, Vector2 size, SpriteBatch spriteBatch, Texture2D texture, [Level level](#))
Constructor for the [Character](#) class

Additional Inherited Members

6.5.1 Detailed Description

A character class holds important detail about each character such as their items, level, experience, skills, etc.

6.5.2 Constructor & Destructor Documentation

6.5.2.1 `AthenaEngine.Framework.Gameplay.Character.Character` (Vector2 *position*, Vector2 *size*, SpriteBatch *spriteBatch*, Texture2D *texture*, Level *level*)

Constructor for the [Character](#) class

Parameters

<i>position</i>	The coordinates of the character
<i>size</i>	The size of the character
<i>spriteBatch</i>	Which spritebatch will draw the character
<i>texture</i>	What is the texture for the character


The documentation for this class was generated from the following file:

- [Athena/Athena/AthenaEngine/Framework/Gameplay/Character.cs](#)

6.6 AthenaEngine.Framework.Primitives.CollidableEntity Class Reference

The [Entity](#) class is used to store objects that have positions.

Inheritance diagram for AthenaEngine.Framework.Primitives.CollidableEntity:



Public Member Functions

- [CollidableEntity](#) (Vector2 position, Vector2 size, [Level](#) level)
Constructor for the [CollidableEntity](#) class.
- bool [CollidesWith](#) ([CollidableEntity](#) entity)
Check if the [CollidableEntity](#) collides with another [CollidableEntity](#).
- bool [CanMove](#) (int direction)
Determines whether this instance can move the specified direction.
- bool [Move](#) (int direction)
Move the specified direction.

Public Attributes

- [Level](#) [Level](#)

Properties

- [BoundingBox2D](#) [Bounds](#) [get, set]

Additional Inherited Members

6.6.1 Detailed Description

The [Entity](#) class is used to store objects that have positions.

6.6.2 Constructor & Destructor Documentation

6.6.2.1 AthenaEngine.Framework.Primitives.CollidableEntity.CollidableEntity (Vector2 position, Vector2 size, Level level)

Constructor for the [CollidableEntity](#) class.

Parameters

<i>position</i>	x/y coordinates of the entity.
<i>size</i>	width/height of the entity.

6.6.3 Member Function Documentation

6.6.3.1 `bool AthenaEngine.Framework.Primitives.CollidableEntity.CanMove (int direction)`

Determines whether this instance can move the specified direction.

Returns

`true` if this instance can move the specified direction; otherwise, `false`.

Parameters

<i>direction</i>	If set to <code>true</code> direction.
------------------	--

6.6.3.2 `bool AthenaEngine.Framework.Primitives.CollidableEntity.CollidesWith (CollidableEntity entity)`

Check if the [CollidableEntity](#) collides with another [CollidableEntity](#).

Parameters

<i>entity</i>	The entity to check against
---------------	-----------------------------

Returns

Returns true if it does collide, otherwise false.

6.6.3.3 `bool AthenaEngine.Framework.Primitives.CollidableEntity.Move (int direction)`

Move the specified direction.

Parameters

<i>direction</i>	If set to <code>true</code> direction.
------------------	--

6.6.4 Member Data Documentation

6.6.4.1 `Level AthenaEngine.Framework.Primitives.CollidableEntity.Level`

6.6.5 Property Documentation

6.6.5.1 `BoundingBox2D AthenaEngine.Framework.Primitives.CollidableEntity.Bounds` `[get]`, `[set]`, `[protected]`

The documentation for this class was generated from the following file:

- `Athena/Athena/AthenaEngine/Framework/Primitives/CollidableEntity.cs`

6.7 `AthenaEngine.Framework.Primitives.Directions` Class Reference

Public Attributes

- `const int` `LEFT` = 0

- const int [UP](#) = 1
- const int [RIGHT](#) = 2
- const int [DOWN](#) = 3

6.7.1 Member Data Documentation

6.7.1.1 const int AthenaEngine.Framework.Primitives.Directions.DOWN = 3

6.7.1.2 const int AthenaEngine.Framework.Primitives.Directions.LEFT = 0

6.7.1.3 const int AthenaEngine.Framework.Primitives.Directions.RIGHT = 2

6.7.1.4 const int AthenaEngine.Framework.Primitives.Directions.UP = 1


The documentation for this class was generated from the following file:

- Athena/Athena/AthenaEngine/Framework/Primitives/[Directions.cs](#)

6.8 AthenaEngine.Framework.Primitives.DrawableEntity Class Reference

This is an entity which can be drawn.

Inheritance diagram for AthenaEngine.Framework.Primitives.DrawableEntity:



Public Member Functions

- [DrawableEntity](#) (Vector2 position, Vector2 size, [Rectangle SpriteSource](#), SpriteBatch spriteBatch, Texture2D tileset, [Level level](#))

This is the constructor for the [DrawableEntity](#) class.

- void [Draw](#) ()

This draws the [DrawableEntity](#).

Public Attributes

- Color [SpriteColor](#)
- [Level level](#)

Protected Attributes

- SpriteBatch [SpriteController](#)
- Texture2D [SpriteSheet](#)
- [Rectangle SpriteSource](#)

Properties

- Vector2 [Position](#) [get, set]

Additional Inherited Members

6.8.1 Detailed Description

This is an entity which can be drawn.

6.8.2 Constructor & Destructor Documentation

6.8.2.1 **AthenaEngine.Framework.Primitives.DrawableEntity.DrawableEntity** (Vector2 *position*, Vector2 *size*, Rectangle *SpriteSource*, SpriteBatch *spriteBatch*, Texture2D *tileset*, Level *level*)

This is the constructor for the [DrawableEntity](#) class.

Parameters

<i>position</i>	Where the DrawableEntity will start
<i>size</i>	The size in pixels of the DrawableEntity
<i>spriteBatch</i>	The SpriteBatch responsible for drawing the entity
<i>texture</i>	The texture used to draw the entity

6.8.3 Member Function Documentation

6.8.3.1 void **AthenaEngine.Framework.Primitives.DrawableEntity.Draw** ()

This draws the [DrawableEntity](#).

Implements [AthenaEngine.Framework.Interfaces.IDrawable](#).

6.8.4 Member Data Documentation

6.8.4.1 Level **AthenaEngine.Framework.Primitives.DrawableEntity.level**

6.8.4.2 Color **AthenaEngine.Framework.Primitives.DrawableEntity.SpriteColor**

6.8.4.3 SpriteBatch **AthenaEngine.Framework.Primitives.DrawableEntity.SpriteController** [protected]

6.8.4.4 Texture2D **AthenaEngine.Framework.Primitives.DrawableEntity.SpriteSheet** [protected]

6.8.4.5 Rectangle **AthenaEngine.Framework.Primitives.DrawableEntity.SpriteSource** [protected]

6.8.5 Property Documentation

6.8.5.1 Vector2 **AthenaEngine.Framework.Primitives.DrawableEntity.Position** [get], [set]


The documentation for this class was generated from the following file:

- Athena/Athena/AthenaEngine/Framework/Primitives/[DrawableEntity.cs](#)

6.9 AthenaEngine.Framework.Primitives.Entity Class Reference

The [Entity](#) class is the superclass for anything.

Inheritance diagram for AthenaEngine.Framework.Primitives.Entity:



Protected Member Functions

- void [Move](#) (int direction)

Protected Attributes

- Vector2 [Position](#)
- Vector2 [Size](#)

Properties

- Rectangle [Rectangle](#) [get, set]
Gets or sets the rectangle.
- int [X](#) [get, set]
- int [Y](#) [get, set]
- int [Width](#) [get, set]
- int [Height](#) [get, set]

6.9.1 Detailed Description

The [Entity](#) class is the superclass for anything.

6.9.2 Member Function Documentation

6.9.2.1 void AthenaEngine.Framework.Primitives.Entity.Move (int *direction*) [protected]

6.9.3 Member Data Documentation

6.9.3.1 Vector2 AthenaEngine.Framework.Primitives.Entity.Position [protected]

6.9.3.2 Vector2 AthenaEngine.Framework.Primitives.Entity.Size [protected]

6.9.4 Property Documentation

6.9.4.1 int AthenaEngine.Framework.Primitives.Entity.Height [get], [set]

6.9.4.2 Rectangle AthenaEngine.Framework.Primitives.Entity.Rectangle [get], [set], [protected]

Gets or sets the rectangle.

The rectangle.

6.9.4.3 int AthenaEngine.Framework.Primitives.Entity.Width [get], [set]

6.9.4.4 int AthenaEngine.Framework.Primitives.Entity.X [get], [set]

6.9.4.5 int AthenaEngine.Framework.Primitives.Entity.Y [get], [set]


The documentation for this class was generated from the following file:

- Athena/Athena/AthenaEngine/Framework/Primitives/[Entity.cs](#)

6.10 Athena.Game1 Class Reference

This is the main type for your game

Inheritance diagram for Athena.Game1:



Public Member Functions

- [Game1](#) ()
The actual game class constructor.

Public Attributes

- SpriteFont [font](#)

Protected Member Functions

- override void [Initialize](#) ()
Allows the game to perform any initialization it needs to before starting to run. This is where it can query for any required services and load any non-graphic related content. Calling base.Initialize will enumerate through any components and initialize them as well.
- override void [LoadContent](#) ()
LoadContent will be called once per game and is the place to load all of your content.
- override void [UnloadContent](#) ()
UnloadContent will be called once per game and is the place to unload all content.
- override void [Update](#) (GameTime gameTime)
Allows the game to run logic such as updating the world, checking for collisions, gathering input, and playing audio.
- override void [Draw](#) (GameTime gameTime)
This is called when the game should draw itself.

6.10.1 Detailed Description

This is the main type for your game

6.10.2 Constructor & Destructor Documentation

6.10.2.1 Athena.Game1.Game1 ()

The actual game class constructor.

6.10.3 Member Function Documentation

6.10.3.1 override void Athena.Game1.Draw (gameTime *gameTime*) [protected]

This is called when the game should draw itself.

Parameters

<i>gameTime</i>	Provides a snapshot of timing values.
-----------------	---------------------------------------

6.10.3.2 override void Athena.Game1.Initialize () [protected]

Allows the game to perform any initialization it needs to before starting to run. This is where it can query for any required services and load any non-graphic related content. Calling base.Initialize will enumerate through any components and initialize them as well.

6.10.3.3 override void Athena.Game1.LoadContent () [protected]

LoadContent will be called once per game and is the place to load all of your content.

6.10.3.4 override void Athena.Game1.UnloadContent () [protected]

UnloadContent will be called once per game and is the place to unload all content.

6.10.3.5 override void Athena.Game1.Update (gameTime *gameTime*) [protected]

Allows the game to run logic such as updating the world, checking for collisions, gathering input, and playing audio.

Parameters

<i>gameTime</i>	Provides a snapshot of timing values.
-----------------	---------------------------------------

6.10.4 Member Data Documentation

6.10.4.1 SpriteFont Athena.Game1.font

The documentation for this class was generated from the following file:

- Athena/Athena/Athena/[Game1.cs](#)

6.11 AthenaEngine.Framework.Interfaces.ICollidable< T > Interface Template Reference

I collidable.

Public Member Functions

- bool [CollidesWith](#) (T type)

6.11.1 Detailed Description

I collidable.

6.11.2 Member Function Documentation

6.11.2.1 bool [AthenaEngine.Framework.Interfaces.ICollidable< T >.CollidesWith \(T type \)](#)


The documentation for this interface was generated from the following file:

- [Athena/Athena/AthenaEngine/Framework/Interfaces/ICollidable.cs](#)

6.12 [AthenaEngine.Framework.Interfaces.IDrawable](#) Interface Reference

I drawable.

Inheritance diagram for [AthenaEngine.Framework.Interfaces.IDrawable](#):



Public Member Functions

- void [Draw](#) ()
Draw this instance.

6.12.1 Detailed Description

I drawable.

6.12.2 Member Function Documentation

6.12.2.1 void [AthenaEngine.Framework.Interfaces.IDrawable.Draw \(\)](#)

Draw this instance.

Implemented in [AthenaEngine.Framework.Primitives.DrawableEntity](#).


The documentation for this interface was generated from the following file:

- [Athena/Athena/AthenaEngine/Framework/Interfaces/IDrawable.cs](#)

6.13 AthenaEngine.Framework.Interfaces.IFocusable Interface Reference

I focusable.

Inheritance diagram for AthenaEngine.Framework.Interfaces.IFocusable:



Properties

- Vector2 [Position](#) [get]
Gets the position.

6.13.1 Detailed Description

I focusable.

6.13.2 Property Documentation

6.13.2.1 Vector2 AthenaEngine.Framework.Interfaces.IFocusable.Position [get]

Gets the position.

The position.

The documentation for this interface was generated from the following file:

- Athena/Athena/AthenaEngine/Framework/Interfaces/[IFocusable.cs](#)

6.14 AthenaEngine.Framework.Interfaces.IMoveable Interface Reference

Public Member Functions

- bool [Move](#) (string direction)
- bool [CanMove](#) (string direction)

6.14.1 Member Function Documentation

6.14.1.1 bool AthenaEngine.Framework.Interfaces.IMoveable.CanMove (string direction)

6.14.1.2 bool AthenaEngine.Framework.Interfaces.IMoveable.Move (string direction)

The documentation for this interface was generated from the following file:

- Athena/Athena/AthenaEngine/Framework/Interfaces/[IMoveable.cs](#)

6.15 AthenaEngine.Framework.Gameplay.RPG.Inventory Class Reference

[Inventory.](#)

Public Member Functions

- void [Add](#) ([Item](#) item, int quantity)
Add the specified item and quantity.

6.15.1 Detailed Description

[Inventory.](#)

6.15.2 Member Function Documentation

6.15.2.1 void AthenaEngine.Framework.Gameplay.RPG.Inventory.Add ([Item](#) item, int quantity)

Add the specified item and quantity.

Parameters

<i>item</i>	Item.
<i>quantity</i>	Quantity.


The documentation for this class was generated from the following file:

- Athena/Athena/AthenaEngine/Framework/Gameplay/RPG/[Inventory.cs](#)

6.16 AthenaEngine.Framework.Gameplay.RPG.Item Class Reference

A gameplay item can be held by a character.

Inheritance diagram for AthenaEngine.Framework.Gameplay.RPG.Item:



Public Member Functions

- [Item](#) (string name)
Constructor for the item class

Properties

- string [Name](#) [get, set]
The name of the item

6.16.1 Detailed Description

A gameplay item can be held by a character.

6.16.2 Constructor & Destructor Documentation

6.16.2.1 AthenaEngine.Framework.Gameplay.RPG.Item.Item (string *name*)

Constructor for the item class

Parameters

<i>name</i>	Name of the item
-------------	------------------

6.16.3 Property Documentation

6.16.3.1 string AthenaEngine.Framework.Gameplay.RPG.Item.Name [get], [set]

The name of the item


The documentation for this class was generated from the following file:

- Athena/Athena/AthenaEngine/Framework/Gameplay/RPG/[Item.cs](#)

6.17 AthenaEngine.Framework.Gameplay.RPG.ItemInstance Class Reference

An item instance is a particular instance of an item.

Inheritance diagram for AthenaEngine.Framework.Gameplay.RPG.ItemInstance:



Public Member Functions

- [ItemInstance](#) ([Item](#) item, int quantity)
Constructor for the [ItemInstance](#) class.

Additional Inherited Members

6.17.1 Detailed Description

An item instance is a particular instance of an item.

6.17.2 Constructor & Destructor Documentation

6.17.2.1 AthenaEngine.Framework.Gameplay.RPG.ItemInstance.ItemInstance (Item *item*, int *quantity*)

Constructor for the [ItemInstance](#) class.

Parameters

<i>item</i>	The actual item of which this is an instance
<i>quantity</i>	How many of that item are in this particular instance?

The documentation for this class was generated from the following file:

- [Athena/Athena/AthenaEngine/Framework/Gameplay/RPG/ItemInstance.cs](#)

6.18 AthenaEngine.Framework.Gameplay.Level Class Reference

A [Level](#) object holds all details required to handle level drawing.

Public Member Functions

- [Level](#) (string *levelName*, SpriteBatch *spriteBatch*, ResourceManager< Texture2D > *resourceManager*)
Object constructor for the [Level](#) class.
- void [Draw](#) ()
Draw the level.

Public Attributes

- List< [Tile](#) > [TileList](#)

6.18.1 Detailed Description

A [Level](#) object holds all details required to handle level drawing.

6.18.2 Constructor & Destructor Documentation

6.18.2.1 AthenaEngine.Framework.Gameplay.Level.Level (string *levelName*, SpriteBatch *spriteBatch*, ResourceManager< Texture2D > *resourceManager*)

Object constructor for the [Level](#) class.

Parameters

<i>levelName</i>	The name of the level to load.
<i>spriteBatch</i>	The spriteBatch to draw the level with.
<i>resource-Manager</i>	The resourceManager handling the games' textures.

6.18.3 Member Function Documentation

6.18.3.1 void AthenaEngine.Framework.Gameplay.Level.Draw ()

Draw the level.

6.18.4 Member Data Documentation

6.18.4.1 List<Tile> AthenaEngine.Framework.Gameplay.Level.TileList

The documentation for this class was generated from the following file:

- Athena/Athena/AthenaEngine/Framework/Gameplay/Level.cs

6.19 AthenaEngine.Framework.Systems.ResourceManager< T > Class Template Reference

The ResourceManager class manages resources on behalf of the game.

Public Member Functions

- [ResourceManager](#) (Game game)
Creates a new ResourceManager to manage resources for a game.
- [Add](#) (string key, T resource)
Add a new resource to the resources list maintained by the ResourceManager.
- [Get](#) (string key)
Gets the resource stored associated with a key.

6.19.1 Detailed Description

The ResourceManager class manages resources on behalf of the game.

Template Parameters

<i>T</i>	The type of resource to manage
----------	--------------------------------

6.19.2 Constructor & Destructor Documentation

6.19.2.1 AthenaEngine.Framework.Systems.ResourceManager< T >.ResourceManager (Game game)

Creates a new ResourceManager to manage resources for a game.

Parameters

<i>game</i>	The game to manage resources for.
-------------	-----------------------------------

6.19.3 Member Function Documentation

6.19.3.1 T AthenaEngine.Framework.Systems.ResourceManager< T >.Add (string key, T resource)

Add a new resource to the resources list maintained by the ResourceManager.

Parameters

<i>key</i>	The key to associate the resource with
<i>resource</i>	The resource associated with the key

Returns

6.19.3.2 T AthenaEngine.Framework.Systems.ResourceManager< T >.Get (string key)

Gets the resource stored associated with a key.

Parameters

key	The key to find the resource associated with.
-----	---

Returns

The documentation for this class was generated from the following file:

- Athena/Athena/AthenaEngine/Framework/Systems/[ResourceManager.cs](#)

6.20 AthenaEngine.Framework.Systems.LevelLoaderXml.Sprite Class Reference

Public Member Functions

- [Sprite](#) (int x, int y, string name, bool collides)

Public Attributes

- int [X](#)
- int [Y](#)
- string [Name](#)
- bool [Collides](#)

6.20.1 Constructor & Destructor Documentation

6.20.1.1 AthenaEngine.Framework.Systems.LevelLoaderXml.Sprite.Sprite (int x, int y, string name, bool collides)

6.20.2 Member Data Documentation

6.20.2.1 bool AthenaEngine.Framework.Systems.LevelLoaderXml.Sprite.Collides

6.20.2.2 string AthenaEngine.Framework.Systems.LevelLoaderXml.Sprite.Name

6.20.2.3 int AthenaEngine.Framework.Systems.LevelLoaderXml.Sprite.X

6.20.2.4 int AthenaEngine.Framework.Systems.LevelLoaderXml.Sprite.Y


The documentation for this class was generated from the following file:

- Athena/Athena/AthenaEngine/Framework/Systems/[LevelLoaderXml.cs](#)

6.21 AthenaEngine.Framework.Gameplay.Tile Class Reference

A tile is used to draw levels.

Inheritance diagram for AthenaEngine.Framework.Gameplay.Tile:



Public Member Functions

- **Tile** (int x, int y, string TileSet, int xOffset, int yOffset, **Level** level)
*Class constructor for a new **Tile** object.*
- void **MakeDrawable** (SpriteBatch spriteBatch, ResourceManager< Texture2D > resourceManager)
Make a tile drawable by giving it a texture and a spriteBatch.
- void **Draw** ()
Draw the tile.
- void **FireTrigger** (object[] args)
Fires the trigger.
- void **AddTrigger** (string triggerName)
Adds the trigger.

Public Attributes

- bool **Collides** = false
- **DrawableEntity** Sprite
- bool **HasTrigger** = false

Additional Inherited Members

6.21.1 Detailed Description

A tile is used to draw levels.

6.21.2 Constructor & Destructor Documentation

6.21.2.1 AthenaEngine.Framework.Gameplay.Tile.Tile (int x, int y, string *TileSet*, int *xOffset*, int *yOffset*, **Level** level)

Class constructor for a new **Tile** object.

Parameters

x	The X coordinate of the new tile.
y	The Y coordinate of the new tile.

6.21.3 Member Function Documentation

6.21.3.1 void AthenaEngine.Framework.Gameplay.Tile.AddTrigger (string *triggerName*)

Adds the trigger.

Parameters

<i>triggerName</i>	Trigger name.
--------------------	---------------

6.21.3.2 void AthenaEngine.Framework.Gameplay.Tile.Draw ()

Draw the tile.

6.21.3.3 void AthenaEngine.Framework.Gameplay.Tile.FireTrigger (object[] args)

Fires the trigger.

Parameters

<i>args</i>	Arguments.
-------------	------------

6.21.3.4 void AthenaEngine.Framework.Gameplay.Tile.MakeDrawable (SpriteBatch spriteBatch, ResourceManager< Texture2D > resoureManager)

Make a tile drawable by giving it a texture and a spriteBatch.

Parameters

<i>spriteBatch</i>	The SpriteBatch to draw the tile with.
<i>texture</i>	The texture to draw the tile with.

6.21.4 Member Data Documentation

6.21.4.1 bool AthenaEngine.Framework.Gameplay.Tile.Collides = false

6.21.4.2 bool AthenaEngine.Framework.Gameplay.Tile.HasTrigger = false

6.21.4.3 DrawableEntity AthenaEngine.Framework.Gameplay.Tile.Sprite

The documentation for this class was generated from the following file:

- Athena/Athena/AthenaEngine/Framework/Gameplay/[Tile.cs](#)

6.22 AthenaEngine.Framework.Systems.Triggers Class Reference

[Triggers.](#)

Static Public Member Functions

- static void [test](#) ()

This was used to test

- static void [encounter](#) ()

Random encounter test

6.22.1 Detailed Description

[Triggers](#).

6.22.2 Member Function Documentation

6.22.2.1 `static void AthenaEngine.Framework.Systems.Triggers.encounter () [static]`

Random encounter test

6.22.2.2 `static void AthenaEngine.Framework.Systems.Triggers.test () [static]`

This was used to test

The documentation for this class was generated from the following file:

- Athena/Athena/AthenaEngine/Framework/Systems/[Triggers.cs](#)

6.23 AthenaEngine.Framework.UI.UI Class Reference

[UI](#)

Public Member Functions

- [UI](#) (SpriteBatch spriteBatch, ResourceManager< Texture2D > textureManager, ResourceManager< SpriteFont > fontManager)
Initializes a new instance of the [AthenaEngine.Framework.UI.UI](#) class.
- void [AddButton](#) (Vector2 position, string label)
Adds the button.
- void [Draw](#) ()
Draw this instance.

Public Attributes

- [Level Level](#)

6.23.1 Detailed Description

[UI](#)

6.23.2 Constructor & Destructor Documentation

6.23.2.1 `AthenaEngine.Framework.UI.UI (SpriteBatch spriteBatch, ResourceManager< Texture2D > textureManager, ResourceManager< SpriteFont > fontManager)`

Initializes a new instance of the [AthenaEngine.Framework.UI.UI](#) class.

Parameters

<i>spriteBatch</i>	Sprite batch.
<i>textureManager</i>	Texture manager.
<i>fontManager</i>	Font manager.

6.23.3 Member Function Documentation

6.23.3.1 void AthenaEngine.Framework.UI.UI.AddButton (Vector2 *position*, string *label*)

Adds the button.

Parameters

<i>position</i>	Position.
<i>label</i>	Label.

6.23.3.2 void AthenaEngine.Framework.UI.UI.Draw ()

Draw this instance.

6.23.4 Member Data Documentation

6.23.4.1 Level AthenaEngine.Framework.UI.UI.Level

The documentation for this class was generated from the following file:

- [Athena/Athena/AthenaEngine/Framework/UI/UI.cs](#)

6.24 AthenaEngine.Framework.UI.UIButton Class Reference

User interface button.

Public Member Functions

- [UIButton](#) (Rectangle *rectangle*, SpriteBatch *spriteBatch*, Texture2D *texture*, Color *color*, string *label*, SpriteFont *font*)
Initializes a new instance of the [AthenaEngine.Framework.UI.UIButton](#) class.
- void [Draw](#) ()
Draw this instance.

Public Attributes

- [Level](#) [Level](#)

6.24.1 Detailed Description

User interface button.

6.24.2 Constructor & Destructor Documentation

6.24.2.1 AthenaEngine.Framework.UI.UIButton.UIButton (Rectangle *rectangle*, SpriteBatch *spriteBatch*, Texture2D *texture*, Color *color*, string *label*, SpriteFont *font*)

Initializes a new instance of the [AthenaEngine.Framework.UI.UIButton](#) class.

Parameters

<i>rectangle</i>	Rectangle.
<i>spriteBatch</i>	Sprite batch.
<i>texture</i>	Texture.
<i>color</i>	Color.
<i>label</i>	Label.
<i>font</i>	Font.

6.24.3 Member Function Documentation

6.24.3.1 void AthenaEngine.Framework.UI.UIButton.Draw ()

Draw this instance.

6.24.4 Member Data Documentation

6.24.4.1 Level AthenaEngine.Framework.UI.UIButton.Level

The documentation for this class was generated from the following file:

- Athena/Athena/AthenaEngine/Framework/UI/[UIButton.cs](#)

Chapter 7

File Documentation

7.1 Athena/Athena/Athena/Debug.cs File Reference

Classes

- class **Athena.Debug**

Namespaces

- package [Athena](#)

7.2 Athena/Athena/Athena/Game1.cs File Reference

Classes

- class [Athena.Game1](#)
This is the main type for your game

Namespaces

- package [Athena](#)

7.3 Athena/Athena/Athena/Program.cs File Reference

Namespaces

- package [Athena](#)

7.4 Athena/Athena/Athena/Properties/AssemblyInfo.cs File Reference

7.5 Athena/Athena/AthenaEngine/Properties/AssemblyInfo.cs File Reference

7.6 Athena/Athena/AthenaTest/Properties/AssemblyInfo.cs File Reference

7.7 Athena/Athena/AthenaEngine/AthenaEngine.cs File Reference

Classes

- class [AthenaEngine.AthenaEngine](#)

Namespaces

- package [AthenaEngine](#)

7.8 Athena/Athena/AthenaEngine/Framework/Camera2D.cs File Reference

Classes

- class [AthenaEngine.Framework.Camera2D](#)
[Camera2D](#)

Namespaces

- package [AthenaEngine.Framework](#)

7.9 Athena/Athena/AthenaEngine/Framework/Gameplay/Character.cs File Reference

Classes

- class [AthenaEngine.Framework.Gameplay.Character](#)
A character class holds important detail about each character such as their items, level, experience, skills, etc.

Namespaces

- package [AthenaEngine.Framework.Gameplay](#)

7.10 Athena/Athena/AthenaEngine/Framework/Gameplay/Level.cs File Reference

Classes

- class [AthenaEngine.Framework.Gameplay.Level](#)
A [Level](#) object holds all details required to handle level drawing.

Namespaces

- package [AthenaEngine.Framework.Gameplay](#)

7.11 Athena/Athena/AthenaEngine/Framework/Gameplay/RPG/Inventory.cs File Reference

Classes

- class [AthenaEngine.Framework.Gameplay.RPG.Inventory](#)
Inventory.

Namespaces

- package [AthenaEngine.Framework.Gameplay.RPG](#)

7.12 Athena/Athena/AthenaEngine/Framework/Gameplay/RPG/Item.cs File Reference

Classes

- class [AthenaEngine.Framework.Gameplay.RPG.Item](#)
A gameplay item can be held by a character.

Namespaces

- package [AthenaEngine.Framework.Gameplay.RPG](#)

7.13 Athena/Athena/AthenaEngine/Framework/Gameplay/RPG/ItemInstance.cs File Reference

Classes

- class [AthenaEngine.Framework.Gameplay.RPG.ItemInstance](#)
An item instance is a particular instance of an item.

Namespaces

- package [AthenaEngine.Framework.Gameplay.RPG](#)

7.14 Athena/Athena/AthenaEngine/Framework/Gameplay/Tile.cs File Reference

Classes

- class [AthenaEngine.Framework.Gameplay.Tile](#)
A tile is used to draw levels.

Namespaces

- package [AthenaEngine.Framework.Gameplay](#)

7.15 Athena/Athena/AthenaEngine/Framework/Interfaces/ICollidable.cs File Reference

Classes

- interface [AthenaEngine.Framework.Interfaces.ICollidable< T >](#)
I collidable.

Namespaces

- package [AthenaEngine.Framework.Interfaces](#)

7.16 Athena/Athena/AthenaEngine/Framework/Interfaces/IDrawable.cs File Reference

Classes

- interface [AthenaEngine.Framework.Interfaces.IDrawable](#)
I drawable.

Namespaces

- package [AthenaEngine.Framework.Interfaces](#)

7.17 Athena/Athena/AthenaEngine/Framework/Interfaces/IFocusable.cs File Reference

Classes

- interface [AthenaEngine.Framework.Interfaces.IFocusable](#)
I focusable.

Namespaces

- package [AthenaEngine.Framework.Interfaces](#)

7.18 Athena/Athena/AthenaEngine/Framework/Interfaces/IMoveable.cs File Reference

Classes

- interface [AthenaEngine.Framework.Interfaces.IMoveable](#)

Namespaces

- package [AthenaEngine.Framework.Interfaces](#)

7.19 Athena/Athena/AthenaEngine/Framework/Primitives/BoundingBox2D.cs File Reference

Classes

- class [AthenaEngine.Framework.Primitives.BoundingBox2D](#)
BoundingBox2D is used for bounding boxes on 2D objects.

Namespaces

- package [AthenaEngine.Framework.Primitives](#)

7.20 Athena/Athena/AthenaEngine/Framework/Primitives/CollidableEntity.cs File Reference

Classes

- class [AthenaEngine.Framework.Primitives.CollidableEntity](#)
The Entity class is used to store objects that have positions.

Namespaces

- package [AthenaEngine.Framework.Primitives](#)

7.21 Athena/Athena/AthenaEngine/Framework/Primitives/Directions.cs File Reference

Classes

- class [AthenaEngine.Framework.Primitives.Directions](#)

Namespaces

- package [AthenaEngine.Framework.Primitives](#)

7.22 Athena/Athena/AthenaEngine/Framework/Primitives/DrawableEntity.cs File Reference

Classes

- class [AthenaEngine.Framework.Primitives.DrawableEntity](#)
This is an entity which can be drawn.

Namespaces

- package [AthenaEngine.Framework.Primitives](#)

7.23 Athena/Athena/AthenaEngine/Framework/Primitives/Entity.cs File Reference

Classes

- class [AthenaEngine.Framework.Primitives.Entity](#)
The [Entity](#) class is the superclass for anything.

Namespaces

- package [AthenaEngine.Framework.Primitives](#)

7.24 Athena/Athena/AthenaEngine/Framework/Systems/LevelLoaderXml.cs File Reference

Classes

- class **AthenaEngine.Framework.Systems.LevelLoaderXml**
the [LevelLoader](#) is used to load levels.
- class [AthenaEngine.Framework.Systems.LevelLoaderXml.Sprite](#)

Namespaces

- package [AthenaEngine.Framework.Systems](#)

7.25 Athena/Athena/AthenaEngine/Framework/Systems/ResourceManager.cs File Reference

Classes

- class [AthenaEngine.Framework.Systems.ResourceManager< T >](#)
The [ResourceManager](#) class manages resources on behalf of the game.

Namespaces

- package [AthenaEngine.Framework.Systems](#)

7.26 Athena/Athena/AthenaEngine/Framework/Systems/Triggers.cs File Reference

Classes

- class [AthenaEngine.Framework.Systems.Triggers](#)
[Triggers](#).

Namespaces

- package [AthenaEngine.Framework.Systems](#)

7.27 Athena/Athena/AthenaEngine/Framework/UI/UI.cs File Reference

Classes

- class [AthenaEngine.Framework.UI.UI](#)
UI

Namespaces

- package [AthenaEngine.Framework.UI](#)

7.28 Athena/Athena/AthenaEngine/Framework/UI/UIButton.cs File Reference

Classes

- class [AthenaEngine.Framework.UI.UIButton](#)
User interface button.

Namespaces

- package [AthenaEngine.Framework.UI](#)

7.29 Athena/Athena/AthenaEngine/obj/Debug/TemporaryGeneratedFile_036C0B5B-1481-4323-8D20-8F5ADCB23D92.cs File Reference

7.30 Athena/Athena/AthenaTest/obj/Debug/TemporaryGeneratedFile_036C0B5B-1481-4323-8D20-8F5ADCB23D92.cs File Reference

7.31 Athena/Athena/AthenaEngine/obj/Debug/TemporaryGeneratedFile_5937a670-0e60-4077-877b-f7221da3dda1.cs File Reference

7.32 Athena/Athena/AthenaTest/obj/Debug/TemporaryGeneratedFile_5937a670-0e60-4077-877b-f7221da3dda1.cs File Reference

7.33 Athena/Athena/AthenaEngine/obj/Debug/TemporaryGeneratedFile_E7A71F73-0F8D-4B9B-B56E-8E70B10BC5D3.cs File Reference

7.34 Athena/Athena/AthenaTest/obj/Debug/TemporaryGeneratedFile_E7A71F73-0F8D-4B9B-B56E-8E70B10BC5D3.cs File Reference

7.35 Athena/Athena/AthenaTest/Engine Tests/Primitives Testing/BoundingBox2DTest.cs File Reference

Classes

- class [AthenaTest.Engine_Tests.Primatives_Testing.BoundingBox2DTest](#)

Namespaces

- package [AthenaTest.Engine_Tests.Primatives_Testing](#)

Index

- [_viewportHeight](#)
 - [AthenaEngine::Framework::Camera2D](#), [17](#)
 - [_viewportWidth](#)
 - [AthenaEngine::Framework::Camera2D](#), [17](#)
- [Add](#)
 - [AthenaEngine::Framework::Gameplay::RPG::Inventory](#), [28](#)
 - [AthenaEngine::Framework::Systems::ResourceManager< T >](#), [31](#)
- [AddButton](#)
 - [AthenaEngine::Framework::UI::UI](#), [36](#)
- [AddTrigger](#)
 - [AthenaEngine::Framework::Gameplay::Tile](#), [33](#)
- [Athena](#), [9](#)
- [Athena.Game1](#), [24](#)
- [Athena/Athena/Athena/Debug.cs](#), [39](#)
- [Athena/Athena/Athena/Game1.cs](#), [39](#)
- [Athena/Athena/Athena/Program.cs](#), [39](#)
- [Athena/Athena/Athena/Properties/AssemblyInfo.cs](#), [39](#)
- [Athena/Athena/AthenaEngine/AthenaEngine.cs](#), [40](#)
- [Athena/Athena/AthenaEngine/Framework/Camera2D.cs](#), [40](#)
- [Athena/Athena/AthenaEngine/Framework/Gameplay/Character.cs](#), [40](#)
- [Athena/Athena/AthenaEngine/Framework/Gameplay/Level.cs](#), [40](#)
- [Athena/Athena/AthenaEngine/Framework/Gameplay/RPG/Inventory.cs](#), [41](#)
- [Athena/Athena/AthenaEngine/Framework/Gameplay/RPG/Item.cs](#), [41](#)
- [Athena/Athena/AthenaEngine/Framework/Gameplay/RPG/ItemInstance.cs](#), [41](#)
- [Athena/Athena/AthenaEngine/Framework/Gameplay/Tile.cs](#), [41](#)
- [Athena/Athena/AthenaEngine/Framework/Interfaces/ICollidable.cs](#), [42](#)
- [Athena/Athena/AthenaEngine/Framework/Interfaces/IDrawable.cs](#), [42](#)
- [Athena/Athena/AthenaEngine/Framework/Interfaces/IFocusable.cs](#), [42](#)
- [Athena/Athena/AthenaEngine/Framework/Interfaces/IMoveable.cs](#), [42](#)
- [Athena/Athena/AthenaEngine/Framework/Primitives/BoundingBox2D.cs](#), [43](#)
- [Athena/Athena/AthenaEngine/Framework/Primitives/CollidableEntity.cs](#), [43](#)
- [Athena/Athena/AthenaEngine/Framework/Primitives/Directions.cs](#), [43](#)
- [Athena/Athena/AthenaEngine/Framework/Primitives/DrawableEntity.cs](#), [43](#)
- [Athena/Athena/AthenaEngine/Framework/Primitives/Entity.cs](#), [44](#)
- [Athena/Athena/AthenaEngine/Framework/Systems/LevelLoaderXml.cs](#), [44](#)
- [Athena/Athena/AthenaEngine/Framework/Systems/ResourceManager.cs](#), [44](#)
- [Athena/Athena/AthenaEngine/Framework/Systems/Triggers.cs](#), [44](#)
- [Athena/Athena/AthenaEngine/Framework/UI/UI.cs](#), [45](#)
- [Athena/Athena/AthenaEngine/Framework/UI/UIButton.cs](#), [45](#)
- [Athena/Athena/AthenaEngine/Properties/AssemblyInfo.cs](#), [39](#)
- [Athena/Athena/AthenaEngine/obj/Debug/TemporaryGeneratedFile_5937a670-0e60-4077-877b-f7221da3dda1.cs](#), [45](#)
- [Athena/Athena/AthenaTest/Engine Tests/Primitives Testing/BoundingBox2DTest.cs](#), [45](#)
- [Athena/Athena/AthenaTest/Properties/AssemblyInfo.cs](#), [39](#)
- [Athena/Athena/AthenaTest/obj/Debug/TemporaryGeneratedFile_5937a670-0e60-4077-877b-f7221da3dda1.cs](#), [45](#)
- [Athena::Game1](#)
 - [Draw](#), [25](#)
 - [font](#), [25](#)
 - [Game1](#), [25](#)
 - [Initialize](#), [25](#)
 - [LoadContent](#), [25](#)
 - [UnloadContent](#), [25](#)
 - [Update](#), [25](#)
- [AthenaEngine](#), [9](#)
- [AthenaEngine.AthenaEngine](#), [13](#)
- [AthenaEngine.Framework](#), [9](#)
- [AthenaEngine.Framework.Camera2D](#), [16](#)
- [AthenaEngine.Framework.Gameplay](#), [10](#)
- [AthenaEngine.Framework.Gameplay.Character](#), [18](#)
- [AthenaEngine.Framework.Gameplay.Level](#), [30](#)
- [AthenaEngine.Framework.Gameplay.RPG](#), [10](#)
- [AthenaEngine.Framework.Gameplay.RPG.Inventory](#), [28](#)
- [AthenaEngine.Framework.Gameplay.RPG.Item](#), [28](#)
- [AthenaEngine.Framework.Gameplay.RPG.ItemInstance](#), [29](#)
- [AthenaEngine.Framework.Gameplay.Tile](#), [32](#)
- [AthenaEngine.Framework.Interfaces](#), [10](#)
- [AthenaEngine.Framework.Interfaces.ICollidable< T >](#), [25](#)

- AthenaEngine.Framework.Interfaces.IDrawable, 26
- AthenaEngine.Framework.Interfaces.IFocusable, 27
- AthenaEngine.Framework.Interfaces.IMoveable, 27
- AthenaEngine.Framework.Primitives, 10
- AthenaEngine.Framework.Primitives.BoundingBox2D, 13
- AthenaEngine.Framework.Primitives.CollidableEntity, 19
- AthenaEngine.Framework.Primitives.Directions, 20
- AthenaEngine.Framework.Primitives.DrawableEntity, 21
- AthenaEngine.Framework.Primitives.Entity, 23
- AthenaEngine.Framework.Systems, 11
- AthenaEngine.Framework.Systems.LevelLoaderXml.-Sprite, 32
- AthenaEngine.Framework.Systems.ResourceManager< T >, 31
- AthenaEngine.Framework.Systems.Triggers, 34
- AthenaEngine.Framework.UI, 11
- AthenaEngine.Framework.UI.UI, 35
- AthenaEngine.Framework.UI.UIButton, 36
- AthenaEngine::Framework::Camera2D
 - _viewportHeight, 17
 - _viewportWidth, 17
 - Camera2D, 16
 - Focus, 17
 - Initialize, 17
 - IsInView, 17
 - MoveSpeed, 17
 - Origin, 17
 - Position, 17
 - Rotation, 17
 - Scale, 17
 - ScreenCenter, 18
 - Transform, 18
 - Update, 17
- AthenaEngine::Framework::Gameplay::Character
 - Character, 18
- AthenaEngine::Framework::Gameplay::Level
 - Draw, 30
 - Level, 30
 - TileList, 30
- AthenaEngine::Framework::Gameplay::RPG::Inventory
 - Add, 28
- AthenaEngine::Framework::Gameplay::RPG::Item
 - Item, 29
 - Name, 29
- AthenaEngine::Framework::Gameplay::RPG::Item-Instance
 - ItemInstance, 29
- AthenaEngine::Framework::Gameplay::Tile
 - AddTrigger, 33
 - Collides, 34
 - Draw, 34
 - FireTrigger, 34
 - HasTrigger, 34
 - MakeDrawable, 34
 - Sprite, 34
 - Tile, 33
- AthenaEngine::Framework::Interfaces::ICollidable< T >
 - CollidesWith, 26
- AthenaEngine::Framework::Interfaces::IDrawable
 - Draw, 26
- AthenaEngine::Framework::Interfaces::IFocusable
 - Position, 27
- AthenaEngine::Framework::Interfaces::IMoveable
 - CanMove, 27
 - Move, 27
- AthenaEngine::Framework::Primitives::BoundingBox2D
 - BoundingBox2D, 14
 - Bounds, 14
 - CollidesWith, 14
 - Equals, 14
- AthenaEngine::Framework::Primitives::CollidableEntity
 - Bounds, 20
 - CanMove, 20
 - CollidableEntity, 19
 - CollidesWith, 20
 - Level, 20
 - Move, 20
- AthenaEngine::Framework::Primitives::Directions
 - DOWN, 21
 - LEFT, 21
 - RIGHT, 21
 - UP, 21
- AthenaEngine::Framework::Primitives::DrawableEntity
 - Draw, 22
 - DrawableEntity, 22
 - level, 22
 - Position, 22
 - SpriteColor, 22
 - SpriteController, 22
 - SpriteSheet, 22
 - SpriteSource, 22
- AthenaEngine::Framework::Primitives::Entity
 - Height, 23
 - Move, 23
 - Position, 23
 - Rectangle, 23
 - Size, 23
 - Width, 23
 - X, 24
 - Y, 24
- AthenaEngine::Framework::Systems::LevelLoaderXml-::Sprite
 - Collides, 32
 - Name, 32
 - Sprite, 32
 - X, 32
 - Y, 32
- AthenaEngine::Framework::Systems::ResourceManager< T >
 - Add, 31
 - Get, 31
 - ResourceManager, 31
- AthenaEngine::Framework::Systems::Triggers

- encounter, [35](#)
- test, [35](#)
- AthenaEngine::Framework::UI::UI
 - AddButton, [36](#)
 - Draw, [36](#)
 - Level, [36](#)
 - UI, [35](#)
- AthenaEngine::Framework::UI::UIButton
 - Draw, [37](#)
 - Level, [37](#)
 - UIButton, [36](#)
- AthenaTest, [11](#)
- AthenaTest.Engine_Tests, [11](#)
- AthenaTest.Engine_Tests.Primitives_Testing, [11](#)
- AthenaTest.Engine_Tests.Primitives_Testing.Bounding-Box2DTest, [14](#)
- BoundingBox2D
 - AthenaEngine::Framework::Primitives::Bounding-Box2D, [14](#)
- Bounds
 - AthenaEngine::Framework::Primitives::Bounding-Box2D, [14](#)
 - AthenaEngine::Framework::Primitives::Collidable-Entity, [20](#)
- Camera2D
 - AthenaEngine::Framework::Camera2D, [16](#)
- CanMove
 - AthenaEngine::Framework::Interfaces::IMoveable, [27](#)
 - AthenaEngine::Framework::Primitives::Collidable-Entity, [20](#)
- Character
 - AthenaEngine::Framework::Gameplay::Character, [18](#)
- CollidableEntity
 - AthenaEngine::Framework::Primitives::Collidable-Entity, [19](#)
- Collides
 - AthenaEngine::Framework::Gameplay::Tile, [34](#)
 - AthenaEngine::Framework::Systems::LevelLoader-Xml::Sprite, [32](#)
- CollidesWith
 - AthenaEngine::Framework::Interfaces::ICollidable< T >, [26](#)
 - AthenaEngine::Framework::Primitives::Bounding-Box2D, [14](#)
 - AthenaEngine::Framework::Primitives::Collidable-Entity, [20](#)
- Collisions_WithEnvelopedRectangle_IsTrue
 - AthenaTest::Engine_Tests::Primitives_Testing::BoundingBox2DTest, [15](#)
- Collisions_WithItself_IsTrue
 - AthenaTest::Engine_Tests::Primitives_Testing::BoundingBox2DTest, [15](#)
- Collisions_WithRectangleOnBottom_IsFalse
 - AthenaTest::Engine_Tests::Primitives_Testing::BoundingBox2DTest, [15](#)
- Collisions_WithRectangleOnLeft_IsFalse
 - AthenaTest::Engine_Tests::Primitives_Testing::BoundingBox2DTest, [15](#)
- Collisions_WithRectangleOnRight_IsFalse
 - AthenaTest::Engine_Tests::Primitives_Testing::BoundingBox2DTest, [15](#)
- Collisions_WithRectangleOnTop_IsFalse
 - AthenaTest::Engine_Tests::Primitives_Testing::BoundingBox2DTest, [15](#)
- DOWN
 - AthenaEngine::Framework::Primitives::Directions, [21](#)
- Draw
 - Athena::Game1, [25](#)
 - AthenaEngine::Framework::Gameplay::Level, [30](#)
 - AthenaEngine::Framework::Gameplay::Tile, [34](#)
 - AthenaEngine::Framework::Interfaces::IDrawable, [26](#)
 - AthenaEngine::Framework::Primitives::Drawable-Entity, [22](#)
 - AthenaEngine::Framework::UI::UI, [36](#)
 - AthenaEngine::Framework::UI::UIButton, [37](#)
- DrawableEntity
 - AthenaEngine::Framework::Primitives::Drawable-Entity, [22](#)
- encounter
 - AthenaEngine::Framework::Systems::Triggers, [35](#)
- Equality_WithIdenticalRectangle_IsEqual
 - AthenaTest::Engine_Tests::Primitives_Testing::BoundingBox2DTest, [15](#)
- Equality_WithItself_IsEqual
 - AthenaTest::Engine_Tests::Primitives_Testing::BoundingBox2DTest, [15](#)
- Equality_WithSameRectangle_IsEqual
 - AthenaTest::Engine_Tests::Primitives_Testing::BoundingBox2DTest, [15](#)
- Equals
 - AthenaEngine::Framework::Primitives::Bounding-Box2D, [14](#)
- FireTrigger
 - AthenaEngine::Framework::Gameplay::Tile, [34](#)
- Focus
 - AthenaEngine::Framework::Camera2D, [17](#)
- font
 - Athena::Game1, [25](#)
- Game1
 - Athena::Game1, [25](#)
- Get
 - AthenaEngine::Framework::Systems::Resource-Manager< T >, [31](#)
- HasTrigger
 - AthenaEngine::Framework::Gameplay::Tile, [34](#)
- Height
 - AthenaEngine::Framework::Primitives::Entity, [23](#)

- Initialize
 - Athena::Game1, [25](#)
 - AthenaEngine::Framework::Camera2D, [17](#)
- IsInView
 - AthenaEngine::Framework::Camera2D, [17](#)
- Item
 - AthenaEngine::Framework::Gameplay::RPG::Item, [29](#)
- ItemInstance
 - AthenaEngine::Framework::Gameplay::RPG::Item-Instance, [29](#)
- LEFT
 - AthenaEngine::Framework::Primitives::Directions, [21](#)
- Level
 - AthenaEngine::Framework::Gameplay::Level, [30](#)
 - AthenaEngine::Framework::Primitives::Collidable-Entity, [20](#)
 - AthenaEngine::Framework::UI::UI, [36](#)
 - AthenaEngine::Framework::UI::UIButton, [37](#)
- level
 - AthenaEngine::Framework::Primitives::Drawable-Entity, [22](#)
- LoadContent
 - Athena::Game1, [25](#)
- MakeDrawable
 - AthenaEngine::Framework::Gameplay::Tile, [34](#)
- Move
 - AthenaEngine::Framework::Interfaces::IMoveable, [27](#)
 - AthenaEngine::Framework::Primitives::Collidable-Entity, [20](#)
 - AthenaEngine::Framework::Primitives::Entity, [23](#)
- MoveSpeed
 - AthenaEngine::Framework::Camera2D, [17](#)
- Name
 - AthenaEngine::Framework::Gameplay::RPG::Item, [29](#)
 - AthenaEngine::Framework::Systems::LevelLoader-Xml::Sprite, [32](#)
- Origin
 - AthenaEngine::Framework::Camera2D, [17](#)
- Position
 - AthenaEngine::Framework::Camera2D, [17](#)
 - AthenaEngine::Framework::Interfaces::IFocusable, [27](#)
 - AthenaEngine::Framework::Primitives::Drawable-Entity, [22](#)
 - AthenaEngine::Framework::Primitives::Entity, [23](#)
- RIGHT
 - AthenaEngine::Framework::Primitives::Directions, [21](#)
- Rectangle
 - AthenaEngine::Framework::Primitives::Entity, [23](#)
- ResourceManager
 - AthenaEngine::Framework::Systems::Resource-Manager< T >, [31](#)
- Rotation
 - AthenaEngine::Framework::Camera2D, [17](#)
- Scale
 - AthenaEngine::Framework::Camera2D, [17](#)
- ScreenCenter
 - AthenaEngine::Framework::Camera2D, [18](#)
- Size
 - AthenaEngine::Framework::Primitives::Entity, [23](#)
- Sprite
 - AthenaEngine::Framework::Gameplay::Tile, [34](#)
 - AthenaEngine::Framework::Systems::LevelLoader-Xml::Sprite, [32](#)
- SpriteColor
 - AthenaEngine::Framework::Primitives::Drawable-Entity, [22](#)
- SpriteController
 - AthenaEngine::Framework::Primitives::Drawable-Entity, [22](#)
- SpriteSheet
 - AthenaEngine::Framework::Primitives::Drawable-Entity, [22](#)
- SpriteSource
 - AthenaEngine::Framework::Primitives::Drawable-Entity, [22](#)
- test
 - AthenaEngine::Framework::Systems::Triggers, [35](#)
- Tile
 - AthenaEngine::Framework::Gameplay::Tile, [33](#)
- TileList
 - AthenaEngine::Framework::Gameplay::Level, [30](#)
- Transform
 - AthenaEngine::Framework::Camera2D, [18](#)
- UI
 - AthenaEngine::Framework::UI::UI, [35](#)
- UIButton
 - AthenaEngine::Framework::UI::UIButton, [36](#)
- UP
 - AthenaEngine::Framework::Primitives::Directions, [21](#)
- UnloadContent
 - Athena::Game1, [25](#)
- Update
 - Athena::Game1, [25](#)
 - AthenaEngine::Framework::Camera2D, [17](#)
- Width
 - AthenaEngine::Framework::Primitives::Entity, [23](#)
- X
 - AthenaEngine::Framework::Primitives::Entity, [24](#)
 - AthenaEngine::Framework::Systems::LevelLoader-Xml::Sprite, [32](#)
- Y

AthenaEngine::Framework::Primitives::Entity, [24](#)
AthenaEngine::Framework::Systems::LevelLoader-
Xml::Sprite, [32](#)