





REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:


RX

30MHz ~ 6000MHz



TX

30MHz ~ 6000MHz



COMPANY:		<Company Name>			
TITLE:		<Title>			
DRAWN:	<Drawn By>	DATED:	<Drawn Date>	CODE:	SIZE:
CHECKED:	<Checked By>	DATED:	<Checked Date>	DRAWING NO:	
QUALITY CONTROL:	<QC By>	DATED:	<QC Date>	REV:	
RELEASED:	<Released By>	DATED:	<Release Date>	SCALE: <Scale>	
				SHEET: 1 OF 44	

6

5









4

3

2

1



REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



DRAWN: <Drawn By>		DATED: <Drawn Date>		COMPANY: <Company Name>			
CHECKED: <Checked By>		DATED: <Checked Date>		TITLE: <Title>			
QUALITY CONTROL: <QC By>		DATED: <QC Date>		CODE: <Code>	SIZE: D	DRAWING NO: <Drawing Number>	REV: <Revision>
RELEASED: <Released By>		DATED: <Release Date>		SCALE: <Scale>		SHEET: 3 OF 44	

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

按照DDR4标准布线









DDR4也可选择MT40A512M16LY-062E IT

		COMPANY: <Company Name>			
		TITLE: <Title>			
DRAWN: <Drawn By>	DATED: <Drawn Date>				
CHECKED: <Checked By>	DATED: <Checked Date>	CODE: <Code>	SIZE: D	DRAWING NO: <Drawing Number>	REV: <Revision>
QUALITY CONTROL: <QC By>	DATED: <QC Date>				
RELEASED: <Released By>	DATED: <Release Date>	SCALE: <Scale>	SHEET: 5 OF 44		

REVISION RECORD			
LTR	ECO NO.	APPROVED:	DATE:

1~3页按照DDR4标准布线



DDR4也可选择MT40A512M16LY-062E IT

COMPANY: <Company Name>					
TITLE: <Title>					
DRAWN: <Drawn By>	DATED: <Drawn Date>	CODE: <Code>	SIZE: D	DRAWING NO: <Drawing Number>	REV: <Revision>
CHECKED: <Checked By>	DATED: <Checked Date>				
QUALITY CONTROL: <QC By>	DATED: <QC Date>				
RELEASED: <Released By>	DATED: <Release Date>				
SCALE: <Scale>				SHEET: 6 OF 44	

6

5


4

3


2

1




REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



等长 1GHz
等长 1GHz
成组走线



4对差分等长
1GHz



D

C

B

A


D

C



B

A

COMPANY: <Company Name>			
TITLE: <Title>			
DRAWN: <Drawn By>	DATED: <Drawn Date>	CODE: <Code>	SIZE: D <Drawing Number><Revision>
CHECKED: <Checked By>	DATED: <Checked Date>	QUALITY CONTROL: <QC By>	DATE: <QC Date>
RELEASED: <Released By>	DATED: <Release Date>	SCALE: <Scale>	SHEET: 8 OF 44



REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



DRAWN: <Drawn By>		DATED: <Drawn Date>		COMPANY: <Company Name>			
CHECKED: <Checked By>		DATED: <Checked Date>		TITLE: <Title>			
QUALITY CONTROL: <QC By>		DATED: <QC Date>		CODE: <Code>	SIZE: D	DRAWING NO: <Drawing Number>	REV: <Revision>
RELEASED: <Released By>		DATED: <Release Date>		SCALE: <Scale>		SHEET: 13 of 44	

6

5


4

3





2

1

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



		COMPANY: <Company Name>			
		TITLE: <Title>			
DRAWN: <Drawn By>	DATED: <Drawn Date>				
CHECKED: <Checked By>	DATED: <Checked Date>	CODE: <Code>	SIZE: D	DRAWING NO: <Drawing Number>	REV: <Revision>
QUALITY CONTROL: <QC By>	DATED: <QC Date>				
RELEASED: <Released By>	DATED: <Release Date>	SCALE: <Scale>		SHEET: 13 of 44	

6

5





4

3

2

1

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



COMPANY: <Company Name>			
TITLE: <Title>			
DRAWN: <Drawn By>	DATED: <Drawn Date>	CODE: <Code>	
CHECKED: <Checked By>	DATED: <Checked Date>	SIZE: D	DRAWING NO: <Drawing Number>
QUALITY CONTROL: <QC By>	DATED: <QC Date>	REV: <Revision>	
RELEASED: <Release By>	DATED: <Release Date>	SCALE: <Scale>	

BRAIN: <Brain By>	DATED: <Brain Date>
CHECKED: <Checked By>	DATED: <Checked Date>
QUALITY CONTROL: <QC By>	DATED: <QC Date>
RELEASED: <Release By>	DATED: <Release Date>

6

5





4

3

2

1



REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



DRAWN: <Drawn By>	DATED: <Drawn Date>
CHECKED: <Checked By>	DATED: <Checked Date>
QUALITY CONTROL: <QC By>	DATED: <QC Date>
RELEASED: <Released By>	DATED: <Release Date>



COMPANY: <Company Name>			
TITLE: <Title>			
CODE: <Code>	SIZE: D	DRAWING NO: <Drawing Number>	REV: <Revision>
SCALE: <Scale>			SHEET: 17/44

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:




0.5A
此段线粗10mil以上
可不满足阻抗匹配要求

VDDIO选择VDD (1.8V)



SEL置低，默认选择IN2铷钟



		COMPANY: 			
--	--	--------------	--	--	--

6

5

4


3

2

1

REVISION RECORD			
LTR	ECO NO.	APPROVED:	DATE:

外部驯服时钟输入




等长

B

A





COMPANY: <Company Name>			
TITLE: <Title>			
DRAWN: <Drawn By>	DATED: <Drawn Date>	CODE: <Code>	SIZE: D <Drawing Number><Revision>
CHECKED: <Checked By>	DATED: <Checked Date>	REVISION: <Rev>	DATE: <Date>
RELEASED: <Released By>	DATED: <Release Date>	SCALE: <Scale>	SHEET: 19/44

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



DRAWN: <Drawn By>		DATED: <Draw Date>		<Title>			
CHECKED: <Checked By>		DATED: <Checked Date>		CODE: <Code>	SIZE: D	DRAWING NO: <Drawing Number>	REV: <Revision>
QUALITY CONTROL: <QC By>		DATED: <QC Date>					
RELEASED: <Released By>		DATED: <Release Date>		SCALE: <Scale>			SHEET: 20F 44

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:




DRAWN:	<Drawn By>	DATED:	<Drawn Date>
CHECKED:	<Checked By>	DATED:	<Checked Date>
QUALITY CONTROL:	<QC By>	DATED:	<QC Date>
RELEASED:	<Released By>	DATED:	<Release Date>



COMPANY:		<Company Name>			
TITLE:		<Title>			
CODE:	SIZE:	DRAWING NO:		REV:	
<Code>	D	<Drawing Number>		<Revision>	
SCALE: <Scale>		SHEET: 2 OF		44	

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



同步时间信号接收




1PPS输入



时间信息串口






时间信息串口







COMPANY: <Company Name>			
TITLE: <Title>			
CODE: <Code>	SIZE: D	DRAWING NO: <Drawing Number>	REV: <Revision>
SCALE: <Scale>			
SHEET: 22# 44			

DRAWN: <Drawn By>	DATED: <Drawn Date>
CHECKED: <Checked By>	DATED: <Checked Date>
QUALITY CONTROL: <QC By>	DATED: <QC Date>
RELEASED: <Released By>	DATED: <Release Date>

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:




SEO_RES和SE3_RES只能是输出 其余4个RES信号方向可定义




COMPANY: <Company Name>			
TITLE: <Title>			
DRAWN: <Drawn By>	DATED: <Drawn Date>	CODE: <Code>	SIZE: D <Drawing Number><Revision>
CHECKED: <Checked By>	DATED: <Checked Date>	QUALITY CONTROL: <QC By>	DATE: <QC Date>
RELEASED: <Released By>	DATED: <Release Date>	SCALE: <Scale>	SHEET: 23of 44


电源






备用接口






调试接口



同步时间接口



面板灯



REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

JTAG信号在configuration页

DRAWN: <Drawn By>	DATED: <Drawn Date>
CHECKED: <Checked By>	DATED: <Checked Date>
QUALITY CONTROL: <QC By>	DATED: <QC Date>
RELEASED: <Released By>	DATED: <Release Date>

COMPANY:		<Company Name>	
TITLE:		<Title>	
CODE:	SIZE:	DRAWING NO:	REV:
<Code>	D	<Drawing Number>	<Revision>
SCALE: <Scale>	SHEET: 24#		44

6

5

4

3

2

1

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

D

D

C


C

B


B

A


A



GBE ETH




4对等长




4对等长

SATA SSD








差分线 6GHz
差分线 6GHz






DRAWN: <Drawn By>		DATED: <Drawn Date>		COMPANY: <Company Name>	
CHECKED: <Checked By>		DATED: <Checked Date>		TITLE: <Title>	
QUALITY CONTROL: <QC By>		DATED: <QC Date>		CODE: <Code>	SIZE: D <Drawing Number>×<Revision>
RELEASED: <Released By>		DATED: <Release Date>		SCALE: <Scale>	
				SHEET: 27/44	

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:






DRAWN: <Drawn By>		DATED: <Drawn Date>		COMPANY: <Company Name>				
				TITLE: <Title>				
CHECKED: <Checked By>		DATED: <Checked Date>		CODE: <Code>	SIZE: D	DRAWING NO: <Drawing Number>		REV: <Revision>
QUALITY CONTROL: <QC By>		DATED: <QC Date>						
RELEASED: <Released By>		DATED: <Release Date>		SCALE: <Scale>		SHEET: 30# 44		

后面板






前面板



REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:


COMPANY: <Company Name>			
TITLE: <Title>			
DRAWN: <Drawn By>	DATED: <Drawn Date>	CODE:	SIZE:
CHECKED: <Checked By>	DATED: <Checked Date>	DRAWING NO:	
QUALITY CONTROL: <QC By>	DATED: <QC Date>	REV:	
RELEASED: <Released By>	DATED: <Release Date>	SCALE: <Scale>	
SHEET: 3		OF 44	

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



灯亮表示卡插入


灯亮表示PCIe接口， 否则为SATA接口



DRAWN: <Drawn By>		DATED: <Drawn Date>		COMPANY: <Company Name>			
CHECKED: <Checked By>		DATED: <Checked Date>		TITLE: <Title>			
QUALITY CONTROL: <QC By>		DATED: <QC Date>		CODE: <Code>	SIZE: D	DRAWING NO: <Drawing Number>	REV: <Revision>
RELEASED: <Released By>		DATED: <Release Date>		SCALE: <Scale>			SHEET: 32# 44





REVISION RECORD			
LTR	ECO NO.	APPROVED:	DATE:

可用于扩展万兆网卡



DRAWN: <Drawn By>		DATED: <Drawn Date>		COMPANY: <Company Name>	
CHECKED: <Checked By>		DATED: <Checked Date>		TITLE: <Title>	
QUALITY CONTROL: <QC By>		DATED: <QC Date>		CODE: <Code>	SIZE: D <Drawing Number><Revision>
RELEASED: <Released By>		DATED: <Release Date>		SCALE: <Scale>	
				SHEET: 33/44	






REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:




靠近摆放

COMPANY: <Company Name>			
TITLE: <Title>			
DRAWN: <Drawn By>	DATED: <Drawn Date>	CODE: <Code>	SIZE: D <Drawing Number>×<Revision>
CHECKED: <Checked By>	DATED: <Checked Date>	SCALE: <Scale>	REV: 35F 44
QUALITY CONTROL: <QC By>	DATED: <QC Date>		
RELEASED: <Released By>	DATED: <Release Date>		


REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:




面板灯




机箱开关按钮



电源开关控制



复位按钮



面板灯

机箱开关按钮

电源开关控制

复位按钮

面板灯


机箱开关按钮

电源开关控制


复位按钮

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:


COME散热风扇



RFSOC散热风扇



机箱散热风扇



COMPANY: <Company Name>

TITLE: <Title>

DRAWN: <Drawn By>	DATED: <Drawn Date>
CHECKED: <Checked By>	DATED: <Checked Date>
QUALITY CONTROL: <QC By>	DATED: <QC Date>
RELEASED: <Released By>	DATED: <Release Date>

CODE:	SIZE:	DRAWING NO:	REV:
<Code>	D	<Drawing Number>	<Revision>
SCALE: <Scale>		SHEET: 37/44	

6

5




4

3

2

1


REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:




DRAWN: <Drawn By>		DATED: <Drawn Date>		COMPANY: <Company Name>			
CHECKED: <Checked By>		DATED: <Checked Date>		TITLE: <Title>			
QUALITY CONTROL: <QC By>		DATED: <QC Date>		CODE: <Code>	SIZE: D	DRAWING NO: <Drawing Number>	REV: <Revision>
RELEASED: <Released By>		DATED: <Release Date>		SCALE: <Scale>		SHEET: 38 of 44	

REVISION RECORD			
LTR	ECO NO.	APPROVED:	DATE:

STANDBY POWER



+3.3VD_COME和+5VD_COME



COMPANY: <Company Name>			
TITLE: <Title>			
DRAWN: <Drawn By>	DATED: <Drawn Date>	CODE: <Code>	SIZE: D <Drawing Number>×<Revision>
CHECKED: <Checked By>	DATED: <Checked Date>	QUALITY CONTROL: <QC By>	DATE: <QC Date>
RELEASED: <Released By>	DATED: <Release Date>	SCALE: <Scale>	SHEET: 39# 44


REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

顺序2：+0.925V ADC AVCC电压（可选择直接上电）

顺序4：+1.8V ADC AVCCAUX电压（可选择直接上电）


顺序2：+0.925V DAC AVCC电压（可选择直接上电）

顺序4：+1.8V DAC AVCCAUX电压（可选择直接上电）




REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:


顺序1：+3.7VA电压



顺序5：+3.3VA_CLK 电压




顺序4：+1.8VA_CLK 电压




COMPANY: <Company Name>			
TITLE: <Title>			
DRAWN: <Drawn By>	DATED: <Drawn Date>	CODE: <Code>	SIZE: D
CHECKED: <Checked By>	DATED: <Checked Date>	DRAWING NO: <Drawing Number>	REV: <Revision>
RELEASED: <Released By>	DATED: <Release Date>	SCALE: <Scale>	SHEET: 43/44

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

顺序1：+6V CPT电源



顺序5：+5V CPT电源



DRAWN: <Drawn By>		DATED: <Drawn Date>		COMPANY: <Company Name>			
CHECKED: <Checked By>		DATED: <Checked Date>		TITLE: <Title>			
QUALITY CONTROL: <QC By>		DATED: <QC Date>		CODE: <Code>	SIZE: D	DRAWING NO: <Drawing Number>	REV: <Revision>
RELEASED: <Released By>		DATED: <Release Date>		SCALE: <Scale>			SHEET: 44# 44